

* * 面積計算 (座標法) * *

地 器械点	番 : 1BL 視準点	内角	方向角	距離	[1] X(i)	[2] Y(i)	[3] X(i+1)-X(i-1)	[2]*[3]
1B-1	1B-2	129-17-15	246-32-33	14.965	46039.347	67999.369	33.156	2254587.078564
1B-2	1B-3	129-13-26	195-45-59	57.112	46033.390	67985.641	-60.920	-4141685.249720
1B-3	1B-4	180-30-06	196-16-05	22.607	45978.427	67970.123	-76.665	-5210929.479795
1B-4	1B-5	180-04-41	196-20-46	27.406	45956.725	67963.790	-48.000	-3262261.920000
1B-5	1B-6	179-24-31	195-45-17	552.407	45930.427	67956.077	-557.952	-37916229.074304
1B-6	1B-7	179-16-16	195-01-33	39.969	45398.773	67806.087	-570.256	-38666827.948272
1B-7	1B-8	180-42-26	195-43-59	57.561	45360.171	67795.725	-94.007	-6373272.720075
1B-8	1B-9	129-22-02	145-06-01	20.011	45304.766	67780.117	-71.817	-4867764.662589
1B-9	1B-10	129-15-27	94-21-28	34.836	45288.354	67791.566	-19.059	-1292039.456394
1B-10	1B-11	180-01-51	94-23-19	296.858	45285.707	67826.301	-25.363	-1720278.472263
1B-11	1B-12	118-37-16	33-00-35	15.957	45262.991	68122.289	-9.335	-635921.567815
1B-12	1B-19	151-22-43	4-23-18	581.590	45276.372	68130.982	593.266	40419795.167212
1B-19	1B-18	90-00-19	274-23-37	82.779	45856.257	68175.482	586.226	39966240.110932
1B-18	1B-17	270-00-00	4-23-37	123.337	45862.598	68092.946	129.316	8805507.404936
1B-17	1B-16	114-01-13	298-24-50	30.811	45985.573	68102.394	137.636	9373341.100584
1B-16	1B-1	178-50-28	297-15-18	85.408	46000.234	68075.295	53.774	3660680.913330
							倍面積	392941.224331
							面積	196470.6121655
							坪數	59432.36

※ ※ 面積計算 (座標法) ※ ※

地 器械点	番 : 視準点	2BL 内角	方向角	距離	[1] X(i)	[2] Y(i)	[3] X(i+1)-X(i-1)	[2]*[3]	
2B-1	2B-2	104-53-01	300-38-20	10.009	45549.483	67829.912	150.789	10228004.600568	
2B-2	2B-3	106-08-53	226-47-13	104.714	45554.584	67821.300	-66.598	-4516762.937400	
2B-3	2B-4	183-28-48	230-16-01	2.026	45482.885	67744.983	-72.994	-4944977.289102	
2B-4	2B-5	180-55-55	231-11-56	3.104	45481.590	67743.425	-3.240	-219488.697000	
2B-5	2B-6	180-12-05	231-24-01	49.503	45479.645	67741.006	-32.829	-2223869.485974	
2B-6	2B-7	162-08-05	213-32-06	10.039	45448.761	67702.318	-39.252	-2657451.386136	
2B-7	2B-8	161-41-25	195-13-31	139.063	45440.393	67696.772	-142.550	-9650174.848600	
2B-8	2B-9	129-33-26	144-46-57	10.071	45306.211	67660.252	-142.410	-9635496.487320	
2B-9	2B-10	129-36-35	94-23-32	77.796	45297.983	67666.060	-14.186	-959910.727160	
2B-10	2B-11	140-39-42	55-03-14	20.005	45292.025	67743.628	5.501	372657.697628	
2B-11	2B-12	140-41-10	15-44-24	63.685	45303.484	67760.026	72.756	4929948.451656	
2B-12	2B-13	180-41-35	16-25-59	40.676	45364.781	67777.302	100.311	6798808.940922	
2B-13	2B-1	179-19-20	15-45-19	151.375	45403.795	67788.809	184.702	12520728.599918	
								倍面積	42016.432000
								面積	21008.2160000
								坪數	6354.98

* * 面積計算 (座標法) * *

地 器械点	番 : 3BL 視準点	内角	方向角	距離	[1] X(i)	[2] Y(i)	[3] X(i+1)-X(i-1)	[2]*[3]
3B-1	3B-2	154-38-05	202-50-05	16.562	45335.661	67570.834	-41.610	-2811622.402740
3B-2	3B-3	125-45-02	148-35-07	17.954	45320.397	67564.407	-30.586	-2066524.952502
3B-3	3B-4	125-48-31	94-23-38	70.080	45305.075	67573.765	-20.691	-1398168.771615
3B-4	3B-5	139-57-57	54-21-35	9.992	45299.706	67643.639	0.453	30642.568467
3B-5	3B-6	140-52-08	15-13-43	142.435	45305.528	67651.759	143.255	9691452.735545
3B-6	HK14	32-26-26	227-40-09	120.216	45442.961	67689.173	56.479	3823016.801867
HK14	3B-1	180-31-51	228-12-00	39.527	45362.007	67600.301	-107.300	-7253512.297300
							倍面積	15283.681722
							面積	7641.8408610
							坪數	2311.65

* * 面積計算 (座標法) * *

地 器械点	番 : 4BL 視準点	内角	方向角	距離	[1] X(i)	[2] Y(i)	[3] X(i+1)-X(i-1)	[2]*[3]
4B-1	4B-2	64-59-31	112-35-58	40.792	45221.902	67446.121	-53.159	-3585368.346239
4B-2	4B-3	150-46-58	83-22-56	3.670	45206.226	67483.780	-15.253	-1029330.096340
4B-3	4B-4	118-28-20	21-51-16	10.842	45206.649	67487.426	10.486	707673.149036
4B-4	4B-5	180-57-47	22-49-03	64.716	45216.712	67491.462	69.715	4705167.273330
4B-5	4B-6	128-03-56	330-52-59	7.506	45276.364	67516.559	66.210	4470271.371390
4B-6	HK16	76-48-03	227-41-02	15.037	45282.922	67512.906	-3.565	-240683.509890
HK16	HK16-1	179-45-13	227-26-15	14.549	45272.799	67501.787	-19.964	-1347605.675668
HK16-1	HK16-2	240-46-03	288-12-18	1.951	45262.958	67491.072	-9.232	-623077.576704
HK16-2	HK16-3	81-57-44	190-10-02	2.811	45263.567	67489.219	-2.158	-145641.734602
HK16-3	HK17	217-16-17	227-26-19	2.092	45260.800	67488.722	-4.182	-282237.835404
HK17	4B-1	180-10-08	227-36-27	55.597	45259.385	67487.182	-38.898	-2625116.405436
							倍面積	4050.613473
							面積	2025.3067365
							坪數	612.65

* * 面積計算 (座標法) * *

地 器械点	番 : 5BL-1-1 視準点	内角	方向角	距離	[1] X(i)	[2] Y(i)	[3] X(i+1)-X(i-1)	[2]*[3]
5B-4	5B-5	178-45-51	227-43-49	45.483	45079.238	67292.084	-62.320	-4193642.674880
5B-5	5B-51	178-13-45	225-57-34	20.765	45048.645	67258.427	-45.028	-3028512.450956
5B-51	5B-52	92-31-20	138-28-54	183.848	45034.210	67243.500	-152.090	-10227063.915000
5B-52	5B-23	58-35-35	17-04-29	0.801	44896.555	67365.366	-136.889	-9221577.586374
5B-23	5B-24	180-34-30	17-38-59	15.185	44897.321	67365.601	15.236	1026382.296836
5B-24	5B-25	180-34-05	18-13-04	15.178	44911.791	67370.205	28.887	1946123.111835
5B-25	5B-26	180-35-48	18-48-52	15.178	44926.208	67374.950	28.784	1939320.560800
5B-26	5B-27	180-34-40	19-23-32	15.182	44940.575	67379.845	28.688	1932992.993360
5B-27	5B-28	180-33-01	19-56-33	15.181	44954.896	67384.886	28.592	1926668.660512
5B-28	5B-29	180-33-41	20-30-14	15.171	44969.167	67390.064	28.481	1919336.412784
5B-29	5B-30	180-36-04	21-06-18	15.172	44983.377	67395.378	28.364	1911602.501592
5B-30	5B-31	180-30-48	21-37-06	15.170	44997.531	67400.841	28.257	1904545.564137
5B-31	5B-50	180-37-43	22-14-49	10.619	45011.634	67406.430	23.932	1613170.682760
5B-50	5B-49	115-17-18	317-32-07	121.327	45021.463	67410.450	99.331	6695947.408950
5B-49	5B-4	91-25-51	228-57-58	48.327	45110.965	67328.538	57.775	3889906.282950
							倍面積	35199.849306
							面積	17599.9246530
							坪數	5323.97

* * 面積計算 (座標法) * *

地 器械点	番 : 5BL-1-2 視準点	内角	方向角	距離	[1] X(i)	[2] Y(i)	[3] X(i+1)-X(i-1)	[2]*[3]
5B-48	5B-47	137-10-03	181-30-08	4.997	44958.413	67168.901	-7.913	-531507.513613
5B-47	5B-46	137-07-10	138-37-18	15.526	44953.418	67168.770	-16.645	-1118024.176650
5B-46	5B-45	179-54-44	138-32-02	61.429	44941.768	67179.033	-57.682	-3875020.981506
5B-45	5B-44	179-52-12	138-24-14	36.013	44895.736	67219.710	-72.964	-4904618.920440
5B-44	5B-43	178-29-16	136-53-30	42.265	44868.804	67243.618	-57.788	-3885874.196984
5B-43	5B-42	229-39-45	186-33-15	31.522	44837.948	67272.501	-62.172	-4182465.932172
5B-42	5B-41	132-19-25	138-52-40	4.998	44806.632	67268.903	-35.081	-2359860.386143
5B-41	5B-40	132-20-11	91-12-51	30.861	44802.867	67272.190	-4.419	-297275.807610
5B-40	5B-39	219-36-35	130-49-26	34.945	44802.213	67303.044	-23.499	-1581554.230956
5B-39	5B-38	121-05-58	71-55-24	5.005	44779.368	67329.488	-21.292	-1433579.458496
5B-38	5B-15	121-27-03	13-22-27	4.323	44780.921	67334.246	5.759	387777.922714
5B-15	5B-14	58-13-38	251-36-05	4.990	44785.127	67335.246	2.631	177159.032226
5B-14	5B-13	237-53-07	309-29-12	35.665	44783.552	67330.511	21.104	1420943.104144
5B-13	5B-12	141-43-11	271-12-23	26.504	44806.231	67302.986	23.237	1563919.485682
5B-12	5B-11	224-38-42	315-51-05	4.996	44806.789	67276.488	4.143	278726.489784
5B-11	5B-10	229-06-08	4-57-13	28.686	44810.374	67273.008	32.164	2163769.029312
5B-10	5B-9	133-32-24	318-29-37	156.744	44838.953	67275.485	145.962	9819664.341570
5B-9	5B-8	223-08-05	1-37-42	4.997	44956.336	67171.610	122.378	8220327.288580
5B-8	5B-48	42-42-23	224-20-05	4.080	44961.331	67171.752	2.077	139515.728904
							倍面積	2020.818346
							面積	1010.4091730
							坪數	305.64

* * 面積計算 (座標法) * *

地 器械点	番 : 5BL-1-3 視準点	内角	方向角	距離	[1] X(i)	[2] Y(i)	[3] X(i+1)-X(i-1)	[2]*[3]
5B-6	5B-7	178-29-20	224-26-54	20.565	45024.717	67233.684	-24.174	-1625307.077016
5B-7	5B-8	179-51-10	224-18-04	68.054	45010.036	67219.283	-63.386	-4260761.472238
5B-8	5B-9	137-19-38	181-37-42	4.997	44961.331	67171.752	-53.700	-3607123.082400
5B-9	5B-10	136-51-55	138-29-37	156.744	44956.336	67171.610	-122.378	-8220327.288580
5B-10	5B-11	226-27-36	184-57-13	28.686	44838.953	67275.485	-145.962	-9819664.341570
5B-11	5B-12	130-53-52	135-51-05	4.996	44810.374	67273.008	-32.164	-2163769.029312
5B-12	5B-13	135-21-18	91-12-23	26.504	44806.789	67276.488	-4.143	-278726.489784
5B-13	5B-14	218-16-49	129-29-12	35.665	44806.231	67302.986	-23.237	-1563919.485682
5B-14	5B-15	122-06-53	71-36-05	4.990	44783.552	67330.511	-21.104	-1420943.104144
5B-15	5B-16	121-22-45	12-58-50	9.990	44785.127	67335.246	11.310	761561.632260
5B-16	5B-17	180-37-47	13-36-37	15.235	44794.862	67337.490	24.542	1652596.679580
5B-17	5B-18	180-35-22	14-11-59	15.226	44809.669	67341.075	29.568	1991140.905600
5B-18	5B-19	180-34-45	14-46-44	15.230	44824.430	67344.810	29.487	1985796.412470
5B-19	5B-20	180-34-00	15-20-44	15.209	44839.156	67348.695	29.393	1979580.192135
5B-20	5B-21	180-35-02	15-55-46	14.931	44853.823	67352.720	29.025	1954912.698000
5B-21	5B-22	180-32-38	16-28-24	15.263	44868.181	67356.818	28.994	1952943.581092
5B-22	5B-52	180-36-05	17-04-29	14.371	44882.817	67361.146	28.374	1911305.156604
5B-52	5B-51	121-24-25	318-28-54	183.848	44896.555	67365.366	151.393	10198644.854838
5B-51	5B-6	87-28-40	225-57-34	13.655	45034.210	67243.500	128.162	8618061.447000
							倍面積	46002.188853
							面積	23001.0944265
							坪數	6957.83

* * 面積計算 (座標法) * *

地 器械点	番 : 5BL-2 視準点	内角	方向角	距離	[1] X(i)	[2] Y(i)	[3] X(i+1)-X(i-1)	[2]*[3]
5B-50	5B-32	64-42-42	22-14-49	4.568	45021.4626	67410.4504	-85.2738	-5748345.2653195
5B-32	5B-37	180-34-37	22-49-26	7.587	45025.6910	67412.1800	11.2214	756459.0366520
5B-37	5B-36	179-59-34	22-49-00	139.224	45032.6840	67415.1230	135.3230	9122816.6897290
5B-36	5B-33	179-03-28	21-52-28	37.510	45161.0140	67469.1120	163.1390	11006843.4625680
5B-33	5B-34	118-38-52	320-31-20	4.005	45195.8230	67483.0870	37.9000	2557608.9973000
5B-34	5B-35	152-01-49	292-33-09	22.994	45198.9140	67480.5410	11.9100	803693.2433100
5B-35	5B-1	180-04-59	292-38-08	14.005	45207.7330	67459.3050	14.2090	958529.2647450
5B-1	5B-2	147-19-41	259-57-49	5.004	45213.1230	67446.3790	4.5180	304722.7403220
5B-2	5B-3	147-38-39	227-36-28	95.917	45212.2510	67441.4520	-65.5390	-4420045.3226280
5B-3	5B-49	181-21-30	228-57-58	55.779	45147.5840	67370.6130	-101.2862	-6823713.3824406
5B-49	5B-50	88-34-09	137-32-07	121.327	45110.9648	67328.5379	-126.1214	-8491569.4599011
							倍面積	27000.0043368
							面積	13500.0021684
							坪數	4083.75

* * 面積計算 (座標法) * *

地 器械点	番 : 6BL-1 視準点	内角	方向角	距離	[1]	[2]	[3]	[2]*[3]
					X(i)	Y(i)	X(i+1)-X(i-1)	
6B-53	6B-5	108-25-20	202-49-15	128.531	45141.4647	67488.0039	-101.3923	-6842763.9378300
6B-5	6B-6	179-44-20	202-33-35	7.465	45022.9950	67438.1530	-125.3637	-8454296.3812461
6B-6	6B-7	179-43-17	202-16-52	14.925	45016.1010	67435.2890	-20.7050	-1396247.6587450
6B-7	6B-8	179-25-22	201-42-14	14.956	45002.2900	67429.6300	-27.7070	-1868272.7584100
6B-8	6B-9	179-20-05	201-02-19	14.897	44988.3940	67424.0990	-27.8000	-1874389.9522000
6B-9	6B-10	179-28-39	200-30-58	14.926	44974.4900	67418.7510	-27.8830	-1879837.0341330
6B-10	6B-11	179-27-43	199-58-41	14.924	44960.5110	67413.5200	-28.0050	-1887915.6276000
6B-11	6B-12	179-22-45	199-21-26	14.931	44946.4850	67408.4210	-28.1130	-1895052.9395730
6B-12	6B-13	179-24-10	198-45-36	14.938	44932.3980	67403.4720	-28.2310	-1902867.4180320
6B-13	6B-14	179-30-00	198-15-36	14.923	44918.2540	67398.6680	-28.3160	-1908460.6830880
6B-14	6B-15	179-20-40	197-36-16	14.922	44904.0820	67393.9920	-28.3950	-1913652.4028400
6B-15	6B-16	179-27-18	197-03-34	14.927	44889.8590	67389.4790	-28.4930	-1920128.4251470
6B-16	6B-17	179-30-01	196-33-35	14.922	44875.5890	67385.1000	-28.5730	-1925394.4623000
6B-17	6B-18	179-23-14	195-56-49	14.926	44861.2860	67380.8470	-28.6550	-1930798.1707850
6B-18	6B-19	179-23-06	195-19-55	14.920	44846.9340	67376.7460	-28.7410	-1936475.0567860
6B-19	6B-20	179-26-08	194-46-03	14.939	44832.5450	67372.8010	-28.8350	-1942694.7168350
6B-20	6B-21	179-26-04	194-12-07	14.930	44818.0990	67368.9930	-28.9200	-1948311.2775600
6B-21	6B-22	179-27-16	193-39-23	14.960	44803.6250	67365.3300	-29.0110	-1954335.5886300
6B-22	6B-23	179-41-26	193-20-49	1.572	44789.0880	67361.7980	-16.0670	-1082302.0084660
6B-23	6B-24	132-21-19	145-42-08	20.006	44787.5580	67361.4350	-18.0570	-1216345.4317950
6B-24	6B-25	128-40-50	94-22-58	276.224	44771.0310	67372.7080	-37.6360	-2535639.2382880
6B-25	6B-26	132-29-32	46-52-30	20.013	44749.9220	67648.1240	-7.4280	-502490.2650720
6B-26	6B-27	136-38-39	3-31-09	57.721	44763.6030	67662.7310	71.2930	4823879.0811830
6B-27	6B-28	180-42-57	4-14-06	39.813	44821.2150	67666.2740	97.3160	6585011.1205840

器械点	视準点	内角	方向角	距離	[1] X(i)	[2] Y(i)	[3] X(i+1)-X(i-1)	[2]*[3]
6B-28	6B-29	179-17-00	3-31-06	44.126	44860.9190	67669.2140	83.7470	5667093.6648580
6B-29	6B-30	180-06-28	3-37-34	6.119	44904.9620	67671.9220	50.1500	3393746.8883000
6B-30	6B-31	180-31-33	4-09-07	12.818	44911.0690	67672.3090	18.8910	1278397.5893190
6B-31	6B-32	180-46-15	4-55-22	12.830	44923.8530	67673.2370	25.5670	1730201.6503790
6B-32	6B-33	180-47-48	5-43-10	12.824	44936.6360	67674.3380	25.5430	1728605.6155340
6B-33	6B-34	180-47-21	6-30-31	12.219	44949.3960	67675.6160	24.9000	1685122.8384000
6B-34	6B-35	180-30-54	7-01-25	12.823	44961.5360	67677.0010	24.8670	1682923.9838670
6B-35	6B-36	180-52-03	7-53-28	13.431	44974.2630	67678.5690	26.0310	1761740.8296390
6B-36	6B-37	180-39-38	8-33-06	12.825	44987.5670	67680.4130	25.9860	1758743.2122180
6B-37	6B-38	180-47-09	9-20-15	12.222	45000.2490	67682.3200	24.7420	1674595.9614400
6B-38	6B-39	180-42-45	10-03-00	12.211	45012.3090	67684.3030	24.0840	1630108.7534520
6B-39	6B-40	180-38-04	10-41-04	12.843	45024.3330	67686.4340	24.6440	1668064.4794960
6B-40	6B-41	180-14-42	10-55-46	12.194	45036.9530	67688.8150	24.5930	1664671.0272950
6B-41	6B-42	181-37-11	12-32-57	12.832	45048.9260	67691.1270	24.4980	1658297.2292460
6B-42	6B-43	180-22-55	12-55-52	12.803	45061.4510	67693.9150	25.0030	1692550.9567450
6B-43	6B-44	180-37-54	13-33-46	12.823	45073.9290	67696.7800	24.9430	1688560.7835400
6B-44	6B-45	180-47-52	14-21-38	12.809	45086.3940	67699.7870	24.8740	1683964.5018380
6B-45	6B-46	180-40-19	15-01-57	12.820	45098.8030	67702.9640	24.7900	1678356.4775600
6B-46	6B-47	180-44-58	15-46-55	5.486	45111.1840	67706.2890	17.6600	1195693.0637400
6B-47	6B-54	179-59-59	15-46-54	8.235	45116.4630	67707.7810	13.2033	893966.1448773
6B-54	6B-53	78-37-01	274-23-55	222.672	45124.3873	67710.0206	25.0017	1692865.6220350
							倍面積	198490.0401842
							面積	99245.0200921
							坪數	30021.61

* * 面積計算 (座標法) * *

地 番 : 6BL-2
 器械点 視準点

	内角	方向角	距離	[1] X(i)	[2] Y(i)	[3] X(i+1)-X(i-1)	[2]*[3]	
6B-54	6B-48	101-22-59	15-46-54	29.630	45124.3873	67710.0206	11.4353	774284.3985672
6B-48	6B-49	179-51-26	15-38-20	10.372	45152.9000	67718.0790	38.5007	2607193.4441553
6B-49	6B-50	179-24-46	15-03-06	40.286	45162.8880	67720.8750	48.8920	3311009.0205000
6B-50	6B-51	180-42-05	15-45-11	57.570	45201.7920	67731.3370	94.3120	6387877.8551440
6B-51	6B-52	129-18-14	325-03-25	20.015	45257.2000	67746.9670	71.8150	4865248.4351050
6B-52	6B-1	129-20-30	274-23-55	173.041	45273.6070	67735.5030	29.6780	2010254.2580340
6B-1	6B-2	144-10-28	238-34-23	20.051	45286.8780	67562.9720	2.8160	190257.3291520
6B-2	6B-3	144-14-38	202-49-01	76.150	45276.4230	67545.8620	-80.6460	-5447303.5868520
6B-3	6B-4	180-56-59	203-46-00	60.008	45206.2320	67516.3320	-125.1100	-8446968.2965200
6B-4	6B-53	179-03-15	202-49-15	10.685	45151.3130	67492.1480	-64.7673	-4371284.1971604
6B-53	6B-54	71-34-40	94-23-55	222.672	45141.4647	67488.0039	-26.9257	-1817161.7466102
							倍面積	63406.9135149
							面積	31703.4567575
							坪數	9590.29

* * 面積計算 (座標法) * *

地 器械点	番 : 視準点	7BL	内角	方向角	距離	[1] X(i)	[2] Y(i)	[3] X(i+1)-X(i-1)	[2]*[3]	
7B-1	7B-2		135-18-13	319-01-31	10.003	44734.913	67529.994	131.549	8883503.180706	
7B-2	7B-3		135-21-38	274-23-09	157.117	44742.465	67523.435	19.567	1321231.052645	
7B-3	7B-4		135-40-16	230-03-25	9.511	44754.480	67366.778	5.909	398070.291202	
7B-4	HK29		79-58-52	130-02-17	70.860	44748.374	67359.486	-51.690	-3481811.831340	
HK29	HK30		180-17-51	130-20-08	127.933	44702.790	67413.737	-128.390	-8655249.693430	
HK30	7B-5		180-01-00	130-21-08	14.004	44619.984	67511.256	-91.874	-6202529.133744	
7B-5	7B-1		53-22-10	3-43-18	124.259	44610.916	67521.928	114.929	7760227.663112	
									倍面積	23441.529151
									面積	11720.7645755
									坪數	3545.53

* * 面積計算 (座標法) * *

地 器械点	番 : 8BL 視準点	内角	方向角	距離	[1] X(i)	[2] Y(i)	[3] X(i+1)-X(i-1)	[2]*[3]
8B-1	8B-2	134-37-46	229-01-06	10.000	44740.473	67549.497	0.975	65860.759575
8B-2	8B-3	134-41-13	183-42-19	132.984	44733.915	67541.948	-139.264	-9406161.846272
8B-3	HK31	126-38-49	130-21-08	48.957	44601.209	67533.354	-164.405	-11102821.064370
HK31	8B-4	179-43-37	130-04-45	91.476	44569.510	67570.663	-90.595	-6121564.214485
8B-4	8B-5	53-26-27	3-31-12	207.784	44510.614	67640.656	148.496	10044366.853376
8B-5	8B-6	155-22-07	338-53-19	16.008	44718.006	67653.414	222.326	15041112.920964
8B-6	8B-1	115-30-01	274-23-20	98.440	44732.940	67647.648	22.467	1519839.707616
							倍面積	40633.116404
							面積	20316.5582020
							坪数	6145.75

** 面積計算 (座標法) **

地 器械点	番 : 9BL-1-1 視準点	内角	方向角	距離	[1] X(i)	[2] Y(i)	[3] X(i+1)-X(i-1)	[2]*[3]
9B-1	9B-2	140-40-54	235-04-23	20.004	45269.9430	67783.4490	14.4560	979877.5387440
9B-2	9B-3	140-40-17	195-44-40	64.306	45258.4900	67767.0480	-73.3460	-4970441.9026080
9B-3	9B-4	180-43-38	196-28-18	40.005	45196.5970	67749.5990	-100.2560	-6792303.7973440
9B-4	9B-5	179-15-47	195-44-05	47.997	45158.2340	67738.2560	-84.5610	-5728014.6656160
9B-5	9B-6	179-56-13	195-40-18	6.153	45112.0360	67725.2400	-52.1220	-3529974.9592800
9B-6	9B-7	179-22-19	195-02-37	12.306	45106.1120	67723.5780	-17.8080	-1206021.4770240
9B-7	9B-8	179-17-16	194-19-53	12.285	45094.2280	67720.3840	-23.7870	-1610864.7742080
9B-8	9B-9	179-16-13	193-36-06	12.918	45082.3250	67717.3430	-24.4590	-1656298.4924370
9B-9	9B-10	179-16-23	192-52-29	12.288	45069.7690	67714.3050	-24.5350	-1661370.4731750
9B-10	9B-11	179-19-36	192-12-05	12.302	45057.7900	67711.5670	-24.0030	-1625280.7427010
9B-11	9B-12	179-13-15	191-25-20	12.896	45045.7660	67708.9670	-24.6650	-1670041.6710550
9B-12	9B-13	179-15-41	190-41-01	12.288	45033.1250	67706.4130	-24.7160	-1673431.7037080
9B-13	9B-32	179-20-41	190-01-42	6.949	45021.0500	67704.1350	-18.9175	-1280792.9738625
9B-32	9B-33	84-21-36	94-23-18	406.743	45014.2075	67702.9250	-37.9648	-2570328.0070400
9B-33	9B-30	90-00-00	4-23-18	247.000	44983.0852	68108.4753	215.1536	14653783.6513061
9B-30	9B-31	151-35-13	335-58-31	16.065	45229.3611	68127.3743	260.9488	17777756.5707358
9B-31	9B-1	118-24-58	274-23-29	338.378	45244.0340	68120.8340	40.5819	2764472.8733046
							倍面積	200724.9940320
							面積	100362.4970160
							坪數	30359.65

* * 面積計算 (座標法) * *

地 器械点	番 : 9BL-1-2		内角	方向角	距離	[1]	[2]	[3]	[2]*[3]
	視準点					X(i)	Y(i)	X(i+1)-X(i-1)	
9B-14	9B-15	179-14-41	189-16-23	12.288	45008.9370	67701.9930	-17.3975	-1177845.4232175	
9B-15	9B-16	179-16-39	188-33-02	12.914	44996.8100	67700.0130	-24.8970	-1685527.2236610	
9B-16	9B-17	179-16-27	187-49-29	12.281	44984.0400	67698.0930	-24.9370	-1688187.3451410	
9B-17	9B-18	179-18-07	187-07-36	12.276	44971.8730	67696.4210	-24.3480	-1648272.4585080	
9B-18	9B-19	179-13-41	186-21-17	12.306	44959.6920	67694.8980	-24.4110	-1652500.1550780	
9B-19	9B-20	179-19-27	185-40-44	12.895	44947.4620	67693.5360	-25.0620	-1696535.3992320	
9B-20	9B-21	179-17-18	184-58-02	12.288	44934.6300	67692.2600	-25.0740	-1697315.7272400	
9B-21	9B-22	179-16-41	184-14-43	12.280	44922.3880	67691.1960	-24.4880	-1657622.0076480	
9B-22	9B-23	179-17-48	183-32-31	6.151	44910.1420	67690.2870	-18.3850	-1244485.9264950	
9B-23	9B-24	179-59-16	183-31-47	44.245	44904.0030	67689.9070	-50.3000	-3404802.3221000	
9B-24	9B-25	179-16-42	182-48-29	40.497	44859.8420	67687.1830	-84.6090	-5726944.8664470	
9B-25	9B-26	180-42-47	183-31-16	57.560	44819.3940	67685.1990	-97.8990	-6626313.2969010	
9B-26	9B-27	137-32-06	141-03-22	20.006	44761.9430	67681.6640	-73.0110	-4941505.9703040	
9B-27	9B-28	133-20-10	94-23-32	387.700	44746.3830	67694.2390	-45.2510	-3063232.0089890	
9B-28	9B-29	116-48-58	31-12-30	15.983	44716.6920	68080.8000	-16.0209	-1090715.6887200	
9B-29	9B-33	153-10-48	4-23-18	253.466	44730.3621	68089.0816	266.3932	18138468.3324851	
9B-33	9B-32	90-00-00	274-23-18	406.743	44983.0852	68108.4753	283.8454	19332277.4149186	
9B-32	9B-14	95-38-24	190-01-42	5.352	45014.2075	67702.9250	25.8518	1750242.4765150	
							倍面積	219182.4042372	
							面積	109591.2021186	
							坪數	33151.33	

* * 面積計算 (座標法) * *

地 器 械 點	番 ： 視 準 點	10BL-1		距 離	[1]	[2]	[3]	[2]*[3]
		內 角	方 向 角		X(i)	Y(i)	X(i+1)-X(i-1)	
10B-3	10B-4	131-34-46	135-06-03	10.039	44431.7280	67667.8380	-184.5694	-12489412.2589572
10B-4	10B-5	131-24-01	86-30-04	1.294	44424.6170	67674.9240	-7.0320	-475890.0655680
10B-5	10B-6	179-52-21	86-22-25	9.707	44424.6960	67676.2160	0.6930	46899.6176880
10B-6	10B-7	179-38-12	86-00-37	9.716	44425.3100	67685.9040	1.2900	87314.8161600
10B-7	10B-8	179-29-12	85-29-49	9.718	44425.9860	67695.5960	1.4390	97413.9626440
10B-8	10B-9	179-41-52	85-11-41	9.705	44426.7490	67705.2840	1.5760	106703.5275840
10B-9	10B-10	179-32-42	84-44-23	9.708	44427.5620	67714.9550	1.7030	115318.5683650
10B-10	10B-11	179-38-14	84-22-37	9.706	44428.4520	67724.6220	1.8410	124681.0291020
10B-11	10B-12	179-37-30	84-00-07	9.694	44429.4030	67734.2810	1.9640	133030.1278840
10B-12	10B-13	179-35-10	83-35-17	9.716	44430.4160	67743.9220	2.0980	142126.7483560
10B-13	10B-14	179-32-33	83-07-50	9.707	44431.5010	67753.5770	2.2460	152174.5339420
10B-14	10B-15	179-36-22	82-44-12	9.713	44432.6620	67763.2140	2.3890	161886.3182460
10B-15	10B-16	179-37-44	82-21-56	9.710	44433.8900	67772.8490	2.5180	170652.0337820
10B-16	10B-17	179-32-52	81-54-48	9.711	44435.1800	67782.4730	2.6560	180030.2482880
10B-17	10B-18	179-38-29	81-33-17	9.689	44436.5460	67792.0870	2.7890	189072.1306430
10B-18	10B-19	179-35-35	81-08-52	9.695	44437.9690	67801.6710	2.9150	197641.8709650
10B-19	10B-20	179-34-06	80-42-58	9.707	44439.4610	67811.2510	3.0580	207366.8055580
10B-20	10B-21	179-37-39	80-20-37	9.712	44441.0270	67820.8310	3.1950	216687.5550450
10B-21	10B-22	179-38-35	79-59-12	7.281	44442.6560	67830.4050	2.8950	196369.0224750
10B-22	10B-23	179-47-33	79-46-45	228.195	44443.9220	67837.5750	41.7580	2832761.4568500
10B-23	10B-24	136-29-31	36-16-16	34.995	44484.4140	68062.1490	68.7059	4676271.2029791
10B-24	K178	137-20-51	353-37-07	2.525	44512.6279	68082.8524	30.7236	2091750.3239966
K178	K179	180-57-15	354-34-22	10.333	44515.1376	68082.5717	12.7966	871225.4370162
K179	K180	180-57-21	355-31-43	10.333	44525.4245	68081.5944	20.5887	1401711.5226233

器械点	视準点	内角	方向角	距離	[1] X(i)	[2] Y(i)	[3] X(i+1)-X(i-1)	[2]*[3]
K180	K181	180-57-15	356-28-58	10.333	44535.7263	68080.7888	20.6156	1403526.3095853
K181	K182	180-57-19	357-26-17	10.333	44546.0401	68080.1548	20.6367	1404949.7305612
K182	K183	180-57-17	358-23-34	10.333	44556.3630	68079.6929	20.6520	1405981.8177708
K183	K184	180-57-18	359-20-52	10.333	44566.6921	68079.4031	20.6617	1406636.2030313
K184	K185	180-57-18	0-18-10	10.333	44577.0247	68079.2855	20.6656	1406899.2824288
K185	K186	180-57-17	1-15-27	10.333	44587.3577	68079.3401	20.6637	1406771.0600244
K186	K187	180-57-17	2-12-44	10.333	44597.6884	68079.5669	20.6563	1406271.9577565
K187	K188	180-57-20	3-10-04	10.333	44608.0140	68079.9658	20.6430	1405374.7340094
K188	K189	180-50-55	4-00-59	8.042	44618.3314	68080.5368	18.3401	1248603.8529657
K189	10B-25	180-22-19	4-23-18	58.777	44626.3541	68081.1001	66.6270	4536039.4563627
10B-25	10B-26	153-11-43	337-35-01	16.034	44684.9584	68085.5974	73.4269	4999314.3517301
10B-26	10B-28	116-48-15	274-23-16	270.449	44699.7810	68079.4830	35.5131	2417713.4877273
10B-28	10B-29	88-56-14	183-19-30	121.374	44720.4715	67809.8266	-100.4792	-6813477.1289067
10B-29	10B-27	271-13-54	274-33-24	124.422	44599.3018	67802.7869	-111.2851	-7545439.9204452
10B-27	10B-3	88-57-53	183-31-17	177.794	44609.1864	67678.7581	-167.5738	-11341186.6740978
							倍面積	181765.0561708
							面積	90882.5280854
							坪數	27491.96

* * 面積計算 (座標法) * *

地 番 : 10BL-2
 器械点 視準点

	内角	方向角	距離	[1] X(i)	[2] Y(i)	[3] X(i+1)-X(i-1)	[2]*[3]	
10B-1	10B-2	114-50-43	209-13-59	15.968	44729.4280	67693.0980	-4.9775	-336942.3952950
10B-2	10B-27	154-17-18	183-31-17	106.509	44715.4940	67685.3000	-120.2416	-8138588.7684800
10B-27	10B-29	91-02-07	94-33-24	124.422	44609.1864	67678.7581	-116.1922	-7863743.7969068
10B-29	10B-28	88-46-06	3-19-30	121.374	44599.3018	67802.7869	111.2851	7545439.9204452
10B-28	10B-1	91-03-46	274-23-16	117.072	44720.4715	67809.8266	130.1262	8823835.0581169
						倍面積	30000.0178803	
						面積	15000.0089402	
						坪数	4537.50	

* * 面積計算 (座標法) * *

地 器械点	番 : 11BL 視準点	内角	方向角	距離	[1] X(i)	[2] Y(i)	[3] X(i+1)-X(i-1)	[2]*[3]
11B-1	11B-2	138-44-39	225-43-55	9.965	44384.411	67671.637	-7.317	-495153.367929
11B-2	11B-3	137-47-50	183-31-45	184.379	44377.455	67664.501	-190.985	-12922904.723485
11B-3	11B-4	147-00-20	150-32-05	14.999	44193.426	67653.151	-197.088	-13333624.224288
11B-4	11B-29	109-14-56	79-47-01	388.029	44180.367	67660.529	55.765	3773089.399685
11B-29	11B-30	90-00-00	349-47-01	97.477	44249.191	68042.406	164.756	11210394.642936
11B-30	11B-31	270-00-00	79-47-01	94.890	44345.123	68025.117	112.762	7670648.243154
11B-31	K163	79-30-38	339-17-39	2.769	44361.953	68118.502	19.421	1322929.427342
K163	K164	180-57-18	340-14-57	10.333	44364.544	68117.523	12.316	838935.413268
K164	K165	180-57-18	341-12-15	10.333	44374.269	68114.031	19.507	1328700.402717
K165	K166	180-57-18	342-09-33	10.333	44384.051	68110.701	19.618	1336195.732218
K166	K167	180-57-17	343-06-50	10.333	44393.887	68107.536	19.724	1343353.040064
K167	K168	180-57-17	344-04-07	10.333	44403.775	68104.534	19.824	1350104.282016
K168	K169	180-57-21	345-01-28	10.333	44413.711	68101.698	19.919	1356517.722462
K169	11B-7	180-57-15	345-58-43	2.188	44423.694	68099.028	12.106	824406.832968
11B-7	11B-8	137-17-33	303-16-16	34.993	44425.817	68098.497	21.320	1451859.956040
11B-8	11B-10	136-31-10	259-47-26	228.261	44445.014	68069.240	-21.262	-1447288.180880
11B-10	11B-11	180-20-09	260-07-35	12.206	44404.555	67844.593	-42.552	-2886923.121336
11B-11	11B-12	180-24-12	260-31-47	10.575	44402.462	67832.568	-3.833	-260002.233144
11B-12	11B-13	180-24-01	260-55-48	10.543	44400.722	67822.137	-3.402	-230730.910074
11B-13	11B-14	180-30-48	261-26-36	10.559	44399.060	67811.726	-3.233	-219235.310158
11B-14	11B-15	180-21-08	261-47-44	10.553	44397.489	67801.285	-3.077	-208624.553945
11B-15	11B-16	180-27-02	262-14-46	11.392	44395.983	67790.840	-3.043	-206287.526120
11B-16	11B-17	180-25-09	262-39-55	10.566	44394.446	67779.552	-2.886	-195611.787072
11B-17	11B-18	180-17-55	262-57-50	4.874	44393.097	67769.072	-1.946	-131878.614112

器械点	视準点	内角	方向角	距離	[1] X(i)	[2] Y(i)	[3] X(i+1)-X(i-1)	[2]*[3]
11B-18	11B-19	180-13-04	263-10-54	5.652	44392.500	67764.235	-1.268	-85925.049980
11B-19	11B-20	180-22-33	263-33-27	8.110	44391.829	67758.623	-1.581	-107126.382963
11B-20	11B-21	180-16-23	263-49-50	9.751	44390.919	67750.564	-1.958	-132655.604312
11B-21	11B-22	180-19-42	264-09-32	6.515	44389.871	67740.869	-1.711	-115904.626859
11B-22	11B-23	180-11-12	264-20-44	5.694	44389.208	67734.388	-1.224	-82906.890912
11B-23	11B-24	180-28-03	264-48-47	10.574	44388.647	67728.722	-1.517	-102744.471274
11B-24	11B-25	180-23-41	265-12-28	8.127	44387.691	67718.191	-1.635	-110719.242285
11B-25	11B-26	180-13-43	265-26-11	10.557	44387.012	67710.092	-1.519	-102851.629748
11B-26	11B-27	180-35-12	266-01-23	10.554	44386.172	67699.568	-1.572	-106423.720896
11B-27	11B-28	180-21-04	266-22-27	10.563	44385.440	67689.039	-1.400	-94764.654600
11B-28	11B-1	180-36-49	266-59-16	6.869	44384.772	67678.497	-1.029	-69641.173413
							倍面積	157207.095085
							面積	78603.5475425
							坪数	23777.57

※ ※ 面積計算 (座標法) ※ ※

地 器 械 点	番 視 準 点	12BL 内角	方向角	距離	[1]	[2]	[3]	[2]*[3]
					X(i)	Y(i)	X(i+1)-X(i-1)	
12B-1	12B-2	121-07-15	200-54-05	16.997	44162.340	67656.348	-106.989	-7238485.016172
12B-2	12B-3	162-37-07	183-31-12	398.764	44146.461	67650.284	-413.891	-27999843.695044
12B-3	12B-4	138-39-30	142-10-42	50.058	43748.449	67625.801	-437.554	-29589939.730754
12B-4	12B-5	184-52-50	147-03-32	35.075	43708.907	67656.497	-68.978	-4666809.850066
12B-5	12B-6	175-06-13	142-09-45	89.964	43679.471	67675.570	-100.485	-6800379.651450
12B-6	12B-7	179-26-32	141-36-17	2.434	43608.422	67730.756	-72.957	-4941432.765492
12B-7	12B-8	179-29-20	141-05-37	2.431	43606.514	67732.268	-3.800	-257382.618400
12B-8	12B-9	179-01-21	140-06-58	2.434	43604.622	67733.795	-3.760	-254679.069200
12B-9	12B-10	179-26-38	139-33-36	2.428	43602.754	67735.356	-3.716	-251704.582896
12B-10	12B-11	179-11-16	138-44-52	2.434	43600.906	67736.931	-3.678	-249136.432218
12B-11	12B-12	179-10-52	137-55-44	2.436	43599.076	67738.536	-3.638	-246432.793968
12B-12	12B-13	179-12-12	137-07-56	2.433	43597.268	67740.168	-3.591	-243254.943288
12B-13	12B-14	179-12-06	136-20-02	2.430	43595.485	67741.823	-3.541	-239873.795243
12B-14	12B-15	179-17-58	135-38-00	2.431	43593.727	67743.501	-3.496	-236831.279496
12B-15	12B-16	179-29-59	135-07-59	2.437	43591.989	67745.201	-3.465	-234737.121465
12B-16	12B-17	179-27-02	134-35-01	2.433	43590.262	67746.920	-3.435	-232710.670200
12B-17	12B-18	178-43-08	133-18-09	2.435	43588.554	67748.653	-3.378	-228854.949834
12B-18	12B-19	178-56-51	132-15-00	2.432	43586.884	67750.425	-3.305	-223915.154625
12B-19	12B-20	179-28-17	131-43-17	2.436	43585.249	67752.225	-3.256	-220601.244600
12B-20	12B-21	179-20-42	131-03-59	2.433	43583.628	67754.043	-3.219	-218100.264417
12B-21	12B-22	179-09-37	130-13-36	2.439	43582.030	67755.877	-3.173	-214989.397721
12B-22	12B-23	179-21-41	129-35-17	2.429	43580.455	67757.739	-3.123	-211607.418897
12B-23	12B-24	179-28-34	129-03-51	2.434	43578.907	67759.611	-3.082	-208835.121102
12B-24	12B-25	179-22-41	128-26-32	2.427	43577.373	67761.501	-3.043	-206198.247543

<< 常陸那珂街区出来形確定 >>

器械点	視準点	内角	方向角	距離	[1] X(i)	[2] Y(i)	[3] X(i+1)-X(i-1)	[2]*[3]
12B-25	12B-26	179-07-45	127-34-17	2.434	43575.864	67763.402	-2.993	-202815.862186
12B-26	12B-27	179-07-43	126-42-00	2.430	43574.380	67765.331	-2.936	-198959.011816
12B-27	12B-28	179-09-09	125-51-09	2.433	43572.928	67767.279	-2.877	-194966.461683
12B-28	12B-29	179-18-14	125-09-23	2.428	43571.503	67769.251	-2.823	-191312.595573
12B-29	12B-30	179-20-41	124-30-04	2.429	43570.105	67771.236	-2.774	-187997.408664
12B-30	12B-31	179-15-15	123-45-19	2.433	43568.729	67773.238	-2.728	-184885.393264
12B-31	12B-32	179-10-15	122-55-34	2.434	43567.377	67775.261	-2.675	-181298.823175
12B-32	12B-33	179-10-36	122-06-10	2.433	43566.054	67777.304	-2.616	-177305.427264
12B-33	12B-34	179-02-48	121-08-58	2.434	43564.761	67779.365	-2.552	-172972.939480
12B-34	12B-35	179-32-28	120-41-26	2.375	43563.502	67781.448	-2.471	-167487.958008
12B-35	12B-36	179-31-30	120-12-56	215.162	43562.290	67783.490	-109.493	-7421817.670570
12B-36	12B-37	177-03-52	117-16-48	19.392	43454.009	67969.420	-117.169	-7963908.971980
12B-37	12B-38	184-43-09	121-59-57	31.844	43445.121	67986.655	-25.762	-1751472.206110
12B-38	K110	87-59-20	29-59-17	30.335	43428.247	68013.661	9.400	639328.413400
K110	K111	179-33-16	29-32-33	50.003	43454.521	68028.823	69.776	4746779.153648
K111	K112	180-00-00	29-32-33	50.003	43498.023	68053.478	87.004	5920924.799912
K112	K113	180-00-00	29-32-33	50.003	43541.525	68078.133	87.004	5923069.883532
K113	K114	180-00-00	29-32-33	50.003	43585.027	68102.788	87.004	5925214.967152
K114	K115	180-00-01	29-32-34	20.001	43628.529	68127.442	60.903	4149165.600126
K115	K116	179-59-59	29-32-33	30.002	43645.930	68137.304	43.502	2964108.998608
K116	K117	180-00-00	29-32-33	50.003	43672.031	68152.097	69.603	4743590.407491
K117	K118	180-00-00	29-32-33	50.003	43715.533	68176.752	87.004	5931650.131008
K118	K119	180-00-00	29-32-33	50.003	43759.035	68201.407	87.004	5933795.214628
K119	K120	180-00-00	29-32-33	50.003	43802.537	68226.062	87.004	5935940.298248
K120	K121	179-00-35	28-33-08	50.041	43846.039	68250.717	87.457	5969002.956669

<< 常陸那珂街区出来形確定 >>

器械点	視準点	内角	方向角	距離	[1] X(i)	[2] Y(i)	[3] X(i+1)-X(i-1)	[2]*[3]
K121	K122	180-00-01	28-33-09	50.313	43889.994	68274.634	88.149	6018340.712466
K122	K123	180-00-00	28-33-09	50.709	43934.188	68298.682	88.736	6060551.845952
K123	K124	180-00-00	28-33-09	51.215	43978.730	68322.919	89.528	6116814.292232
K124	K125	182-14-02	30-47-11	30.848	44023.716	68347.398	71.487	4885950.440826
K125	K126	94-03-21	304-50-32	22.149	44050.217	68363.187	39.155	2676760.586985
K126	K127	181-30-08	306-20-40	10.096	44062.871	68345.009	18.637	1273745.932733
K127	K128	181-10-31	307-31-11	10.430	44068.854	68336.877	12.335	842935.377795
K128	K129	180-24-24	307-55-35	10.424	44075.206	68328.605	12.759	871804.671195
K129	K130	181-30-16	309-25-51	10.422	44081.613	68320.383	13.026	889941.308958
K130	K131	180-24-21	309-50-12	10.415	44088.232	68312.333	13.291	907939.217903
K131	K132	182-03-21	311-53-33	10.416	44094.904	68304.336	13.627	930783.186672
K132	K133	180-24-20	312-17-53	10.407	44101.859	68296.582	13.959	953351.988138
K133	K134	181-30-24	313-48-17	10.404	44108.863	68288.885	14.206	970111.900310
K134	K135	180-24-20	314-12-37	10.395	44116.065	68281.376	14.450	986665.883200
K135	K136	181-30-23	315-43-00	10.393	44123.313	68273.925	14.688	1002807.410400
K136	K137	182-03-31	317-46-31	10.394	44130.753	68266.669	15.137	1033352.568653
K137	K138	180-57-30	318-44-01	10.384	44138.450	68259.684	15.502	1058161.621368
K138	K139	180-24-21	319-08-22	10.369	44146.255	68252.835	15.647	1067952.109245
K139	K140	181-30-36	320-38-58	10.366	44154.097	68246.051	15.858	1082245.876758
K140	K141	180-57-27	321-36-25	10.356	44162.113	68239.478	16.132	1100839.259096
K141	K142	177-38-01	319-14-26	10.333	44170.229	68233.047	15.943	1087839.468321
K142	K143	180-57-20	320-11-46	10.333	44178.056	68226.301	15.766	1075655.861566
K143	K144	180-57-15	321-09-01	10.333	44185.995	68219.686	15.986	1090559.900396
K144	K145	180-57-21	322-06-22	10.333	44194.042	68213.204	16.201	1105122.118004
K145	K146	180-57-16	323-03-38	10.333	44202.196	68206.857	16.414	1119547.350798

<< 常陸那珂街区出来形確定 >>

器械点	視準点	内角	方向角	距離	[1] X(i)	[2] Y(i)	[3] X(i+1)-X(i-1)	[2]*[3]
K146	K147	180-57-17	324-00-55	10.333	44210.456	68200.647	16.621	1133562.953787
K147	K148	180-57-18	324-58-13	10.333	44218.817	68194.576	16.822	1147169.157472
K148	K149	180-57-18	325-55-31	10.333	44227.278	68188.644	17.020	1160570.720880
K149	K150	180-57-17	326-52-48	10.333	44235.837	68182.855	17.214	1173699.665970
K150	12B-39	180-57-19	327-50-07	3.361	44244.492	68177.209	11.500	784037.903500
12B-39	12B-40	146-13-55	294-04-02	14.990	44247.337	68175.420	8.958	610715.412360
12B-40	12B-1	145-42-48	259-46-50	513.532	44253.450	68161.733	-84.997	-5793542.819801
							倍面積	794628.164696
							面積	397314.0823480
							坪数	120187.50

※ ※ 面積計算 (座標法) ※ ※

地番 器械点	番 : 視準点	13BL 内角	方向角	距離	[1] X(i)	[2] Y(i)	[3] X(i+1)-X(i-1)	[2]*[3]
13B-101	13B-102	90-05-50	142-15-16	280.415	43508.174	67324.641	-269.797	-18163986.167877
13B-102	13B-103	89-57-29	52-12-45	78.549	43286.439	67496.299	-173.605	-11717694.987895
13B-103	13B-104	89-59-58	322-12-43	280.491	43334.569	67558.375	269.797	18227046.899875
13B-104	13B-101	89-56-43	232-09-26	78.341	43556.236	67386.507	173.605	11698634.547735
							倍面積	44000.291838
							面積	22000.1459190
							坪数	6655.04

<< 常陸那珂街区出来形確定 >>

※ ※ 面積計算 (座標法) ※ ※

地番 : 14BL
 器械点 視準点

器械点	視準点	内角	方向角	距離	[1] X(i)	[2] Y(i)	[3] X(i+1)-X(i-1)	[2]*[3]
13B-103	13B-102	90-00-02	232-12-45	78.549	43334.569	67558.375	52.441	3542828.743375
13B-102	14B-101	90-02-31	142-15-16	127.207	43286.439	67496.299	-148.717	-10037847.098383
14B-101	14B-102	89-59-45	52-15-01	78.644	43185.852	67574.169	-52.441	-3543656.996529
14B-102	13B-103	89-57-42	322-12-43	127.259	43233.998	67636.352	148.717	10058675.360384
倍面積								20000.008847
面積								10000.0044235
坪数								3025.00

※ ※ 面積計算 (座標法) ※ ※

地 器械点	番 : 視準点	15BL 内角	方向角	距離	[1] X(i)	[2] Y(i)	[3] X(i+1)-X(i-1)	[2]*[3]
15B-1	15B-2	131-02-15	221-25-02	0.396	43164.798	67573.035	-0.206	-13920.045210
15B-2	15B-3	175-05-03	216-30-05	0.995	43164.501	67572.773	-1.097	-74127.331981
15B-3	15B-4	175-36-48	212-06-53	0.999	43163.701	67572.181	-1.646	-111223.809926
15B-4	15B-5	176-05-13	208-12-06	1.018	43162.855	67571.650	-1.743	-117777.385950
15B-5	15B-6	182-39-33	210-51-39	2.006	43161.958	67571.169	-2.619	-176968.891611
15B-6	15B-7	178-17-59	209-09-38	0.997	43160.236	67570.140	-2.593	-175209.373020
15B-7	15B-8	176-52-13	206-01-51	1.007	43159.365	67569.654	-1.776	-120003.705504
15B-8	15B-9	177-33-09	203-35-00	0.997	43158.460	67569.212	-1.819	-122908.396628
15B-9	15B-10	176-20-47	199-55-47	1.006	43157.546	67568.813	-1.860	-125677.992180
15B-10	15B-11	177-16-12	197-11-59	0.998	43156.600	67568.470	-1.899	-128312.524530
15B-11	15B-12	174-59-14	192-11-13	1.000	43155.647	67568.175	-1.930	-130406.577750
15B-12	15B-13	175-46-49	187-58-02	0.996	43154.670	67567.964	-1.963	-132635.913332
15B-13	15B-14	177-22-25	185-20-27	2.020	43153.684	67567.826	-2.997	-202500.774522
15B-14	15B-15	176-38-56	181-59-23	44.412	43151.673	67567.638	-46.396	-3134868.132648
15B-15	15B-16	178-21-36	180-20-59	42.937	43107.288	67566.096	-87.321	-5899939.068816
15B-16	15B-17	239-39-56	240-00-55	5.511	43064.352	67565.834	-45.690	-3087082.955460
15B-17	15B-18	179-47-02	239-47-57	37.109	43061.598	67561.061	-21.421	-1447225.487681
15B-18	15B-19	178-21-56	238-09-53	80.424	43042.931	67528.989	-61.089	-4125278.409021
15B-19	15B-20	180-01-46	238-11-39	113.985	43000.509	67460.663	-102.497	-6914515.575511
15B-20	15B-21	179-56-52	238-08-31	87.454	42940.434	67363.794	-106.235	-7156392.655590
15B-21	15B-22	113-53-58	172-02-29	17.002	42894.274	67289.514	-62.998	-4239104.802972
15B-22	15B-23	129-21-24	121-23-53	27.469	42877.436	67291.868	-31.149	-2096074.396332
15B-23	15B-24	179-04-30	120-28-23	135.860	42863.125	67315.315	-83.210	-5601307.361150
15B-24	15B-25	131-34-05	72-02-28	3.096	42794.226	67432.409	-67.945	-4581695.029505

<< 常陸那珂街区出来形確定 >>

器械点	視準点	内角	方向角	距離	[1] X(i)	[2] Y(i)	[3] X(i+1)-X(i-1)	[2]*[3]
15B-25	15B-26	201-01-00	93-03-28	5.835	42795.180	67435.354	0.643	43360.932622
15B-26	15B-27	205-37-49	118-41-17	152.762	42794.869	67441.180	-73.643	-4966570.818740
15B-27	15B-28	167-58-23	106-39-40	9.028	42721.537	67575.190	-75.920	-5130308.424800
15B-28	15B-29	121-27-29	48-07-09	15.002	42718.949	67583.839	7.426	501877.588414
15B-29	15B-30	162-31-12	30-38-21	95.359	42728.963	67595.008	92.061	6222864.031488
15B-30	15B-31	179-20-43	29-59-04	196.346	42811.010	67643.606	252.114	17053900.083084
15B-31	15B-36	89-59-45	299-58-49	81.823	42981.077	67741.733	210.954	14290389.543282
15B-36	15B-34	270-01-02	29-59-51	81.278	43021.964	67670.858	111.278	7530277.736524
15B-34	15B-35	90-07-08	300-06-59	144.197	43092.355	67711.494	142.743	9665341.788042
15B-35	15B-1	150-15-48	270-22-47	13.728	43164.707	67586.763	72.443	4896187.872009
							倍面積	192163.735095
							面積	96081.8675475
							坪数	29064.76

※ ※ 面積計算 (座標法) ※ ※

地 器械点	番 : 視準点	16BL 内角	方向角	距離	[1]	[2]	[3]	[2]*[3]
					X(i)	Y(i)	X(i+1)-X(i-1)	
16B-1	16B-2	112-04-14	177-14-57	87.823	42846.479	67265.990	-94.860	-6380851.811400
16B-2	16B-3	180-31-29	177-46-26	89.923	42758.757	67270.205	-177.577	-11945641.193285
16B-3	16B-4	180-20-38	178-07-04	148.920	42668.902	67273.698	-238.695	-16057895.344110
16B-4	16B-5	180-03-06	178-10-10	83.457	42520.062	67278.589	-232.254	-15625721.409606
16B-5	16B-6	180-06-25	178-16-35	37.434	42436.648	67281.255	-120.831	-8129661.322905
16B-6	16B-7	179-37-57	177-54-32	5.399	42399.231	67282.381	-42.812	-2880493.295372
16B-7	16B-8	179-46-37	177-41-09	36.974	42393.836	67282.578	-42.339	-2848677.069942
16B-8	16B-9	198-05-43	195-46-52	30.604	42356.892	67284.071	-66.394	-4467258.609974
16B-9	16B-10	142-13-17	158-00-09	14.972	42327.442	67275.748	-43.332	-2915192.712336
16B-10	16B-11	142-17-02	120-17-11	49.686	42313.560	67281.356	-38.940	-2619936.002640
16B-11	16B-12	124-32-02	64-49-13	15.019	42288.502	67324.261	-18.668	-1256809.304348
16B-12	16B-13	145-50-45	30-39-58	50.808	42294.892	67337.853	50.093	3373155.070329
16B-13	16B-14	179-58-29	30-38-27	376.262	42338.595	67363.767	367.431	24751536.272577
16B-14	16B-15	162-31-38	13-10-05	15.012	42662.323	67555.530	338.345	22857075.797850
16B-15	16B-16	121-01-24	314-11-29	6.425	42676.940	67558.950	19.095	1290038.150250
16B-16	16B-17	180-34-59	314-46-28	2.616	42681.418	67554.343	6.321	427011.002103
16B-17	16B-18	167-28-45	302-15-13	152.556	42683.261	67552.486	83.257	5624217.326902
16B-18	16B-19	206-04-18	328-19-31	5.831	42764.675	67423.471	86.377	5823837.154567
16B-19	16B-20	200-56-15	349-15-46	3.031	42769.638	67420.409	7.941	535385.467869
16B-20	16B-21	131-12-22	300-28-08	136.013	42772.616	67419.844	71.946	4850588.096424
16B-21	16B-22	179-07-14	299-35-22	24.369	42841.584	67302.614	81.001	5451579.036614
16B-22	16B-1	125-35-21	245-10-43	17.004	42853.617	67281.423	4.895	329342.565585

<< 常陸那珂街区出来形確定 >>

倍面積	185627.865152
面積	92813.9325760
坪数	28076.21

地 器械点	番 : 视準点	17BL-1 内角	方向角	離	[1] X(i)	[2] Y(i)	[3] X(i+1)-X(i-1)	[2]*[3]
17B-35	17B-6	77-44-08	191-02-25	30.655	42249.8406	67221.3053	-16.5574	-1113010.0403742
17B-6	17B-7	119-53-07	130-55-32	18.163	42219.7530	67215.4350	-41.9856	-2822080.3677360
17B-7	17B-36	132-50-57	83-46-29	11.927	42207.8550	67229.1580	-10.6047	-712945.0518426
17B-36	17B-45	119-31-48	23-18-17	29.575	42209.1483	67241.0143	28.4554	1913369.9583122
17B-45	17B-35	90-00-00	293-18-17	34.200	42236.3104	67252.7149	40.6923	2736667.6505253
							倍面積	2002.1488847
							面積	1001.0744424
							坪数	302.82

※ ※ 面積計算 (座標法) ※ ※

地 器械点	番 : 17BL-2 視準点	内角	方向角	距離	[1] X(i)	[2] Y(i)	[3] X(i+1)-X(i-1)	[2]*[3]
17B-45	17B-44	90-00-00	23-18-17	25.603	42236.3104	67252.7149	9.9838	671437.6550186
17B-44	17B-34	90-00-00	293-18-17	44.195	42259.8244	67262.8439	40.9984	2757668.9793498
17B-34	17B-5	63-35-25	176-53-42	17.712	42277.3088	67222.2546	-0.2014	-13538.5620764
17B-5	17B-35	194-08-43	191-02-25	9.967	42259.6230	67223.2140	-27.4682	-1846500.6867948
17B-35	17B-45	102-15-52	113-18-17	34.200	42249.8406	67221.3053	-23.3126	-1567103.4019368
							倍面積	1963.9835604
							面積	981.9917802
							坪數	297.05

* * 面積計算 (座標法) * *

地 番 : 17BL-3		內 角	方 向 角	距 離	[1]	[2]	[3]	[2]*[3]
器 械 點	視 準 點				X(i)	Y(i)	X(i+1)-X(i-1)	
17B-8	17B-9	178-50-27	82-36-56	2.000	42212.1950	67268.9440	3.3037	222236.4102928
17B-9	17B-10	177-35-15	80-12-11	1.998	42212.4520	67270.9270	0.5970	40160.7434190
17B-10	17B-11	176-48-32	77-00-43	2.002	42212.7920	67272.8960	0.7900	53145.5878400
17B-11	17B-12	177-48-21	74-49-04	2.001	42213.2420	67274.8470	0.9740	65525.7009780
17B-12	17B-13	177-42-30	72-31-34	1.998	42213.7660	67276.7780	1.1240	75619.0984720
17B-13	17B-14	176-05-55	68-37-29	1.997	42214.3660	67278.6840	1.3280	89346.0923520
17B-14	17B-15	177-58-25	66-35-54	2.002	42215.0940	67280.5440	1.5230	102468.2685120
17B-15	17B-16	177-40-08	64-16-02	2.001	42215.8890	67282.3810	1.6640	111957.8819840
17B-16	17B-17	177-21-37	61-37-39	1.999	42216.7580	67284.1840	1.8190	122389.9306960
17B-17	17B-18	177-28-04	59-05-43	1.998	42217.7080	67285.9430	1.9760	132957.0233680
17B-18	17B-19	177-07-38	56-13-21	2.002	42218.7340	67287.6570	2.1390	143928.2983230
17B-19	17B-20	177-19-02	53-32-23	1.790	42219.8470	67289.3210	2.1770	146488.8518170
17B-20	17B-21	178-10-34	51-42-57	2.001	42220.9110	67290.7610	2.3040	155037.9133440
17B-21	17B-22	177-23-56	49-06-53	1.991	42222.1510	67292.3320	2.5430	171124.4002760
17B-22	17B-23	176-54-49	46-01-42	2.009	42223.4540	67293.8370	2.6980	181558.7722260
17B-23	17B-24	177-47-30	43-49-12	1.992	42224.8490	67295.2830	2.8320	190580.2414560
17B-24	17B-25	177-43-07	41-32-19	2.003	42226.2860	67296.6620	2.9360	197582.9996320
17B-25	17B-26	176-38-34	38-10-53	2.001	42227.7850	67297.9900	3.0720	206739.4252800
17B-26	17B-27	177-32-47	35-43-40	1.997	42229.3580	67299.2270	3.1940	214953.7310380
17B-27	17B-28	177-33-30	33-17-10	2.006	42230.9790	67300.3930	3.2980	221956.6961140
17B-28	17B-37	177-00-15	30-17-25	4.767	42232.6560	67301.4940	5.7930	389877.5547420
17B-37	17B-46	83-00-52	293-18-17	4.098	42236.7720	67303.8983	5.7373	386142.6557166
17B-46	17B-47	270-00-00	23-18-17	4.930	42238.3933	67300.1346	6.1487	413808.3376150
17B-47	17B-44	90-00-00	293-18-17	42.727	42242.9207	67302.0849	21.4311	1442357.7117004

器械点	視準点	内角	方向角	距離	[1] X(i)	[2] Y(i)	[3] X(i+1)-X(i-1)	[2]*[3]
17B-44	17B-36	90-00-00	203-18-17	55.178	42259.8244	67262.8439	-33.7724	-2271627.6693284
17B-36	17B-8	60-28-12	83-46-29	28.095	42209.1483	67241.0143	-47.6294	-3202649.1665004
倍面積								3667.4913650
面積								1833.7456825
坪數								554.70

* * 面積計算 (座標法) * *

地 器械点	番 : 視準点	17BL-4 内角	方向角	距離	[1] X(i)	[2] Y(i)	[3] X(i+1)-X(i-1)	[2]*[3]
17B-37	17B-38	96-59-08	30-17-25	4.966	42236.7720	67303.8983	2.6672	179512.9575458
17B-38	17B-47	83-00-52	293-18-17	4.702	42241.0605	67306.4033	6.1487	413846.8819707
17B-47	17B-46	90-00-00	203-18-17	4.930	42242.9207	67302.0849	-2.6672	-179508.1208453
17B-46	17B-37	90-00-00	113-18-17	4.098	42238.3933	67300.1346	-6.1487	-413808.3376150
倍面積								43.3810562
面積								21.6905281
坪數								6.56

* * 面積計算 (座標法) * *

地番 : 17BL-5
器械点 視準点

器械点	視準点	内角	方向角	距離	[1] X(i)	[2] Y(i)	[3] X(i+1)-X(i-1)	[2]*[3]	
17B-33	17B-3	89-17-55	202-36-12	10.414	42295.8252	67226.8826	2.3764	159757.9638106	
17B-3	17B-4	167-07-53	189-44-05	4.980	42286.2110	67222.8800	-14.5222	-976224.1079360	
17B-4	17B-34	167-09-37	176-53-42	4.000	42281.3030	67222.0380	-8.9022	-598424.0266836	
17B-34	17B-43	116-24-35	113-18-17	27.233	42277.3088	67222.2546	-14.7681	-992744.9781583	
17B-43	17B-42	90-00-00	23-18-17	18.837	42266.5349	67247.2658	6.5258	438842.2071576	
17B-42	17B-33	90-00-00	293-18-17	30.308	42283.8346	67254.7179	29.2903	1969910.8637064	
								倍面積	1117.9218967
								面積	558.9609484
								坪數	169.08

* * 面積計算 (座標法) * *

地番 : 17BL-6
器械点 視準点

器械点	視準点	内角	方向角	距離	[1] X(i)	[2] Y(i)	[3] X(i+1)-X(i-1)	[2]*[3]	
17B-42	17B-41	90-00-00	23-18-17	31.348	42283.8346	67254.7179	16.8002	1129892.7116636	
17B-41	17B-31	96-57-46	300-16-03	1.773	42312.6254	67267.1200	29.6844	1996784.0969280	
17B-31	17B-32	160-29-50	280-45-53	9.771	42313.5190	67265.5890	2.7186	182868.2302554	
17B-32	17B-1	161-20-25	262-06-18	19.606	42315.3440	67255.9900	-0.8680	-58378.1993200	
17B-1	17B-2	150-16-01	232-22-19	4.987	42312.6510	67236.5700	-5.7380	-385803.4386600	
17B-2	17B-33	150-13-53	202-36-12	14.927	42309.6060	67232.6200	-16.8258	-1131242.6175960	
17B-33	17B-42	90-42-05	113-18-17	30.308	42295.8252	67226.8826	-25.7714	-1732530.8822376	
								倍面積	1589.9010334
								面積	794.9505167
								坪數	240.47

* * 面積計算 (座標法) * *

地番 : 17BL-7-1
器械点 視準点

器械点	視準点	内角	方向角	距離	[1] X(i)	[2] Y(i)	[3] X(i+1)-X(i-1)	[2]*[3]	
17B-29	17B-30	140-42-41	351-00-06	15.019	42267.2940	67321.7270	30.0582	2023569.9345114	
17B-30	17B-41	129-15-57	300-16-03	60.506	42282.1280	67319.3780	45.3314	3051681.6518692	
17B-41	17B-43	83-02-14	203-18-17	50.185	42312.6254	67267.1200	-15.5931	-1048902.9288720	
17B-43	17B-50	90-00-00	113-18-17	49.036	42266.5349	67247.2658	-65.4900	-4404023.4372420	
17B-50	17B-51	94-09-08	27-27-25	12.692	42247.1354	67292.3007	-8.1371	-547564.1800260	
17B-51	17B-40	265-51-36	113-19-01	15.987	42258.3978	67298.1528	4.9344	332076.0051763	
17B-40	17B-29	96-58-24	30-17-25	17.631	42252.0698	67312.8341	8.8962	598828.4347204	
								倍面積	5665.4801373
								面積	2832.7400687
								坪數	856.90

* * 面積計算 (座標法) * *

地番 : 17BL-7-2
器械点 視準点

器械点	視準点	内角	方向角	距離	[1] X(i)	[2] Y(i)	[3] X(i+1)-X(i-1)	[2]*[3]	
17B-39	17B-40	96-59-08	30-17-25	4.855	42247.8777	67310.3854	0.8367	56318.5994642	
17B-40	17B-51	83-01-36	293-19-01	15.987	42252.0698	67312.8341	10.5201	708137.7460154	
17B-51	17B-50	94-08-24	207-27-25	12.692	42258.3978	67298.1528	-4.9344	-332076.0051763	
17B-50	17B-48	85-50-52	113-18-17	7.834	42247.1354	67292.3007	-14.3619	-966445.2934233	
17B-48	17B-49	90-00-00	23-18-17	7.836	42244.0359	67299.4959	4.0977	275773.1443494	
17B-49	17B-39	270-00-00	113-18-17	8.481	42251.2331	67302.5961	3.8418	258563.1136970	
								倍面積	271.3049264
								面積	135.6524632
								坪數	41.03

* * 面積計算 (座標法) * *

地番 : 17BL-8
 器械点 視準点

	内角	方向角	距離	[1] X(i)	[2] Y(i)	[3] X(i+1)-X(i-1)	[2]*[3]	
17B-49	17B-48	90-00-00	203-18-17	7.836	42251.2331	67302.5961	-3.8418	-258563.1136970
17B-48	17B-38	90-00-00	113-18-17	7.521	42244.0359	67299.4959	-10.1726	-684610.8519923
17B-38	17B-39	96-59-08	30-17-25	7.895	42241.0605	67306.4033	3.8418	258577.7401979
17B-39	17B-49	83-00-52	293-18-17	8.481	42247.8777	67310.3854	10.1726	684721.6265200
							倍面積	125.4010286
							面積	62.7005143
							坪數	18.96

** 面積計算 (座標法) **

地番 : 19BL-1
器械点 視準点

器械点	視準点	内角	方向角	距離	[1] X(i)	[2] Y(i)	[3] X(i+1)-X(i-1)	[2]*[3]
19B-38	19B-29	89-57-52	298-57-20	12.066	42093.2619	67185.8310	27.4500	1844251.0609500
19B-29	19B-4	81-45-52	200-43-12	21.660	42099.1033	67175.2734	-14.4179	-968526.3743539
19B-4	19B-5	138-41-26	159-24-38	5.030	42078.8440	67167.6100	-24.9683	-1677061.0367630
19B-5	19B-30	139-34-50	118-59-28	5.120	42074.1350	67169.3790	-7.1907	-482994.8535753
19B-30	19B-38	90-00-00	28-59-28	24.704	42071.6533	67173.8575	19.1269	1284827.6550168
倍面積								496.4512746
面積								248.2256373
坪数								75.08

** 面積計算 (座標法) **

地番 : 19BL-2
器械点 視準点

器械点	視準点	内角	方向角	距離	[1] X(i)	[2] Y(i)	[3] X(i+1)-X(i-1)	[2]*[3]
19B-28	19B-29	81-45-52	200-43-12	21.776	42119.4709	67182.9779	-7.9989	-537389.9219243
19B-29	19B-41	98-14-08	118-57-20	22.429	42099.1033	67175.2734	-31.2261	-2097621.8047157
19B-41	19B-43	90-00-00	28-57-20	21.551	42088.2448	67194.8987	7.9989	537485.2752114
19B-43	19B-28	90-00-00	298-57-20	25.548	42107.1022	67205.3325	31.2261	2098560.4331783
倍面積								1033.9817497
面積								516.9908749
坪数								156.38

** 面積計算 (座標法) **

地 器械点	番 : 19BL-3-1 視準点	内角	方向角	距離	[1] X(i)	[2] Y(i)	[3] X(i+1)-X(i-1)	[2]*[3]	
19B-40	19B-30	90-00-00	208-59-28	6.208	42077.0830	67176.8661	-2.4214	-162662.0635745	
19B-30	19B-31	90-00-00	118-59-28	6.207	42071.6533	67173.8575	-8.4380	-566813.0095850	
19B-31	19B-39	90-00-00	28-59-28	6.208	42068.6450	67179.2867	2.4214	162667.9248154	
19B-39	19B-40	90-00-00	298-59-28	6.207	42074.0747	67182.2954	8.4380	566884.2085852	
								倍面積	77.0602411
								面積	38.5301206
								坪数	11.65

** 面積計算 (座標法) **

地 器械点	番 : 19BL-3-2 視準点	内角	方向角	距離	[1] X(i)	[2] Y(i)	[3] X(i+1)-X(i-1)	[2]*[3]	
19B-6	19B-7	135-13-25	74-12-53	5.014	42057.8210	67198.8210	-9.4600	-635700.8466600	
19B-7	19B-32	134-44-27	28-57-20	21.192	42059.1850	67203.6460	19.9073	1337843.1420158	
19B-32	19B-38	90-00-00	298-57-20	32.086	42077.7283	67213.9059	34.0769	2290441.5499637	
19B-38	19B-40	90-02-08	208-59-28	18.497	42093.2619	67185.8310	-0.6453	-43355.0167443	
19B-40	19B-39	90-00-00	118-59-28	6.207	42077.0830	67176.8661	-19.1872	-1288935.9652339	
19B-39	19B-31	270-00-00	208-59-28	6.208	42074.0747	67182.2954	-8.4380	-566884.2085852	
19B-31	19B-6	90-00-00	118-59-28	22.333	42068.6450	67179.2867	-16.2537	-1091911.9722358	
								倍面積	1496.6825203
								面積	748.3412602
								坪数	226.37

* * 面積計算 (座標法) * *

地 器械点	番 : 19BL-4-1 視準点	内角	方向角	距離	[1] X(i)	[2] Y(i)	[3] X(i+1)-X(i-1)	[2]*[3]
19B-27	19B-3	77-51-04	198-08-32	30.992	42150.2808	67193.1420	-3.3928	-227972.8921776
19B-3	19B-28	182-34-40	200-43-12	1.453	42120.8300	67183.4920	-30.8099	-2069916.6701708
19B-28	19B-28	339-16-48	0-00-00	0.000	42119.4709	67182.9779	-1.3591	-91308.3852639
19B-28	19B-43	298-57-20	118-57-20	25.548	42119.4709	67182.9779	-12.3687	-830966.0987517
19B-43	19B-42	270-00-00	208-57-20	9.703	42107.1022	67205.3325	-20.8584	-1401795.7074180
19B-42	19B-33	90-00-00	118-57-20	22.544	42098.6125	67200.6351	-19.4042	-1303974.5636074
19B-33	19B-34	95-47-07	34-44-27	33.899	42087.6980	67220.3614	16.9412	1138793.5865497
19B-34	19B-45	85-33-01	300-17-28	6.038	42115.5537	67239.6791	30.9011	2077780.0478370
19B-45	19B-44	270-00-00	30-17-28	6.513	42118.5991	67234.4656	8.6691	582862.3057330
19B-44	19B-27	90-00-00	300-17-28	51.662	42124.2228	67237.7506	31.6817	2130206.2431840
							倍面積	3707.8659143
							面積	1853.9329572
							坪數	560.81

** 面積計算 (座標法) **

地 器械点	番 : 19BL-4-2 視準点	内角	方向角	距離	[1] X(i)	[2] Y(i)	[3] X(i+1)-X(i-1)	[2]*[3]
19B-42	19B-41	90-00-00	208-57-20	11.849	42098.6125	67200.6351	0.5468	36745.3072727
19B-41	19B-32	90-00-00	118-57-20	21.723	42088.2448	67194.8987	-20.8842	-1403311.7034305
19B-32	19B-8	90-00-00	28-57-20	3.737	42077.7283	67213.9059	-7.2468	-487085.7332761
19B-8	19B-33	185-47-07	34-44-27	8.154	42080.9980	67215.7150	9.9697	670120.5138355
19B-33	19B-42	84-12-53	298-57-20	22.544	42087.6980	67220.3614	17.6145	1184053.0558803
倍面積								521.4402819
面積								260.7201410
坪数								78.86

** 面積計算 (座標法) **

地 器械点	番 : 19BL-5 視準点	内角	方向角	距離	[1] X(i)	[2] Y(i)	[3] X(i+1)-X(i-1)	[2]*[3]
19B-34	19B-9	94-26-59	34-44-27	4.539	42115.5537	67239.6791	0.6849	46052.4562156
19B-9	19B-35	175-33-01	30-17-28	1.987	42119.2840	67242.2660	5.4460	366201.3806360
19B-35	19B-44	90-00-00	300-17-28	6.390	42120.9997	67243.2682	4.9388	332101.0529862
19B-44	19B-45	90-00-00	210-17-28	6.513	42124.2228	67237.7506	-2.4006	-161410.9440904
19B-45	19B-34	90-00-00	120-17-28	6.038	42118.5991	67234.4656	-8.6691	-582862.3057330
倍面積								81.6400144
面積								40.8200072
坪数								12.34

* * 面積計算 (座標法) * *

地 器械点	番 : 19BL-6 視準点	内角	方向角	距離	[1] X(i)	[2] Y(i)	[3] X(i+1)-X(i-1)	[2]*[3]
19B-36	19B-1	53-31-21	263-48-49	27.587	42197.6908	67246.4338	55.5857	3737940.0952767
19B-1	19B-2	159-43-48	243-32-37	15.088	42194.7180	67219.0080	-9.6948	-651674.8387584
19B-2	19B-27	134-35-55	198-08-32	39.688	42187.9960	67205.5000	-44.4372	-2986424.2446000
19B-27	19B-37	102-08-56	120-17-28	22.103	42150.2808	67193.1420	-48.8637	-3283305.5327454
19B-37	19B-36	90-00-00	30-17-28	67.817	42139.1323	67212.2271	47.4100	3186531.6868110
							倍面積	3067.1659839
							面積	1533.5829920
							坪数	463.90

* * 面積計算 (座標法) * *

地 器械点	番 : 19BL-7 視準点	内角	方向角	距離	[1]	[2]	[3]	[2]*[3]
					X(i)	Y(i)	X(i+1)-X(i-1)	
19B-37	19B-35	90-00-00	120-17-28	35.949	42139.1323	67212.2271	-76.6911	-5154579.6297488
19B-35	19B-10	90-00-00	30-17-28	57.242	42120.9997	67243.2682	31.2947	2104357.9053385
19B-10	19B-11	177-51-19	28-08-47	1.005	42170.4270	67272.1410	50.3133	3384683.4117753
19B-11	19B-12	176-30-44	24-39-31	0.995	42171.3130	67272.6150	1.7900	120417.9808500
19B-12	19B-13	177-34-51	22-14-22	0.996	42172.2170	67273.0300	1.8260	122840.5527800
19B-13	19B-14	176-18-15	18-32-37	1.000	42173.1390	67273.4070	1.8700	125801.2710900
19B-14	19B-15	176-46-00	15-18-37	1.004	42174.0870	67273.7250	1.9160	128896.4571000
19B-15	19B-16	177-02-02	12-20-39	1.010	42175.0550	67273.9900	1.9550	131520.6504500
19B-16	19B-17	175-36-55	7-57-34	0.997	42176.0420	67274.2060	1.9740	132799.2826440
19B-17	19B-18	176-54-49	4-52-23	1.001	42177.0290	67274.3440	1.9840	133472.2984960
19B-18	19B-19	176-30-01	1-22-24	1.001	42178.0260	67274.4290	1.9980	134414.3091420
19B-19	19B-20	177-01-34	358-23-58	1.002	42179.0270	67274.4530	2.0030	134750.7293590
19B-20	19B-21	175-29-42	353-53-40	11.602	42180.0290	67274.4250	12.5380	843486.7406500
19B-21	19B-22	175-58-14	349-51-54	0.966	42191.5650	67273.1910	12.4870	840040.3360170
19B-22	19B-23	176-11-46	346-03-40	1.000	42192.5160	67273.0210	1.9220	129298.7463620
19B-23	19B-24	172-27-58	338-31-38	1.748	42193.4870	67272.7800	2.5980	174774.6824400
19B-24	19B-25	173-02-19	331-33-57	0.727	42195.1140	67272.1400	2.2660	152438.6692400
19B-25	19B-26	134-57-53	286-31-50	12.066	42195.7530	67271.7940	4.0720	273930.7451680
19B-26	19B-36	157-16-59	263-48-49	13.874	42199.1860	67260.2270	1.9378	130336.8678806
19B-36	19B-37	126-28-39	210-17-28	67.817	42197.6908	67246.4338	-60.0537	-4038397.1614951
							倍面積	5284.8455385
							面積	2642.4227693
							坪數	799.33

** 面積計算 (座標法) **

地番 : 20BL-1
器械点 視準点

	内角	方向角	距離	[1] X(i)	[2] Y(i)	[3] X(i+1)-X(i-1)	[2]*[3]	
20B-14	20B-8	90-30-57	175-20-50	3.170	41948.576	67144.546	-3.927	-263676.632142
20B-8	20B-9	180-08-55	175-29-45	8.025	41945.416	67144.804	-11.161	-749403.157444
20B-9	20B-10	180-26-04	175-55-49	2.624	41937.415	67145.434	-10.618	-712950.218212
20B-10	K74	31-09-02	27-04-51	7.933	41934.798	67145.620	4.446	298529.426520
K74	20B-15	179-50-27	26-55-18	8.392	41941.861	67149.231	14.545	976685.564895
20B-15	20B-14	57-54-35	264-49-53	8.519	41949.343	67153.031	6.715	450932.603165
							倍面積	117.586782
							面積	58.7933910
							坪數	17.78

** 面積計算 (座標法) **

地番 : 20BL-2
器械点 視準点

	内角	方向角	距離	[1] X(i)	[2] Y(i)	[3] X(i+1)-X(i-1)	[2]*[3]	
20B-16	20B-6	90-10-01	174-59-54	9.035	41974.406	67142.374	-11.218	-753203.151532
20B-6	20B-7	180-12-40	175-12-34	6.023	41965.405	67143.162	-15.002	-1007281.716324
20B-7	20B-14	180-08-16	175-20-50	10.864	41959.404	67143.665	-16.829	-1129960.738285
20B-14	20B-15	89-29-03	84-49-53	8.519	41948.576	67144.546	-10.061	-675541.277306
20B-15	20B-17	122-05-25	26-55-18	30.596	41949.343	67153.031	28.047	1883441.060457
20B-17	20B-16	57-54-35	264-49-53	24.610	41976.623	67166.884	25.063	1683403.613692
							倍面積	857.790702
							面積	428.8953510
							坪數	129.74

** 面積計算 (座標法) **

地 番 : 20BL-3
 器械点 視準点

器械点	視準点	内角	方向角	距離	[1] X(i)	[2] Y(i)	[3] X(i+1)-X(i-1)	[2]*[3]
20B-18	20B-5	89-10-38	174-00-31	6.239	41997.558	67140.240	-9.683	-650118.943920
20B-5	20B-16	180-59-23	174-59-54	17.012	41991.353	67140.891	-23.152	-1554445.908432
20B-16	20B-17	89-49-59	84-49-53	24.610	41974.406	67142.374	-14.730	-989007.169020
20B-17	K75	122-05-25	26-55-18	10.898	41976.623	67166.884	11.934	801569.593656
K75	20B-19	178-09-08	25-04-26	16.225	41986.340	67171.818	24.413	1639865.592834
20B-19	20B-18	59-45-27	264-49-53	38.611	42001.036	67178.694	11.218	753610.589292
							倍面積	1473.754410
							面積	736.8772050
							坪數	222.90

** 面積計算 (座標法) **

地 器械点	番 : 20BL-4 視準点	内角	方向角	距離	[1] X(i)	[2] Y(i)	[3] X(i+1)-X(i-1)	[2]*[3]
20B-20	20B-2	81-39-30	200-40-01	37.104	42048.607	67156.218	-14.177	-952073.702586
20B-2	20B-3	244-28-36	265-08-37	4.638	42013.890	67143.122	-35.110	-2357395.013420
20B-3	20B-4	88-24-35	173-33-12	8.246	42013.497	67138.501	-8.586	-576451.169586
20B-4	20B-18	180-27-19	174-00-31	7.788	42005.304	67139.427	-15.939	-1070135.326953
20B-18	20B-19	90-49-22	84-49-53	38.611	41997.558	67140.240	-4.268	-286554.544320
20B-19	K75-1	120-14-33	25-04-26	4.111	42001.036	67178.694	7.201	483753.775494
K75-1	20B-21	183-44-36	28-49-02	26.602	42004.759	67180.436	27.031	1815954.365516
20B-21	20B-20	90-11-29	299-00-31	42.355	42028.067	67193.259	43.848	2946290.020632
							倍面積	3388.404777
							面積	1694.2023885
							坪數	512.49

* * 面積計算 (座標法) * *

地 器械点	番 : 20BL-5 視準点	内角	方向角	距離	[1] X(i)	[2] Y(i)	[3] X(i+1)-X(i-1)	[2]*[3]
20B-21	K76	89-48-31	28-49-02	3.150	42028.067	67193.259	-17.779	-1194628.951761
K76	20B-11	180-09-34	28-58-36	19.567	42030.828	67194.778	19.879	1335764.991862
20B-11	20B-12	90-11-01	299-09-37	5.788	42047.946	67204.257	19.938	1339918.476066
20B-12	20B-13	179-49-26	298-59-03	36.044	42050.766	67199.203	20.286	1363203.032058
20B-13	20B-1	131-41-12	250-40-15	4.950	42068.232	67167.673	15.827	1063062.760571
20B-1	20B-20	129-59-46	200-40-01	19.223	42066.593	67163.002	-19.625	-1318073.914250
20B-20	20B-21	98-20-30	119-00-31	42.355	42048.607	67156.218	-38.526	-2587260.454668
							倍面積	1985.939878
							面積	992.9699390
							坪數	300.37

※ ※ 面積計算 (座標法) ※ ※

地 器械点	番 : 21BL-1		内角	方向角	距離	[1]	[2]	[3]	[2]*[3]
	視準点					X(i)	Y(i)	X(i+1)-X(i-1)	
21B-21	21B-17		90-00-00	292-49-18	21.466	41896.2942	67207.2749	34.4073	2312420.8696668
21B-17	K.355		101-28-01	214-17-19	28.873	41904.6203	67187.4889	-15.5288	-1043341.0776303
K.355	21B-18		78-31-59	112-49-18	27.206	41880.7654	67171.2231	-34.4073	-2311180.4245686
21B-18	21B-21		90-00-00	22-49-18	28.296	41870.2130	67196.2997	15.5288	1043477.8987814
								倍面積	1377.2662493
								面積	688.6331247
								坪數	208.31

※ ※ 面積計算 (座標法) ※ ※

地 器械点	番 : 21BL-2		内角	方向角	距離	[1]	[2]	[3]	[2]*[3]
	視準点					X(i)	Y(i)	X(i+1)-X(i-1)	
21B-18	21B-19		90-00-00	112-49-18	9.424	41870.2130	67196.2997	-29.7362	-1998162.6071391
21B-19	21B-20		90-00-00	22-49-18	28.296	41866.5580	67204.9855	22.4262	1507152.4458201
21B-20	21B-21		90-00-00	292-49-18	9.424	41892.6392	67215.9607	29.7362	1998747.2505673
21B-21	21B-18		90-00-00	202-49-18	28.296	41896.2942	67207.2749	-22.4262	-1507203.7883624
								倍面積	533.3008859
								面積	266.6504430
								坪數	80.66

※ ※ 面積計算 (座標法) ※ ※

地 器械点	番 : 視準点	21BL-3 内角	方向角	距離	[1] X(i)	[2] Y(i)	[3] X(i+1)-X(i-1)	[2]*[3]
K.351	K.352	183-39-39	214-09-51	50.122	41998.2340	67251.0200	-60.8795	-4094208.4720900
K.352	K.353	179-59-57	214-09-48	18.903	41956.7610	67222.8730	-57.1140	-3839367.1685220
K.353	K.354	179-56-47	214-06-35	31.410	41941.1200	67212.2580	-41.6476	-2799229.2362808
K.354	21B-17	180-10-44	214-17-19	12.700	41915.1134	67194.6438	-36.4997	-2452584.3403069
21B-17	21B-20	78-31-59	112-49-18	30.890	41904.6203	67187.4889	-22.4742	-1509985.0630364
21B-20	21B-19	270-00-00	202-49-18	28.296	41892.6392	67215.9607	-38.0623	-2558394.0609516
21B-19	K.356	90-00-00	112-49-18	36.864	41866.5580	67204.9855	-40.3793	-2713690.2710002
K.356	21B-10	180-57-19	113-46-37	3.089	41852.2599	67238.9633	-15.5434	-1045122.1021572
21B-10	21B-15	96-44-20	30-30-57	110.979	41851.0146	67241.7898	94.3617	6345049.5965707
21B-15	21B-16	270-00-00	120-30-57	18.510	41946.6216	67298.1421	86.2083	5801658.4235994
21B-16	21B-12	90-00-08	30-31-05	43.057	41937.2229	67314.0879	27.6932	1864142.4990323
21B-12	21B-1	90-00-00	300-31-05	85.319	41974.3148	67335.9524	80.4176	5414995.6857222
21B-1	K.351	89-59-07	210-30-12	22.524	42017.6405	67262.4528	23.9192	1608864.0610138
							倍面積	22129.5515933
							面積	11064.7757967
							坪数	3347.09

※ ※ 面積計算 (座標法) ※ ※

地 器械点	番 : 21BL-4 視準点	内角	方向角	距離	[1] X(i)	[2] Y(i)	[3] X(i+1)-X(i-1)	[2]*[3]
21B-15	21B-10	90-00-00	210-30-57	110.979	41946.6216	67298.1421	-50.1611	-3375748.8356923
21B-10	K.357	83-15-40	113-46-37	56.920	41851.0146	67241.7898	-118.5557	-7971897.4589919
K.357	21B-2	179-02-40	112-49-17	23.220	41828.0659	67293.8783	-31.9549	-2150369.1516887
21B-2	21B-3	138-49-08	71-38-25	15.148	41819.0597	67315.2806	-4.2349	-285073.4818129
21B-3	21B-11	138-52-32	30-30-57	89.780	41823.8310	67329.6571	82.1160	5528842.1224236
21B-11	21B-15	90-00-00	300-30-57	89.500	41901.1757	67375.2454	122.7906	8273046.8078132
							倍面積	18800.0020510
							面積	9400.0010255
							坪數	2843.50

※ ※ 面積計算 (座標法) ※ ※

地 器械点	番 : 21BL-5 視準点	内角	方向角	距離	[1] X(i)	[2] Y(i)	[3] X(i+1)-X(i-1)	[2]*[3]
21B-16	21B-11	89-59-52	120-30-57	70.990	41937.2229	67314.0879	-73.1391	-4923291.8063269
21B-11	21B-4	90-00-00	30-30-57	33.134	41901.1757	67375.2454	-7.5024	-505476.0410890
21B-4	21B-5	179-55-22	30-26-19	0.243	41929.7205	67392.0701	28.7544	1937818.5404834
21B-5	21B-6	129-44-36	340-10-55	15.160	41929.9301	67392.1933	14.4718	975286.3429989
21B-6	21B-12	140-20-10	300-31-05	59.318	41944.1923	67387.0535	44.3847	2990954.1534815
21B-12	21B-16	90-00-00	210-31-05	43.057	41974.3148	67335.9524	-6.9694	-469291.1866566
							倍面積	6000.0028913
							面積	3000.0014457
							坪數	907.50

* * 面積計算 (座標法) * *

地 器械点	番 : 22BL 視準点	内角	方向角	距離	[1] X(i)	[2] Y(i)	[3] X(i+1)-X(i-1)	[2]*[3]
K.346	K.347	42-05-55	208-05-53	50.032	42216.149	67373.598	179.033	12062097.370734
K.347	K.348	183-39-59	211-45-52	50.020	42172.014	67350.034	-86.663	-5836755.996542
K.348	K.349	178-58-06	210-43-58	50.002	42129.486	67323.702	-85.508	-5756715.110616
K.349	K.350	174-58-02	205-42-00	50.152	42086.506	67298.149	-88.171	-5933745.095479
K.350	21B-1	184-48-12	210-30-12	27.477	42041.315	67276.400	-68.865	-4632989.286000
21B-1	21B-6	90-00-53	120-31-05	144.637	42017.641	67262.453	-97.123	-6532731.222719
21B-6	21B-5	219-39-50	160-10-55	15.160	41944.192	67387.054	-87.711	-5910585.893394
21B-5	K.361	50-15-24	30-26-19	73.130	41929.930	67392.193	48.789	3287997.704277
K.361	K.346	135-33-39	345-59-58	230.000	41992.981	67429.242	286.219	19299530.215998
							倍面積	46102.686259
							面積	23051.3431295
							坪數	6973.03

※ ※ 面積計算 (座標法) ※ ※

地 器械點	番： 視準點	23BL 內角	方向角	距離	[1] X(i)	[2] Y(i)	[3] X(i+1)-X(i-1)	[2]*[3]
23B-1	K215	93-02-31	210-05-05	338.147	42613.852	67674.063	-287.975	-19488438.292425
K215	K216	179-59-14	210-04-19	5.408	42321.259	67504.557	-297.273	-20067282.173061
K216	K217	179-51-50	209-56-09	9.861	42316.579	67501.847	-13.226	-892779.428422
K217	K218	179-36-27	209-32-36	9.728	42308.033	67496.926	-17.008	-1147987.717408
K218	K219	179-21-12	208-53-48	9.594	42299.571	67492.130	-16.862	-1138052.296060
K219	K220	179-05-50	207-59-38	9.461	42291.171	67487.494	-16.754	-1130685.474476
K220	K221	178-50-38	206-50-16	9.327	42282.817	67483.053	-16.677	-1125414.874881
K221	K222	178-35-20	205-25-36	9.194	42274.494	67478.842	-16.626	-1121903.227092
K222	K223	178-20-04	203-45-40	9.061	42266.191	67474.894	-16.596	-1119813.340824
K223	K224	178-04-45	201-50-25	8.927	42257.898	67471.244	-16.579	-1118605.754276
K224	K225	177-49-30	199-39-55	8.794	42249.612	67467.922	-16.567	-1117741.063774
K225	K226	177-35-12	197-15-07	8.699	42241.331	67464.963	-16.588	-1119108.806244
K226	K227	177-30-29	194-45-36	8.695	42233.024	67462.383	-16.715	-1127633.731845
K227	K228	177-30-35	192-16-11	8.695	42224.616	67460.168	-16.905	-1140414.140040
K228	K229	177-30-30	189-46-41	8.695	42216.119	67458.320	-17.065	-1151176.230800
K229	K230	177-30-33	187-17-14	8.695	42207.551	67456.844	-17.193	-1159785.518892
K230	K231	177-30-33	184-47-47	8.695	42198.926	67455.741	-17.290	-1166309.761890
K231	K232	177-30-31	182-18-18	8.695	42190.261	67455.014	-17.353	-1170546.857942
K232	K233	177-30-31	179-48-49	8.695	42181.573	67454.664	-17.383	-1172564.424312
K233	K234	177-30-34	177-19-23	8.695	42172.878	67454.692	-17.380	-1172362.546960
K234	K235	177-30-31	174-49-54	8.695	42164.193	67455.098	-17.345	-1170008.674810
K235	K236	177-30-32	172-20-26	8.695	42155.533	67455.882	-17.277	-1165435.273314
K236	K237	177-30-31	169-50-57	8.695	42146.916	67457.041	-17.176	-1158642.136216
K237	K238	177-30-34	167-21-31	8.695	42138.357	67458.573	-17.043	-1149696.459639

器械点	视準点	内角	方向角	距離	[1] X(i)	[2] Y(i)	[3] X(i+1)-X(i-1)	[2]*[3]
K238	K239	177-30-29	164-52-00	8.695	42129.873	67460.476	-16.878	-1138597.913928
K239	K240	177-30-36	162-22-36	8.695	42121.479	67462.746	-16.680	-1125278.603280
K240	K241	177-30-29	159-53-05	8.695	42113.193	67465.378	-16.451	-1109872.933478
K241	K242	177-30-34	157-23-39	8.695	42105.028	67468.369	-16.192	-1092447.830848
K242	K243	177-30-30	154-54-09	8.695	42097.001	67471.711	-15.901	-1072867.676611
K243	K244	177-30-33	152-24-42	8.695	42089.127	67475.399	-15.580	-1051266.716420
K244	K245	177-30-30	149-55-12	8.695	42081.421	67479.426	-15.230	-1027711.657980
K245	K246	177-30-36	147-25-48	8.695	42073.897	67483.784	-14.852	-1002269.159968
K246	K247	177-30-27	144-56-15	8.695	42066.569	67488.464	-14.445	-974870.862480
K247	K248	177-30-36	142-26-51	8.695	42059.452	67493.459	-14.010	-945583.360590
K248	K249	177-30-30	139-57-21	8.695	42052.559	67498.759	-13.550	-914608.184450
K249	K250	177-30-32	137-27-53	8.695	42045.902	67504.353	-13.064	-881876.867592
K250	K251	177-30-33	134-58-26	8.695	42039.495	67510.231	-12.552	-847388.419512
K251	K252	177-30-31	132-28-57	8.695	42033.350	67516.382	-12.017	-811344.362494
K252	K253	177-30-32	129-59-29	8.695	42027.478	67522.795	-11.460	-773811.230700
K253	K254	177-30-31	127-30-00	8.695	42021.890	67529.456	-10.882	-734855.540192
K254	K255	177-30-35	125-00-35	8.695	42016.596	67536.354	-10.282	-694408.791828
K255	K256	177-30-31	122-31-06	8.695	42011.608	67543.476	-9.662	-652605.065112
K256	K257	177-30-31	120-01-37	8.695	42006.934	67550.808	-9.025	-609646.042200
K257	K258	177-30-32	117-32-09	8.695	42002.583	67558.336	-8.371	-565530.830656
K258	K259	177-30-32	115-02-41	8.695	41998.563	67566.046	-7.701	-520326.120246
K259	K260	177-30-32	112-33-13	8.695	41994.882	67573.923	-7.016	-474098.643768
K260	K261	177-30-30	110-03-43	8.695	41991.547	67581.953	-6.317	-426915.197101
K261	K262	177-30-36	107-34-19	8.695	41988.565	67590.121	-5.607	-378977.808447
K262	K263	177-30-31	105-04-50	8.695	41985.940	67598.410	-4.888	-330421.028080

器械点	视準点	内角	方向角	距離	[1] X(i)	[2] Y(i)	[3] X(i+1)-X(i-1)	[2]*[3]
K263	K264	177-30-30	102-35-20	8.695	41983.677	67606.806	-4.158	-281109.099348
K264	K265	177-30-33	100-05-53	8.695	41981.782	67615.291	-3.419	-231176.679929
K265	K266	177-30-32	97-36-25	8.695	41980.258	67623.852	-2.675	-180893.804100
K266	K267	177-30-32	95-06-57	8.695	41979.107	67632.470	-1.926	-130260.137220
K267	K268	177-30-30	92-37-27	8.695	41978.332	67641.130	-1.174	-79410.686620
K268	K269	177-30-35	90-08-02	8.695	41977.933	67649.816	-0.419	-28345.272904
K269	K270	177-30-30	87-38-32	8.695	41977.913	67658.511	0.338	22868.576718
K270	K271	177-30-32	85-09-04	8.695	41978.271	67667.199	1.093	73960.248507
K271	K272	177-30-33	82-39-37	8.695	41979.006	67675.863	1.846	124929.643098
K272	K273	177-30-32	80-10-09	8.695	41980.117	67684.486	2.595	175641.241170
K273	K274	177-30-31	77-40-40	8.695	41981.601	67693.054	3.340	226094.800360
K274	K275	177-30-33	75-11-13	8.695	41983.457	67701.548	4.079	276154.614292
K275	K276	177-30-32	72-41-45	8.695	41985.680	67709.954	4.809	325617.168786
K276	K277	177-30-31	70-12-16	8.695	41988.266	67718.256	5.531	374549.673936
K277	K278	177-30-31	67-42-47	8.695	41991.211	67726.437	6.242	422748.419754
K278	K279	177-30-33	65-13-20	8.695	41994.508	67734.482	6.941	470145.039562
K279	K280	177-30-33	62-43-53	8.695	41998.152	67742.377	7.628	516738.851756
K280	K281	177-30-32	60-14-25	8.695	42002.136	67750.106	8.300	562325.879800
K281	K282	177-30-29	57-44-54	8.695	42006.452	67757.654	8.956	606837.549224
K282	K283	177-30-35	55-15-29	8.695	42011.092	67765.007	9.595	650205.242165
K283	K284	177-31-35	52-47-04	8.736	42016.047	67772.152	10.238	693851.292176
K284	K285	177-42-31	50-29-35	8.866	42021.330	67779.109	10.924	740418.986716
K285	K286	177-57-46	48-27-21	9.000	42026.971	67785.950	11.609	786927.093550
K286	K287	178-13-05	46-40-26	9.133	42032.939	67792.685	12.235	829443.500975
K287	K288	178-28-22	45-08-48	9.266	42039.206	67799.329	12.803	868034.809187

器械点	视準点	内角	方向角	距離	[1] X(i)	[2] Y(i)	[3] X(i+1)-X(i-1)	[2]*[3]
K288	K289	178-43-37	43-52-25	9.400	42045.742	67805.898	13.312	902632.114176
K289	K290	178-58-53	42-51-18	9.533	42052.518	67812.413	13.764	933370.052532
K290	K291	179-14-12	42-05-30	9.667	42059.506	67818.897	14.162	960451.219314
K291	K292	179-29-27	41-34-57	9.800	42066.680	67825.377	14.504	983739.268008
K292	K293	179-44-45	41-19-42	9.933	42074.010	67831.881	14.789	1003165.688109
K293	23B-14	179-57-27	41-17-09	296.505	42081.469	67838.441	230.261	15620547.263101
23B-14	23B-15	79-10-27	300-27-36	73.640	42304.271	68034.080	260.133	17697909.332640
23B-15	23B-16	270-01-14	30-28-50	80.115	42341.602	67970.603	106.374	7230304.923522
23B-16	23B-17	91-38-31	302-07-21	35.589	42410.645	68011.241	87.967	5982744.837047
23B-17	23B-18	268-08-12	30-15-33	11.058	42429.569	67981.100	28.475	1935761.822500
23B-18	23B-6	90-10-52	300-26-25	14.267	42439.120	67986.672	16.779	1140748.369488
23B-6	23B-7	179-04-25	299-30-50	60.678	42446.348	67974.372	37.120	2523208.688640
23B-7	23B-19	180-58-01	300-28-51	135.545	42476.240	67921.568	98.647	6700258.918496
23B-19	23B-20	90-00-00	210-28-51	0.310	42544.995	67804.755	68.488	4643812.060440
23B-20	23B-21	270-00-00	300-28-51	19.494	42544.728	67804.598	9.622	652415.841956
23B-21	23B-9	171-57-54	292-26-45	19.094	42554.617	67787.798	17.179	1164526.581842
23B-9	23B-10	180-18-07	292-44-52	7.308	42561.907	67770.150	10.116	685562.837400
23B-10	23B-11	192-31-53	305-16-45	15.231	42564.733	67763.410	11.623	787614.114430
23B-11	23B-12	174-27-22	299-44-07	20.079	42573.530	67750.976	18.756	1270737.305856
23B-12	23B-13	177-18-32	297-02-39	56.622	42583.489	67733.541	35.704	2418358.347864
23B-13	23B-1	179-59-55	297-02-34	10.158	42609.234	67683.110	30.363	2055062.268930
							倍面積	459259.754338
							面積	229629.8771690
							坪數	69463.03

* * 面積計算 (座標法) * *

地 器械点	番 : 24BL 視準点	内角	方向角	距離	[1] X(i)	[2] Y(i)	[3] X(i+1)-X(i-1)	[2]*[3]
24B-1	24B-2	93-45-54	123-50-59	10.234	42649.190	67694.535	-380.806	-25778485.095210
24B-2	24B-3	179-59-53	123-50-52	57.014	42643.490	67703.034	-37.456	-2535884.841504
24B-3	24B-4	177-20-47	121-11-39	19.666	42611.734	67750.385	-41.942	-2841586.647670
24B-4	24B-5	174-25-26	115-37-05	15.584	42601.548	67767.208	-16.924	-1146892.228192
24B-5	24B-6	192-52-08	128-29-13	7.194	42594.810	67781.260	-11.215	-760166.830900
24B-6	24B-14	180-02-40	128-31-53	19.071	42590.333	67786.891	-16.357	-1108790.176087
24B-14	24B-15	171-57-13	120-29-06	19.493	42578.453	67801.810	-21.769	-1475977.601890
24B-15	24B-16	270-00-00	210-29-06	0.310	42568.564	67818.608	-10.156	-688765.782848
24B-16	24B-8	90-00-00	120-29-06	135.291	42568.297	67818.451	-68.902	-4672826.910802
24B-8	24B-9	180-55-10	121-24-16	60.084	42499.662	67935.039	-99.943	-6789631.602777
24B-9	24B-10	179-03-46	120-28-02	36.937	42468.354	67986.321	-50.037	-3401831.543877
24B-10	24B-17	91-26-27	31-54-29	4.500	42449.625	68018.158	-14.909	-1014082.717622
24B-17	24B-18	264-28-06	116-22-35	35.638	42453.445	68020.537	-12.013	-817130.710981
24B-18	24B-19	184-05-31	120-28-06	75.508	42437.612	68052.465	-54.120	-3682999.405800
24B-19	K294	100-49-03	41-17-09	446.162	42399.325	68117.546	296.971	20228935.753166
K294	K214	78-47-56	300-05-05	577.947	42734.583	68411.931	624.971	42755472.929001
K214	24B-1	90-00-00	210-05-05	433.504	43024.296	67911.841	-85.393	-5799195.838513
							倍面積	470160.747494
							面積	235080.3737470
							坪數	71111.81

* * 面積計算 (座標法) * *

地 器械點	番 : 25BL 視準點	內角	方向角	距離	[1] X(i)	[2] Y(i)	[3] X(i+1)-X(i-1)	[2]*[3]
25B-17	25B-18	78-16-25	119-33-34	69.323	42369.651	68171.338	-885.817	-60387330.113146
25B-18	25B-19	184-28-06	124-01-40	91.256	42335.452	68231.638	-85.265	-5817770.614070
25B-19	25B-4	271-04-00	215-05-40	4.200	42284.386	68307.268	-54.502	-3722882.720536
25B-4	25B-5	85-23-31	120-29-11	70.236	42280.950	68304.854	-39.069	-2668602.340926
25B-5	25B-6	179-01-14	119-30-25	59.767	42245.317	68365.380	-65.070	-4448535.276600
25B-6	25B-7	180-58-28	120-28-53	70.309	42215.880	68417.395	-65.102	-4454109.249290
25B-7	25B-8	137-35-06	78-03-59	20.002	42180.215	68477.987	-31.529	-2159042.452123
25B-8	25B-9	132-24-52	30-28-51	45.317	42184.351	68497.557	43.190	2958409.486830
25B-9	25B-10	180-49-55	31-18-46	34.835	42223.405	68520.544	68.815	4715241.235360
25B-10	25B-11	179-09-13	30-27-59	1146.473	42253.166	68538.648	1017.936	69767957.190528
25B-11	25B-12	256-17-52	106-45-51	17.678	43241.341	69119.948	983.076	67950162.000048
25B-12	25B-13	179-55-10	106-41-01	105.369	43236.242	69136.875	-35.349	-2443919.394375
25B-13	25B-14	179-10-29	105-51-30	34.125	43205.992	69237.808	-39.575	-2740086.251600
25B-14	25B-15	180-48-40	106-40-10	45.787	43196.667	69270.634	-22.459	-1555749.169006
25B-15	25B-16	132-55-17	59-35-27	19.980	43183.533	69314.497	-3.021	-209399.095437
25B-16	K302	137-05-49	16-41-16	0.266	43193.646	69331.728	10.368	718831.355904
K302	K303	180-00-00	16-41-16	70.589	43193.901	69331.805	67.871	4705618.937155
K303	K304	180-57-15	17-38-31	60.008	43261.517	69352.075	124.802	8655277.664150
K304	K305	179-02-45	16-41-16	192.483	43318.703	69370.261	241.563	16757288.357943
K305	K306	130-40-22	327-21-38	15.000	43503.080	69425.534	197.008	13677385.602272
K306	K307	131-02-55	278-24-33	8.517	43515.711	69417.444	13.876	963236.452944
K307	K308	180-21-16	278-45-49	10.133	43516.956	69409.019	2.789	193581.753991
K308	K309	180-22-52	279-08-41	10.133	43518.500	69399.004	3.155	218953.857620
K309	K310	180-22-58	279-31-39	10.133	43520.111	69388.999	3.288	228151.028712

器械点	視準点	内角	方向角	距離	[1] X(i)	[2] Y(i)	[3] X(i+1)-X(i-1)	[2]*[3]
K310	K311	180-22-54	279-54-33	10.133	43521.788	69379.006	3.421	237345.579526
K311	K312	180-22-55	280-17-28	10.133	43523.532	69369.024	3.554	246537.511296
K312	K313	180-22-56	280-40-24	10.133	43525.342	69359.053	3.687	255726.828411
K313	K314	180-22-55	281-03-19	10.133	43527.219	69349.095	3.820	264913.542900
K314	K315	180-22-53	281-26-12	10.133	43529.162	69339.150	3.952	274028.320800
K315	K316	180-22-58	281-49-10	10.133	43531.171	69329.218	4.085	283209.855530
K316	K317	180-22-54	282-12-04	10.133	43533.247	69319.299	4.217	292319.483883
K317	K318	180-22-55	282-34-59	10.133	43535.388	69309.395	4.349	301426.558855
K318	K319	180-22-54	282-57-53	10.133	43537.596	69299.505	4.481	310531.081905
K319	K320	180-22-57	283-20-50	10.133	43539.869	69289.630	4.613	319633.063190
K320	K321	180-22-53	283-43-43	10.133	43542.209	69279.770	4.745	328732.508650
K321	K322	180-22-56	284-06-39	10.133	43544.614	69269.927	4.875	337690.894125
K322	K323	180-22-56	284-29-35	10.133	43547.084	69260.099	5.006	346716.055594
K323	K324	180-22-54	284-52-29	10.133	43549.620	69250.288	5.137	355738.729456
K324	K325	180-22-55	285-15-24	10.133	43552.221	69240.494	5.268	364758.922392
K325	K326	180-22-56	285-38-20	10.133	43554.888	69230.718	5.399	373776.646482
K326	K327	180-22-54	286-01-14	10.133	43557.620	69220.960	5.528	382653.466880
K327	K328	180-22-58	286-24-12	10.133	43560.416	69211.220	5.658	391597.082760
K328	K329	180-22-52	286-47-04	10.133	43563.278	69201.500	5.788	400538.282000
K329	K330	180-22-56	287-10-00	10.133	43566.204	69191.798	5.917	409407.868766
K330	K331	180-22-54	287-32-54	10.133	43569.195	69182.116	6.046	418275.073336
K331	K332	180-22-56	287-55-50	10.133	43572.250	69172.454	6.175	427139.903450
K332	K333	180-22-55	288-18-45	10.133	43575.370	69162.813	6.304	436002.373152
K333	K334	180-22-57	288-41-42	10.133	43578.554	69153.193	6.432	444793.337376
K334	K335	180-22-54	289-04-36	10.133	43581.802	69143.594	6.560	453581.976640

器械点	视準点	内角	方向角	距離	[1] X(i)	[2] Y(i)	[3] X(i+1)-X(i-1)	[2]*[3]
K335	K336	180-22-54	289-27-30	10.133	43585.114	69134.018	6.687	462299.178366
K336	K337	180-22-56	289-50-26	10.133	43588.489	69124.463	6.815	471083.215345
K337	K338	180-22-54	290-13-20	10.133	43591.929	69114.931	6.942	479795.851002
K338	K339	180-22-57	290-36-17	10.133	43595.431	69105.423	7.068	488437.129764
K339	K340	180-22-54	290-59-11	10.133	43598.997	69095.937	7.196	497214.362652
K340	K341	180-22-56	291-22-07	10.133	43602.627	69086.476	7.322	505851.177272
K341	K342	180-22-53	291-45-00	10.133	43606.319	69077.040	7.447	514416.716880
K342	K343	180-22-57	292-07-57	10.133	43610.074	69067.628	7.573	523049.146844
K343	K344	180-22-54	292-30-51	10.133	43613.892	69058.241	7.698	531610.339218
K344	K345	180-22-55	292-53-46	10.133	43617.772	69048.880	7.822	540100.339360
K345	K295	180-22-57	293-16-43	10.133	43621.714	69039.545	7.947	548657.264115
K295	K296	82-04-56	195-21-39	419.433	43625.719	69030.237	-400.445	-27642813.255465
K296	25B-17	205-55-30	221-17-09	1133.335	43221.269	68919.131	-1256.068	-86567115.036908
							倍面積	912329.622148
							面積	456164.8110740
							坪数	137989.85

※ ※ 面積計算 (座標法) ※ ※

地 器械点	番 : 26BL 視準点	内角	方向角	距離	[1] X(i)	[2] Y(i)	[3] X(i+1)-X(i-1)	[2]*[3]
R.9	R.10	89-36-55	30-05-05	22.801	42621.617	67678.561	-13.431	-908990.752791
R.10	R.16	90-23-03	300-28-08	65.502	42641.346	67689.990	52.943	3583711.140570
R.16	R.15	89-20-43	209-48-51	22.801	42674.560	67633.534	13.431	908385.995154
R.15	R.9	90-39-19	120-28-10	65.395	42654.777	67622.197	-52.943	-3580121.975771
倍面積								2984.407162
面積								1492.2035810
坪数								451.39

* * 面積計算 (座標法) * *

地番 : 27BL
 器械点 視準点

器械点	視準点	内角	方向角	距離	[1] X(i)	[2] Y(i)	[3] X(i+1)-X(i-1)	[2]*[3]
R12	R11	100-49-02	221-17-09	26.470	42394.276	68113.112	11.084	754965.733408
R11	R13	79-10-58	120-28-07	61.086	42374.386	68095.647	-50.865	-3463685.084655
R13	K297	100-49-02	41-17-09	13.235	42343.411	68148.297	-21.030	-1433158.685910
K297	R14	180-00-00	41-17-09	13.235	42353.356	68157.030	19.891	1355711.483730
R14	R12	79-10-58	300-28-07	61.086	42363.302	68165.762	40.920	2789342.981040
倍面積								3176.427613
面積								1588.2138065
坪数								480.43

* * 面積計算 (座標法) * *

地 器械点	番： 視準点	調整池-1 内角	方向角	距離	[1] X(i)	[2] Y(i)	[3] X(i+1)-X(i-1)	[2]*[3]
1B-19	1B-13	89-59-41	4-23-18	72.462	45856.257	68175.482	65.909	4493377.843138
1B-13	1B-14	166-04-46	350-28-04	17.893	45928.507	68181.026	89.896	6129201.513296
1B-14	1B-15	126-47-23	297-15-27	66.135	45946.153	68178.063	47.935	3268115.449905
1B-15	1B-17	181-09-23	298-24-50	19.189	45976.442	68119.272	39.420	2685261.702240
1B-17	1B-18	65-58-47	184-23-37	123.337	45985.573	68102.394	-113.844	-7753048.942536
1B-18	1B-19	90-00-00	94-23-37	82.779	45862.598	68092.946	-129.316	-8805507.404936
							倍面積	17400.161107
							面積	8700.0805535
							坪數	2631.77

※ ※ 面積計算 (座標法) ※ ※

地 器械点	番： 視準点	調整池-2 内角	方向角	距離	[1] X(i)	[2] Y(i)	[3] X(i+1)-X(i-1)	[2]*[3]
11B-30	11B-29	90-00-00	169-47-01	97.477	44345.123	68025.117	-112.762	-7670648.243154
11B-29	11B-5	90-00-00	79-47-01	107.989	44249.191	68042.406	-76.778	-5224159.847868
11B-5	11B-6	125-35-25	25-22-26	14.960	44268.345	68148.683	32.671	2226485.622293
11B-6	K155	126-16-52	331-39-18	8.234	44281.862	68155.094	20.763	1415104.216722
K155	K156	180-57-17	332-36-35	10.333	44289.108	68151.184	16.421	1119110.592464
K156	K157	180-57-18	333-33-53	10.333	44298.283	68146.431	18.428	1255802.430468
K157	K158	180-57-16	334-31-09	10.333	44307.536	68141.830	18.581	1266143.343230
K158	K159	180-57-20	335-28-29	10.333	44316.864	68137.385	18.729	1276145.083665
K159	K160	180-57-17	336-25-46	10.333	44326.265	68133.096	18.872	1285807.787712
K160	K161	180-57-18	337-23-04	10.333	44335.736	68128.964	19.009	1295063.476676
K161	K162	180-57-17	338-20-21	10.333	44345.274	68124.990	19.142	1304048.558580
K162	11B-31	180-57-18	339-17-39	7.564	44354.878	68121.176	16.679	1136193.094504
11B-31	11B-30	100-29-22	259-47-01	94.890	44361.953	68118.502	-9.755	-664495.987010
							倍面積	20600.128282
							面積	10300.0641410
							坪數	3115.76

※ ※ 面積計算 (座標法) ※ ※

地 器械点	番 : 視準点	調整池-3 内角	方向角	距離	[1] X(i)	[2] Y(i)	[3] X(i+1)-X(i-1)	[2]*[3]
15B-31	15B-32	90-01-27	30-00-16	71.934	42981.077	67741.733	21.407	1450147.278331
15B-32	15B-33	135-03-02	345-03-18	12.998	43043.371	67777.705	74.852	5073296.774660
15B-33	15B-34	135-02-12	300-05-30	72.651	43055.929	67774.353	48.984	3319858.907352
15B-34	15B-36	89-54-21	209-59-51	81.278	43092.355	67711.494	-33.965	-2299820.893710
15B-36	15B-31	89-58-58	119-58-49	81.823	43021.964	67670.858	-111.278	-7530277.736524
							倍面積	13204.330109
							面積	6602.1650545
							坪數	1997.15

※ ※ 面積計算 (座標法) ※ ※

地 器械点	番 : 視準点	調整池-4 内角	方向角	距離	[1] X(i)	[2] Y(i)	[3] X(i+1)-X(i-1)	[2]*[3]
23B-14	23B-2	100-49-33	41-17-09	87.350	42304.271	68034.080	28.306	1925772.668480
23B-2	23B-3	79-07-24	300-24-33	67.957	42369.908	68091.715	100.035	6811554.710025
23B-3	23B-4	184-01-27	304-26-00	36.085	42404.306	68033.106	54.802	3728350.275012
23B-4	23B-5	267-45-19	32-11-19	3.980	42424.710	68003.344	23.772	1616575.493568
23B-5	23B-18	88-14-58	300-26-17	21.796	42428.078	68005.464	14.410	979958.736240
23B-18	23B-17	89-49-16	210-15-33	11.058	42439.120	67986.672	1.491	101368.127952
23B-17	23B-16	91-51-48	122-07-21	35.589	42429.569	67981.100	-28.475	-1935761.822500
23B-16	23B-15	268-21-29	210-28-50	80.115	42410.645	68011.241	-87.967	-5982744.837047
23B-15	23B-14	89-58-46	120-27-36	73.640	42341.602	67970.603	-106.374	-7230304.923522
							倍面積	14768.428208
							面積	7384.2141040
							坪数	2233.72

* * 面積計算 (座標法) * *

地 器械点	番 視準点	調整池-5 内角	方向角	距離	[1] X(i)	[2] Y(i)	[3] X(i+1)-X(i-1)	[2]*[3]
25B-51	25B-52	141-58-04	248-38-44	18.018	43219.108	69138.338	21.685	1499264.859530
25B-52	25B-53	141-47-05	210-25-49	30.443	43212.547	69121.557	-32.811	-2267947.406727
25B-53	K300	76-15-58	106-41-47	213.979	43186.297	69106.138	-87.726	-6062405.062188
K300	K301	89-59-29	16-41-16	25.295	43124.821	69311.096	-37.246	-2581561.081616
K301	25B-54	180-00-00	16-41-16	0.280	43149.051	69318.359	24.498	1698161.158782
25B-54	25B-55	137-09-34	333-50-50	20.006	43149.319	69318.440	18.226	1263397.887440
25B-55	25B-56	132-49-06	286-39-56	45.819	43167.277	69309.622	31.098	2155390.624956
25B-56	25B-57	180-50-37	287-30-33	34.717	43180.417	69265.728	23.585	1633632.194880
25B-57	25B-51	179-10-07	286-40-40	98.421	43190.862	69232.619	38.691	2678679.261729
							倍面積	16612.436786
							面積	8306.2183930
							坪數	2512.63

* * 面積計算 (座標法) * *

地 器械点	番 : 視準点	長砂買収 内角	方向角	距離	[1] X(i)	[2] Y(i)	[3] X(i+1)-X(i-1)	[2]*[3]
1P-27	1P-1	116-00-53	233-16-45	56.354	46100.9076	68025.3983	50.0152	3402303.9010542
1P-1	1P-2	63-59-07	117-15-52	214.598	46067.2125	67980.2272	-132.0016	-8973498.7587635
1P-2	1P-3	177-00-54	114-16-46	0.606	45968.9060	68170.9840	-98.5555	-6718625.4136120
1P-3	1P-4	173-53-01	108-09-47	0.600	45968.6570	68171.5360	-0.4360	-29722.7896960
1P-4	1P-5	174-54-34	103-04-21	0.606	45968.4700	68172.1060	-0.3240	-22087.7623440
1P-5	1P-6	174-48-59	97-53-20	0.605	45968.3330	68172.6960	-0.2200	-14997.9931200
1P-6	1P-7	174-52-25	92-45-45	0.602	45968.2500	68173.2950	-0.1120	-7635.4090400
1P-7	1P-8	177-08-37	89-54-22	0.610	45968.2210	68173.8960	-0.0280	-1908.8690880
1P-8	1P-9	174-38-03	84-32-25	0.704	45968.2220	68174.5060	0.0680	4635.8664080
1P-9	1P-10	175-55-10	80-27-35	0.603	45968.2890	68175.2070	0.1670	11385.2595690
1P-10	1P-11	172-06-19	72-33-54	0.507	45968.3890	68175.8020	0.2520	17180.3021040
1P-11	1P-12	177-44-25	70-18-19	1.036	45968.5410	68176.2860	0.5010	34156.3192860
1P-12	1P-13	170-02-23	60-20-42	1.029	45968.8900	68177.2610	0.8580	58496.0899380
1P-13	1P-14	171-17-22	51-38-04	1.034	45969.3990	68178.1550	1.1510	78473.0564050
1P-14	1P-15	174-38-45	46-16-49	1.013	45970.0410	68178.9660	1.3420	91496.1723720
1P-15	1P-16	178-31-03	44-47-52	1.002	45970.7410	68179.6980	1.4110	96201.5538780
1P-16	1P-17	180-26-49	45-14-41	0.993	45971.4520	68180.4040	1.4100	96134.3696400
1P-17	1P-18	179-18-45	44-33-26	1.006	45972.1510	68181.1090	1.4160	96544.4503440
1P-18	1P-19	177-14-36	41-48-02	1.026	45972.8680	68181.8150	1.4820	101045.4498300
1P-19	1P-20	176-21-01	38-09-03	1.020	45973.6330	68182.4990	1.5670	106841.9759330
1P-20	1P-21	172-48-47	30-57-50	1.026	45974.4350	68183.1290	1.6820	114684.0229780
1P-21	1P-22	175-48-15	26-46-05	1.010	45975.3150	68183.6570	1.7820	121503.2767740
1P-22	1P-23	176-52-38	23-38-43	1.027	45976.2170	68184.1120	1.8430	125663.3184160
1P-23	1P-24	170-57-34	14-36-17	1.051	45977.1580	68184.5240	1.9580	133505.2979920

器械点	视準点	内角	方向角	距離	[1] X(i)	[2] Y(i)	[3] X(i+1)-X(i-1)	[2]*[3]
1P-24	1P-25	171-39-50	6-16-07	1.062	45978.1750	68184.7890	2.0730	141347.0675970
1P-25	1P-26	180-00-00	6-16-07	0.414	45979.2310	68184.9050	1.4678	100081.8035590
1P-26	1P-28	178-07-11	4-23-18	37.665	45979.6428	68184.9502	37.9663	2588730.2747783
1P-28	1P-27	112-52-34	297-15-52	182.735	46017.1973	68187.8321	121.2648	8268783.8220401
							倍面積	20716.6552321
							面積	10358.3276161
							坪数	3133.39

* * 面積計算 (座標法) * *

地 器械点	番 : 視準点	長砂無償 内角	方向角	距離	[1] X(i)	[2] Y(i)	[3] X(i+1)-X(i-1)	[2]*[3]
1P-28	K190	67-07-26	4-23-18	13.641	46017.1973	68187.8321	-70.1092	-4780594.3582653
K190	K191	180-10-26	4-33-44	3.765	46030.7984	68188.8758	17.3539	1183342.9317456
K191	K192	180-39-05	5-12-49	10.333	46034.5512	68189.1753	14.0433	957601.0454905
K192	K193	180-57-19	6-10-08	10.333	46044.8417	68190.1143	20.5640	1402261.5104652
K193	K194	180-57-16	7-07-24	10.333	46055.1152	68191.2247	20.5269	1399754.4502944
K194	K195	180-57-18	8-04-42	10.333	46065.3686	68192.5061	20.4841	1396862.1142030
K195	K196	180-57-18	9-02-00	10.333	46075.5993	68193.9582	20.4357	1393591.2715877
K196	K197	180-57-16	9-59-16	10.333	46085.8043	68195.5806	20.3816	1389935.0455570
K197	K198	180-57-21	10-56-37	10.333	46095.9809	68197.3728	20.3219	1385900.1903043
K198	K199	180-57-16	11-53-53	10.333	46106.1262	68199.3344	20.2566	1381486.6372070
K199	K200	180-57-18	12-51-11	10.333	46116.2375	68201.4648	20.1855	1376680.6677204
K200	K201	180-57-17	13-48-28	10.333	46126.3117	68203.7634	20.1088	1371495.8374579
K201	K202	180-57-18	14-45-46	10.333	46136.3463	68206.2296	20.0267	1365945.6983303
K202	K203	180-57-19	15-43-05	10.333	46146.3384	68208.8627	19.9390	1360016.5133753
K203	K204	180-57-18	16-40-23	10.333	46156.2853	68211.6620	19.8456	1353701.3593872
K204	K205	180-57-16	17-37-39	10.333	46166.1840	68214.6267	19.7467	1347013.7690569
K205	K206	180-57-18	18-34-57	10.333	46176.0320	68217.7559	19.6426	1339974.0920413
K206	K207	180-57-19	19-32-16	10.333	46185.8266	68221.0488	19.5328	1332548.1020006
K207	K208	180-57-17	20-29-33	10.333	46195.5648	68224.5045	19.4175	1324749.3161288
K208	K209	180-57-18	21-26-51	10.333	46205.2441	68228.1220	19.2970	1316598.0702340
K209	K210	180-57-16	22-24-07	10.333	46214.8618	68231.9003	19.1710	1308073.7606513
K210	K211	180-57-20	23-21-27	10.333	46224.4151	68235.8383	19.0398	1299196.7140643
K211	K212	180-57-15	24-18-42	10.333	46233.9016	68239.9351	18.9033	1289959.9651758
K212	K213	180-57-19	25-16-01	10.333	46243.3184	68244.1893	18.7614	1280356.5331330

器械点	視準点	内角	方向角	距離	[1] X(i)	[2] Y(i)	[3] X(i+1)-X(i-1)	[2]*[3]
K213	K1	180-57-20	26-13-21	10.333	46252.6630	68248.5999	18.6144	1270406.7379786
K1	HK2	50-25-08	256-38-29	1.690	46261.9328	68253.1657	8.8793	606040.3342000
HK2	HK3	158-14-37	234-53-06	116.312	46261.5423	68251.5212	-67.2955	-4593020.2449146
HK3	HK4	180-03-11	234-56-17	110.028	46194.6373	68156.3779	-130.1119	-8867955.8256870
HK4	1P-27	178-20-28	233-16-45	51.048	46131.4304	68066.3166	-93.7297	-6379835.4350230
1P-27	1P-28	63-59-07	117-15-52	182.735	46100.9076	68025.3983	-114.2331	-7770752.1265437
							倍面積	41334.6773568
							面積	20667.3386784
							坪數	6251.86

* * 面積計算 (座標法) * *

地 器 械 点	番 : 運動買収 視準点	内角	方向角	距離	[1] X(i)	[2] Y(i)	[3] X(i+1)-X(i-1)	[2]*[3]
2P-80	2P-57	74-47-17	306-56-43	1.783	43564.2204	67758.9138	61.9303	4196329.8593081
2P-57	2P-58	180-40-46	307-37-29	2.429	43565.2920	67757.4890	2.5546	173093.2813994
2P-58	2P-59	180-38-28	308-15-57	2.430	43566.7750	67755.5650	2.9880	202453.6282200
2P-59	2P-60	180-40-41	308-56-38	2.426	43568.2800	67753.6570	3.0300	205293.5807100
2P-60	2P-61	180-42-38	309-39-16	2.429	43569.8050	67751.7700	3.0750	208336.6927500
2P-61	2P-62	180-35-20	310-14-36	2.430	43571.3550	67749.9000	3.1200	211379.6880000
2P-62	2P-63	180-28-51	310-43-27	2.428	43572.9250	67748.0450	3.1540	213677.3339300
2P-63	2P-64	181-02-39	311-46-06	2.433	43574.5090	67746.2050	3.2050	217126.5870250
2P-64	2P-65	180-58-47	312-44-53	2.429	43576.1300	67744.3900	3.2700	221524.1553000
2P-65	2P-66	180-28-00	313-12-53	2.429	43577.7790	67742.6060	3.3120	224363.5110720
2P-66	2P-67	180-57-04	314-09-57	2.428	43579.4420	67740.8360	3.3550	227270.5047800
2P-67	2P-68	180-24-02	314-33-59	2.430	43581.1340	67739.0940	3.3970	230109.7023180
2P-68	2P-69	180-45-01	315-19-00	2.430	43582.8390	67737.3630	3.4330	232542.3671790
2P-69	2P-70	180-44-59	316-03-59	2.431	43584.5670	67735.6540	3.4790	235652.3402660
2P-70	2P-71	180-48-06	316-52-05	2.429	43586.3180	67733.9670	3.5240	238694.4997080
2P-71	2P-72	180-47-47	317-39-52	2.434	43588.0910	67732.3060	3.5720	241939.7970320
2P-72	2P-73	180-34-08	318-14-00	2.432	43589.8900	67730.6670	3.6130	244710.8998710
2P-73	2P-74	180-55-59	319-09-59	2.433	43591.7040	67729.0470	3.6550	247549.6667850
2P-74	2P-75	180-21-09	319-31-08	2.432	43593.5450	67727.4560	3.6910	249982.0400960
2P-75	2P-76	180-37-27	320-08-35	2.430	43595.3950	67725.8770	3.7150	251601.6330550
2P-76	2P-77	180-58-48	321-07-23	2.433	43597.2600	67724.3200	3.7590	254575.7188800
2P-77	2P-78	180-33-31	321-40-54	2.437	43599.1540	67722.7930	3.8060	257752.9501580
2P-78	2P-101	180-28-57	322-09-51	169.982	43601.0660	67721.2820	136.1588	9220848.4915816
2P-101	13B-104	89-59-35	232-09-26	291.895	43735.3128	67617.0148	-44.8297	-3031250.4883796

器械点	视準点	内角	方向角	距離	[1] X(i)	[2] Y(i)	[3] X(i+1)-X(i-1)	[2]*[3]
13B-104	2P-81	90-03-17	142-12-43	222.166	43556.2363	67386.5066	-354.6505	-23898658.2589433
2P-81	2P-82	89-56-43	52-09-26	100.000	43380.6623	67522.6369	-114.2243	-7712725.9340567
2P-82	2P-83	180-00-00	52-09-26	100.000	43442.0120	67601.6066	122.6994	8294676.5688560
2P-83	2P-80	180-00-00	52-09-26	99.200	43503.3617	67680.5762	122.2084	8271134.9284801
							倍面積	129985.7453806
							面積	64992.8726903
							坪数	19660.34

* * 面積計算 (座標法) * *

地 器 械 點	番 視 準 點	運 動 無 償 內 角	方 向 角	距 離	[1] X(i)	[2] Y(i)	[3] X(i+1)-X(i-1)	[2]*[3]
2P-81	13B-103	90-03-17	142-12-43	58.325	43380.6623	67522.6369	-107.4432	-7254848.1809741
13B-103	14B-102	180-00-00	142-12-43	127.259	43334.5688	67558.3752	-146.6641	-9908388.2961703
14B-102	2P.5	270-02-18	232-15-01	77.792	43233.9982	67636.3523	-148.1959	-10023430.1018156
2P.5	2P-6	77-28-53	129-43-54	1.643	43186.3729	67574.8427	-48.6752	-3289218.9833910
2P-6	2P-7	177-26-21	127-10-15	1.827	43185.3230	67576.1060	-2.1539	-145552.1747134
2P-7	2P-8	177-29-27	124-39-42	1.832	43184.2190	67577.5620	-2.1460	-145021.4480520
2P-8	2P-9	178-43-26	123-23-08	1.826	43183.1770	67579.0690	-2.0470	-138334.3542430
2P-9	2P-10	177-54-01	121-17-09	1.831	43182.1720	67580.5940	-1.9560	-132187.6418640
2P-10	2P.10	180-00-00	121-17-09	0.099	43181.2210	67582.1590	-1.0025	-67751.1143975
2P.10	2P-11	178-49-21	120-06-30	228.939	43181.1695	67582.2437	-114.8960	-7764929.4721552
2P-11	2P-12	134-57-33	75-04-03	12.993	43066.3250	67780.2940	-111.4965	-7557265.5499710
2P-12	2P-13	134-57-01	30-01-04	94.012	43069.6730	67792.8480	84.7500	5745443.8680000
2P-13	2P-14	179-57-53	29-58-57	275.172	43151.0750	67839.8790	319.7500	21691801.3102500
2P-14	2P-15	178-43-31	28-42-28	5.023	43389.4230	67977.3930	242.7540	16501784.0603220
2P-15	2P-16	179-02-33	27-45-01	4.864	43393.8290	67979.8060	8.7110	592172.0900660
2P-16	2P-17	179-03-43	26-48-44	4.873	43398.1340	67982.0710	8.6540	588316.8424340
2P-17	2P-18	178-26-52	25-15-36	4.870	43402.4830	67984.2690	8.7530	595066.3065570
2P-18	2P-19	179-12-08	24-27-44	1.828	43406.8870	67986.3470	6.0680	412541.1535960
2P-19	2P-20	178-53-50	23-21-34	1.216	43408.5510	67987.1040	2.7800	189004.1491200
2P-20	2P-21	177-20-06	20-41-40	1.211	43409.6670	67987.5860	2.2490	152904.0809140
2P-21	2P-22	176-31-36	17-13-16	1.209	43410.8000	67988.0140	2.2880	155556.5760320
2P-22	2P-23	174-37-34	11-50-50	1.213	43411.9550	67988.3720	2.3420	159228.7672240
2P-23	2P-24	176-45-21	8-36-11	1.217	43413.1420	67988.6210	2.3900	162492.8041900
2P-24	2P-25	176-34-43	5-10-54	1.218	43414.3450	67988.8030	2.4160	164260.9480480

器械点	視準点	内角	方向角	距離	[1] X(i)	[2] Y(i)	[3] X(i+1)-X(i-1)	[2]*[3]
2P-25	2P-26	176-30-46	1-41-40	1.218	43415.5580	67988.9130	2.4300	165213.0585900
2P-26	2P-27	175-23-04	357-04-44	1.217	43416.7750	67988.9490	2.4320	165349.1239680
2P-27	2P-28	175-02-43	352-07-27	1.211	43417.9900	67988.8870	2.4150	164193.1621050
2P-28	2P-29	175-22-58	347-30-25	1.216	43419.1900	67988.7210	2.3870	162289.0770270
2P-29	2P-30	177-33-53	345-04-18	1.215	43420.3770	67988.4580	2.3610	160520.7493380
2P-30	2P-31	178-25-20	343-29-38	1.221	43421.5510	67988.1450	2.3450	159432.2000250
2P-31	2P-32	177-15-54	340-45-32	1.214	43422.7220	67987.7980	2.3170	157527.7279660
2P-32	2P-33	177-07-59	337-53-31	1.214	43423.8680	67987.3980	2.2710	154399.3808580
2P-33	2P-34	176-19-16	334-12-47	1.218	43424.9930	67986.9410	2.2220	151066.9829020
2P-34	2P-35	176-13-05	330-25-52	1.212	43426.0900	67986.4110	2.1510	146238.7700610
2P-35	2P-36	175-12-10	325-38-02	1.222	43427.1440	67985.8130	2.0630	140254.7322190
2P-36	2P-37	173-57-36	319-35-38	1.210	43428.1530	67985.1230	1.9300	131211.2873900
2P-37	2P-38	175-02-17	314-37-55	1.211	43429.0740	67984.3390	1.7720	120468.2487080
2P-38	2P-39	176-58-27	311-36-22	1.218	43429.9250	67983.4770	1.6600	112852.5718200
2P-39	2P-40	177-48-46	309-25-08	1.214	43430.7340	67982.5660	1.5800	107412.4542800
2P-40	2P-41	178-20-11	307-45-19	1.217	43431.5050	67981.6280	1.5160	103060.1480480
2P-41	2P-42	178-46-35	306-31-54	1.220	43432.2500	67980.6660	1.4710	99999.5596860
2P-42	2P-43	178-18-50	304-50-44	4.869	43432.9760	67979.6860	3.5080	238472.7384880
2P-43	2P-44	179-00-30	303-51-14	4.854	43435.7580	67975.6900	5.4860	372914.6353400
2P-44	2P-45	178-39-48	302-31-02	4.865	43438.4620	67971.6590	5.3190	361541.2542210
2P-45	2P-46	179-03-28	301-34-30	4.870	43441.0770	67967.5570	5.1650	351052.4319050
2P-46	2P-47	178-38-21	300-12-51	215.204	43443.6270	67963.4080	110.8480	7533607.8499840
2P-47	2P-48	180-38-59	300-51-50	2.166	43551.9250	67777.4390	109.4090	7415461.8235510
2P-48	2P-49	180-21-18	301-13-08	2.425	43553.0360	67775.5800	2.3680	160492.5734400
2P-49	2P-50	180-48-14	302-01-22	2.431	43554.2930	67773.5060	2.5460	172551.3462760

器械点	視準点	内角	方向角	距離	[1] X(i)	[2] Y(i)	[3] X(i+1)-X(i-1)	[2]*[3]
2P-50	2P-51	180-22-07	302-23-29	2.423	43555.5820	67771.4450	2.5870	175324.7282150
2P-51	2P-52	180-50-06	303-13-35	2.433	43556.8800	67769.3990	2.6310	178301.2887690
2P-52	2P-53	180-45-05	303-58-40	2.430	43558.2130	67767.3640	2.6910	182361.9765240
2P-53	2P-54	180-57-43	304-56-23	2.429	43559.5710	67765.3490	2.7490	186286.9444010
2P-54	2P-55	180-54-08	305-50-31	2.430	43560.9620	67763.3580	2.8140	190686.0894120
2P-55	2P-56	180-37-38	306-28-09	2.431	43562.3850	67761.3880	2.8680	194339.6607840
2P-56	2P-80	180-28-34	306-56-43	0.650	43563.8300	67759.4330	1.8354	124365.6633282
2P-80	2P-83	105-12-43	232-09-26	99.200	43564.2204	67758.9138	-60.4683	-4097266.3273325
2P-83	2P-82	180-00-00	232-09-26	100.000	43503.3617	67680.5762	-122.2084	-8271134.9284801
2P-82	2P-81	180-00-00	232-09-26	100.000	43442.0120	67601.6066	-122.6994	-8294676.5688560
							倍面積	259818.0539665
							面積	129909.0269833
							坪數	39297.48