









## 二点間方向角・距離及び面積計算書

山

区域番号	コード番号	測点	X	Y	測点→測点		方向角	距離	面積
8-9	755	8.25	42286.524	63364.756					846.0243
	756	8.28	42292.589	63388.073	8.25	8.28	75-25-11	24.093	
	757	8.29	42289.692	63388.639	8.28	8.29	168-56-42	2.952	
	470	8-18	42257.156	63394.981	8.29	8-18	168-58-12	33.148	
	471	8-6	42255.506	63388.650	8-18	8-6	255-23-33	6.542	
	472	8-19	42251.581	63372.713	8-6	8-19	256-09-52	16.413	
	755	8.25	42286.524	63364.756	8-19	8.25	347-10-18	35.838	
8-10	750	8.23	42278.752	63341.188					860.9716
	1007	8.24	42284.973	63365.109	8.23	8.24	75-25-20	24.717	
	472	8-19	42251.581	63372.713	8.24	8-19	167-10-17	34.247	
	473	8-20	42245.419	63347.627	8-19	8-20	256-11-58	25.832	
	750	8.23	42278.752	63341.188	8-20	8.23	349-04-00	33.949	
8-11	300	8-9	42270.460	63305.924					1177.6961
	754	8.21	42279.390	63332.271	8-9	8.21	71-16-35	27.819	
	749	8.22	42281.964	63340.570	8.21	8.22	72-46-06	8.689	
	750	8.23	42278.752	63341.188	8.22	8.23	169-06-33	3.271	
	473	8-20	42245.419	63347.627	8.23	8-20	169-04-00	33.949	
	296	8-7	42239.712	63324.451	8-20	8-7	256-09-59	23.868	
	297	8-8	42244.425	63315.643	8-7	8-8	298-09-02	9.990	
	300	8-9	42270.460	63305.924	8-8	8-9	339-31-45	27.790	

## 二点間方向角・距離及び面積計算書

区域番号	コード番号	測点	X	Y	測点→測点		方向角	距離	面積
BL 9	315	9- 1	42332.583	63282.733					
	423	9-10	42341.767	63311.369	9- 1	9-10	72-13-05	30.073	
	424	9-11	42346.466	63326.070	9-10	9-11	72-16-27	15.434	
	425	9- 2	42346.582	63326.435	9-11	9- 2	72-22-10	0.383	
	426	9-12	42349.714	63337.871	9- 2	9-12	74-41-02	11.857	
	427	9-13	42350.445	63340.543	9-12	9-13	74-41-58	2.770	
	428	9-14	42351.148	63343.108	9-13	9-14	74-40-23	2.660	
	416	9-15	42353.792	63352.756	9-14	9-15	74-40-28	10.004	
	417	9-16	42358.607	63370.349	9-15	9-16	74-41-37	18.240	
	418	9-17	42360.260	63376.368	9-16	9-17	74-38-36	6.242	
	419	9-18	42362.203	63383.450	9-17	9-18	74-39-29	7.344	
	404	9- 3	42365.926	63397.014	9-18	9- 3	74-39-06	14.066	
	405	9- 4	42363.860	63400.418	9- 3	9- 4	121-15-18	3.982	
	406	9-19	42344.262	63404.451	9- 4	9-19	168-22-18	20.009	
	456	9- 5	42323.415	63408.773	9-19	9- 5	168-17-15	21.290	
	457	9- 6	42320.016	63406.697	9- 5	9- 6	211-24-55	3.983	
	458	9-20	42314.264	63384.459	9- 6	9-20	255-29-53	22.970	
	437	9-21	42310.948	63371.660	9-20	9-21	255-28-30	13.222	
	438	9-22	42309.218	63364.960	9-21	9-22	255-31-19	6.920	
	439	9-23	42308.160	63360.861	9-22	9-23	255-31-38	4.233	



















## 二点間方向角・距離及び面積計算書

区域番号	コード番号	測点	X	Y	測点→測点		方向角	距離	面積
9-8	418	9-17	42360.260	63376.368					192.4935
	419	9-18	42362.203	63383.450	9-17	9-18	74-39-29	7.344	
	1015	9.55	42340.160	63389.497	9-18	9.55	164-39-34	22.857	
	769	9.54	42337.647	63380.336	9.55	9.54	254-39-37	9.499	
	418	9-17	42360.260	63376.368	9.54	9-17	350-02-51	22.958	
9-9	419	9-18	42362.203	63383.450					367.1768
	404	9-3	42365.926	63397.014	9-18	9-3	74-39-06	14.066	
	405	9-4	42363.860	63400.418	9-3	9-4	121-15-18	3.982	
	406	9-19	42344.262	63404.451	9-4	9-19	168-22-18	20.009	
	1015	9.55	42340.160	63389.497	9-19	9.55	254-39-38	15.506	
	419	9-18	42362.203	63383.450	9.55	9-18	344-39-34	22.857	
9-10	769	9.54	42337.647	63380.336					600.5840
	406	9-19	42344.262	63404.451	9.54	9-19	74-39-38	25.006	
	456	9-5	42323.415	63408.773	9-19	9-5	168-17-15	21.290	
	457	9-6	42320.016	63406.697	9-5	9-6	211-24-55	3.983	
	458	9-20	42314.264	63384.459	9-6	9-20	255-29-53	22.970	
	768	9.53	42331.808	63381.368	9-20	9.53	350-00-28	17.814	
	769	9.54	42337.647	63380.336	9.53	9.54	349-58-37	5.929	













## 二点間方向角・距離及び面積計算書

区域番号	コード番号	測点	X	Y	測点→測点		方向角	距離	面積
9-16	308	9- 8	42300.048	63294.876					変 更
	1010	9.29	42303.161	63306.237	9- 8	9.29	74-40-36	11.780	
	306	9-28	42294.618	63308.582	9.29	9-28	164-39-03	8.859	
	307	9- 7	42291.857	63297.932	9-28	9- 7	255-27-58	11.002	
	308	9- 8	42300.048	63294.876	9- 7	9- 8	339-32-23	8.743	
9-17	416	9-15	42353.792	63352.756					変 更
	417	9-16	42358.607	63370.349	9-15	9-16	74-41-37	18.240	
	771	9.48	42357.011	63372.857	9-16	9.48	122-28-16	2.973	
	770	9.49	42345.498	63374.891	9.48	9.49	169-58-51	11.691	
	1011	9.50	42343.015	63363.584	9.49	9.50	257-36-52	11.576	
	1014	9.51	42339.692	63364.496	9.50	9.51	164-39-11	3.446	
	1012	9.46	42337.690	63357.156	9.51	9.46	254-44-37	7.608	
	772	9.41	42341.835	63356.020	9.46	9.41	344-40-25	4.298	
	416	9-15	42353.792	63352.756	9.41	9-15	344-43-53	12.394	
									290.0351



## 二点間方向角・距離及び面積計算書

区域番号	コード番号	測点	X	Y	測点→測点		方向角	距離	面積
9-21	775	9.40	42341.267	63353.971					18.3359
	772	9.41	42341.835	63356.020	9.40	9.41	74-30-22	2.126	
	1013	9.47	42334.387	63358.061	9.41	9.47	164-40-31	7.723	
	764	9.42	42333.693	63355.530	9.47	9.42	254-39-59	2.624	
	775	9.40	42341.267	63353.971	9.42	9.40	348-22-08	7.733	
9-22	764	9.42	42333.693	63355.530					変更 <del>89.4595</del>
	1013	9.47	42334.387	63358.061	9.42	9.47	74-39-59	2.624	
	438	9-22	42309.218	63364.960	9.47	9-22	164-40-17	26.097	
	439	9-23	42308.160	63360.861	9-22	9-23	255-31-38	4.233	
	761	9.45	42324.654	63357.413	9-23	9.45	348-11-33	16.851	
	762	9.44	42326.265	63357.074	9.45	9.44	348-07-00	1.646	
	763	9.43	42331.227	63356.044	9.44	9.43	348-16-24	5.068	
	764	9.42	42333.693	63355.530	9.43	9.42	348-13-34	2.519	
9-23	427	9-13	42350.445	63340.543					32.9304
	428	9-14	42351.148	63343.108	9-13	9-14	74-40-23	2.660	
	774	9.39	42339.189	63346.377	9-14	9.39	164-42-42	12.398	
	773	9.38	42338.489	63343.818	9.39	9.38	254-42-05	2.653	
	427	9-13	42350.445	63340.543	9.38	9-13	344-40-52	12.396	









## 二点間方向角・距離及び面積計算書

区域番号	コード番号	測点	X	Y	測点→測点	方向角	距離	面積	
10- 5	317	10- 7	42351.181	63275.772				237.8436	
	841	10.23	42357.493	63295.625	10- 7	10.23	72-21-45		20.832
	847	J 5	42347.056	63298.213	10.23	J 5	166-04-25		10.753
	436	10-15	42346.073	63298.538	J 5	10-15	161-42-18		1.035
	316	10- 6	42340.090	63279.897	10-15	10- 6	252-12-20		19.578
	317	10- 7	42351.181	63275.772	10- 6	10- 7	339-35-55		11.833
10- 6	324	10- 8	42361.570	63271.885				247.6953	
	842	10.19	42368.509	63293.769	10- 8	10.19	72-24-26		22.958
	845	10.20	42365.023	63294.665	10.19	10.20	165-35-07		3.599
	839	10.21	42357.711	63296.560	10.20	10.21	165-28-15		7.554
	841	10.23	42357.493	63295.625	10.21	10.23	256-52-32		0.960
	317	10- 7	42351.181	63275.772	10.23	10- 7	252-21-45		20.832
	324	10- 8	42361.570	63271.885	10- 7	10- 8	339-29-13		11.092
10- 7	325	10- 9	42371.952	63268.018				259.9418	
	843	10.18	42379.203	63291.001	10- 9	10.18	72-29-23		24.100
	842	10.19	42368.509	63293.769	10.18	10.19	165-29-18		11.046
	324	10- 8	42361.570	63271.885	10.19	10- 8	252-24-26		22.958
	325	10- 9	42371.952	63268.018	10- 8	10- 9	339-34-16		11.079



## 二点間方向角・距離及び面積計算書

山

区域番号	コード番号	測点	X	Y	測点→測点		方向角	距離	面積
BL11	380	11- 1	42385.623	63318.821					
	381	11- 2	42389.086	63320.803	11- 1	11- 2	29-47-03	3.990	
	382	11-10	42391.101	63328.055	11- 2	11-10	74-28-19	7.527	
	383	11-11	42391.350	63328.964	11-10	11-11	74-40-51	0.942	
	384	11-12	42392.370	63332.642	11-11	11-12	74-30-00	3.817	
	385	11-13	42393.066	63335.162	11-12	11-13	74-33-37	2.614	
	386	11-14	42393.767	63337.686	11-13	11-14	74-28-42	2.620	
	387	11-15	42398.996	63356.530	11-14	11-15	74-29-29	19.556	
	400	11-16	42402.834	63370.370	11-15	11-16	74-30-02	14.362	
	401	11- 3	42407.803	63388.318	11-16	11- 3	74-31-30	18.623	
	402	11- 4	42405.727	63391.696	11- 3	11- 4	121-34-24	3.965	
	403	11-17	42391.673	63394.616	11- 4	11-17	168-15-46	14.354	
	414	11- 5	42377.225	63397.631	11-17	11- 5	168-12-46	14.759	
	415	11- 6	42373.815	63395.556	11- 5	11- 6	211-19-15	3.992	
	420	11-18	42369.446	63379.525	11- 6	11-18	254-45-19	16.616	
	421	11-19	42366.304	63368.088	11-18	11-19	254-38-19	11.861	
	422	11-20	42362.505	63354.215	11-19	11-20	254-41-08	14.384	
	429	11-21	42358.764	63340.542	11-20	11-21	254-41-53	14.176	
	430	11- 7	42355.842	63329.899	11-21	11- 7	254-38-52	11.037	
	431	11- 8	42357.818	63326.426	11- 7	11- 8	299-38-17	3.996	





## 二点間方向角・距離及び面積計算書

山

区域番号	コード番号	測点	X	Y	測点→測点		方向角	距離	面積
11- 3	386	11-14	42393.767	63337.686					333.4260
	387	11-15	42398.996	63356.530	11-14	11-15	74-29-29	19.556	
	777	11.29	42382.490	63361.058	11-15	11.29	164-39-35	17.116	
	778	11.28	42379.427	63349.624	11.29	11.28	255-00-12	11.837	
	779	11.27	42377.329	63342.193	11.28	11.27	254-14-02	7.721	
	386	11-14	42393.767	63337.686	11.27	11-14	344-40-02	17.045	
11- 4	387	11-15	42398.996	63356.530					246.0607
	400	11-16	42402.834	63370.370	11-15	11-16	74-30-02	14.362	
	767	11.31	42386.291	63374.908	11-16	11.31	164-39-37	17.154	
	766	11.30	42383.177	63363.543	11.31	11.30	254-40-37	11.784	
	777	11.29	42382.490	63361.058	11.30	11.29	254-32-46	2.578	
	387	11-15	42398.996	63356.530	11.29	11-15	344-39-35	17.116	
11- 5	400	11-16	42402.834	63370.370					356.3307
	401	11- 3	42407.803	63388.318	11-16	11- 3	74-31-30	18.623	
	402	11- 4	42405.727	63391.696	11- 3	11- 4	121-34-24	3.965	
	403	11-17	42391.673	63394.616	11- 4	11-17	168-15-46	14.354	
	767	11.31	42386.291	63374.908	11-17	11.31	254-43-33	20.430	
	400	11-16	42402.834	63370.370	11.31	11-16	344-39-37	17.154	









## 二点間方向角・距離及び面積計算書

区域番号	コード番号	測点	X	Y	測点→測点		方向角	距離	面積
BL12	348	12- 1	42424.578	63308.142					
	349	12- 2	42428.008	63310.114	12- 1	12- 2	29-53-45	3.956	
	350	12-11	42431.051	63321.453	12- 2	12-11	74-58-40	11.740	
	351	12-12	42434.140	63332.954	12-11	12-12	74-57-58	11.909	
	352	12-13	42435.442	63337.918	12-12	12-13	75-18-11	5.132	
	362	12-14	42437.597	63346.047	12-13	12-14	75-09-09	8.410	
	363	12-15	42441.409	63360.366	12-14	12-15	75-05-33	14.818	
	364	12- 3	42441.994	63362.579	12-15	12- 3	75-11-34	2.289	
	365	12-16	42443.004	63366.114	12- 3	12-16	74-03-17	3.676	
	366	12-17	42444.763	63372.241	12-16	12-17	73-58-54	6.374	
	367	12- 4	42447.040	63380.131	12-17	12- 4	73-54-08	8.212	
	368	12- 5	42445.012	63383.581	12- 4	12- 5	120-26-53	4.002	
	369	12-18	42431.367	63386.394	12- 5	12-18	168-21-05	13.932	
	395	12- 6	42417.160	63389.334	12-18	12- 6	168-18-30	14.508	
	396	12- 7	42413.735	63387.272	12- 6	12- 7	211-02-59	3.998	
	397	12-19	42410.385	63375.164	12- 7	12-19	254-32-04	12.563	
	398	12-20	42410.063	63373.997	12-19	12-20	254-34-29	1.211	
	399	12-21	42407.539	63364.847	12-20	12-21	254-34-43	9.492	
	374	12-22	42403.442	63350.101	12-21	12-22	254-28-22	15.305	
	375	12-23	42398.046	63330.642	12-22	12-23	254-30-05	20.193	



## 二点間方向角・距離及び面積計算書

区域番号	コード番号	測点	X	Y	測点→測点		方向角	距離	面積
12- 1	348	12- 1	42424.578	63308.142					209.0389
	349	12- 2	42428.008	63310.114	12- 1	12- 2	29-53-45	3.956	
	350	12-11	42431.051	63321.453	12- 2	12-11	74-58-40	11.740	
	783	12.25	42417.031	63325.353	12-11	12.25	164-27-17	14.552	
	378	12-10	42413.129	63311.286	12.25	12-10	254-29-48	14.598	
	348	12- 1	42424.578	63308.142	12-10	12- 1	344-38-40	11.873	
12- 2	350	12-11	42431.051	63321.453					202.6937
	351	12-12	42434.140	63332.954	12-11	12-12	74-57-58	11.909	
	785	12.26	42429.011	63334.396	12-12	12.26	164-17-49	5.328	
	784	12.28	42417.801	63337.508	12.26	12.28	164-29-05	11.634	
	1019	12.24	42414.623	63326.024	12.28	12.24	254-31-53	11.916	
	783	12.25	42417.031	63325.353	12.24	12.25	344-25-45	2.500	
	350	12-11	42431.051	63321.453	12.25	12-11	344-27-17	14.552	
12- 3	351	12-12	42434.140	63332.954					27.1184
	352	12-13	42435.442	63337.918	12-12	12-13	75-18-11	5.132	
	786	12.27	42430.381	63339.329	12-13	12.27	164-25-18	5.254	
	785	12.26	42429.011	63334.396	12.27	12.26	254-28-44	5.120	
	351	12-12	42434.140	63332.954	12.26	12-12	344-17-49	5.328	



