



## 二点間方向角・距離及び面積計算書

区域番号	コード番号	測点	X	Y	測点→測点		方向角	距離	面積
18-14	1054	18.72	42376.046	63551.336					113.5049
	1055	18.73	42377.686	63557.431	18.72	18.73	74-56-24	6.312	
	499	18-25	42360.313	63562.199	18.73	18-25	164-39-11	18.015	
	502	18-26	42358.735	63556.087	18-25	18-26	255-31-24	6.312	
	1054	18.72	42376.046	63551.336	18-26	18.72	344-39-11	17.951	
18-15	1048	18.61	42373.576	63538.211					199.8245
	813	18.62	42374.188	63540.755	18.61	18.62	76-28-25	2.617	
	812	18.63	42374.759	63543.065	18.62	18.63	76-06-56	2.380	
	811	18.66	42376.138	63548.520	18.63	18.66	75-48-47	5.627	
	503	18-27	42357.795	63552.494	18.66	18-27	167-46-33	18.769	
	504	18-28	42355.136	63542.186	18-27	18-28	255-32-08	10.645	
	1048	18.61	42373.576	63538.211	18-28	18.61	347-50-07	18.864	
18-15-1	1053	18.71	42375.335	63548.694					57.8534
	1054	18.72	42376.046	63551.336	18.71	18.72	74-56-16	2.736	
	502	18-26	42358.735	63556.087	18.72	18-26	164-39-11	17.951	
	503	18-27	42357.795	63552.494	18-26	18-27	255-20-20	3.714	
	1053	18.71	42375.335	63548.694	18-27	18.71	347-46-33	17.947	





















## 二点間方向角・距離及び面積計算書

区域番号	コード番号	測点	X	Y	測点→測点		方向角	距離	面積
BL19	449	19- 1	42313.622	63416.954					
	450	19- 2	42317.049	63419.043	19- 1	19- 2	31-21-55	4.014	
	451	19-10	42322.292	63439.339	19- 2	19-10	75-30-56	20.962	
	452	19-11	42326.182	63454.309	19-10	19-11	75-26-01	15.467	
	507	19-12	42328.722	63464.144	19-11	19-12	75-31-09	10.158	
	508	19-13	42335.845	63491.575	19-12	19-13	75-26-37	28.341	
	509	19-14	42338.277	63500.976	19-13	19-14	75-29-45	9.710	
	510	19-15	42342.096	63515.698	19-14	19-15	75-27-27	15.209	
	500	19-16	42348.294	63539.601	19-15	19-16	75-27-48	24.693	
	501	19-17	42349.155	63542.903	19-16	19-17	75-23-08	3.412	
	488	19-18	42355.372	63566.873	19-17	19-18	75-27-35	24.763	
	489	19- 3	42358.931	63580.644	19-18	19- 3	75-30-34	14.223	
	490	19- 4	42356.834	63584.046	19- 3	19- 4	121-38-59	3.996	
	491	19-19	42346.738	63586.287	19- 4	19-19	167-29-06	10.342	
	492	19-20	42343.568	63586.991	19-19	19-20	167-28-44	3.247	
	493	19-21	42339.928	63587.801	19-20	19-21	167-27-16	3.729	
	481	19-22	42325.678	63590.974	19-21	19-22	167-26-49	14.599	
	482	19-23	42318.628	63592.539	19-22	19-23	167-29-03	7.222	
	483	19- 5	42314.095	63593.557	19-23	19- 5	167-20-34	4.646	
	484	19-24	42311.303	63591.865	19- 5	19-24	211-13-00	3.265	





## 二点間方向角・距離及び面積計算書

区域番号	コード番号	測点	X	Y	測点→測点	方向角	距離	面積	
19- 1	449	19- 1	42313.622	63416.954				427.5679	
	450	19- 2	42317.049	63419.043	19- 1	19- 2	31-21-55		4.014
	451	19-10	42322.292	63439.339	19- 2	19-10	75-30-56		20.962
	1059	19.35	42305.010	63443.817	19-10	19.35	165-28-24		17.853
	448	19- 9	42298.836	63420.013	19.35	19- 9	255-27-35		24.592
	449	19- 1	42313.622	63416.954	19- 9	19- 1	348-18-41		15.099
19- 2	451	19-10	42322.292	63439.339				334.6408	
	452	19-11	42326.182	63454.309	19-10	19-11	75-26-01		15.467
	818	19.37	42305.237	63459.746	19-11	19.37	165-26-53		21.639
	1060	19.36	42301.365	63444.761	19.37	19.36	255-30-44		15.477
	451	19-10	42322.292	63439.339	19.36	19-10	345-28-28		21.618
19- 3	452	19-11	42326.182	63454.309				217.3469	
	507	19-12	42328.722	63464.144	19-11	19-12	75-31-09		10.158
	821	19.38	42309.775	63468.858	19-12	19.38	166-01-43		19.525
	820	19.39	42307.741	63469.369	19.38	19.39	165-53-51		2.097
	818	19.37	42305.237	63459.746	19.39	19.37	255-24-52		9.943
	452	19-11	42326.182	63454.309	19.37	19-11	345-26-53		21.639

変 更

334.6408

217.3469



















## 二点間方向角・距離及び面積計算書

区域番号	コード番号	測点	X	Y	測点→測点		方向角	距離	面積
19-10-1	1065	19.57	42343.030	63569.599					55.5453
	491	19-19	42346.738	63586.287	19.57	19-19	77-28-22	17.095	
	492	19-20	42343.568	63586.991	19-19	19-20	167-28-44	3.247	
	1064	19.56	42339.856	63570.300	19-20	19.56	257-27-42	17.099	
	1065	19.57	42343.030	63569.599	19.56	19.57	347-32-45	3.250	
19-10-2	1064	19.56	42339.856	63570.300					68.4714
	492	19-20	42343.568	63586.991	19.56	19-20	77-27-42	17.099	
	493	19-21	42339.928	63587.801	19-20	19-21	167-27-16	3.729	
	834	19.58	42335.752	63568.227	19-21	19.58	257-57-25	20.014	
	1063	19.54	42337.685	63567.788	19.58	19.54	347-12-17	1.982	
	835	19.55	42338.418	63570.618	19.54	19.55	75-28-44	2.923	
	1064	19.56	42339.856	63570.300	19.55	19.56	347-31-49	1.473	
<del>19-11</del>	<del>1066</del>	<del>19.59</del>	<del>42336.677</del>	<del>63572.564</del>					<del>233.9835</del>
	<del>493</del>	<del>19-21</del>	<del>42339.928</del>	<del>63587.801</del>	<del>19.59</del>	<del>19-21</del>	<del>77-57-21</del>	<del>15.580</del>	
	<del>481</del>	<del>19-22</del>	<del>42325.678</del>	<del>63590.974</del>	<del>19-21</del>	<del>19-22</del>	<del>167-26-49</del>	<del>14.599</del>	
	<del>837</del>	<del>19.62</del>	<del>42322.125</del>	<del>63577.760</del>	<del>19-22</del>	<del>19.62</del>	<del>254-57-01</del>	<del>13.683</del>	
	<del>1067</del>	<del>19.61</del>	<del>42321.621</del>	<del>63575.894</del>	<del>19.62</del>	<del>19.61</del>	<del>254-53-07</del>	<del>1.933</del>	
	<del>1066</del>	<del>19.59</del>	<del>42336.677</del>	<del>63572.564</del>	<del>19.61</del>	<del>19.59</del>	<del>347-31-42</del>	<del>15.420</del>	











## 二点間方向角・距離及び面積計算書

区域番号	コード番号	測点	X	Y	測点→測点		方向角	距離	面積
19-15	831	19.50	42320.207	63524.363					580.0384
	832	19.51	42325.679	63545.466	19.50	19.51	75-27-48	21.801	
	474	19-26	42300.044	63552.096	19.51	19-26	165-29-57	26.478	
	475	19-27	42294.300	63531.091	19-26	19-27	254-42-21	21.776	
	831	19.50	42320.207	63524.363	19-27	19.50	345-26-31	26.766	
19-16	829	19.48	42319.022	63519.763					143.3957
	830	19.49	42319.469	63521.561	19.48	19.49	76-02-20	1.853	
	831	19.50	42320.207	63524.363	19.49	19.50	75-14-40	2.898	
	475	19-27	42294.300	63531.091	19.50	19-27	165-26-31	26.766	
	476	K 5	42292.758	63525.350	19-27	K 5	254-57-56	5.944	
	828	19.47	42314.075	63520.803	K 5	19.47	347-57-33	21.797	
	829	19.48	42319.022	63519.763	19.47	19.48	348-07-40	5.055	
19-18	824	19.43	42314.476	63494.775					315.6369
	825	19.44	42317.051	63504.705	19.43	19.44	75-27-45	10.258	
	478	19-29	42289.054	63511.970	19.44	19-29	165-27-11	28.924	
	479	19-30	42285.989	63500.883	19-29	19-30	254-32-48	11.503	
	824	19.43	42314.476	63494.775	19-30	19.43	347-53-54	29.134	



























## 二点間方向角・距離及び面積計算書

区域番号	コード番号	測点	X	Y	測点→測点		方向角	距離	面積
BL22	540	22- 1	42420.255	63581.048					
	541	22- 2	42422.305	63577.633	22- 1	22- 2	300-58-34	3.983	
	542	22- 7	42450.329	63570.763	22- 2	22- 7	346-13-33	28.854	
	557	22- 3	42492.719	63560.382	22- 7	22- 3	346-14-22	43.643	
	558	22- 4	42501.293	63548.277	22- 3	22- 4	305-18-36	14.834	
	559	22- 9	42501.245	63548.114	22- 4	22- 9	253-35-29	0.170	
	560	K 27	42500.917	63546.954	22- 9	K 27	254-12-41	1.205	
	615	K 26	42534.608	63551.832	K 27	K 26	8-14-18	34.042	
	616	22-10	42533.916	63552.847	K 26	22-10	124-17-06	1.228	
	618	K 25	42530.030	63558.504	22-10	K 25	124-29-12	6.863	
	619	K 24	42528.627	63556.641	K 25	K 24	233-01-02	2.332	
	617	K 23	42524.092	63562.853	K 24	K 23	126-07-51	7.691	
	620	K 22	42536.124	63578.660	K 23	K 22	52-43-20	19.865	
	621	K 21	42532.076	63607.031	K 22	K 21	98-07-13	28.658	
	850	K 20	42518.091	63624.642	K 21	K 20	128-27-12	22.488	
	851	K 19	42521.197	63630.053	K 20	K 19	60-08-37	6.239	
	852	K 18	42498.626	63633.613	K 19	K 18	171-02-13	22.850	
	853	K 17	42459.356	63662.848	K 18	K 17	143-20-01	48.957	
	622	K 16	42437.266	63663.020	K 17	K 16	179-33-14	22.091	
	623	22- 5	42437.326	63652.383	K 16	22- 5	270-19-23	10.637	













## 二点間方向角・距離及び面積計算書

区域番号	コード番号	測点	X	Y	測点→測点		方向角	距離	面積
22- 2	617	K 23	42524.092	63562.853					変 更
	620	K 22	42536.124	63578.660	K 23	K 22	52-43-20	19.865	
	621	K 21	42532.076	63607.031	K 22	K 21	98-07-13	28.658	
	850	K 20	42518.091	63624.642	K 21	K 20	128-27-12	22.488	
	851	K 19	42521.197	63630.053	K 20	K 19	60-08-37	6.239	
	852	K 18	42498.626	63633.613	K 19	K 18	171-02-13	22.850	
	1095	22.12	42466.475	63657.548	K 18	22.12	143-20-02	40.082	
	1101	22.17	42460.033	63632.799	22.12	22.17	255-24-36	25.574	
	1100	22.20	42451.518	63634.980	22.17	22.20	165-38-00	8.790	
	1099	22.19	42445.885	63613.340	22.20	22.19	255-24-34	22.361	
	1098	22.16	42460.129	63609.693	22.19	22.16	345-38-19	14.703	
	542	22- 7	42450.329	63570.763	22.16	22- 7	255-52-13	40.145	
	557	22- 3	42492.719	63560.382	22- 7	22- 3	346-14-22	43.643	
	617	K 23	42524.092	63562.853	22- 3	K 23	4-30-12	31.470	

変 更

5762.8091



## 二点間方向角・距離及び面積計算書

区域番号	コード番号	測点	X	Y	測点→測点		方向角	距離	面積	
22- 3	1101	22.17	42460.033	63632.799					112.1920	
	1102	22.18	42461.120	63636.977	22.17	22.18	75-25-00	4.317		
	1096	22.13	42435.772	63643.468	22.18	22.13	165-38-12	26.166		
	1097	22.14	42435.029	63639.202	22.13	22.14	260-07-12	4.330		
	1101	22.17	42460.033	63632.799	22.14	22.17	345-38-11	25.811		
<del>22-3-1</del>	<del>1102</del>	<del>22.18</del>	<del>42461.120</del>	<del>63636.977</del>						617.1251
	1095	22.12	42466.475	63657.548	22.18	22.12	75-24-31	21.257		
	853	K 17	42459.356	63662.848	22.12	K 17	143-19-58	8.875		
	622	K 16	42437.266	63663.020	K 17	K 16	179-33-14	22.091		
	623	22- 5	42437.326	63652.383	K 16	22- 5	270-19-23	10.637		
	1096	22.13	42435.772	63643.468	22- 5	22.13	260-06-43	9.049		
	1102	22.18	42461.120	63636.977	22.13	22.18	345-38-12	26.166		

H.4.10.20 変更 (分割)

# 倍 横 距 法 面 積 計 算 書

地 番 ... 3-1

測 点	測 点	内 角	距 離	方 向 角	$\Delta x$	$\Delta y$	X	Y	測 点	倍 横 距	倍 面 積
BL. 22-12	BL. 22-27	112 4 29	11.566	255 24 27	-2.914	-11.193	42463.561	63646.355	BL. 22-27	-16.493	48.060602
BL. 22-27	BL. 22-26	90 0 15	15.000	165 24 42	-14.516	3.778	42449.045	63650.133	BL. 22-26	-23.908	347.048528
BL. 22-26	BL. 22-25	89 59 38	13.196	75 24 20	3.325	12.770	42452.370	63662.903	BL. 22-25	-7.360	-24.472000
BL. 22-25	K. 17	104 8 36	6.986	359 32 56	6.986	-0.055	42459.356	63662.848	K. 17	5.355	37.410030
K. 17	BL. 22-12	143 47 2	8.875	323 19 58	7.119	-5.300	42466.475	63657.548	BL. 22-12	0.000	0.000000
TOTAL...		540 0 0	55.623								408.047160
										面積	204.0235800



倍 横 距 法 面 積 計 算 書

地 番 ... 3-2

測 点	測 点	内 角	距 離	方 向 角	$\Delta x$	$\Delta y$	X	Y	測 点	倍 横 距	倍 面 積
BL. 22-25	BL. 22-26	75 50 58	13.196	255 24 20	-3.325	-12.770	42449.045	63650.133	BL. 22-26	-12.887	42.849275
BL. 22-26	BL. 22-27	270 0 22	15.000	345 24 42	14.516	-3.778	42463.561	63646.355	BL. 22-27	-29.435	-427.278460
BL. 22-27	BL. 22-18	89 59 55	9.690	255 24 37	-2.441	-9.378	42461.120	63636.977	BL. 22-18	-42.591	103.964631
BL. 22-18	BL. 22-13	90 13 35	26.166	165 38 12	-25.348	6.491	42435.772	63643.468	BL. 22-13	-45.478	1152.776344
BL. 22-13	BL. 22- 5	94 28 31	9.049 <sup>50</sup>	80 6 43	1.554	8.915	42437.326	63652.383	BL. 22- 5	-30.072	-46.731888
BL. 22- 5	K. 16	190 12 40	10.637	90 19 23	-0.060	10.637	42437.266	63663.020	K. 16	-10.520	0.631200
K. 16	BL. 22-25	89 13 59	15.104 <sup>5</sup>	359 33 22	15.104	-0.117	42452.370	63662.903	BL. 22-25	0.000	0.000000
TOTAL...		900 0 0	98.842								826.211102
										面積	413.1055510











