

座標に依る方向角・距離及び面積計算書

( )

点名	方向角	距離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X座標	前点-後点		Y座標	前点-後点	
69 B- 1	198 59 4	63.051	44479.221	23.202	1032006.8856	62561.037	60.964	3813971.0596
69 B- 2	243 28 39	3.008	44477.878	27.447	1220784.3174	62558.346	-6.644	-415637.6508
69 B- 3	287 52 52	26.013	44485.865	3.182	141554.0224	62533.590	-70.954	-4437008.3448
69 B- 24	18 54 44	66.560	44548.832	-27.293	-1215871.2717	62555.164	-60.802	-3803479.0815
69 B- 26	110 44 19	6.115	44546.667	-26.384	-1175319.2621	62560.883	9.990	624983.2211
69 B- 23	110 44 19	22.097	44538.842	-.154	-6858.9816	62581.548	67.446	4220875.0864
TOTAL					-3704.2900			3704.2900
								1852.145
69 B- 3	198 54 44	66.560	44485.865	49.742	2212815.8968	62533.590	53.899	3370497.9674
69 B- 4	287 50 41	29.592	44494.933	29.484	1311888.6045	62505.422	-11.781	-736376.3765
69 B- 5	334 7 24	3.015	44497.646	-22.924	-1020064.0369	62504.106	-64.053	-4003575.5016
69 B- 25	21 33 46	65.956	44558.986	-51.058	-2275092.7071	62528.346	-51.186	-3200575.9183
69 B- 24	110 44 19	28.676	44548.832	-5.244	-233614.0750	62555.164	73.121	4574096.1468
TOTAL					-4066.3177			4066.3178
								2033.158

計算者

点検者



座標に依る方向角・距離及び面積計算書

( )

点名	方向角	距離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X 座標	前点-後点		Y 座標	前点-後点	
69 B- 6	21 33 46	.068	44559.049	-16.352	-728629.5692	62528.371	-41.395	-2588361.9175
69 B- 7	21 33 18	44.440	44600.381	-47.296	-2109419.6197	62544.698	-30.713	-1920935.3096
69 B- 20	108 55 33	32.739	44589.762	-16.589	-739699.5618	62575.667	52.542	3287850.6955
69 B- 18	198 55 57	44.321	44547.839	14.784	658595.2517	62561.287	43.095	2696078.6632
69 B- 26	198 55 57	1.240	44546.667	6.123	272759.2420	62560.883	-.993	-62122.9568
69 B- 24	290 44 19	6.115	44548.832	32.537	1449485.3467	62555.164	-12.319	-770617.0653
69 B- 25	290 44 19	28.676	44558.986	26.793	1193868.9118	62528.346	-10.217	-638852.1110
TOTAL					-3039.9985			3039.9985
								1519.999
69 B- 17	198 51 37	44.435	44540.568	14.958	666237.8161	62582.142	43.775	2739533.2660
69 B- 23	198 59 4	1.825	44538.842	21.259	946851.2420	62581.548	-6.099	-381684.8612
69 B- 26	290 44 19	22.097	44546.667	20.261	902560.0200	62560.883	-8.997	-562860.2643
69 B- 18	18 55 57	1.240	44547.839	-14.784	-658595.2517	62561.287	-43.095	-2696078.6632
69 B- 20	18 55 57	44.321	44589.762	-35.219	-1570406.8278	62575.667	-34.778	-2176256.5469
69 B- 16	108 55 30	22.030	44582.617	-6.475	-288672.4450	62596.506	49.194	3079372.5161
TOTAL					-2025.4464			2025.4465
								1012.723

計算者

点検者



座標に依る方向角・距離及び面積計算書

点名	方向角	距離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X座標	前点-後点		Y座標	前点-後点	
( 69 B- 7)	288 55 33	32.739	44600.381	26.624	1187440.5437	62544.698	-21.608	-1351465.8343
( 69 B- 8)	21 34 25	11.817	44611.370	-15.671	-699104.7792	62549.043	-7.088	-443347.6167
( 69 B- 22)	109 00 19	11.979	44607.469	-25.478	-1136509.0951	62560.369	8.740	546777.6250
( 69 B- 21)	108 52 38	14.956	44602.630	-39.968	-1782677.9158	62574.521	13.668	855268.5530
( 69 B- 15)	108 52 50	27.284	44593.801	-21.985	-980394.7149	62600.337	20.013	1252820.5443
( 69 B- 16)	198 54 31	11.822	44582.617	24.670	1099853.1613	62596.506	4.039	252827.2877
( 69 B- 20)	288 55 33	22.030	44589.762	51.808	2310106.3896	62575.667	-17.764	-1111594.1485
TOTAL					-1286.4104			1286.4105
								643.205
( 69 B- 8)	289 00 19	11.979	44611.370	5.239	233718.9674	62549.043	-19.223	-1202380.2535
( 69 B- 9)	21 40 00	16.487	44626.692	-8.842	-394589.2106	62555.130	-16.528	-1033911.1886
( 69 B- 10)	66 21 31	3.007	44627.898	-11.266	-502777.8988	62557.885	1.786	111728.3826
( 69 B- 11)	109 22 8	9.022	44624.906	-2.484	-110848.2665	62566.396	20.429	1278168.9038
( 69 B- 22)	199 4 3	18.449	44607.469	17.353	774073.4095	62560.369	13.536	846817.1547
TOTAL					-422.9990			422.9990
								211.499

計算者

点検者







座標に依る方向角・距離及び面積計算書

( 1 )

点名	方向角	距離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X座標	前点-後点		Y座標	前点-後点	
( 70 B- 1)	111 53 29	45.978	44509.563	-45.215	-2012499.8910	62660.925	15.713	984591.1145
( 70 B- 2)	60 44 10	2.925	44510.993	-7.347	-327022.2655	62663.477	-29.445	-1845126.0802
( 70 B- 3)	9 42 45	28.422	44539.008	35.896	1598772.2311	62668.272	-42.289	-2650178.5546
( 70 B- 26)	289 19 49	43.122	44553.282	43.771	1950141.7064	62627.581	-5.510	-345077.9713
( 70 B- 25)	199 21 48	9.289	44544.518	9.319	415110.3632	62624.501	26.576	1664308.7385
( 70 B- 24)	199 18 14	18.873	44526.706	-36.424	-1621840.7393	62618.262	34.955	2188821.3482
TOTAL					2661.4049			-2661.4049
								1330.702
( 70 B- 3)	109 19 49	43.122	44539.008	-42.036	-1872241.7402	62668.272	6.258	392178.0461
( 70 B- 4)	9 31 30	8.128	44547.024	-2.076	-92479.6218	62669.617	-12.423	-778544.6519
( 70 B- 5)	9 25 5	4.467	44551.431	-1.200	-53461.7172	62670.348	-7.787	-488013.9998
( 70 B- 6)	7 53 59	3.412	44554.811	36.790	1639171.4966	62670.817	-16.493	-1033629.7847
( 70 B- 29)	289 23 21	39.499	44567.924	40.567	1807986.9729	62633.558	-3.704	-231994.6988
( 70 B- 28)	199 22 14	9.974	44558.515	4.102	182779.0285	62630.250	9.131	571876.8127
( 70 B- 27)	289 17 47	.841	44558.793	2.669	118927.4185	62629.456	5.233	327739.9432
( 70 B- 26)	198 47 23	5.821	44553.282	-38.816	-1729380.1941	62627.581	19.785	1239086.6900
TOTAL					1301.6432			-1301.6432
								650.821

計算者

点検者

画地測量設計株式会社



座標に依る方向角・距離及び面積計算書

点名	方向角	距離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X座標	前点-後点		Y座標	前点-後点	
( 70 B- 6)	109 23 21	39.499	44554.811	-37.386	-1665726.1640	62670.817	12.061	755872.7238
( 70 B- 7)	6 53 1	1.060	44555.863	-.645	-28738.5316	62670.944	-5.495	-344376.8372
( 70 B- 8)	6 39 00	4.473	44560.306	-.869	-38722.9059	62671.462	-8.897	-557587.9974
( 70 B- 9)	4 30 21	4.468	44564.760	-.669	-29813.8244	62671.813	-8.913	-558593.8692
( 70 B- 10)	4 4 45	4.470	44569.219	-.549	-24468.5012	62672.131	-8.933	-559850.1462
( 70 B- 11)	2 57 20	4.480	44573.693	-.432	-19255.8353	62672.362	-10.357	-649097.6532
( 70 B- 12)	1 57 25	5.886	44579.576	-.293	-13061.8157	62672.563	-12.084	-757335.2512
( 70 B- 13)	00 51 00	6.202	44585.777	1.550	69107.9543	62672.655	-8.700	-545252.0985
( 70 B- 14)	326 41 33	2.990	44588.276	28.685	1279014.6970	62671.013	-11.949	-748855.9343
( 70 B- 15)	289 15 42	28.647	44597.726	37.455	1670407.8273	62643.970	20.352	1274930.0774
( 70 B- 29)	199 15 29	31.568	44567.924	-26.847	-1196515.0556	62633.558	42.915	2687919.1415
TOTAL					2227.8449			-2227.8445
								1113.922
( 70 B- 15)	19 15 29	31.568	44597.726	-9.615	-428807.1354	62643.970	-30.074	-1883954.7537
( 70 B- 16)	288 50 37	.842	44597.998	14.514	647295.3429	62643.173	38.933	2438886.6544
( 70 B- 27)	199 17 2	41.535	44558.793	12.923	575833.2819	62629.456	39.483	2472798.8112
( 70 B- 28)	109 17 47	.841	44558.515	-4.102	-182779.0285	62630.250	-9.131	-571876.8127
( 70 B- 29)	19 22 14	9.974	44567.924	-13.720	-611471.9172	62633.558	-39.211	-2455924.4427
TOTAL					70.5437			-70.5435
								35.271

計算者

点検者

画地測量設計株式会社



座標に依る方向角・距離及び面積計算書

点名	方向角	距離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X座標	前点-後点		Y座標	前点-後点	
( 70 B- 16)	19 17 2	41.535	44597.998	15.529	692562.3109	62643.173	-49.477	<del>-3099396.2705</del>
( 70 B- 17)	289 21 10	30.997	44608.270	31.968	1426037.1753	62613.927	-9.016	-564527.1658
( 70 B- 18)	245 13 49	2.998	44607.014	10.398	463823.7315	62611.205	23.694	1483509.8912
( 70 B- 19)	198 53 9	23.715	44584.576	-9.534	-425069.3475	62603.529	28.325	1773244.9589
( 70 B- 31)	108 53 3	18.189	44578.689	-12.024	-536014.1565	62620.739	21.025	1316601.0374
( 70 B- 30)	198 54 38	16.002	44563.551	-8.717	-388460.4740	62615.553	19.896	1245799.0424
( 70 B- 27)	108 53 33	14.695	44558.793	-27.620	-1230713.8626	62629.456	-34.447	-2157396.8708
TOTAL					2165.3771			-2165.3772
								<del>1082.688</del>
( 70 B- 19)	288 53 3	18.189	44584.576	22.386	998070.3183	62603.529	9.260	579708.6785
( 70 B- 20)	198 51 58	16.007	44569.429	-12.024	-535902.8142	62598.353	21.025	1316130.3718
( 70 B- 30)	108 52 3	18.177	44563.551	-22.386	-997599.6526	62615.553	-9.260	-579820.0207
( 70 B- 31)	18 54 38	16.002	44578.689	12.024	536014.1565	62620.739	-21.025	-1316601.0374
TOTAL					582.0080			-582.0078
								291.003
( 70 B- 20)	288 52 3	18.177	44569.429	22.075	983870.1451	62598.353	8.377	524386.4030
( 70 B- 21)	198 52 48	15.066	44555.174	-26.148	-1165028.6897	62593.478	24.911	1559266.1304
( 70 B- 25)	108 57 25	32.802	44544.518	-34.103	-1519101.6973	62624.501	1.892	118485.5558
( 70 B- 26)	19 21 48	9.289	44553.282	-4.955	-220761.5123	62627.581	-14.275	-894008.7187
( 70 B- 27)	18 47 23	5.821	44558.793	12.028	535953.1622	62629.456	-10.269	-643141.8836
( 70 B- 30)	288 53 33	14.695	44563.551	31.103	1386060.1267	62615.553	-10.636	-665979.0217
TOTAL					991.5347			-991.5348
								495.767

計算者

点検者















座標に依る方向角・距離及び面積計算書

点名	方向角	距離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X座標	前点-後点		Y座標	前点-後点	
( 71-1B- 10 )	336 57 5	3.011	44519.619	15.194	676431.0910	62625.174	-8.401	-526114.0867
( 71-1B- 11 )	291 53 9	15.104	44525.249	18.792	836718.4792	62611.159	7.172	449047.2323
( 71-1B- 43 )	200 27 46	13.664	44512.447	1.278	56886.9072	62606.382	14.006	876864.9862
( 71-1B- 44 )	108 59 18	3.700	44511.243	-15.973	-710978.0844	62609.881	5.497	344166.5158
( 71-1B- 41 )	108 59 28	13.192	44506.950	-16.472	-733118.4804	62622.355	-5.605	-350998.2997
( 71-1B- 42 )	21 59 41	10.675	44516.848	-2.819	-125492.9945	62626.353	-12.669	-793413.2661
TOTAL=					446.9181			-446.9182
								223.459
( 71-1B- 11 )	20 27 46	13.664	44525.249	17.723	789120.9880	62611.159	-21.866	-1369055.6026
( 71-1B- 12 )	291 56 30	24.257	44534.313	25.240	1124046.0601	62588.659	-7.836	-490444.7319
( 71-1B- 13 )	245 51 33	3.003	44533.085	11.075	493203.9163	62585.919	25.431	1591622.5060
( 71-1B- 14 )	199 00 9	25.598	44508.882	-19.210	-855015.6232	62577.584	33.664	2106611.7877
( 71-1B- 45 )	108 57 23	29.125	44499.421	-32.297	-1437197.8000	62605.129	-2.361	-147810.7095
( 71-1B- 44 )	21 53 54	12.741	44511.243	-1.253	-55772.5874	62609.881	-13.026	-815556.3099
( 71-1B- 43 )	288 59 18	3.700	44512.447	-1.278	-56886.9072	62606.382	-14.006	-876864.9862
TOTAL					1498.0466			-1498.0464
								749.023

計算者

点検者



## 座標に依る方向角・距離及び面積計算書

( 2 )

点名	方向角	距離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X座標	前点-後点		Y座標	前点-後点	
( 71-1B- 14 )	288 57 23	29.125	44508.882	38.596	1717864.8096	62577.584	22.635	1416443.6138
( 71-1B- 15 )	198 59 57	33.945	44476.786	9.949	442499.5439	62566.533	34.902	2183697.1347
( 71-1B- 16 )	158 33 31	3.015	44473.980	-25.326	-1126348.0174	62567.635	15.923	996264.4521
( 71-1B- 17 )	118 26 6	27.547	44460.863	-37.494	-1667015.5973	62591.859	-25.441	-1592399.4848
( 71-1B- 45 )	18 59 29	40.778	44499.421	14.275	635229.2347	62605.129	-48.019	-3006235.6894
TOTAL					2229.9735			-2229.9736
								1114.986
( 71-1B- 17 )	198 59 29	40.778	44460.863	5.434	241600.3295	62591.859	42.805	2679244.5244
( 71-1B- 18 )	118 27 25	8.913	44456.616	-10.676	-474618.8324	62599.695	3.243	203010.8108
( 71-1B- 39 )	70 31 50	3.012	44457.620	-17.884	-795080.0760	62602.535	-38.443	-2406629.2530
( 71-1B- 40 )	21 53 30	40.348	44495.059	-2.594	-115420.1830	62617.579	-41.801	-2617477.4197
( 71-1B- 45 )	289 18 31	13.192	44499.421	25.720	1144525.1081	62605.129	34.196	2140844.9912
TOTAL					1006.3462			-1006.3463
								503.173
( 71-1B- 40 )	109 18 31	13.192	44495.059	-17.226	-766471.8863	62617.579	-7.529	-471447.7522
( 71-1B- 41 )	21 52 58	12.814	44506.950	7.698	342614.5011	62622.355	-16.184	-1013480.1933
( 71-1B- 44 )	288 59 28	13.192	44511.243	17.226	766750.6719	62609.881	7.529	471389.7940
( 71-1B- 45 )	201 53 54	12.741	44499.421	-7.698	-342556.5428	62605.129	16.184	1013201.4077
TOTAL					336.7439			-336.7438
								168.371

計算者

点検者



## 座標に依る方向角・距離及び面積計算書

( 1 )

点名	方向角	距離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X座標	前点-後点		Y座標	前点-後点	
( 71-2B- 1 )	118 17 55	22.396	44430.824	-22.396	-995072.7343	62647.426	9.306	582996.9463
( 71-2B- 2 )	63 54 28	2.981	44432.135	-4.454	-197900.7292	62650.103	-11.701	-733068.8552
( 71-2B- 3 )	9 42 19	10.541	44442.525	9.858	438114.4114	62651.880	-14.591	-914153.5810
( 71-2B- 24 )	289 51 10	12.370	44446.726	20.550	913380.2193	62640.245	-7.783	-487529.0268
( 71-2B- 23 )	291 53 24	9.608	44450.308	12.538	557317.9617	62631.330	5.285	331006.5790
( 71-2B- 22 )	202 13 29	9.579	44441.441	-16.096	-715329.4343	62627.707	19.484	1220238.2431
TOTAL					509.6946			-509.6946
								254.847
( 71-2B- 3 )	109 51 10	12.370	44442.525	-13.892	-617395.5573	62651.880	-9.120	-571385.1456
( 71-2B- 4 )	9 36 59	13.511	44455.846	6.540	290741.2328	62654.137	-16.872	-1057100.5994
( 71-2B- 25 )	291 58 55	9.487	44459.397	13.892	617629.9431	62645.340	9.120	571325.5008
( 71-2B- 24 )	201 54 18	13.657	44446.726	-6.540	-290681.5880	62640.245	16.872	1056866.2136
TOTAL					294.0306			-294.0306
								147.015
( 71-2B- 4 )	111 58 55	9.487	44455.846	-15.036	-668438.1004	62654.137	-33.311	-2087071.9576
( 71-2B- 5 )	9 36 23	37.386	44492.708	16.061	714597.3831	62660.376	-45.833	-2871913.0132
( 71-2B- 32 )	291 54 51	24.037	44501.679	24.948	1110227.8876	62638.076	-2.349	-147136.8405
( 71-2B- 31 )	201 47 44	7.132	44495.057	7.621	339096.8293	62635.428	19.118	1197464.1125
( 71-2B- 30 )	201 42 3	13.449	44482.561	8.411	374142.8205	62630.455	21.110	1322128.9050
( 71-2B- 29 )	201 45 28	9.275	44473.947	5.926	263552.6099	62627.017	14.791	926316.2084
( 71-2B- 28 )	201 56 20	6.659	44467.770	-7.530	-334842.3081	62624.529	10.211	639459.0656
( 71-2B- 26 )	111 56 00	10.800	44463.736	-20.811	-925334.8098	62634.547	8.373	524439.0620
( 71-2B- 25 )	111 54 4	11.633	44459.397	-19.590	-870959.5872	62645.340	7.890	494271.7326
TOTAL					2042.7249			-2042.7252

計算者

点検者

1021.362



座標に依る方向角・距離及び面積計算書

点名	方向角	距離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X座標	前点-後点		Y座標	前点-後点	
( 71-2B- 5 )	111 54 51	24.037	44492.708	-24.010	-1068269.9190	62660.376	-1.078	-67547.8853
( 71-2B- 6 )	9 39 26	10.193	44502.757	-.288	-12816.7940	62662.086	-12.656	-793051.3604
( 71-2B- 7 )	331 23 22	2.970	44505.364	19.552	870168.8769	62660.664	-9.867	-618272.7716
( 71-2B- 8 )	291 49 24	19.530	44512.624	22.588	1005451.1509	62642.534	3.685	230837.7377
( 71-2B- 32 )	202 9 41	11.818	44501.679	-17.842	-793998.9567	62638.076	19.916	1247499.9216
TOTAL					534.3581			-534.3580
								267.179
( 71-2B- 8 )	22 9 41	11.818	44512.624	5.260	234136.4022	62642.534	-14.839	-929552.5620
( 71-2B- 9 )	291 50 9	10.469	44516.518	12.465	554898.3968	62632.816	-2.740	-171613.9158
( 71-2B- 33 )	247 12 47	2.980	44515.364	9.099	405045.2970	62630.069	16.876	1056945.0444
( 71-2B- 34 )	201 59 59	16.957	44499.642	-5.359	-238473.5814	62623.717	20.307	1271699.8211
( 71-2B- 31 )	111 22 51	12.577	44495.057	-14.359	-638904.5234	62635.428	-2.037	-127588.3668
( 71-2B- 32 )	21 47 44	7.132	44501.679	-7.106	-316228.9309	62638.076	-17.567	-1100363.0810
TOTAL					473.0603			-473.0601
								236.530
( 71-2B- 34 )	291 22 51	12.577	44499.642	16.655	741141.5375	62623.717	7.761	486022.6676
( 71-2B- 35 )	201 49 26	13.299	44487.296	-6.738	-299755.4004	62618.773	17.081	1069591.2616
( 71-2B- 30 )	112 3 50	12.605	44482.561	-16.655	-740857.0534	62630.455	-7.761	-486074.9612
( 71-2B- 31 )	21 42 3	13.449	44495.057	6.738	299807.6940	62635.428	-17.081	-1069875.7456
TOTAL					336.7777			-336.7776
								168.388

計算者

点検者



## 座標に依る方向角・距離及び面積計算書

( 3 )

点名	方向角	距離	1	2 ( $\Delta Y$ )	1×2	3	4 ( $\Delta X$ )	3×4
			X座標	前点-後点		Y座標	前点-後点	
( 71-2B- 35 )	292 3 50	12.605	44487.296	15.155	674204.9708	62618.773	3.892	243712.2645
( 71-2B- 36 )	201 55 42	9.300	44478.669	-8.244	-366682.1472	62615.300	13.349	835851.6397
( 71-2B- 29 )	111 56 59	12.633	44473.947	-15.155	-674002.6667	62627.017	-3.892	-243744.3501
( 71-2B- 30 )	21 45 28	9.275	44482.561	8.244	366714.2328	62630.455	-13.349	-836053.9437
TOTAL					234.3897			-234.3896
								117.194
( 71-2B- 36 )	291 56 59	12.633	44478.669	16.516	734609.6972	62615.300	7.211	451518.9283
( 71-2B- 37 )	201 54 29	12.862	44466.736	-6.914	-307443.0127	62610.501	16.658	1042965.7256
( 71-2B- 27 )	111 58 9	12.630	44462.011	-14.028	-623713.0903	62622.214	-1.034	-64751.3692
( 71-2B- 28 )	21 53 57	6.207	44467.770	-4.803	-213578.6993	62624.529	-11.936	-747486.3781
( 71-2B- 29 )	21 56 20	6.659	44473.947	9.229	410450.0568	62627.017	-10.899	-682571.8582
TOTAL					324.9517			-324.9516
								162.475
( 71-2B- 19 )	160 3 29	2.970	44452.656	-10.413	-462885.5069	62606.972	7.881	493405.5463
( 71-2B- 20 )	118 25 49	10.689	44447.567	-15.242	-677469.8162	62616.372	-9.355	-585776.1600
( 71-2B- 27 )	22 1 17	15.581	44462.011	5.871	261036.4665	62622.214	-19.169	-1200405.2201
( 71-2B- 37 )	291 58 9	12.630	44466.736	16.255	722806.7936	62610.501	6.563	410912.7180
( 71-2B- 38 )	201 55 7	12.168	44455.448	3.529	156883.2759	62605.959	14.080	881491.9027
TOTAL					371.2129			-371.2131
								185.606

計算者

点検者



座標に依る方向角・距離及び面積計算書

点名	方向角	距離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X座標	前点-後点		Y座標	前点-後点	
( 71-2B- 20 )	202 1 17	15.581	44447.567	-3.727	-165656.0822	62616.372	19.621	1228595.8350
( 71-2B- 21 )	118 24 51	10.880	44442.390	-18.175	-807740.4382	62625.941	-16.169	-1012598.8400
( 71-2B- 26 )	21 57 28	23.016	44463.736	1.412	62782.7952	62634.547	-25.380	-1589664.8028
( 71-2B- 28 )	291 56 00	10.800	44467.770	12.333	548421.0074	62624.529	1.725	108027.3125
( 71-2B- 27 )	201 53 57	6.207	44462.011	8.157	362676.6237	62622.214	20.203	1265156.5894
TOTAL					483.9059			-483.9059
								241.952
( 71-2B- 21 )	201 57 28	23.016	44442.390	6.840	303985.9476	62625.941	22.295	1396245.3545
( 71-2B- 22 )	118 15 9	2.005	44441.441	-5.389	-239494.9255	62627.707	-7.918	-495886.1840
( 71-2B- 23 )	22 13 29	9.579	44450.308	-12.538	-557317.9617	62631.330	-5.285	-331006.5790
( 71-2B- 24 )	111 53 24	9.608	44446.726	-14.010	-622698.6312	62640.245	-9.089	-569337.1868
( 71-2B- 25 )	21 54 18	13.657	44459.397	5.698	253329.6441	62645.340	-17.010	-1065597.2334
( 71-2B- 26 )	291 54 4	11.633	44463.736	19.399	862552.0146	62634.547	17.007	1065225.7408
TOTAL					356.0879			-356.0879
								178.043

計算者

点検者



座標に依る方向角・距離及び面積計算書

点名	方向角	距離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X座標	前点-後点		Y座標	前点-後点	
( 72 B- 1)	118 25 26	24.416	44415.129	-29.792	-1323215.5231	62676.479	-9.210	-577250.3715
( 72 B- 2)	21 46 7	22.432	44435.961	19.920	885164.3431	62684.798	-31.054	-1946613.7170
( 72 B- 28)	289 53 58	30.032	44446.183	31.096	1382098.5065	62656.559	6.533	409335.2999
( 72 B- 29)	189 40 36	16.997	44429.428	1.553	68998.9016	62653.702	19.432	1217486.7372
( 72 B- 30)	154 1 43	2.978	44426.751	-22.777	-1011908.1075	62655.006	14.299	895903.9307
TOTAL					1138.1206			-1138.1207
								569.060
( 72 B- 2)	109 53 58	30.032	44435.961	-39.216	-1742600.6465	62684.798	-17.359	-1088145.4084
( 72 B- 3)	21 42 8	29.685	44463.542	6.926	307954.4918	62695.775	-34.070	-2136045.0542
( 72 B- 31)	289 55 24	19.043	44470.031	34.192	1520519.2999	62677.872	-12.385	-776265.4447
( 72 B- 27)	289 53 54	17.323	44475.927	21.313	947915.4321	62661.583	23.848	1494353.4313
( 72 B- 28)	189 35 14	30.165	44446.183	-23.215	-1031818.1383	62656.559	39.966	2504132.0369
TOTAL					1970.4390			-1970.4391
								985.219
<del>( 72 B- 3)</del>	<del>109 55 24</del>	<del>19.043</del>	<del>44463.542</del>	<del>-32.919</del>	<del>-1463695.3390</del>	<del>62695.775</del>	<del>-30.940</del>	<del>-1939807.2785</del>
<del>( 72 B- 4)</del>	<del>21 51 36</del>	<del>40.329</del>	<del>44500.971</del>	<del>1.011</del>	<del>44990.4816</del>	<del>62710.791</del>	<del>-43.110</del>	<del>-2703462.2000</del>
<del>( 72 B- 34)</del>	<del>289 31 3</del>	<del>17.004</del>	<del>44506.652</del>	<del>24.925</del>	<del>1109328.3011</del>	<del>62694.764</del>	<del>-8.831</del>	<del>-553657.4608</del>
<del>( 72 B- 33)</del>	<del>289 29 40</del>	<del>9.439</del>	<del>44509.802</del>	<del>9.962</del>	<del>443406.6475</del>	<del>62685.866</del>	<del>2.144</del>	<del>134398.4967</del>
<del>( 72 B- 32)</del>	<del>191 21 54</del>	<del>5.400</del>	<del>44504.508</del>	<del>7.994</del>	<del>355769.0369</del>	<del>62684.802</del>	<del>39.771</del>	<del>2493037.2603</del>
<del>( 72 B- 31)</del>	<del>191 21 54</del>	<del>35.166</del>	<del>44470.031</del>	<del>-10.973</del>	<del>-487969.6501</del>	<del>62677.872</del>	<del>40.966</del>	<del>2567661.7043</del>
<del>TOTAL</del>					<del>1829.4780</del>			<del>-1829.4780</del>
								<del>914.739</del>

計算者

点検者



座標に依る方向角・距離及び面積計算書

( )

点名	方向角	距離	1		2 (ΔY)		3		4 (ΔX)	
			X 座標		前点-後点		Y 座標	前点-後点	3×4	
72 B- 3	201 51 36	19.390	44463.542		25.123		1117057.5656	62695.775	11.507	721440.2829
72 B- 31	289 55 24	19.043	44470.031		14.041		624403.7052	62677.872	-25.702	-1610946.6661
72 B- 48	11 21 54	19.597	44489.244		-25.123		-1117703.2770	62681.734	-11.507	-721278.7131
72 B- 47	109 55 23	22.614	44481.538		-14.041		-624565.2750	62702.995	25.702	1611592.3774
TOTAL							-807.2812			807.2811
										403.640

計算者 点検者

画地測量設計株式会社



座標に依る方向角・距離及び面積計算書

( )

点名	方向角	距離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X座標	前点-後点		Y座標	前点-後点	
72 B- 4	109 31 3	17.004	44500.971	-8.231	-366287.4923	62710.791	25.114	1574918.8051
72 B- 47	201 51 36	20.939	44481.538	29.057	1292500.0496	62702.995	11.727	735318.0223
72 B- 48	289 55 23	22.614	44489.244	18.193	809392.8160	62681.734	-22.970	-1439799.4299
72 B- 32	11 21 54	15.569	44504.508	-4.132	-183892.6270	62684.802	-20.558	-1288674.1595
72 B- 33	11 21 54	5.400	44509.802	-9.962	-443406.6475	62685.866	-2.144	-134398.4967
72 B- 34	109 29 40	9.439	44506.652	-24.925	-1109328.3011	62694.764	8.831	553657.4608
TOTAL					-1022.2023			1022.2021
								511.101

画地測量設計株式会社



座標に依る方向角・距離及び面積計算書

点名	方向角	距離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X座標	前点-後点		Y座標	前点-後点	
( 72 B- 4)	109 31 3	17.004	44500.971	-19.915	-886236.8374	62710.791	-3.974	-249212.6834
( 72 B- 5)	21 56 3	10.408	44510.626	12.538	558074.2287	62714.679	-15.409	-966370.4887
( 72 B- 35)	289 18 19	17.405	44516.380	19.915	886543.7077	62698.253	3.974	249162.8574
( 72 B- 34)	199 43 50	10.335	44506.652	-12.538	-558024.4027	62694.764	15.409	966063.6184
TOTAL					356.6963			-356.6963
								178.348
( 72 B- 5)	109 18 19	17.405	44510.626	-20.846	-927868.5095	62714.679	-5.405	-338972.8399
( 72 B- 6)	21 36 29	12.002	44521.785	18.337	816395.9715	62719.099	-19.118	-1199063.7346
( 72 B- 37)	289 16 36	24.109	44529.744	26.607	1184802.8986	62696.342	3.385	212227.1176
( 72 B- 36)	198 44 47	11.980	44518.400	-1.911	-85074.6624	62692.492	13.364	837822.4630
( 72 B- 35)	109 19 21	6.105	44516.380	-22.187	-987684.9230	62698.253	7.774	487416.2188
TOTAL					570.7752			-570.7751
								285.387
( 72 B- 6)	109 16 36	24.109	44521.785	-27.449	-1222078.4764	62719.099	-3.783	-237266.3515
( 72 B- 7)	21 46 52	12.645	44533.527	19.599	872812.5956	62723.791	-20.248	-1270031.3201
( 72 B- 38)	289 17 56	25.737	44542.033	49.481	2203984.3348	62699.500	-17.371	-1089153.0145
( 72 B- 21)	289 23 18	26.704	44550.898	25.907	1154180.1144	62674.310	-4.361	-273322.6659
( 72 B- 22)	189 2 42	4.561	44546.394	2.122	94527.4480	62673.593	12.679	794638.4856
( 72 B- 23)	189 45 7	8.295	44538.219	-22.749	-1013199.9440	62672.188	16.650	1043491.9302
( 72 B- 37)	109 20 5	25.598	44529.744	-46.911	-2088934.8207	62696.342	16.434	1030351.6844
TOTAL					1291.2517			-1291.2518
								645.625

計算者

点検者















座標に依る方向角・距離及び面積計算書

点名	方向角	距離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X座標	前点-後点		Y座標	前点-後点	
( 72 B- 7)	109 17 56	25.737	44533.527	-30.895	-1375863.3166	62723.791	-8.025	-503358.4227
( 72 B- 8)	21 46 35	17.801	44550.058	22.440	999703.3015	62730.395	-26.692	-1674399.7033
( 72 B- 41)	289 16 56	30.770	44560.219	30.827	1373657.8711	62701.351	-5.065	-317582.3428
( 72 B- 40)	199 17 3	5.399	44555.123	-2.213	-98600.4871	62699.568	6.585	412876.6552
( 72 B- 39)	110 26 12	4.264	44553.634	.068	3029.6471	62703.564	13.090	820789.6527
( 72 B- 38)	199 18 22	12.292	44542.033	-20.227	-900951.7014	62699.500	20.107	1260698.8465
TOTAL					975.3146			-975.3144
								487.657
( 72 B- 8)	109 16 56	30.770	44550.058	-32.473	-1446674.0334	62730.395	1.617	101435.0487
( 72 B- 9)	21 52 2	9.206	44558.602	.680	30299.8493	62733.824	-17.681	-1109196.7421
( 72 B- 10)	335 47 10	10.018	44567.739	27.041	1205156.2302	62729.715	-17.113	-1073493.6127
( 72 B- 11)	289 10 42	24.279	44575.715	28.364	1264345.5802	62706.783	7.520	471555.0081
( 72 B- 41)	199 19 4	16.420	44560.219	-23.612	-1052155.8910	62701.351	25.657	1608728.5626
TOTAL					971.7353			-971.7354
								485.867

計算者

点検者



座標に依る方向角・距離及び面積計算書

点名	方向角	距離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X座標	前点-後点		Y座標	前点-後点	
( 72 B- 11)	19 19 4	16.420	44575.715	22.218	990383.2358	62706.783	-25.185	-1579270.3298
( 72 B- 12)	289 18 41	29.298	44585.404	30.149	1344205.3451	62679.133	-7.989	-500743.5935
( 72 B- 13)	235 46 25	3.022	44583.704	2.592	115560.9607	62676.634	5.994	375683.7441
( 72 B- 14)	181 14 27	4.295	44579.410	.274	12214.7583	62676.541	10.086	632155.5925
( 72 B- 15)	181 47 24	5.795	44573.618	.406	18096.8889	62676.360	10.348	648574.9732
( 72 B- 16)	182 49 38	4.562	44569.062	.550	24512.9841	62676.135	9.108	570854.2375
( 72 B- 17)	184 5 2	4.564	44564.510	.403	17959.4975	62675.810	5.620	352238.0522
( 72 B- 18)	184 10 38	1.071	44563.442	-23.758	-1058738.2550	62675.732	9.387	588337.0962
( 72 B- 40)	109 14 22	25.246	44555.123	-25.619	-1141457.6961	62699.568	3.223	202080.7076
( 72 B- 41)	19 17 3	5.399	44560.219	-7.215	-321501.9800	62701.351	-20.592	-1291146.2197
TOTAL					1235.7393			-1235.7397
								617.869
( 72 B- 18)	289 14 22	25.246	44563.442	24.116	1074691.9672	62675.732	-4.827	-302535.7583
( 72 B- 19)	184 35 4	3.503	44559.950	.802	35737.0799	62675.452	8.021	502719.8004
( 72 B- 20)	186 34 29	4.559	44555.421	1.142	50882.2907	62674.930	9.052	567333.4663
( 72 B- 21)	187 48 19	4.565	44550.898	-24.570	-1094615.5638	62674.310	13.388	839083.6622
( 72 B- 38)	109 23 18	26.704	44542.033	-29.254	-1303032.6333	62699.500	-2.736	-171545.8320
( 72 B- 39)	19 18 22	12.292	44553.634	-.068	-3029.6471	62703.564	-13.090	-820789.6527
( 72 B- 40)	290 26 12	4.264	44555.123	27.832	1240058.1833	62699.568	-9.808	-614957.3629
TOTAL					691.6769			-691.6770
								345.838

計算者

点検者



座標に依る方向角・距離及び面積計算書

点名	方向角	距離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X座標	前点-後点		Y座標	前点-後点	
( 72 B- 23)	289 20 5	25.598	44538.219	26.215	1167569.4110	62672.188	3.545	222172.9064
( 72 B- 24)	189 43 46	12.195	44526.199	-20.304	-904059.9444	62670.127	19.819	1242059.2470
( 72 B- 36)	109 13 28	23.686	44518.400	-26.215	-1167049.8560	62692.492	-3.545	-222244.8841
( 72 B- 37)	18 44 47	11.980	44529.744	20.304	904131.9221	62696.342	-19.819	-1242578.8020
TOTAL					591.5327			-591.5327
								295.766
( 72 B- 24)	289 13 28	23.686	44526.199	24.091	1072680.6601	62670.127	2.409	150972.3359
( 72 B- 25)	189 35 49	10.353	44515.991	-15.739	-700637.1823	62668.401	16.397	1027573.7711
( 72 B- 33)	109 30 45	18.529	44509.802	-26.363	-1173411.9101	62685.866	9.339	585423.3025
( 72 B- 34)	109 29 40	9.439	44506.652	-12.387	-551303.8983	62694.764	-6.578	-412406.1575
( 72 B- 35)	19 43 50	10.335	44516.380	2.272	101141.2153	62698.253	-11.748	-736579.0762
( 72 B- 36)	289 19 21	6.105	44518.400	28.126	1252124.5184	62692.492	-9.819	-615577.5789
TOTAL					593.4031			-593.4031
								296.701
( 72 B- 25)	289 30 45	18.529	44515.991	18.374	817936.8186	62668.401	-.867	-54333.5036
( 72 B- 26)	189 41 33	5.399	44510.669	-16.401	-730019.4822	62667.492	11.483	719610.8106
( 72 B- 32)	109 35 30	18.374	44504.508	-18.374	-817725.8299	62684.802	.867	54347.7233
( 72 B- 33)	11 21 54	5.400	44509.802	16.401	730005.2626	62685.866	-11.483	-719821.7992
TOTAL					196.7691			-196.7689
								98.384

計算者

点検者



座標に依る方向角・距離及び面積計算書

点名	方向角	距離	1	2 ( $\Delta Y$ )	1×2	3	4 ( $\Delta X$ )	3×4
			X 座標	前点-後点		Y 座標	前点-後点	
( 72 B- 26)	289 35 30	18.374	44510.669	23.219	1033493.2235	62667.492	28.581	1791099.5888
( 72 B- 27)	189 39 9	35.241	44475.927	-10.380	-461660.1222	62661.583	40.638	2546441.4099
( 72 B- 31)	109 53 54	17.323	44470.031	-23.219	-1032549.6497	62677.872	-28.581	-1791396.2596
( 72 B- 32)	11 21 54	35.166	44504.508	10.380	461956.7930	62684.802	-40.638	-2547384.9836
TOTAL					1240.2446			-1240.2445
								620.122

画地測量設計株式会社

計算者  
点検者



座標に依る方向角・距離及び面積計算書

点 名	方 向 角	距 離	1	2 (ΔY)	1 × 2	3	4 (ΔX)	3 × 4
			X 座 標	前点-後点		Y 座 標	前点-後点	
( 73 B- 1)	290 47 24	10.351	44409.747	3.744	166270.0927	62690.485	-18.553	-1163096.5682
( 73 B- 2)	21 44 23	16.018	44424.626	-15.522	-689559.0447	62696.418	-11.016	-690663.7406
( 73 B- 36)	111 56 33	10.338	44420.763	-3.744	-166311.3366	62706.007	18.553	1163384.5478
( 73 B- 35)	201 41 50	15.810	44406.073	15.522	689271.0651	62700.162	11.016	690704.9845
TOTAL					-329.2235			329.2235
								164.611
( 73 B- 2)	291 56 33	10.338	44424.626	8.481	376765.2531	62696.418	-6.650	-416931.1797
( 73 B- 3)	21 40 51	2.999	44427.413	-12.388	-550366.7922	62697.526	1.707	107024.6768
( 73 B- 40)	111 43 21	12.142	44422.919	-15.815	-702548.4639	62708.806	-6.882	-431562.0028
( 73 B- 41)	21 44 4	12.247	44434.295	-6.904	-306774.3726	62713.341	-17.241	-1081240.7121
( 73 B- 42)	21 59 41	6.325	44440.160	-16.756	-744639.3209	62715.710	-0.125	-7839.4637
( 73 B- 45)	111 45 2	15.490	44434.420	-13.105	-582313.0741	62730.097	8.966	562438.0497
( 73 B- 44)	201 40 22	3.471	44431.194	8.039	357182.3685	62728.815	20.100	1260849.1815
( 73 B- 38)	201 49 23	18.177	44414.320	14.063	624598.5821	62722.058	13.937	874157.3223
( 73 B- 37)	291 54 00	7.874	44417.257	16.051	712941.3921	62714.752	-6.443	-404071.1471
( 73 B- 36)	291 50 48	9.422	44420.763	18.334	814410.2688	62706.007	-7.369	-462080.5655
TOTAL					-744.1591			744.1594
								372.079

計算者

点検者



座標に依る方向角・距離及び面積計算書

点名	方向角	距離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X座標	前点-後点		Y座標	前点-後点	
( 73 B- 3)	291 43 21	12.142	44427.413	6.723	298685.4975	62697.526	-15.857	-994194.6697
( 73 B- 4)	21 51 10	12.243	44438.776	-15.815	-702799.2424	62702.083	-6.882	-431515.7352
( 73 B- 41)	111 42 14	12.117	44434.295	-6.723	-298731.7652	62713.341	15.857	994445.4482
( 73 B- 40)	201 44 4	12.247	44422.919	15.815	702548.4639	62708.806	6.882	431562.0028
TOTAL					-297.0462			297.0461
								148.523
( 73 B- 4)	291 42 14	12.117	44438.776	3.248	144337.1444	62702.083	-24.434	-1532062.6960
( 73 B- 5)	21 52 22	21.501	44458.729	-19.293	-857742.2585	62710.093	-15.460	-969498.0377
( 73 B- 43)	111 42 49	12.145	44454.236	-5.617	-249699.4436	62721.376	18.569	1164673.2309
( 73 B- 42)	201 55 34	15.174	44440.160	8.035	357076.6856	62715.710	19.941	1250613.9731
( 73 B- 41)	201 59 41	6.325	44434.295	13.627	605506.1379	62713.341	1.384	86795.2639
TOTAL					-521.7342			521.7342
								260.867
( 73 B- 5)	291 42 49	12.145	44458.729	10.192	453123.3659	62710.093	-7.288	-457031.1577
( 73 B- 6)	21 19 22	3.000	44461.524	-14.483	-643936.2520	62711.184	2.538	159160.9849
( 73 B- 46)	111 42 49	14.415	44456.191	-25.572	-1136833.7162	62724.576	10.262	643679.5989
( 73 B- 48)	112 1 56	13.140	44451.262	-5.521	-245415.4175	62736.756	21.771	1365841.9148
( 73 B- 45)	201 34 22	18.111	44434.420	21.046	935166.8033	62730.097	11.102	696429.5368
( 73 B- 42)	291 45 2	15.490	44440.160	8.721	387562.6353	62715.710	-19.816	-1242774.5093
( 73 B- 43)	21 55 34	15.174	44454.236	5.617	249699.4436	62721.376	-18.569	-1164673.2309
TOTAL					-633.1376			633.1375
								316.568

計算者

点検者



座標に依る方向角・距離及び面積計算書

点名	方向角	距離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X座標	前点-後点		Y座標	前点-後点	
( 73 B- 6)	291 42 49	14.415	44461.524	9.286	412869.7118	62711.184	-15.596	-978043.6256
( 73 B- 7)	21 48 19	11.054	44471.787	-17.480	-777366.8367	62715.290	-4.931	-309249.0949
( 73 B- 49)	111 44 11	14.398	44466.455	-9.286	-412915.5011	62728.664	15.596	978316.2437
( 73 B- 46)	201 43 5	11.048	44456.191	17.480	777094.2186	62724.576	4.931	309294.8842
TOTAL					-318.4074			318.4074
								159.203
( 73 B- 7)	291 44 11	14.398	44471.787	.121	5381.0862	62715.290	-38.530	-2416420.1237
( 73 B- 8)	21 45 45	35.746	44504.985	-26.605	-1184055.1259	62728.543	-27.880	-1748871.7788
( 73 B- 53)	111 43 1	14.372	44499.667	-12.981	-577650.1773	62741.895	6.255	392450.5532
( 73 B- 52)	201 36 3	1.008	44498.730	2.903	129179.8131	62741.524	7.289	457322.9684
( 73 B- 51)	201 43 43	6.838	44492.378	7.533	335161.0834	62738.992	18.902	1185892.4267
( 73 B- 50)	201 43 43	13.510	44479.828	10.328	459387.6635	62733.991	25.923	1626253.2486
( 73 B- 49)	201 43 5	14.395	44466.455	18.701	831567.1749	62728.664	8.041	504401.1872
TOTAL					-1028.4821			1028.4816
								514.240
( 73 B- 8)	291 43 1	14.372	44504.985	9.955	443047.1256	62728.543	-13.880	-870672.1768
( 73 B- 9)	21 38 27	9.211	44513.547	-16.747	-745468.3716	62731.940	-3.198	-200616.7441
( 73 B- 54)	111 53 25	14.387	44508.183	-9.955	-443078.9617	62745.290	13.880	870904.6252
( 73 B- 53)	201 44 7	9.168	44499.667	16.747	745235.9232	62741.895	3.198	200648.5802
TOTAL					-264.2845			264.2845
								132.142

計算者

点検者