

座標に依る方向角・距離及び面積計算書

点名	方向角	距離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X座標	前点-後点		Y座標	前点-後点	
(73 B- 9)	291 53 25	14.387	44513.547	9.770	434897.3541	62731.940	-14.296	-896815.8142
(73 B- 10)	21 50 28	9.623	44522.479	-16.905	-752652.5074	62735.520	-3.589	-225157.7812
(73 B- 55)	111 50 58	14.356	44517.136	-9.770	-434932.4187	62748.845	14.296	897057.4881
(73 B- 54)	201 39 24	9.633	44508.183	16.905	752410.8336	62745.290	3.589	225192.8458
TOTAL					-276.7384			276.7385
								138.369
(73 B- 10)	291 50 58	14.356	44522.479	12.212	543708.5135	62735.520	-8.131	-510102.5131
(73 B- 11)	21 45 45	3.002	44525.267	-14.472	-644369.6640	62736.633	2.564	160856.7270
(73 B- 58)	111 49 57	14.391	44519.915	-17.457	-777184.1561	62749.992	-4.937	-309796.7105
(73 B- 59)	21 43 1	11.075	44530.204	-17.236	-767522.5961	62754.090	-5.263	-330274.7756
(73 B- 61)	110 56 4	14.067	44525.178	-12.157	-541292.5889	62767.228	7.430	466360.5040
(73 B- 62)	202 11 56	2.596	44522.774	12.686	564815.9109	62766.247	31.649	1986488.9513
(73 B- 56)	201 48 48	31.500	44493.529	24.723	1100013.5174	62754.542	24.044	1508870.2078
(73 B- 52)	291 46 40	14.019	44498.730	12.647	562775.4383	62741.524	-6.138	-385107.4743
(73 B- 53)	21 36 3	1.008	44499.667	-3.766	-167585.7459	62741.895	-9.453	-593099.1334
(73 B- 54)	21 44 7	9.168	44508.183	-6.950	-309331.8718	62745.290	-17.469	-1096097.4710
(73 B- 55)	21 39 24	9.633	44517.136	9.770	434932.4187	62748.845	-14.296	-897057.4881
TOTAL					-1040.8240			1040.8241
								520.412

計算者

点検者

座標に依る方向角・距離及び面積計算書

(5)

点名	方向角	距離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X 座標	前点-後点		Y 座標	前点-後点	
(73 B- 11)	291 49 57	14.391	44525.267	9.240	411413.4670	62736.633	-15.634	-980824.5203
(73 B- 12)	21 49 52	11.076	44535.549	-17.457	-777457.0788	62740.752	-4.937	-309751.0926
(73 B- 59)	111 50 16	14.369	44530.204	-9.240	-411459.0849	62754.090	15.634	981097.4430
(73 B- 58)	201 43 1	11.075	44519.915	17.457	777184.1561	62749.992	4.937	309796.7105
TOTAL					-318.5406			318.5406
								159.270
(73 B- 12)	291 50 16	14.369	44535.549	9.562	425848.9195	62740.752	-14.774	-926931.8700
(73 B- 13)	21 49 28	10.157	44544.978	-17.113	-762298.2085	62744.528	-4.086	-256374.1414
(73 B- 60)	111 49 54	14.367	44539.635	-9.562	-425887.9898	62757.865	14.774	927184.6975
(73 B- 59)	201 48 54	10.158	44530.204	17.113	762045.3810	62754.090	4.086	256413.2117
TOTAL					-291.8978			291.8978
								145.948
(73 B- 13)	291 49 54	14.367	44544.978	10.635	473735.8410	62744.528	-12.141	-761781.3144
(73 B- 14)	21 40 35	7.315	44551.776	-18.263	-813649.0850	62747.230	-0.559	-35075.7015
(73 B- 69)	111 50 52	16.765	44545.537	-12.850	-572410.1504	62762.791	13.033	817987.4551
(73 B- 63)	201 45 12	7.315	44538.743	4.926	219397.8480	62760.080	5.902	370409.9921
(73 B- 60)	291 56 6	2.388	44539.635	15.552	692680.4035	62757.865	-6.235	-391295.2882
TOTAL					-245.1429			245.1431
								122.571

計算者

点検者

座標に依る方向角・距離及び面積計算書

点名	方向角	距離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X座標	前点-後点		Y座標	前点-後点	
(73 B- 14)	291 50 52	16.765	44551.776	12.417	553199.4025	62747.230	-14.094	-884359.4596
(73 B- 15)	21 48 50	8.461	44559.631	-7.740	-344891.5439	62750.374	-9.891	-620663.9492
(73 B- 16)	66 6 25	5.027	44561.667	-17.026	-758706.9423	62754.970	2.537	159209.3588
(73 B- 17)	110 11 55	13.245	44557.094	-7.821	-348481.0321	62767.400	16.130	1012438.1620
(73 B- 69)	201 44 33	12.442	44545.537	20.170	898483.4812	62762.791	5.318	333772.5225
TOTAL					-396.6346			396.6345
								198.317
(73 B- 17)	21 44 33	12.442	44557.094	-7.279	-324331.0872	62767.400	-10.571	-663514.1854
(73 B- 18)	110 16 7	2.846	44556.108	4.671	208121.5804	62770.070	19.411	1218429.8287
(73 B- 64)	201 43 25	19.834	44537.683	9.990	444931.4531	62762.729	17.365	1089874.7890
(73 B- 63)	291 48 32	2.853	44538.743	-0.062	-2761.4020	62760.080	-7.854	-492917.6683
(73 B- 69)	21 45 12	7.315	44545.537	-7.320	-326073.3308	62762.791	-18.351	-1151759.9776
TOTAL					-112.7865			112.7864
								56.393
(73 B- 18)	21 43 25	19.834	44556.108	-13.429	-598343.9743	62770.070	-16.209	-1017440.0646
(73 B- 19)	110 00 4	6.479	44553.892	1.354	60325.9697	62776.158	20.815	1306685.7287
(73 B- 65)	201 48 28	20.033	44535.293	13.429	598064.4496	62768.716	16.209	1017418.1176
(73 B- 64)	291 45 42	6.446	44537.683	-1.354	-60304.0227	62762.729	-20.815	-1306406.2041
TOTAL					-257.5777			257.5776
								128.788

計算者

点検者

座標に依る方向角・距離及び面積計算書

(7)

点名	方向角	距離	1	2 (ΔY)	1 × 2	3	4 (ΔX)	3 × 4
			X 座標	前点-後点		Y 座標	前点-後点	
(73 B- 19)	21 48 28	20.033	44553.892	-15.018	-669110.3500	62776.158	-15.824	-993369.9241
(73 B- 20)	110 7 2	8.068	44551.117	-3.387	-150894.6332	62783.734	13.207	829184.7749
(73 B- 68)	201 52 41	11.242	44540.685	7.553	336415.7938	62779.545	18.810	1180883.2414
(73 B- 67)	201 52 37	9.028	44532.307	8.669	386050.5693	62776.181	6.255	392665.0121
(73 B- 66)	291 48 39	5.714	44534.430	7.465	332449.5199	62770.876	-2.986	-187433.8357
(73 B- 65)	291 46 43	2.326	44535.293	-5.282	-235235.4176	62768.716	-19.462	-1221604.7507
TOTAL					-324.5178			324.5179
								162.258
(73 B- 20)	21 52 41	11.242	44551.117	-18.081	-805528.7464	62783.734	-5.349	-335830.1931
(73 B- 21)	110 5 50	14.793	44546.034	-9.444	-420692.7450	62797.626	15.883	997414.6937
(73 B- 22)	202 23 4	11.680	44535.234	18.081	805241.5659	62793.178	5.349	335880.7091
(73 B- 68)	291 47 36	14.682	44540.685	9.444	420642.2291	62779.545	-15.883	-997127.5132
TOTAL					-337.6964			337.6965
								168.848
(73 B- 22)	111 47 36	14.682	44535.234	-10.219	-455105.5562	62793.178	13.798	866420.2700
(73 B- 23)	202 14 42	9.018	44526.887	16.997	756823.4983	62789.764	2.927	183785.6392
(73 B- 67)	291 45 12	14.624	44532.307	10.219	455075.6452	62776.181	-13.798	-866185.7454
(73 B- 68)	21 52 37	9.028	44540.685	-16.997	-757058.0229	62779.545	-2.927	-183755.7282
TOTAL					-264.4356			264.4356
								132.217

計算者

点検者

座標に依る方向角・距離及び面積計算書

(8)

点名	方向角	距離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X座標	前点-後点		Y座標	前点-後点	
(73 B- 23)	111 45 12	14.624	44526.887	-8.783	-391079.6485	62789.764	17.175	1078414.1967
(73 B- 24)	202 12 43	12.697	44515.132	23.517	1046862.3592	62784.964	4.113	258234.5569
(73 B- 62)	292 12 35	20.217	44522.774	17.736	789655.9196	62766.247	-10.046	-630549.7173
(73 B- 61)	22 11 56	2.596	44525.178	-4.629	-206107.0489	62767.228	-11.656	-731614.8095
(73 B- 66)	21 31 8	9.945	44534.430	-8.953	-398716.7517	62770.876	-7.129	-447493.5750
(73 B- 67)	111 48 39	5.714	44532.307	-18.888	-841126.2146	62776.181	7.543	473520.7332
TOTAL					-511.3849			511.3850
								255.692
(73 B- 24)	112 12 35	20.217	44515.132	-6.370	-283561.3908	62784.964	38.051	2389030.6651
(73 B- 25)	202 5 55	32.820	44484.723	30.959	1377202.5393	62772.617	22.966	1441635.9220
(73 B- 57)	291 47 48	20.045	44492.166	18.075	804195.9004	62754.005	-8.806	-552611.7680
(73 B- 56)	21 30 13	1.465	44493.529	-12.242	-544689.7820	62754.542	-30.608	-1920791.0215
(73 B- 62)	21 48 48	31.500	44522.774	-30.422	-1354471.8306	62766.247	-21.603	-1355939.2339
TOTAL					-1324.5637			1324.5637
								662.281
(73 B- 25)	111 47 48	20.045	44484.723	-16.579	-737512.2226	62772.617	12.436	780640.2650
(73 B- 26)	202 9 17	5.391	44479.730	33.625	1495630.9212	62770.584	-7.655	-480508.8205
(73 B- 51)	291 49 8	34.030	44492.378	29.060	1292948.5046	62738.992	-19.000	-1192040.8480
(73 B- 52)	21 43 43	6.838	44498.730	-15.550	-691955.2515	62741.524	-1.151	-72215.4941
(73 B- 56)	111 46 40	14.019	44493.529	-12.481	-555323.7354	62754.542	6.564	411920.8136
(73 B- 57)	201 30 13	1.465	44492.166	-18.075	-804195.9004	62754.005	8.806	552611.7680
TOTAL					-407.6841			407.6840
								203.842

計算者

点検者

座標に依る方向角・距離及び面積計算書

点名	方向角	距離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X座標	前点-後点		Y座標	前点-後点	
(73 B- 26)	111 49 8	34.030	44479.730	-26.498	-1178623.8855	62770.584	25.181	1580626.0757
(73 B- 27)	202 7 9	13.529	44467.197	36.593	1627188.1398	62765.490	-.098	-6151.0180
(73 B- 50)	291 51 2	33.937	44479.828	26.498	1178626.4823	62733.991	-25.181	-1579704.6273
(73 B- 51)	21 43 43	13.510	44492.378	-36.593	-1628109.5881	62738.992	.098	6148.4212
TOTAL					-918.8515			918.8516
								459.425
(73 B- 27)	111 51 2	33.937	44467.197	-21.941	-975654.7693	62765.490	36.146	2268721.4015
(73 B- 28)	202 7 12	25.383	44443.682	28.720	1276422.5470	62755.932	15.892	997317.2713
(73 B- 47)	291 41 37	20.623	44451.305	19.176	852398.2246	62736.770	-7.580	-475544.7166
(73 B- 48)	198 2 3	.045	44451.262	12.194	542038.6888	62736.756	-4.886	-306531.7898
(73 B- 46)	292 1 56	13.140	44456.191	8.092	359739.4975	62724.576	-15.193	-952974.4831
(73 B- 49)	21 43 5	11.048	44466.455	-9.415	-418651.6738	62728.664	-23.637	-1482717.4309
(73 B- 50)	21 43 5	14.395	44479.828	-36.826	-1638014.1459	62733.991	-.742	-46548.6213
TOTAL					-1721.6311			1721.6311
								860.815

計算者

点検者

座標に依る方向角・距離及び面積計算書

点名	方向角	距離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X座標	前点-後点		Y座標	前点-後点	
(73 B- 28)	111 41 37	20.623	44443.682	-11.008	-489236.0514	62755.932	27.600	1732063.7232
(73 B- 29)	202 12 14	21.577	44423.705	27.117	1204637.6084	62747.778	12.488	783594.2516
(73 B- 44)	291 33 1	20.388	44431.194	17.681	785587.9411	62728.815	-10.715	-672139.2527
(73 B- 45)	21 40 22	3.471	44434.420	-7.941	-352853.7292	62730.097	-20.068	-1258867.5865
(73 B- 48)	21 34 22	18.111	44451.262	-6.673	-296623.2713	62736.756	-16.885	-1059310.1250
(73 B- 47)	18 2 3	.045	44451.305	-19.176	-852398.2246	62736.770	7.580	475544.7166
TOTAL					-885.7270			885.7272
								442.863
(73 B- 29)	111 33 1	20.388	44423.705	-12.108	-537882.2201	62747.778	24.298	1524645.5098
(73 B- 30)	202 11 11	18.153	44406.896	17.466	775610.8455	62740.923	12.633	792606.0802
(73 B- 39)	291 28 56	11.403	44411.072	18.865	837814.8732	62730.312	-7.424	-465709.8362
(73 B- 38)	291 28 48	8.870	44414.320	1.497	66488.2370	62722.058	-20.122	-1262093.2510
(73 B- 44)	21 49 23	18.177	44431.194	-25.720	-1142770.3096	62728.815	-9.385	-588709.9287
TOTAL					-738.5740			738.5741
								369.287

計算者

点検者

画地測量設計株式会社

座標に依る方向角・距離及び面積計算書

(11)

点名	方向角	距離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X座標	前点-後点		Y座標	前点-後点	
(73 B- 30)	111 28 56	11.403	44406.896	-5.653	-251032.1830	62740.923	16.325	1024245.5679
(73 B- 31)	202 12 1	13.122	44394.747	7.754	344236.8682	62735.965	13.357	837964.2845
(73 B- 32)	246 38 00	3.046	44393.539	11.359	504266.2095	62733.169	-2.035	-127661.9989
(73 B- 33)	290 44 34	9.157	44396.782	2.857	126841.6061	62724.606	-17.533	-1099750.5169
(73 B- 39)	21 46 1	15.387	44411.072	-16.317	-724655.4618	62730.312	-10.114	-634454.3755
TOTAL					-342.9610			342.9611
								171.480
(73 B- 33)	201 46 1	15.387	44396.782	21.367	948626.0409	62724.606	8.340	523123.2140
(73 B- 34)	290 48 11	16.753	44402.732	9.854	437544.5211	62708.945	-20.475	-1283965.6488
(73 B- 37)	21 47 28	15.643	44417.257	-13.113	-582443.4910	62714.752	-11.588	-726738.5461
(73 B- 38)	111 54 00	7.874	44414.320	-15.560	-691086.8192	62722.058	6.185	387935.9287
(73 B- 39)	111 28 48	8.870	44411.072	-2.548	-113159.4114	62730.312	17.538	1100164.2118
TOTAL					-519.1596			519.1596
								259.579
(73 B- 34)	201 47 28	15.643	44402.732	14.590	647835.8598	62708.945	11.184	701336.8408
(73 B- 35)	290 49 35	9.397	44406.073	2.938	130465.0424	62700.162	-18.031	-1130546.6210
(73 B- 36)	21 41 50	15.810	44420.763	-14.590	-648098.9321	62706.007	-11.184	-701303.9822
(73 B- 37)	111 50 48	9.422	44417.257	-2.938	-130497.9010	62714.752	18.031	1130809.6933
TOTAL					-295.9309			295.9309
								147.965

計算者

点検者

座標に依る方向角・距離及び面積計算書

点 名	方 向 角	距 離	1	2 (ΔY)	1 × 2	3	4 (ΔX)	3 × 4
			X 座 標	前点-後点		Y 座 標	前点-後点	
(73 B- 59)	290 56 4	14.067	44530.204	9.363	416936.3000	62754.090	-14.457	-907235.8791
(73 B- 60)	21 48 54	10.158	44539.635	-5.990	-266792.4136	62757.865	-8.539	-535889.4092
(73 B- 63)	111 56 6	2.388	44538.743	-4.864	-216636.4459	62760.080	1.952	122507.6761
(73 B- 64)	111 48 32	2.853	44537.683	-8.636	-384627.4303	62762.729	3.450	216531.4150
(73 B- 65)	111 45 42	6.446	44535.293	-8.147	-362829.0320	62768.716	3.253	204186.6331
(73 B- 66)	111 46 43	2.326	44534.430	1.488	66267.2318	62770.876	10.115	634927.4107
(73 B- 61)	201 31 8	9.945	44525.178	16.786	747399.6379	62767.228	4.226	265254.3055
TOTAL					-282.1521			282.1521
								141.076

計算者

点検者

画地測量設計株式会社

座標に依る方向角・距離及び面積計算書

(1)

点名	方向角	距離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X座標	前点-後点		Y座標	前点-後点	
(74 B- 1)	22 16 43	26.148	44543.960	-21.960	-978185.3616	62803.247	-19.782	-1242373.8321
(74 B- 2)	110 7 22	12.830	44539.546	-3.051	-135890.1548	62815.294	28.960	1819130.9142
(74 B- 17)	200 7 40	26.143	44515.000	21.960	977549.4000	62806.298	19.782	1242434.1870
(74 B- 14)	290 10 38	13.812	44519.764	3.051	135829.7999	62793.334	-28.960	-1818494.9526
TOTAL					-696.3165			696.3165
								348.158
(74 B- 2)	20 7 40	26.143	44539.546	-31.346	-1396136.6089	62815.294	-16.355	-1027344.1333
(74 B- 3)	110 7 38	23.804	44531.355	-13.377	-595695.9358	62837.644	32.721	2056110.5493
(74 B- 18)	200 5 33	26.120	44506.825	20.739	923027.0436	62828.671	20.254	1272531.9024
(74 B- 16)	289 58 20	12.519	44511.101	22.373	995846.8626	62816.905	-8.175	-513528.1983
(74 B- 17)	290 10 58	11.301	44515.000	1.611	71713.6650	62806.298	-28.445	-1786525.1466
TOTAL					-1244.9735			1244.9735
								622.486
(74 B- 3)	20 5 33	26.120	44531.355	-20.881	-929859.2237	62837.644	-20.165	-1267121.0912
(74 B- 4)	110 7 51	12.683	44526.990	-8.175	-364008.1432	62849.552	14.521	912638.3445
(74 B- 20)	200 10 54	10.820	44516.834	8.986	400028.2703	62845.819	24.521	1541042.3276
(74 B- 19)	200 5 11	15.295	44502.469	17.148	763128.3384	62840.566	10.009	628971.2250
(74 B- 18)	290 6 47	12.668	44506.825	2.922	130048.9426	62828.671	-28.886	-1814868.9905
TOTAL					-661.8156			661.8154
								330.907

計算者

点検者

座標に依る方向角・距離及び面積計算書

(2)

点名	方向角	距離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X 座標	前点-後点		Y 座標	前点-後点	
(74 B- 4)	20 10 54	10.820	44526.990	-24.432	-1087883.4196	62849.552	-2.558	-160769.1540
(74 B- 5)	110 9 24	22.049	44519.392	-16.969	-755449.5628	62870.251	17.753	1116135.5660
(74 B- 21)	200 10 7	10.818	44509.237	24.432	1087449.6783	62866.521	2.558	160812.5607
(74 B- 20)	290 9 6	22.052	44516.834	16.969	755406.1561	62845.819	-17.753	-1115701.8247
TOTAL					-477.1480			477.1480
								238.574
(74 B- 5)	20 10 7	10.818	44519.392	-32.318	-1438777.7106	62870.251	.312	19615.5183
(74 B- 6)	110 6 34	30.444	44508.925	-22.636	-1007504.0263	62898.839	24.685	1552657.8407
(74 B- 7)	202 42 55	15.414	44494.707	33.904	1508548.5461	62892.887	3.990	250942.6191
(74 B- 22)	290 5 54	29.765	44504.935	26.366	1173417.1162	62864.935	-14.530	-913427.5055
(74 B- 21)	20 14 14	4.585	44509.237	-5.316	-236611.1038	62866.521	-14.457	-908861.2940
TOTAL					-927.1784			927.1786
								463.589
(74 B- 7)	110 5 54	29.765	44494.707	-10.882	-484191.4015	62892.887	51.085	3212883.1323
(74 B- 8)	202 40 30	44.280	44453.850	19.902	884720.5227	62875.817	41.951	2637703.3989
(74 B- 9)	248 52 43	3.036	44452.756	47.113	2094302.6934	62872.985	-16.336	-1027093.0829
(74 B- 10)	291 29 9	47.588	44470.186	32.419	1441678.9599	62828.704	-49.713	-3123403.3619
(74 B- 19)	20 10 31	34.393	44502.469	-17.115	-761659.7569	62840.566	-46.648	-2931386.7227
(74 B- 20)	20 5 11	15.295	44516.834	-25.955	-1155434.4264	62845.819	-6.768	-425340.5029
(74 B- 21)	110 9 6	22.052	44509.237	-19.116	-850838.5744	62866.521	11.899	748048.7333
(74 B- 22)	200 14 14	4.585	44504.935	-26.366	-1173417.1162	62864.935	14.530	913427.5055
TOTAL					-4839.0994			4839.0996
								2419.549

計算者

点検者

座標に依る方向角・距離及び面積計算書

点名	方向角	距離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X座標	前点-後点		Y座標	前点-後点	
(74 B- 10)	200 10 31	34.393	44470.186	57.732	2567352.7781	62828.704	14.253	895497.5181
(74 B- 11)	291 27 29	49.286	44488.216	47.093	2095083.5560	62782.834	-20.763	-1303559.9823
(74 B- 12)	335 53 30	2.994	44490.949	-7.494	-333415.1718	62781.611	-24.173	-1517619.8827
(74 B- 13)	22 7 32	23.144	44512.389	-32.546	-1448700.2123	62790.328	-12.688	-796683.6816
(74 B- 15)	110 10 3	25.385	44503.637	-26.577	-1182773.1605	62814.157	1.288	80904.6342
(74 B- 16)	20 12 43	7.954	44511.101	-14.514	-646034.1199	62816.905	-3.188	-200260.2931
(74 B- 18)	109 58 20	12.519	44506.825	-23.661	-1053075.9863	62828.671	8.632	542337.0880
(74 B- 19)	110 6 47	12.668	44502.469	-.033	-1468.5814	62840.566	36.639	2302415.4976
TOTAL					-3030.8981			3030.8982
								1515.449
(74 B- 13)	290 10 3	25.385	44512.389	20.823	926881.4761	62790.328	-16.127	-1012619.6196
(74 B- 14)	22 10 32	7.964	44519.764	-15.970	-710980.6310	62793.334	-2.611	-163953.3950
(74 B- 17)	110 10 38	13.812	44515.000	-23.571	-1049263.0650	62806.298	8.663	544090.9595
(74 B- 16)	110 10 58	11.301	44511.101	-7.859	-349812.7427	62816.905	11.363	713788.4915
(74 B- 15)	200 12 43	7.954	44503.637	26.577	1182773.1605	62814.157	-1.288	-80904.6342
TOTAL					-401.8021			401.8022
								200.901

計算者

点検者

座標に依る方向角・距離及び面積計算書

点名	方向角	距離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X座標	前点-後点		Y座標	前点-後点	
(79 B- 1)	22 4 59	21.529	44481.594	-10.869	-483470.4451	62777.797	-21.025	-1319903.1819
(79 B- 2)	68 49 27	2.976	44482.669	-50.069	-2227202.7541	62780.572	17.533	1100731.7688
(79 B- 3)	111 28 38	50.823	44464.061	-37.311	-1658998.5799	62827.866	41.773	2624508.4464
(79 B- 18)	203 18 49	25.225	44440.896	29.136	1294829.9458	62817.883	14.931	937933.8110
(79 B- 17)	293 15 47	20.848	44449.130	48.180	2141559.0834	62798.730	-20.748	-1302948.0500
(79 B- 16)	293 19 18	31.610	44461.644	20.933	930715.5938	62769.703	-32.464	-2037755.6381
TOTAL					-2567.1561			2567.1562
								1283.578
(79 B- 3)	23 18 49	25.225	44464.061	-22.036	-979810.0481	62827.866	-18.438	-1158420.1933
(79 B- 4)	111 24 52	12.947	44459.334	-1.962	-87229.2133	62839.919	28.334	1780506.2649
(79 B- 19)	203 8 41	25.673	44435.727	22.036	979185.6801	62829.828	18.438	1158456.3686
(79 B- 18)	293 23 59	13.015	44440.896	1.962	87193.0379	62817.883	-28.334	-1779881.8969
TOTAL					-660.5434			660.5433
								330.271

計算者

点検者

座標に依る方向角・距離及び面積計算書

点名	方向角	距離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X座標	前点-後点		Y座標	前点-後点	
(79 B- 6)	22 7 43	26.531	44450.139	-17.403	-773565.7690	62863.281	-21.662	-1361744.3930
(79 B- 7)	111 28 36	7.962	44447.224	-8.658	-384824.0653	62870.690	5.646	354967.9157
(79 B- 8)	155 25 24	3.003	44444.493	8.324	369955.9597	62871.939	25.540	1605749.3220
(79 B- 9)	202 46 5	24.736	44421.684	18.652	828553.2499	62862.366	18.931	1190047.4507
(79 B- 22)	293 7 45	9.873	44425.562	-9.915	-40649.3892	62853.287	-28.455	-1788490.2815
TOTAL					-530.0139			530.0139
								265.006
(79 B- 9)	113 7 45	9.873	44421.684	-4.108	-182484.2778	62862.366	15.778	991842.4107
(79 B- 10)	202 40 19	12.897	44409.784	7.783	345641.3488	62857.395	13.059	820854.7213
(79 B- 11)	247 36 1	3.041	44408.625	20.793	923388.5396	62854.583	-6.578	-413457.4469
(79 B- 12)	293 16 54	19.575	44416.362	12.029	534284.4184	62836.602	-21.601	-1357333.4398
(79 B- 21)	23 14 4	15.088	44430.226	-16.685	-741318.3208	62842.554	-9.200	-578151.4968
(79 B- 22)	113 29 14	11.703	44425.562	-19.812	-880159.2343	62853.287	8.542	536892.7775
TOTAL					-647.5261			647.5260
								323.763

計算者

点検者

座標に依る方向角・距離及び面積計算書

点名	方向角	距離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X座標	前点-後点		Y座標	前点-後点	
(79 B- 12)	203 14 4	15.088	44416.362	49.843	2213844.7311	62836.602	-5.045	-317010.6570
(79 B- 13)	293 18 26	47.791	44435.271	37.872	1682852.5833	62792.711	-32.768	-2057591.5540
(79 B- 17)	23 28 32	15.110	44449.130	-25.172	-1118873.5003	62798.730	-5.625	-353242.8562
(79 B- 18)	113 15 47	20.848	44440.896	-31.098	-1382022.9838	62817.883	13.403	841948.0858
(79 B- 19)	113 23 59	13.015	44435.727	-23.677	-1052104.7081	62829.828	10.250	644005.7370
(79 B- 20)	113 25 1	12.785	44430.646	-12.726	-565424.4009	62841.560	5.501	345691.4215
(79 B- 21)	112 54 21	1.079	44430.226	4.958	220285.0605	62842.554	14.284	897643.0413
TOTAL					-1443.2182			1443.2184
								721.609
(79 B- 13)	203 28 32	15.110	44435.271	32.822	1458454.4647	62792.711	2.402	150828.0918
(79 B- 14)	293 8 40	29.149	44446.728	27.933	1241530.4532	62765.908	-14.243	-893974.8276
(79 B- 15)	337 55 21	3.006	44449.514	-3.795	-168685.9056	62764.778	-14.916	-936199.4286
(79 B- 16)	22 5 53	13.092	44461.644	-33.952	-1509561.7370	62769.703	.384	24103.5659
(79 B- 17)	113 19 18	31.610	44449.130	-23.008	-1022685.5830	62798.730	26.373	1656190.9062
TOTAL					-948.3077			948.3077
								474.153

計算者

点検者

座標に依る方向角・距離及び面積計算書

(1)

点名	方向角	距離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X座標	前点-後点		Y座標	前点-後点	
(80 B- 1)	22 11 41	35.454	44441.881	-16.180	-719069.6345	62761.647	-33.972	-2132138.6718
(80 B- 2)	67 39 55	3.013	44443.026	-33.249	-1477686.1714	62764.434	11.933	748967.9909
(80 B- 3)	113 14 6	33.151	44429.948	-18.972	-842924.9734	62794.896	39.873	2503820.8882
(80 B- 20)	203 12 37	29.155	44403.153	14.599	648241.6306	62783.406	33.962	2132250.0345
(80 B- 19)	203 27 3	7.812	44395.986	35.152	1560607.6998	62780.297	-5.901	-370466.5325
(80 B- 18)	292 11 13	34.605	44409.054	18.650	828228.8571	62748.254	-45.895	-2879831.1173
TOTAL					-2602.5918			2602.5920
								1301.295
(80 B- 3)	23 12 37	29.155	44429.948	-13.337	-592562.2164	62794.896	-25.999	-1632604.5011
(80 B- 4)	113 18 52	2.011	44429.152	3.727	165587.4495	62796.743	13.728	862073.6879
(80 B- 21)	203 19 2	14.082	44416.220	-7.364	-327081.0440	62791.169	18.504	1161887.7911
(80 B- 22)	113 18 00	14.087	44410.648	-9.529	-423189.0647	62804.107	13.489	847164.5993
(80 B- 23)	203 17 47	8.620	44402.731	5.949	264151.8467	62800.698	13.868	870920.0798
(80 B- 24)	203 6 49	6.470	44396.780	17.292	767709.1197	62798.158	-0.422	-26500.8226
(80 B- 20)	293 21 53	16.070	44403.153	3.262	144843.0850	62783.406	-33.168	-2082400.0102
TOTAL					-540.8242			540.8242
								270.412
(80 B- 4)	23 19 2	14.082	44429.152	-18.506	-822205.8869	62796.743	-7.359	-462121.2317
(80 B- 5)	113 18 48	14.082	44423.579	-7.364	-327135.2357	62809.675	18.504	1162230.2262
(80 B- 22)	203 17 47	14.079	44410.648	18.506	821863.4518	62804.107	7.359	462175.4234
(80 B- 21)	293 18 00	14.087	44416.220	7.364	327081.0440	62791.169	-18.504	-1161887.7911
TOTAL					-396.6268			396.6268
								198.313

計算者

点検者

座標に依る方向角・距離及び面積計算書

(2)

点名	方向角	距離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X 座標	前点-後点		Y 座標	前点-後点	
(80 B- 5)	23 17 47	14.079	44423.579	-18.933	-841071.6212	62809.675	-7.172	-450470.9891
(80 B- 6)	113 18 41	14.553	44417.820	-4.370	-194105.8734	62823.040	26.596	1670841.5718
(80 B- 26)	203 20 57	22.696	44396.983	22.342	991917.3941	62814.045	15.089	947801.1250
(80 B- 23)	293 17 58	14.532	44402.731	9.938	441274.3406	62800.698	-13.665	-858171.5381
(80 B- 22)	23 17 47	8.620	44410.648	-8.977	-398674.3870	62804.107	-20.848	-1309340.0227
TOTAL					-660.1469			660.1469
								330.073
(80 B- 6)	23 20 57	22.696	44417.820	-21.395	-950319.2589	62823.040	-15.514	-974636.6425
(80 B- 7)	113 13 57	13.494	44412.497	-6.249	-277533.6937	62835.440	19.621	1232894.1682
(80 B- 28)	203 16 39	15.565	44398.199	8.976	398518.2342	62829.289	20.854	1310241.9928
(80 B- 27)	203 18 41	7.139	44391.643	15.244	676706.2058	62826.464	1.216	76396.9802
(80 B- 26)	293 16 1	13.518	44396.983	3.424	152015.2697	62814.045	-26.177	-1644283.2559
TOTAL					-613.2429			613.2428
								306.621
(80 B- 7)	23 16 39	15.565	44412.497	-23.793	-1056706.5411	62835.440	-6.698	-420871.7771
(80 B- 8)	113 18 21	19.209	44404.897	-18.756	-832858.2481	62853.082	10.368	651660.7541
(80 B- 9)	158 4 38	2.984	44402.129	4.069	180672.2629	62854.196	15.186	954503.8204
(80 B- 10)	202 39 17	13.456	44389.711	24.907	1105614.5318	62849.013	3.930	246996.6210
(80 B- 28)	293 17 3	21.473	44398.199	13.573	602616.7550	62829.289	-22.786	-1431628.1791
TOTAL					-661.2395			661.2393
								330.619

計算者

点検者

座標に依る方向角・距離及び面積計算書

点名	方向角	距離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X座標	前点-後点		Y座標	前点-後点	
(80 B- 10)	113 17 3	21.473	44389.711	-14.485	-642984.9638	62849.013	21.057	1323411.6667
(80 B- 11)	202 37 38	13.617	44377.142	33.247	1475406.8400	62843.774	.522	32804.4500
(80 B- 25)	293 16 26	30.489	44389.189	45.616	2024857.2454	62815.766	-19.638	-1233576.0127
(80 B- 24)	293 19 17	19.175	44396.780	15.068	668970.6810	62798.158	-13.542	-850412.6556
(80 B- 23)	23 6 49	6.470	44402.731	-15.887	-705426.1873	62800.698	-.203	-12748.5416
(80 B- 26)	113 17 58	14.532	44396.983	-25.766	-1143932.6639	62814.045	11.088	696482.1309
(80 B- 27)	113 16 1	13.518	44391.643	-15.244	-676706.2058	62826.464	-1.216	-76396.9802
(80 B- 28)	23 18 41	7.139	44398.199	-22.549	-1001134.9892	62829.289	1.932	121386.1863
TOTAL					-950.2436			950.2438
								475.121
(80 B- 11)	113 16 26	30.489	44377.142	-19.591	-869392.5889	62843.774	32.221	2024889.2420
(80 B- 12)	202 38 49	21.859	44356.968	11.331	502608.8044	62835.357	21.384	1343671.2740
(80 B- 13)	247 27 00	3.155	44355.758	29.612	1313462.7058	62832.443	-8.959	-562915.8568
(80 B- 14)	290 51 5	28.569	44365.927	16.677	739890.5645	62805.745	-33.431	-2099658.8610
(80 B- 25)	23 18 21	25.329	44389.189	-38.029	-1688076.4684	62815.766	-11.215	-704478.8156
TOTAL					-1506.9826			1506.9826
								753.491

計算者

点検者

座標に依る方向角・距離及び面積計算書

点名	方向角	距離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X座標	前点-後点		Y座標	前点-後点	
(80 B- 14)	203 18 21	25.329	44365.927	42.994	1907468.6654	62805.745	10.717	673089.1691
(80 B- 15)	290 49 48	35.279	44378.472	25.448	1129343.3554	62772.772	-30.059	-1886886.7535
(80 B- 19)	23 15 4	19.062	44395.986	-10.634	-472106.9151	62780.297	-24.681	-1549480.5102
(80 B- 20)	23 27 3	7.812	44403.153	-17.861	-793084.7157	62783.406	-.794	-49850.0243
(80 B- 24)	113 21 53	16.070	44396.780	-32.360	-1436679.8008	62798.158	13.964	876913.4783
(80 B- 25)	113 19 17	19.175	44389.189	-7.587	-336780.7769	62815.766	30.853	1938054.8283
TOTAL					-1840.1877			1840.1877
								920.093
(80 B- 15)	203 15 4	19.062	44378.472	37.599	1668586.1687	62772.772	6.071	381093.4988
(80 B- 16)	290 49 54	32.177	44389.915	31.168	1383544.8707	62742.698	-14.251	-894146.1891
(80 B- 17)	338 42 51	3.014	44392.723	-5.556	-246645.9689	62741.604	-19.139	-1200811.5589
(80 B- 18)	22 9 22	17.633	44409.054	-38.693	-1718319.5264	62748.254	-3.263	-204747.5528
(80 B- 19)	112 11 13	34.605	44395.986	-24.518	-1088500.7847	62780.297	30.582	1919947.0428
TOTAL					-1335.2406			1335.2408
								667.620

計算者

点検者

座標に依る方向角・距離及び面積計算書

(88-1BL)
1

点名	方向角	距離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X座標	前点-後点		Y座標	前点-後点	
(88 B- 10)	331 50 5	3.010	44486.565	10.187	453184.6376	62511.767	-5.496	-343564.6714
(88 B- 11)	287 57 47	9.215	44489.407	11.491	511227.7758	62503.001	-1.550	-96879.6515
(88 B- 12)	244 37 59	3.016	44488.115	16.965	754740.8709	62500.276	37.396	2337260.3212
(88 B- 13)	201 31 30	38.811	44452.011	-0.192	-8534.7861	62486.036	41.023	2563364.6548
(88 B- 38)	108 49 16	15.247	44447.092	-27.152	-1206827.4419	62500.468	-31.900	-1993764.9292
(88 B- 39)	19 3 31	38.954	44483.911	-11.299	-502623.7103	62513.188	-39.473	-2467583.0699
TOTAL					1167.3460			-1167.3460
								583.673
(88 B- 13)	288 49 16	15.247	44452.011	20.668	918734.1633	62486.036	10.872	679348.1833
(88 B- 14)	201 32 58	16.978	44436.220	-8.911	-395971.1564	62479.800	20.921	1307139.8958
(88 B- 37)	108 42 37	15.992	44431.090	-20.668	-918301.7681	62494.947	-10.872	-679445.0637
(88 B- 38)	19 2 8	16.928	44447.092	8.911	396068.0368	62500.468	-20.921	-1307572.2910
TOTAL					529.2756			-529.2756
								264.637
(88 B- 14)	288 42 37	15.992	44436.220	19.113	849309.4728	62479.800	4.909	306713.3382
(88 B- 15)	201 33 25	10.794	44426.181	-11.634	-516854.1897	62475.834	15.326	957504.6318
(88 B- 36)	108 43 19	16.472	44420.894	-19.113	-849016.5470	62491.434	-4.909	-306770.4495
(88 B- 37)	19 00 40	10.784	44431.090	11.634	516911.3010	62494.947	-15.326	-957797.5577
TOTAL					350.0371			-350.0372
								175.018

計算者

点検者

座標に依る方向角・距離及び面積計算書

()

点名	方向角	距離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X座標	前点-後点		Y座標	前点-後点	
(88 B- 15)	288 43 19	16.472	44426.181	19.676	874129.5373	62475.834	5.027	314066.0175
(88 B- 40)	201 33 42	11.090	44415.867	-11.998	-532901.5722	62471.758	15.761	984617.3778
(88 B- 41)	108 43 12	16.972	44410.420	-19.676	-873819.4239	62487.832	-5.027	-314126.3314
(88 B- 36)	18 58 33	11.076	44420.894	11.998	532961.8862	62491.434	-15.761	-984927.4912
TOTAL					370.4274			-370.4273
								185.213

計算者 点検者

画地測量設計株式会社

座標に依る方向角・距離及び面積計算書

()

点 名	方 向 角	距 離	1	2 (ΔY)	1 × 2	3	4 (ΔX)	3 × 4
			X 座 標	前点-後点		Y 座 標	前点-後点	
(88 B- 16)	201 33 42	22.758	44394.702	7.042	312627.4914	62463.395	23.864	1490626.4582
(88 B- 17)	153 55 16	3.005	44392.003	-14.599	-648078.8517	62464.716	6.547	408956.4956
(88 B- 18)	106 9 42	13.824	44388.155	-15.935	-707325.2499	62477.994	2.468	154195.6891
(88 B- 35)	62 33 12	2.994	44389.535	-9.838	-436704.2453	62480.651	-22.265	-1391131.6945
(88 B- 41)	18 58 33	22.085	44410.420	8.893	394941.8650	62487.832	-26.332	-1645429.5922
(88 B- 40)	288 43 12	16.972	44415.867	24.437	1085390.5418	62471.758	15.718	981931.0922
TOTAL					851.5513			-851.5516
								425.775

計算者

点検者

画地測量設計株式会社

座標に依る方向角・距離及び面積計算書

点名	方向角	距離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X座標	前点-後点		Y座標	前点-後点	
(88 B- 1)	116 17 26	17.732	44370.111	-18.666	-828212.4919	62521.232	6.728	420642.8488
(88 B- 2)	67 51 50	2.988	44371.237	-11.194	-496691.6269	62524.000	-25.710	-1607492.0400
(88 B- 3)	18 55 8	25.988	44395.821	10.328	458520.0392	62532.426	-30.990	-1937879.8817
(88 B- 22)	288 51 33	19.818	44402.227	27.092	1202945.1338	62513.672	17.856	1116244.1272
(88 B- 21)	198 57 58	25.655	44377.965	-7.560	-335497.4154	62505.334	32.116	2007421.3067
TOTAL					1063.6388			-1063.6390
								531.819
(88 B- 3)	108 51 33	19.818	44395.821	-28.918	-1283838.3516	62532.426	-23.208	-1451252.5426
(88 B- 4)	18 56 35	31.310	44425.435	8.595	381836.6138	62542.590	-36.035	-2253722.2306
(88 B- 25)	288 53 44	19.827	44431.856	20.233	898989.7424	62523.831	-2.146	-134176.1413
(88 B- 24)	199 1 26	4.522	44427.581	7.831	347912.3868	62522.357	22.837	1427823.0668
(88 B- 23)	198 54 18	19.620	44409.019	8.685	385692.3300	62516.000	25.354	1585030.6640
(88 B- 22)	198 55 10	7.180	44402.227	-16.426	-729350.9807	62513.672	13.198	825055.4430
TOTAL					1241.7407			-1241.7407
								620.870
(88 B- 4)	108 53 44	19.827	44425.435	-21.356	-948749.5898	62542.590	-1.137	-71110.9248
(88 B- 5)	18 57 48	7.992	44432.993	16.153	717726.1359	62545.187	-13.999	-875570.0728
(88 B- 26)	288 57 31	19.825	44439.434	21.356	949048.5525	62526.437	1.137	71092.5588
(88 B- 25)	198 58 39	8.014	44431.856	-16.153	-717707.7699	62523.831	13.999	875271.1101
TOTAL					317.3287			-317.3287
								158.664

計算者

点検者

座標に依る方向角・距離及び面積計算書

88-2BL
(2)

点名	方向角	距離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X座標	前点-後点		Y座標	前点-後点	
(88 B- 5)	108 57 31	19.825	44432.993	-31.306	-1391019.2788	62545.187	-30.114	-1883485.7613
(88 B- 6)	18 57 24	38.651	44469.548	-11.207	-498370.2244	62557.743	-39.233	-2454327.9311
(88 B- 7)	333 15 51	2.999	44472.226	18.199	809350.0409	62556.394	-8.099	-506644.2350
(88 B- 8)	287 50 3	17.701	44477.647	20.307	903207.5776	62539.544	4.644	290433.6423
(88 B- 28)	198 57 21	10.642	44467.582	11.022	490121.6888	62536.087	32.082	2006282.7431
(88 B- 27)	198 57 45	23.280	44445.565	9.650	428899.7022	62528.522	28.148	1760052.8372
(88 B- 26)	198 46 55	6.476	44439.434	-16.665	-740583.1676	62526.437	12.572	786082.3659
TOTAL					1606.3387			-1606.3389
								803.169
(88 B- 8)	18 57 21	10.642	44477.647	16.459	732057.5919	62539.544	-16.474	-1030276.4478
(88 B- 9)	287 50 18	20.922	44484.056	22.596	1005161.7293	62519.628	-5.017	-313660.9736
(88 B- 29)	242 33 9	3.020	44482.664	5.304	235936.0498	62516.948	9.009	563215.1845
(88 B- 30)	199 00 30	8.056	44475.047	-19.139	-851207.9245	62514.324	15.082	942841.0345
(88 B- 28)	108 55 58	23.008	44467.582	-25.220	-1121472.4180	62536.087	-2.600	-162593.8262
TOTAL					475.0285			-475.0286
								237.514
(88 B- 30)	288 55 58	23.008	44475.047	29.351	1305387.1044	62514.324	14.548	909458.3855
(88 B- 31)	199 1 10	23.284	44453.034	-14.198	-631144.1767	62506.736	29.482	1842823.5907
(88 B- 27)	108 55 25	23.031	44445.565	-29.351	-1304521.7783	62528.522	-14.548	-909664.9380
(88 B- 28)	18 57 45	23.280	44467.582	14.198	631350.7292	62536.087	-29.482	-1843688.9169
TOTAL					1071.8786			-1071.8787
								535.939

計算者

点検者

座標に依る方向角・距離及び面積計算書

88-2BL
(3)

点 名	方 向 角	距 離	1	2 (ΔY)	1 × 2	3	4 (ΔX)	3 × 4
			X 座 標	前点-後点		Y 座 標	前点-後点	
(88 B- 31)	288 55 25	23.031	44453.034	27.945	1242240.0351	62506.736	10.452	653320.4046
(88 B- 32)	198 58 00	18.950	44435.113	-15.621	-694120.9001	62500.577	25.453	1590827.1863
(88 B- 24)	109 4 35	23.046	44427.581	-23.254	-1033118.9685	62522.357	3.257	203635.3167
(88 B- 25)	19 1 26	4.522	44431.856	-4.080	-181281.9724	62523.831	-11.853	-741094.9688
(88 B- 26)	18 58 39	8.014	44439.434	-4.691	-208465.3848	62526.437	-13.709	-857174.9248
(88 B- 27)	18 46 55	6.476	44445.565	19.701	875622.0760	62528.522	-13.600	-850387.8992
TOTAL					874.8853			-874.8852
								437.442
(88 B- 32)	289 4 35	23.046	44435.113	28.182	1252270.3545	62500.577	11.058	691131.3804
(88 B- 33)	199 00 9	19.661	44416.523	-15.423	-685036.0342	62494.175	26.094	1630723.0024
(88 B- 23)	108 58 27	23.079	44409.019	-28.182	-1251534.9734	62516.000	-11.058	-691301.9280
(88 B- 24)	18 54 18	19.620	44427.581	15.423	685206.5817	62522.357	-26.094	-1631458.3835
TOTAL					905.9286			-905.9287
								452.964
(88 B- 33)	288 58 27	23.079	44416.523	31.483	1398365.3936	62494.175	20.471	1279318.2564
(88 B- 34)	199 2 48	29.595	44388.548	8.280	367537.1774	62484.517	30.652	1915275.4150
(88 B- 19)	152 45 45	3.011	44385.871	-9.649	-428279.2692	62485.895	5.066	316553.5440
(88 B- 20)	106 6 39	8.609	44383.482	-19.439	-862770.5065	62494.166	7.906	494078.8763
(88 B- 21)	116 17 22	12.456	44377.965	-19.506	-865636.5852	62505.334	-18.745	-1171662.4858
(88 B- 22)	18 57 58	25.655	44402.227	-10.666	-473594.1531	62513.672	-31.054	-1941299.5702
(88 B- 23)	18 55 10	7.180	44409.019	19.497	865842.6434	62516.000	-14.296	-893728.7360
TOTAL					1464.7004			-1464.7003
								732.350

計算者

点検者

画地測量設計株式会社

座標に依る方向角・距離及び面積計算書

(1)

点名	方向角	距離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X座標	前点-後点		Y座標	前点-後点	
(89 B- 8)	340 51 55	2.978	44439.577	11.722	520920.7215	62618.641	-8.629	-540336.2531
(89 B- 9)	298 25 24	12.219	44445.393	16.128	716815.2983	62607.895	7.113	445329.9571
(89 B- 42)	202 36 2	14.004	44432.464	-7.692	-341774.5130	62602.513	18.335	1147817.0758
(89 B- 33)	112 27 53	14.148	44427.058	-17.104	-759880.4000	62615.587	-4.300	-269247.0241
(89 B- 32)	22 32 55	10.509	44436.764	-3.054	-135709.8772	62619.617	-12.519	-783934.9852
TOTAL					371.2296			-371.2295
								185.614
(89 B- 9)	22 36 2	14.004	44445.393	-2.055	-91335.2826	62607.895	-14.733	-922402.1170
(89 B- 10)	298 28 4	3.785	44447.197	8.831	392513.1967	62604.568	11.478	718575.2315
(89 B- 43)	202 30 32	14.377	44433.915	2.055	91311.6953	62599.064	14.733	922272.0099
(89 B- 42)	112 49 00	3.742	44432.464	-8.831	-392383.0895	62602.513	-11.478	-718551.6442
TOTAL					106.5199			-106.5198
								53.259
(89 B- 11)	22 31 41	18.479	44449.114	14.018	623087.6800	62601.020	-28.491	-1783565.6608
(89 B- 12)	298 25 49	23.991	44460.536	31.823	1414867.6371	62579.922	14.403	901338.6165
(89 B- 54)	202 33 10	27.963	44434.711	-.677	-30082.2993	62569.197	30.543	1911050.9839
(89 B- 55)	112 28 45	12.340	44429.993	-14.089	-625974.1713	62580.599	-1.742	-109015.4034
(89 B- 56)	22 35 5	6.997	44436.453	-13.341	-592826.7194	62583.286	-2.052	-128420.9028
(89 B- 57)	112 28 37	11.530	44432.045	-17.734	-787957.8860	62593.940	-12.661	-792501.8743
TOTAL					1114.2411			-1114.2409
								557.120

計算者

点検者

座標に依る方向角・距離及び面積計算書

(2)

点名	方向角	距離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X 座標	前点-後点		Y 座標	前点-後点	
(89 B- 10)	22 30 32	14.377	44447.197	-1.956	-86938.7173	62604.568	-15.199	-951526.8290
(89 B- 11)	298 22 57	4.033	44449.114	10.628	472405.1835	62601.020	15.152	948530.6550
(89 B- 57)	202 31 41	18.479	44432.045	17.734	787957.8860	62593.940	12.661	792501.8743
(89 B- 56)	292 28 37	11.530	44436.453	13.341	592826.7194	62583.286	2.052	128420.9028
(89 B- 55)	202 35 5	6.997	44429.993	14.089	625974.1713	62580.599	1.742	109015.4034
(89 B- 54)	292 28 45	12.340	44434.711	12.858	571341.5140	62569.197	-1.194	-74707.6212
(89 B- 53)	202 26 56	3.813	44431.187	5.649	250991.7753	62567.741	13.628	852673.1743
(89 B- 50)	202 32 16	10.939	44421.083	-3.325	-147700.1009	62563.548	13.303	832282.8790
(89 B- 49)	113 3 1	8.170	44417.884	-20.012	-888890.6946	62571.066	8.374	523970.1066
(89 B- 48)	112 29 57	13.523	44412.709	-16.589	-736762.4296	62583.560	6.805	425881.1258
(89 B- 46)	111 42 17	4.407	44411.079	-6.926	-307591.1331	62587.655	-5.188	-324704.7541
(89 B- 45)	22 32 58	7.382	44417.897	-4.499	-199836.1186	62590.486	-6.121	-383116.3648
(89 B- 44)	112 40 42	1.808	44417.200	-8.578	-381010.7416	62592.154	-16.018	-1002601.1227
(89 B- 43)	22 27 37	18.087	44433.915	-12.414	-551602.6208	62599.064	-29.997	-1877784.1228
TOTAL					1164.6930			-1164.6934
								582.346
(89 B- 12)	22 33 10	27.963	44460.536	3.220	143162.9259	62579.922	-33.364	-2087916.5176
(89 B- 13)	298 23 48	15.852	44468.075	16.729	743906.4266	62565.977	-6.441	-402987.4578
(89 B- 14)	248 28 33	2.993	44466.977	12.966	576558.8237	62563.193	30.782	1925820.2069
(89 B- 15)	198 55 57	31.382	44437.293	-4.548	-202100.8085	62553.011	35.790	2238772.2636
(89 B- 53)	112 30 55	15.945	44431.187	-16.186	-719163.1927	62567.741	2.582	161549.9072
(89 B- 54)	22 26 56	3.813	44434.711	-12.181	-541259.2146	62569.197	-29.349	-1836343.3627
TOTAL					1104.9604			-1104.9604
								552.480

計算者

点検者

座標に依る方向角・距離及び面積計算書

点名	方向角	距離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X座標	前点-後点		Y座標	前点-後点	
(89 B- 15)	292 30 55	15.945	44437.293	21.060	935849.399	62553.011	12.331	771341.1786
(89 B- 16)	198 56 56	19.493	44418.856	-3.796	-168613.9773	62546.681	22.416	1402046.4012
(89 B- 52)	111 27 8	10.880	44414.877	-13.594	-603775.8379	62556.807	-3.705	-231772.9699
(89 B- 51)	24 17 27	8.430	44422.561	-6.741	-299452.4837	62560.275	-6.206	-388249.0666
(89 B- 50)	114 18 10	3.591	44421.083	-7.466	-331647.8056	62563.548	-8.626	-539673.1650
(89 B- 53)	22 32 16	10.939	44431.187	10.537	468171.4174	62567.741	-16.210	-1014223.0816
TOTAL					530.7034			-530.7033
								265.351
(89 B- 16)	291 27 8	10.880	44418.856	13.157	584418.8883	62546.681	4.854	303601.5895
(89 B- 17)	198 56 22	9.339	44410.023	1.792	79582.7612	62543.650	11.587	724693.2725
(89 B- 18)	155 46 39	3.020	44407.269	-19.843	-881173.4387	62544.889	10.468	654719.8980
(89 B- 19)	112 31 15	20.140	44399.555	-26.177	-1162247.1512	62563.493	-10.615	-664111.4781
(89 B- 49)	22 26 56	19.832	44417.884	-0.055	-2442.9836	62571.066	-21.528	-1347029.9088
(89 B- 50)	293 3 1	8.170	44421.083	10.791	479347.9066	62563.548	-4.677	-292609.7139
(89 B- 51)	294 18 10	3.591	44422.561	6.741	299452.4837	62560.275	6.206	388249.0666
(89 B- 52)	204 17 27	8.430	44414.877	13.594	603775.8379	62556.807	3.705	231772.9699
TOTAL					714.3042			-714.3043
								357.152

計算者

点検者

座標に依る方向角・距離及び面積計算書

点名	方向角	距離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X座標	前点-後点		Y座標	前点-後点	
(89 B- 19)	202 26 56	19.832	44399.555	-4.930	-218889.8061	62563.493	23.506	1470617.4664
(89 B- 20)	112 29 33	13.532	44394.378	-16.333	-725093.3758	62575.996	-4.055	-253745.6637
(89 B- 40)	22 31 54	9.995	44403.610	-7.564	-335868.9060	62579.826	-18.331	-1147150.7904
(89 B- 48)	22 18 43	9.835	44412.709	8.760	389055.3308	62583.560	-14.274	-893317.7354
(89 B- 49)	292 29 57	13.523	44417.884	20.067	891333.6782	62571.066	13.154	823059.8021
TOTAL					536.9211			-536.9210
								268.460
(89 B- 20)	202 31 54	9.995	44394.378	-7.607	-337708.0334	62575.996	13.988	875313.0320
(89 B- 21)	112 34 47	12.386	44389.622	-15.195	-674500.3062	62587.433	-4.402	-275509.8800
(89 B- 39)	22 18 39	9.899	44398.780	7.607	337741.5194	62591.191	-13.988	-875525.5797
(89 B- 40)	293 1 30	12.349	44403.610	15.195	674712.8539	62579.826	4.402	275476.3940
TOTAL					246.0337			-246.0337
								123.016
(89 B- 21)	202 18 39	9.899	44389.622	.980	43501.8295	62587.433	8.014	501575.6880
(89 B- 38)	67 37 4	3.004	44390.766	-8.429	-374169.7666	62590.211	-14.805	-926648.0738
(89 B- 37)	22 28 22	14.784	44404.427	-5.948	-264117.5317	62595.862	-14.317	-896184.9562
(89 B- 41)	24 21 30	.720	44405.083	8.730	387656.3745	62596.159	-5.430	-339897.1433
(89 B- 47)	297 52 21	10.212	44409.857	8.504	377661.4239	62587.132	-5.996	-375272.4434
(89 B- 46)	23 10 13	1.329	44411.079	3.572	158636.3741	62587.655	-2.852	-178499.9920
(89 B- 48)	291 42 17	4.407	44412.709	7.829	347707.0987	62583.560	7.469	467436.6096
(89 B- 40)	202 18 43	9.835	44403.610	-7.631	-338843.9479	62579.826	13.929	871674.3963
(89 B- 39)	113 1 30	12.349	44398.780	-7.607	-337741.5194	62591.191	13.988	875525.5797
TOTAL					290.3351			-290.3351
								145.167

計算者

点検者