

座標に依る方向角・距離及び面積計算書

点名	方向角	距離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X座標	前点-後点		Y座標	前点-後点	
(89 B- 37)	204 21 30	.720	44404.427	-6.595	-292847.1960	62595.862	3.485	218146.5790
(89 B- 36)	112 19 1	7.450	44401.598	-9.666	-429185.8462	62602.754	1.687	105610.8459
(89 B- 35)	67 37 26	3.000	44402.740	-5.893	-261665.3468	62605.528	-8.742	-547297.5257
(89 B- 34)	22 18 47	8.215	44410.340	13.374	593943.8871	62608.647	-14.460	-905321.0356
(89 B- 44)	292 35 3	17.863	44417.200	18.161	806660.7692	62592.154	-7.557	-473008.9077
(89 B- 45)	292 40 42	1.808	44417.897	4.499	1998361186	62590.486	6.121	383116.3648
(89 B- 46)	202 32 58	7.382	44411.079	3.354	148954.7589	62587.655	8.040	503204.7462
(89 B- 47)	203 10 13	1.329	44409.857	-8.504	-377661.4239	62587.132	5.996	375272.4434
(89 B- 41)	117 52 21	10.212	44405.083	-8.730	-387656.3745	62596.159	5.430	339897.1433
TOTAL					379.3464			-379.3464
								189.673
(89 B- 34)	112 35 3	17.863	44410.340	-23.433	-1040667.4972	62608.647	-9.858	-617196.0421
(89 B- 33)	22 32 40	18.101	44427.058	6.134	272515.5737	62615.587	-22.124	-1385307.2467
(89 B- 42)	292 27 53	14.148	44432.464	16.523	734157.6026	62602.513	-6.857	-429265.4316
(89 B- 43)	292 49 00	3.742	44433.915	10.359	460290.9254	62599.064	15.264	955512.1128
(89 B- 44)	202 27 37	18.087	44417.200	-9.583	-425650.0276	62592.154	23.575	1475610.0305
TOTAL					646.5769			-646.5771
								323.288

計算者

点検者

座標に依る方向角・距離及び面積計算書

点名	方向角	距離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X座標	前点-後点		Y座標	前点-後点	
(89-2B- 1)	112 29 14	34.909	44373.127	-35.008	-1553414.4300	62627.297	12.212	764804.5509
(89-2B- 2)	67 30 21	2.980	44374.267	-4.547	-201769.7920	62630.050	-5.527	-346156.2863
(89-2B- 58)	22 14 29	4.740	44378.654	-3.746	-166242.4378	62631.844	-9.403	-588927.2291
(89-2B- 59)	21 15 49	5.382	44383.670	-2.562	-113710.9625	62633.796	-6.618	-414510.4619
(89-2B- 3)	20 50 44	1.714	44385.272	18.174	806657.9333	62634.406	-9.387	-587949.1691
(89-2B- 30)	292 30 43	20.333	44393.057	27.098	1202963.0585	62615.622	-11.231	-703236.0506
(89-2B- 27)	292 30 43	9.000	44396.503	8.718	387048.7131	62607.308	-2.486	-155641.7676
(89-2B- 26)	202 49 23	1.042	44395.543	7.286	323465.9262	62606.904	-1.873	-117262.7311
(89-2B- 25)	292 22 29	7.442	44398.376	9.652	428533.1251	62600.022	-1.708	-106920.8375
(89-2B- 24)	247 53 46	2.990	44397.251	6.081	269979.6833	62597.252	9.113	570448.7574
(89-2B- 23)	202 30 50	8.647	44389.263	2.210	98100.2712	62593.941	10.772	674261.9324
(89-2B- 22)	158 25 21	2.994	44386.479	-33.356	-1480555.3935	62595.042	16.136	1010033.5977
TOTAL					1055.6949			-1055.6948
								527.847
(89-2B- 3)	112 30 43	20.333	44385.272	-20.042	-889569.6214	62634.406	4.346	272209.1284
(89-2B- 60)	20 5 34	3.662	44388.711	-5.128	-227625.3100	62635.664	-14.224	-890929.6847
(89-2B- 4)	19 44 23	11.458	44399.496	14.260	633136.8129	62639.534	-18.272	-1144549.5652
(89-2B- 31)	292 26 20	19.615	44406.983	23.912	1061859.7774	62621.404	6.439	403219.2203
(89-2B- 30)	202 32 53	15.079	44393.057	-13.002	-577198.5271	62615.622	21.711	1359447.7692
TOTAL					603.1318			-603.1320
								301.565

計算者

点検者

座標に依る方向角・距離及び面積計算書

(2)

点名	方向角	距離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X 座標	前点-後点		Y 座標	前点-後点	
(89-2B- 4)	112 26 20	19.615	44399.496	-26.124	-1159892.4335	62639.534	-14.761	-924622.1613
(89-2B- 5)	19 45 51	23.641	44421.744	-6.894	-306243.5031	62647.528	-25.043	-1568882.0437
(89-2B- 6)	338 31 3	3.004	44424.539	21.644	961524.7221	62646.428	-13.875	-869219.1885
(89-2B- 7)	298 20 22	23.341	44435.619	23.325	1036460.8131	62625.884	-10.111	-633210.3131
(89-2B- 29)	250 47 23	2.945	44434.650	12.818	569563.3437	62623.103	25.164	1575847.7638
(89-2B- 28)	202 31 50	26.194	44410.455	1.699	75453.3630	62613.066	27.667	1732315.6970
(89-2B- 31)	112 36 26	9.032	44406.983	-26.468	-1175364.0260	62621.404	10.959	686267.9664
2TOTAL					1502.2793			-1502.2794
								751.139
(89-2B- 27)	202 25 34	15.093	44396.503	-2.556	-113477.4616	62607.308	17.398	1089241.9445
(89-2B- 30)	112 30 43	9.000	44393.057	-14.096	-625764.5314	62615.622	-10.480	-656211.7185
(89-2B- 31)	22 32 53	15.079	44406.983	2.556	113504.2485	62621.404	-17.398	-1089487.1867
(89-2B- 28)	292 36 26	9.032	44410.455	14.096	626009.7736	62613.066	10.480	656184.9316
TOTAL					272.0291			-272.0291
								136.014

計算者

点検者

座標に依る方向角・距離及び面積計算書

点名	方向角	距離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X座標	前点-後点		Y座標	前点-後点	
(90 B- 14)	336 25 20	2.995	44386.245	10.464	464457.6676	62585.223	-6.566	-410934.5742
(90 B- 15)	292 24 35	10.023	44390.066	12.919	573475.2626	62575.957	6.763	423201.1971
(90 B- 53)	199 2 30	11.197	44379.482	-7.538	-334532.5353	62572.304	14.693	919374.8626
(90 B- 51)	110 9 42	11.922	44375.373	-14.117	-626447.1406	62583.495	-4.018	-251460.4829
(90 B- 52)	19 48 2	8.638	44383.500	-1.728	-76694.6880	62586.421	-10.872	-680439.5691
TOTAL					258.5663			-258.5665
								129.283
(90 B- 15)	19 2 30	11.197	44390.066	9.042	401374.9767	62575.957	-15.840	-991203.1588
(90 B- 16)	292 29 26	13.740	44395.322	17.859	792856.0555	62563.262	9.719	608052.3433
(90 B- 56)	199 1 35	15.840	44380.347	13.516	599844.7700	62558.098	39.315	2459471.6228
(90 B- 24)	198 56 21	25.733	44356.007	-2.434	-107962.5210	62549.746	29.673	1856038.6130
(90 B- 25)	116 18 34	12.032	44350.674	12.319	-546355.9530	62560.532	6.250	391003.3250
(90 B- 26)	120 53 12	1.786	44349.757	-4.552	-201880.0938	62562.065	-7.863	-491925.5170
(90 B- 55)	18 58 32	9.285	44358.537	-6.513	-288907.1514	62565.084	-18.911	-1183168.3035
(90 B- 54)	19 1 42	10.717	44368.668	-7.220	-320341.7829	62568.578	-20.945	-1310498.8662
(90 B- 53)	19 00 42	11.438	44379.482	-7.379	-327476.1976	62572.304	-21.398	-1338922.1609
TOTAL					1152.1025			-1152.1023
								-576.051

計算者

点検者

画地測量設計株式会社

座標に依る方向角・距離及び面積計算書

点名	方向角	距離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X座標	前点-後点		Y座標	前点-後点	
(90 B- 16)	19 1 35	15.840	44395.322	4.875	216427.1947	62563.262	-19.130	-1196835.2020
(90 B- 17)	292 29 2	10.865	44399.477	15.492	687836.6976	62553.223	11.438	715483.7646
(90 B- 57)	199 16 31	16.519	44383.884	-4.875	-216371.4345	62547.770	19.130	1196538.8401
(90 B- 56)	108 54 17	10.917	44380.347	-15.492	-687540.3357	62558.098	-11.438	-715539.5249
TOTAL					352.1221			-352.1222
								176.061
(90 B- 17)	19 16 31	16.519	44399.477	4.049	179773.4823	62553.223	-19.536	-1222039.7645
(90 B- 18)	292 32 12	10.288	44403.420	12.264	544563.5428	62543.721	-2.682	-167742.2597
(90 B- 19)	245 27 39	3.036	44402.159	7.676	340830.9724	62540.959	15.521	970698.2246
(90 B- 20)	199 00 50	15.083	44387.899	-5.054	-224336.4415	62536.045	17.674	1105262.0593
(90 B- 58)	108 54 22	10.536	44384.485	-11.725	-520408.0866	62546.019	4.015	251122.2421
(90 B- 57)	108 53 2	1.857	44383.884	-7.210	-320007.8036	62547.770	-14.992	-937716.1678
TOTAL					415.6658			-415.6660
								207.832
(90 B- 20)	288 54 22	10.536	44387.899	16.700	741277.9133	62536.045	16.164	1010832.6313
(90 B- 21)	198 58 33	20.703	44368.321	5.612	248995.0174	62529.313	22.334	1396529.6765
(90 B- 22)	157 53 2	2.975	44365.565	-8.898	-394764.7973	62530.433	6.620	413951.4664
(90 B- 23)	116 25 3	8.685	44361.701	-15.580	-691155.3015	62538.211	-18.920	-1183222.9521
(90 B- 58)	18 54 10	24.083	44384.485	2.166	96136.7945	62546.013	-26.198	-1638580.4485
TOTAL					489.6264			-489.6264
								244.813

計算者

点検者

座標に依る方向角・距離及び面積計算書

点名	方向角	距離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X座標	前点-後点		Y座標	前点-後点	
(90 B- 23)	198 54 10	24.083	44361.701	-3.733	-165602.2298	62538.211	28.478	1780963.1728
(90 B- 24)	116 16 20	12.864	44356.007	-19.887	-882107.9112	62549.746	-18.646	-1166302.5639
(90 B- 56)	18 56 21	25.733	44380.347	1.976	87695.5656	62558.098	-27.877	-1743932.0979
(90 B- 57)	288 54 17	10.917	44383.884	12.085	536379.2381	62547.770	-4.138	-258822.6722
(90 B- 58)	288 53 2	1.857	44384.485	9.559	424271.2921	62546.013	22.183	1387458.2063
TOTAL					635.9548			-635.9549
								317.977
(90 B- 26)	198 58 32	9.285	44349.757	-5.018	-222547.0806	62562.065	13.599	850781.5219
(90 B- 27)	120 56 49	9.371	44344.938	-10.848	-481053.8874	62570.102	3.842	240394.3318
(90 B- 48)	70 50 4	2.976	44345.915	-5.831	-258581.0303	62572.913	-9.343	-584618.7261
(90 B- 49)	19 50 56	8.894	44354.281	7.829	347249.6659	62575.933	-12.622	-789833.4263
(90 B- 55)	291 25 11	11.654	44358.537	13.868	615164.1911	62565.084	4.524	283044.4400
TOTAL					231.8587			-231.8587
								115.929

計算者

点検者

座標に依る方向角・距離及び面積計算書

(4)

点名	方向角	距離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X座標	前点-後点		Y座標	前点-後点	
(90 B- 49)	111 25 11	11.654	44354.281	-14.635	-649124.9024	62575.933	-6.290	-393602.6185
(90 B- 50)	19 44 53	11.205	44364.827	7.355	326303.3025	62579.719	-14.387	-900334.4172
(90 B- 54)	289 1 20	11.785	44368.668	14.635	649335.4561	62568.578	6.290	393556.3556
(90 B- 55)	199 1 42	10.717	44358.537	-7.355	-326257.0396	62565.084	14.387	900123.8635
TOTAL					256.8166			-256.8166
								128.408
(90 B- 50)	109 1 20	11.785	44364.827	-14.917	-661790.1243	62579.719	-6.705	-419597.0158
(90 B- 51)	19 42 00	11.202	44375.373	7.415	329043.3907	62583.495	-14.655	-917161.1192
(90 B- 53)	290 9 42	11.922	44379.482	14.917	662008.7329	62572.304	6.705	419547.2983
(90 B- 54)	199 00 42	11.438	44368.668	-7.415	-328993.6732	62568.578	14.655	916942.5105
TOTAL					268.3261			-268.3262
								134.163

計算者

点検者

座標に依る方向角・距離及び面積計算書

()

点名	方向角	距離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X 座標	前点-後点		Y 座標	前点-後点	
90 B- 15	112 29	13.740	44390.066	-9.042	-401374.9767	62575.957	15.840	991203.1588
90 B- 53	199 2	11.197	44379.482	4.937	219101.5026	62572.304	14.309	895347.0979
90 B- 59	199 00 42	3.940	44375.757	14.206	630402.0039	62571.020	-.865	-54123.9323
90 B- 56	289 33 23	13.713	44380.347	7.758	344302.7320	62558.098	-19.565	-1223949.1873
90 B- 16	19 1 35	15.840	44395.322	-17.859	-792856.0555	62563.262	-9.719	-608052.3433
TOTAL					-424.7937			424.7938
								212.396

計算者

点検者

画地測量設計株式会社

座標に依る方向角・距離及び面積計算書

点名	方向角	距離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X座標	前点-後点		Y座標	前点-後点	
(90 B- 1)	121 8 1	14.183	44325.152	-15.000	-664877.2800	62602.841	6.625	414743.8216
(90 B- 2)	76 5 45	2.946	44325.860	-8.176	-362408.2313	62605.701	-10.685	-668941.9151
(90 B- 3)	28 2 59	11.305	44335.837	5.587	247704.3213	62611.017	-15.839	-991695.8982
(90 B- 32)	298 15 43	12.379	44341.699	14.446	640560.1837	62600.114	-7.766	-486152.4853
(90 B- 31)	298 15 43	4.022	44343.603	9.413	417406.3350	62596.571	9.214	576764.8051
(90 B- 30)	207 49 58	12.572	44332.485	-6.270	-277964.6809	62590.701	18.451	1154861.0241
TOTAL					420.6478			-420.6478
								210.323
(90 B- 3)	118 15 43	12.379	44335.837	-18.125	-803587.0456	62611.017	-7.707	-482543.1080
(90 B- 4)	28 1 26	15.371	44349.406	-8.019	-355637.8867	62618.239	-15.071	-943719.4799
(90 B- 5)	27 57 6	1.700	44350.908	10.367	459785.8632	62619.036	-7.243	-453549.6777
(90 B- 42)	297 12 51	12.554	44356.649	10.272	455631.4985	62607.872	-7.922	-495979.5619
(90 B- 41)	22 14 38	2.356	44358.830	9.361	415243.0076	62608.764	-6.428	-402449.1349
(90 B- 39)	292 30 1	11.098	44363.077	13.033	578183.9825	62598.511	-5.402	-338157.1564
(90 B- 38)	292 33 41	3.010	44364.232	4.911	217872.7433	62595.731	4.120	257894.4117
(90 B- 37)	201 59 52	5.689	44358.957	4.460	197840.9482	62593.600	11.073	693098.9328
(90 B- 36)	201 53 1	6.248	44353.159	-8.726	-387025.6654	62591.271	11.750	735447.4342
(90 B- 33)	118 17 50	12.555	44347.207	-8.843	-392162.3515	62602.326	11.460	717422.6559
(90 B- 32)	201 53 1	5.936	44341.699	-8.691	-385373.7060	62600.114	11.370	711763.2961
TOTAL					771.3881			-771.3881
								385.694

計算者

点検者

座標に依る方向角・距離及び面積計算書

(2)

点名	方向角	距離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X座標	前点-後点		Y座標	前点-後点	
(90 B- 5)	117 12 51	12.554	44350.908	-12.870	-570796.1859	62619.036	2.487	155733.5425
(90 B- 6)	27 40 1	3.674	44354.162	-4.124	-182916.5640	62620.742	-8.055	-504410.0768
(90 B- 7)	26 43 55	5.376	44358.963	-4.679	-207555.5878	62623.160	-9.686	-606567.9277
(90 B- 8)	24 50 13	5.383	44363.848	-3.553	-157624.7519	62625.421	-7.747	-485159.1364
(90 B- 9)	24 17 45	3.140	44366.710	-.225	-9982.5097	62626.713	-5.662	-354592.4490
(90 B- 10)	339 8 23	2.996	44369.510	11.732	520543.0913	62625.646	-7.185	-449965.2665
(90 B- 11)	292 21 1	11.531	44373.895	16.882	749120.0953	62614.981	10.680	668727.9970
(90 B- 41)	202 25 30	16.297	44358.830	7.109	315346.9224	62608.764	17.246	1079750.7439
(90 B- 42)	202 14 38	2.356	44356.649	-10.272	-455631.4985	62607.872	7.922	495979.5619
TOTAL					503.0112			-503.0111
								251.505
(90 B- 11)	22 25 30	16.297	44373.895	4.427	196443.2331	62614.981	-19.474	-1219364.1399
(90 B- 12)	292 30 2	11.521	44378.304	14.957	663766.2929	62604.337	6.798	425584.2829
(90 B- 40)	201 2 57	12.008	44367.097	5.826	258482.7071	62600.024	15.227	953210.5654
(90 B- 39)	200 37 29	4.295	44363.077	-8.740	-387733.2929	62598.511	8.267	517501.8904
(90 B- 41)	112 30 1	11.098	44358.830	-16.470	-730589.9301	62608.764	-10.818	-677301.6089
TOTAL					369.0101			-369.0101
								184.505

計算者

点検者

座標に依る方向角・距離及び面積計算書

(3)

点名	方向角	距離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X 座標	前点-後点		Y 座標	前点-後点	
(90 B- 12)	21 2 57	12.008	44378.304	7.171	318236.8179	62604.337	-15.979	-1000354.7009
(90 B- 13)	292 33 52	12.436	44383.076	14.244	632192.5345	62592.853	-3.527	-220764.9925
(90 B- 43)	245 43 14	3.028	44381.831	6.156	273214.5516	62590.093	10.698	669588.8149
(90 B- 44)	199 45 39	10.045	44372.378	-9.931	-440662.0859	62586.697	14.734	922152.3935
(90 B- 40)	111 37 00	14.335	44367.097	-17.640	-782635.5910	62600.024	-5.926	-370967.7422
TOTAL					346.2271			-346.2272
								173.113
(90 B- 44)	291 37 00	14.335	44372.378	16.649	738755.7213	62586.697	3.939	246528.9994
(90 B- 45)	199 48 51	9.800	44363.158	-6.903	-306238.8796	62583.375	13.421	839931.4758
(90 B- 37)	112 20 8	11.054	44358.957	-12.356	-548099.2726	62593.600	-1.074	-67225.5264
(90 B- 38)	21 59 52	5.689	44364.232	-4.911	-217872.7433	62595.731	-4.120	-257894.4117
(90 B- 39)	112 33 41	3.010	44363.077	-4.293	-190450.6895	62598.511	-2.865	-179344.7340
(90 B- 40)	20 37 29	4.295	44367.097	11.814	524152.8839	62600.024	-9.301	-582242.8232
TOTAL					247.0202			-247.0201
								123.510
(90 B- 45)	292 20 8	11.054	44363.158	14.159	628137.9541	62583.375	6.768	423564.2820
(90 B- 46)	199 43 49	11.653	44352.189	-5.834	-258750.6706	62579.441	15.133	947014.6806
(90 B- 35)	113 5 17	10.619	44348.025	-11.830	-524637.1357	62589.209	-0.970	-60711.5327
(90 B- 36)	21 53 1	5.533	44353.159	-4.391	-194754.7211	62591.271	-10.932	-684247.7745
(90 B- 37)	21 53 1	6.248	44358.957	7.896	350258.3244	62593.600	-9.999	-625873.4064
TOTAL					253.7511			-253.7510
								126.875

計算者

点検者

座標に依る方向角・距離及び面積計算書

(4)

点名	方向角	距離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X座標	前点-後点		Y座標	前点-後点	
(90 B- 46)	293 5 17	10.619	44352.189	12.937	573784.2690	62579.441	4.633	289930.5501
(90 B- 47)	199 48 39	9.350	44343.392	2.133	94584.4551	62576.272	11.611	726573.0941
(90 B- 28)	159 47 18	2.999	44340.578	-8.188	-363060.6526	62577.308	7.132	446301.3606
(90 B- 29)	121 7 17	8.354	44336.260	-11.746	-520773.7099	62584.460	-7.072	-442597.3011
(90 B- 34)	21 57 58	12.282	44347.650	-4.749	-210606.9898	62589.054	-11.765	-736360.2203
(90 B- 35)	22 27 25	.406	44348.025	9.613	426317.5643	62589.209	-4.539	-284092.4196
TOTAL					244.9361			-244.9362
								122.468
(90 B- 29)	201 57 58	12.282	44336.260	-1.647	-73021.8202	62584.460	15.165	949093.3359
(90 B- 30)	121 10 7	7.294	44332.485	-12.111	-536910.7258	62590.701	-7.343	-459603.5174
(90 B- 31)	27 49 58	12.572	44343.603	1.647	73033.9141	62596.571	-15.165	-949276.9992
(90 B- 34)	298 17 50	8.537	44347.650	12.111	537094.3891	62589.054	7.343	459591.4235
TOTAL					195.7572			-195.7572
								97.878
(90 B- 31)	118 17 50	8.537	44343.603	-11.060	-490440.2491	62596.571	5.951	372512.1940
(90 B- 32)	118 15 43	4.022	44341.699	-5.755	-255186.4777	62600.114	-3.604	-225610.8108
(90 B- 33)	21 53 1	5.936	44347.207	8.843	392162.3515	62602.326	-11.460	-717422.6559
(90 B- 36)	298 17 50	12.555	44353.159	13.117	581780.3866	62591.271	-.818	-51199.6596
(90 B- 35)	201 53 1	5.533	44348.025	2.217	98319.5714	62589.209	5.509	344803.9523
(90 B- 34)	202 27 25	.406	44347.650	-7.362	-326487.3993	62589.054	4.422	276768.7967
TOTAL					148.1834			-148.1833
								74.091

計算者

点検者

座標に依る方向角・距離及び面積計算書

点名	方向角	距離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X座標	前点-後点		Y座標	前点-後点	
(91 B- 1)	121 43 58	27.188	44306.547	-33.376	-1478775.3126	62633.072	-11.353	-711073.2664
(91 B- 2)	21 47 1	27.626	44332.200	12.795	567230.4990	62643.324	-38.117	-2387775.5809
(91 B- 26)	298 24 18	26.201	44344.664	34.216	1517297.0234	62620.277	8.466	530143.2650
(91 B- 27)	208 5 10	23.724	44323.734	10.329	457819.8484	62609.108	23.817	1491161.1252
(91 B- 28)	163 46 38	3.007	44320.847	-23.964	-1062104.7775	62609.948	17.187	1076077.1762
TOTAL					1467.2807			-1467.2809
								733.640
(91 B- 2)	118 24 18	26.201	44332.200	-27.263	-1208628.7686	62643.324	1.948	122029.1951
(91 B- 3)	21 50 47	11.330	44342.716	5.041	223531.6313	62647.540	-15.532	-973041.5912
(91 B- 29)	298 27 5	10.529	44347.732	22.061	978355.3156	62638.283	-11.921	-746710.9716
(91 B- 23)	298 20 14	14.547	44354.637	13.993	620654.4355	62625.479	-4.568	-286073.1880
(91 B- 24)	206 57 57	2.622	44352.300	3.714	164724.4422	62624.290	7.171	449078.7835
(91 B- 25)	207 34 48	5.454	44347.466	4.013	177966.3810	62621.765	7.636	478179.7975
(91 B- 26)	207 58 14	3.173	44344.664	-21.559	-956026.6111	62620.277	15.266	955961.1486
TOTAL					576.8259			-576.8261
								288.413
(91 B- 3)	118 27 5	10.529	44342.716	-14.754	-654232.4318	62647.540	-8.733	-547100.9668
(91 B- 4)	21 47 31	14.807	44356.465	4.199	186252.7965	62653.037	-17.634	-1104823.6544
(91 B- 30)	291 50 6	10.445	44360.350	14.754	654492.639	62643.341	8.733	547064.2969
(91 B- 29)	201 50 37	13.594	44347.732	-4.199	-186216.1266	62638.283	17.634	1104563.4824
TOTAL					296.8420			-296.8419
								148.420

計算者

点検者

座標に依る方向角・距離及び面積計算書

点名	方向角	距離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X 座標	前点-後点		Y 座標	前点-後点	
(91 B- 4)	111 50 6	10.445	44356.465	-10.632	-471597.9358	62653.037	1.555	97425.4725
(91 B- 5)	21 53 10	2.511	44358.795	8.766	388849.1969	62653.973	-6.212	-389206.4802
(91 B- 31)	291 48 27	10.450	44362.677	10.632	471663.9818	62644.271	-1.555	-97411.8414
(91 B- 30)	201 47 4	2.506	44360.350	-8.766	-388862.8281	62643.341	6.212	389140.4342
TOTAL					52.4148			-52.4149
								26.207
(91 B- 5)	111 48 27	10.450	44358.795	-11.648	-516691.2441	62653.973	-1.001	-62716.6269
(91 B- 6)	21 43 43	5.256	44363.678	20.287	900005.9355	62655.919	-13.772	-862897.3164
(91 B- 16)	291 47 31	23.944	44372.567	22.441	995764.7760	62633.686	-8.405	-526436.1308
(91 B- 17)	203 15 21	.527	44372.083	2.135	94734.3972	62633.478	4.812	301392.2961
(91 B- 18)	204 00 2	4.738	44367.755	-10.793	-478861.1797	62631.551	9.406	589112.3687
(91 B- 31)	111 45 45	13.696	44362.677	-22.422	-994699.9436	62644.271	8.960	561292.6681
TOTAL					252.7413			-252.7412
								126.370
(91 B- 6)	111 47 31	23.944	44363.678	-32.734	-1452200.6356	62655.919	-17.344	-1086704.2591
(91 B- 7)	21 48 58	28.257	44389.911	2.858	126866.3656	62666.420	-32.061	-2009148.0916
(91 B- 32)	293 34 11	14.575	44395.739	22.552	1001212.7059	62653.061	-9.684	-606732.2427
(91 B- 12)	292 45 20	9.969	44399.595	13.612	604367.2871	62643.868	8.397	526020.5595
(91 B- 13)	199 49 54	13.025	44387.342	6.307	279950.9659	62639.449	17.378	1088548.3447
(91 B- 14)	200 13 24	5.462	44382.217	3.882	172291.7663	62637.561	10.204	639153.6724
(91 B- 15)	201 26 5	5.456	44377.138	3.875	171961.4097	62635.567	9.650	604433.2215
(91 B- 16)	202 22 3	4.943	44372.567	-20.352	-903070.4835	62633.686	13.460	843049.4135
TOTAL					1379.3814			-1379.3818
								689.690

計算者

点検者

座標に依る方向角・距離及び面積計算書

点名	方向角	距離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X座標	前点-後点		Y座標	前点-後点	
(91 B- 7)	113 34 11	14.575	44389.911	-16.953	-752542.1611	62666.420	-3.195	-200219.2119
(91 B- 8)	21 43 5	9.712	44398.934	5.640	250409.9877	62670.014	-12.724	-797413.2581
(91 B- 35)	291 50 28	9.948	44402.635	9.598	426176.4907	62660.780	-2.794	-175074.2193
(91 B- 34)	201 52 00	.977	44401.728	4.625	205357.9920	62660.416	-.798	-50003.0119
(91 B- 33)	291 48 30	4.589	44403.433	7.355	326587.2497	62656.155	5.989	375247.7122
(91 B- 32)	201 54 24	8.293	44395.739	-10.265	-455722.2608	62653.061	13.522	847194.6908
TOTAL					267.2982			-267.2982
								133.649
(91 B- 8)	111 50 28	9.948	44398.934	-13.468	-597964.8431	62670.014	-6.852	-429414.9359
(91 B- 9)	21 51 41	11.371	44409.487	16.185	718767.5470	62674.248	-21.616	-1354766.5447
(91 B- 10)	298 26 56	23.223	44420.550	23.245	1032555.6847	62653.829	-10.002	-626663.5976
(91 B- 11)	249 25 18	3.019	44419.489	9.961	442462.5299	62651.003	20.955	1312851.7678
(91 B- 12)	199 43 49	21.135	44399.595	-2.058	-91374.3665	62643.868	23.750	1487791.8650
(91 B- 32)	112 45 20	9.969	44395.739	-12.287	-545490.4450	62653.061	-3.838	-240462.4481
(91 B- 33)	21 54 24	8.293	44403.433	-7.355	-326587.2497	62656.155	-5.989	-375247.7122
(91 B- 34)	111 48 30	4.589	44401.728	-4.625	-205357.9920	62660.416	.798	50003.0119
(91 B- 35)	21 52 00	.977	44402.635	-9.598	-426176.4907	62660.780	2.794	175074.2193
TOTAL					834.3746			-834.3745
								417.187

計算者

点検者

座標に依る方向角・距離及び面積計算書

点名	方向角	距離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X座標	前点-後点		Y座標	前点-後点	
(92 B- 1)	21 46 45	34.992	44402.306	-26.624	-1182166.9949	62687.521	-27.325	-1712936.5113
(92 B- 2)	110 45 12	14.588	44397.137	-.614	-27259.8421	62701.162	37.981	2381452.8339
(92 B- 24)	201 39 15	35.303	44364.325	26.624	1181155.7888	62688.135	27.325	1712953.2888
(92 B- 23)	291 58 35	14.662	44369.812	.614	27243.0645	62674.538	-37.981	-2380441.6277
TOTAL					-1027.9837			1027.9837
								513.991
(92 B- 2)	21 39 15	35.303	44397.137	-41.926	-1861394.3658	62701.162	-21.824	-1368390.1594
(92 B- 3)	110 49 4	30.917	44386.149	-30.107	-1336333.7879	62730.061	13.722	860781.8970
(92 B- 4)	156 9 43	2.989	44383.415	17.526	777863.7312	62731.269	48.618	3049868.8362
(92 B- 5)	202 12 35	49.561	44337.531	44.677	1980867.8724	62712.535	35.515	2227235.6805
(92 B- 27)	291 47 9	27.938	44347.900	30.322	1344717.0238	62686.592	-12.168	-762770.4514
(92 B- 26)	292 20 3	4.734	44349.699	3.585	158993.6709	62682.213	-3.641	-228225.9375
(92 B- 25)	23 19 7	2.006	44351.541	-5.922	-262649.8258	62683.007	-14.626	-916801.6603
(92 B- 24)	21 51 25	13.774	44364.325	-18.155	-805434.3203	62688.135	-45.596	-2858328.2034
TOTAL					-3370.0015			3370.0017
								1685.000

計算者

点検者

座標に依る方向角・距離及び面積計算書

点名	方向角	距離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X座標	前点-後点		Y座標	前点-後点	
(92 B- 5)	111 47 9	27.938	44337.531	-13.281	-588846.7492	62712.535	41.454	2599685.4258
(92 B- 6)	202 9 46	33.565	44306.446	25.694	1138409.8235	62699.873	25.849	1620729.0171
(92 B- 37)	291 53 21	14.045	44311.682	25.689	1138322.7988	62686.841	-10.299	-645611.7754
(92 B- 34)	291 48 8	13.632	44316.745	11.733	519968.3690	62674.184	-7.381	-462598.1521
(92 B- 33)	21 43 59	2.495	44319.063	-2.388	-105833.9224	62675.108	-5.992	-375549.2471
(92 B- 32)	21 43 34	3.955	44322.737	-1.835	-81332.2223	62676.572	-4.589	-287622.7889
(92 B- 31)	22 4 15	.987	44323.652	-5.480	-242893.6129	62676.943	-13.745	-861494.5815
(92 B- 30)	21 42 46	13.810	44336.482	-9.649	-427802.7148	62682.052	-24.248	-1519914.3968
(92 B- 27)	21 41 1	12.287	44347.900	-30.483	-1351857.0357	62686.592	-1.049	-65758.2350
TOTAL					-1865.2660			1865.2661
								932.633
(92 B- 6)	111 53 21	14.045	44306.446	-9.396	-416303.3666	62699.873	14.183	889272.2987
(92 B- 7)	202 6 59	9.658	44297.499	16.851	746457.1556	62696.237	4.354	272979.4158
(92 B- 38)	289 9 55	13.990	44302.092	9.396	416262.4564	62683.022	-14.183	-889033.3010
(92 B- 37)	21 42 49	10.322	44311.682	-16.851	-746696.1533	62686.841	-4.354	-272938.5057
TOTAL					-279.9079			279.9078
								139.953

計算者

点検者

座標に依る方向角・距離及び面積計算書

(3)

点名	方向角	距離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X座標	前点-後点		Y座標	前点-後点	
(92 B- 7)	109 9 55	13.990	44297.499	-5.517	-244389.3019	62696.237	23.512	1474113.9243
(92 B- 8)	202 8 28	20.425	44278.580	10.527	466120.6116	62688.539	19.928	1249257.2051
(92 B- 9)	250 22 14	3.004	44277.571	13.080	579150.6286	62685.710	-4.594	-287978.1517
(92 B- 10)	298 39 37	11.682	44283.174	3.214	142326.1212	62675.459	-23.200	-1454070.6488
(92 B- 39)	21 47 47	18.952	44300.771	-7.563	-335046.7310	62682.496	-18.918	-1185827.4593
(92 B- 38)	21 42 49	1.422	44302.092	-13.741	-608755.0461	62683.022	3.272	205098.8479
TOTAL					-593.7176			593.7175
								296.858
(92 B- 10)	201 47 47	18.952	44283.174	19.793	876496.8629	62675.459	10.566	662228.8997
(92 B- 11)	298 51 47	14.565	44290.205	9.549	422927.1675	62662.703	-15.035	-942133.7396
(92 B- 41)	21 50 5	8.623	44298.209	-6.384	-282799.7662	62665.910	-15.940	-998894.6054
(92 B- 40)	21 49 3	8.548	44306.145	-16.586	-734861.7209	62669.087	-2.562	-160558.2008
(92 B- 39)	111 50 23	14.446	44300.771	-6.372	-282284.5128	62682.496	22.971	1439879.6156
TOTAL					-521.9695			521.9695
								260.984
(92 B- 11)	201 50 5	8.623	44290.205	19.580	867202.2139	62662.703	-1.029	-64479.9213
(92 B- 12)	298 53 8	18.699	44299.238	14.033	621651.2068	62646.330	-14.898	-933305.0243
(92 B- 13)	21 45 3	6.315	44305.103	-19.580	-867493.9167	62648.670	1.029	64465.4814
(92 B- 41)	111 47 44	18.567	44298.209	-14.033	-621636.7668	62665.910	14.898	933596.7271
TOTAL					-277.2628			277.2629
								138.631

計算者

点検者

座標に依る方向角・距離及び面積計算書

(4)

点名	方向角	距離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X座標	前点-後点		Y座標	前点-後点	
(92 B- 13)	291 47 44	18.567	44305.103	14.085	624037.3757	62648.670	-14.869	-931523.0742
(92 B- 14)	21 35 4	8.576	44313.078	-20.417	-904740.1135	62651.825	-1.042	-65283.2016
(92 B- 40)	111 52 55	18.602	44306.145	-14.085	-624052.0523	62669.087	14.869	931826.6546
(92 B- 41)	201 49 3	8.548	44298.209	20.417	904436.5331	62665.910	1.042	65297.8782
TOTAL					-318.2570			318.2570
								159.128
(92 B- 14)	291 52 55	18.602	44313.078	12.894	571372.8277	62651.825	-17.786	-1114325.3594
(92 B- 15)	21 55 24	11.699	44323.931	-22.359	-991038.7732	62656.193	-3.667	-229760.2597
(92 B- 34)	111 46 22	19.373	44316.745	-30.648	-1358219.6007	62674.184	12.249	767696.0798
(92 B- 37)	111 48 8	13.632	44311.682	-8.838	-391626.6455	62686.841	14.653	918550.2811
(92 B- 38)	201 42 49	10.322	44302.092	4.345	192492.5897	62683.022	10.911	683934.4530
(92 B- 39)	201 42 49	1.422	44300.771	13.935	617331.2438	62682.496	-4.053	-254052.1562
(92 B- 40)	291 50 23	14.446	44306.145	30.671	1358913.7732	62669.087	-12.307	-771268.4537
TOTAL					-774.5850			774.5849
								387.292
(92 B- 15)	291 46 22	19.373	44323.931	17.065	756387.8825	62656.193	-9.513	-596048.3640
(92 B- 16)	21 41 58	2.504	44326.258	-18.915	-838431.1700	62657.119	4.868	305014.8552
(92 B- 33)	111 47 59	19.375	44319.063	-17.065	-756304.8100	62675.108	9.513	596228.3024
(92 B- 34)	201 43 59	2.495	44316.745	18.915	838251.2316	62674.184	-4.868	-305097.9277
TOTAL					-96.8659			96.8659
								48.432

計算者

点検者

座標に依る方向角・距離及び面積計算書

(5)

点名	方向角	距離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X座標	前点-後点		Y座標	前点-後点	
(92 B- 16)	291 47 59	19.375	44326.258	16.512	731915.1720	62657.119	-10.912	-683714.4825
(92 B- 17)	21 40 16	4.000	44329.975	-19.453	-862351.0036	62658.596	3.521	220620.9165
(92 B- 32)	111 55 55	19.378	44322.737	-16.512	-731857.0333	62676.572	10.912	683926.7536
(92 B- 33)	201 43 34	3.955	44319.063	19.453	862138.7325	62675.108	-3.521	-220679.0552
TOTAL					-154.1324			154.1324
								77.066
(92 B- 17)	291 55 55	19.378	44329.975	17.603	780340.5499	62658.596	-8.168	-511795.4121
(92 B- 18)	21 51 16	1.002	44330.905	-9.992	-442954.4027	62658.969	2.936	183966.7329
(92 B- 36)	111 53 45	10.367	44327.039	-17.974	-796734.1989	62668.588	7.253	454535.2687
(92 B- 31)	112 4 1	9.015	44323.652	-7.984	-353880.0375	62676.943	4.302	269636.2087
(92 B- 32)	202 4 15	.987	44322.737	18.347	813189.2557	62676.572	-6.323	-396303.9647
TOTAL					-38.8335			38.8335
								19.416
(92 B- 18)	291 53 45	10.367	44330.905	5.235	232072.2876	62658.969	-14.845	-930172.3948
(92 B- 19)	21 46 2	11.822	44341.884	-13.976	-619722.1707	62663.353	-7.091	-444345.8361
(92 B- 35)	112 3 44	10.350	44337.996	-5.235	-232109.4090	62672.945	14.845	930379.8685
(92 B- 36)	201 41 6	11.791	44327.039	13.976	619514.6970	62668.588	7.091	444382.9575
TOTAL					-244.5951			244.5951
								122.297

計算者

点検者

座標に依る方向角・距離及び面積計算書

点名	方向角	距離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X座標	前点-後点		Y座標	前点-後点	
(92 B- 19)	292 3 44	10.350	44341.884	8.855	392647.3828	62663.353	-5.745	-360000.9629
(92 B- 20)	21 38 49	1.998	44343.741	-10.345	-458736.0006	62664.090	2.037	127646.7513
(92 B- 29)	112 3 44	10.367	44339.847	-17.962	-796432.3318	62673.698	7.259	454948.3737
(92 B- 30)	111 56 23	9.006	44336.482	-3.245	-143871.8840	62682.052	16.195	1015135.8321
(92 B- 31)	201 42 46	13.810	44323.652	13.464	596773.6505	62676.943	9.443	591858.3727
(92 B- 36)	292 4 1	9.015	44327.039	3.998	177219.5019	62668.588	-14.344	-898918.2262
(92 B- 35)	21 41 6	11.791	44337.996	5.235	232109.4090	62672.945	-14.845	-930379.8685
TOTAL					-290.2722			290.2722
								145.136
(92 B- 20)	292 3 44	10.367	44343.741	5.020	222605.5798	62664.090	-15.323	-960201.8510
(92 B- 21)	21 52 20	12.316	44355.170	-14.182	-629045.0209	62668.678	-7.570	-474401.8924
(92 B- 28)	111 54 41	10.341	44351.311	-5.020	-222643.5812	62678.272	15.323	960419.1618
(92 B- 29)	201 45 5	12.343	44339.847	14.182	628827.7101	62673.698	7.570	474439.8938
TOTAL					-255.3122			255.3122
								127.656

計算者

点検者

座標に依る方向角・距離及び面積計算書

点名	方向角	距離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X座標	前点-後点		Y座標	前点-後点	
(92 B- 21)	291 54 41	10.341	44355.170	8.865	393208.5820	62668.678	-5.688	-356459.4404
(92 B- 22)	21 43 52	1.969	44356.999	-14.329	-635591.4386	62669.407	3.629	227427.2780
(92 B- 25)	111 52 00	14.654	44351.541	-12.806	-567965.8340	62683.007	7.300	457585.9511
(92 B- 26)	203 19 7	2.006	44349.699	-3.585	-158993.6709	62682.213	3.641	228225.9375
(92 B- 27)	112 20 3	4.734	44347.900	.161	7140.0119	62686.592	13.217	828528.6864
(92 B- 30)	201 41 1	12.287	44336.482	12.894	571674.5989	62682.052	8.053	504778.5647
(92 B- 29)	291 56 23	9.006	44339.847	3.780	167604.6216	62673.698	-14.829	-929388.2676
(92 B- 28)	21 45 5	12.343	44351.311	5.020	222643.5812	62678.272	-15.323	-960419.1618
TOTAL					-279.5479			279.5479
								139.773
(92 B- 22)	291 52 00	14.654	44356.999	8.469	375659.4245	62669.407	-18.271	-1145032.7352
(92 B- 23)	21 49 26	13.802	44369.812	-18.728	-830957.8391	62674.538	-7.326	-459153.6653
(92 B- 24)	111 58 35	14.662	44364.325	-8.469	-375721.4684	62688.135	18.271	1145374.9145
(92 B- 25)	201 51 25	13.774	44351.541	18.728	830615.6598	62683.007	7.326	459215.7092
TOTAL					-404.2232			404.2232
								202.111

計算者

点検者

画地測量設計株式会社

座標に依る方向角・距離及び面積計算書

(1)

点名	方向角	距離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X座標	前点-後点		Y座標	前点-後点	
(93 B- 1)	22 17 51	18.919	44381.299	-9.929	-440661.9177	62736.901	-18.700	-1173180.0487
(93 B- 2)	66 30 11	3.000	44382.495	-10.640	-472229.7468	62739.652	1.784	111927.5391
(93 B- 3)	110 41 37	8.433	44379.515	-.437	-19393.8480	62747.541	22.582	1416964.9708
(93 B- 22)	200 48 54	20.971	44359.913	17.818	790404.9298	62740.089	15.720	986274.1990
(93 B- 21)	290 31 50	11.069	44363.795	3.188	141431.7784	62729.723	-21.386	-1341537.8560
TOTAL					-448.8043			448.8042
								224.402
(93 B- 3)	20 48 54	20.971	44379.515	-27.758	-1231886.5773	62747.541	-11.869	-744750.5641
(93 B- 4)	110 50 53	21.729	44371.782	-12.844	-569911.1680	62767.847	27.352	1716826.1511
(93 B- 25)	200 49 27	20.990	44352.163	8.447	374642.7208	62760.385	19.250	1208137.4112
(93 B- 24)	290 32 13	1.052	44352.532	17.018	754791.3895	62759.400	-6.454	-405049.1676
(93 B- 23)	290 47 00	17.149	44358.617	19.311	856609.2528	62743.367	-7.381	-463108.7918
(93 B- 22)	291 34 19	3.525	44359.913	-4.174	-185158.2768	62740.089	-20.898	-1311142.3799
TOTAL					-912.6590			912.6589
								456.329
(93 B- 4)	20 49 27	20.990	44371.782	-20.406	-905450.5834	62767.847	-14.700	-922687.3509
(93 B- 5)	110 48 28	13.847	44366.863	-5.496	-243840.2790	62780.791	24.546	1541017.2958
(93 B- 26)	200 46 50	20.993	44347.236	20.406	904949.6978	62773.343	14.700	922768.1421
(93 B- 25)	290 49 6	13.863	44352.163	5.496	243759.4878	62760.385	-24.546	-1540516.4102
TOTAL					-581.6768			581.6768
								290.838

計算者

点検者

座標に依る方向角・距離及び面積計算書

(2)

点名	方向角	距離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X座標	前点-後点		Y座標	前点-後点	
(93 B- 5)	20 46 50	20.993	44366.863	-20.381	-904241.0348	62780.791	-14.705	-923191.5316
(93 B- 6)	110 50 8	13.838	44361.941	-5.496	-243813.2277	62793.724	24.536	1540706.8120
(93 B- 28)	200 45 54	20.977	44342.327	19.949	884585.0813	62786.287	14.856	932753.0796
(93 B- 27)	290 49 14	13.386	44347.085	12.944	574028.6682	62773.775	-4.909	-308156.4614
(93 B- 26)	289 15 59	.458	44347.236	-7.016	-311140.2077	62773.343	-19.778	-1241531.1778
TOTAL					-580.7207			580.7208
								290.360
(93 B- 6)	20 45 54	20.977	44361.941	-16.138	-715913.0038	62793.724	-16.293	-1023098.1451
(93 B- 7)	110 53 27	9.313	44358.620	-1.271	-56379.8060	62802.425	22.911	1438866.3591
(93 B- 30)	200 46 14	20.952	44339.030	15.575	690580.3922	62794.995	16.506	1036494.1874
(93 B- 29)	290 44 19	8.709	44342.114	8.708	386131.1287	62786.850	-3.297	-207008.2444
(93 B- 28)	290 43 23	.602	44342.327	-6.874	-304809.1557	62786.287	-19.827	-1244863.7123
TOTAL					-390.4446			390.4447
								195.222
(93 B- 7)	20 46 14	20.952	44358.620	-34.439	-1527666.5141	62802.425	-9.326	-585695.4155
(93 B- 8)	110 48 28	28.894	44348.356	-28.194	-1250357.5490	62829.434	13.043	819484.3076
(93 B- 9)	156 54 22	3.021	44345.577	6.051	268335.0864	62830.619	20.106	1263272.4256
(93 B- 10)	202 39 58	18.777	44328.250	22.020	976108.0650	62823.383	11.733	737106.7527
(93 B- 32)	290 43 33	15.807	44333.844	24.633	1092075.5792	62808.599	-9.321	-585438.9512
(93 B- 31)	290 43 38	10.531	44337.571	13.604	603168.3158	62798.750	-5.186	-325674.3175
(93 B- 30)	291 14 1	4.028	44339.030	-3.675	-162945.9352	62794.995	-21.049	-1321771.8497
TOTAL					-1282.9519			1282.9520
								641.475

計算者

点検者