

座標に依る方向角・距離及び面積計算書

点名	方向角	距離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X座標	前点-後点		Y座標	前点-後点	
(104 B- 5)	121 31 12	23.694	44297.101	-32.432	-1436643.5796	62588.437	-7.499	-469350.6890
(104 B- 6)	31 36 00	23.348	44316.987	-11.466	-508138.5729	62600.671	-22.801	-1427357.8994
(104 B- 7)	345 14 24	3.014	44319.902	19.207	851252.3577	62599.903	-14.062	-880279.8359
(104 B- 8)	301 9 16	21.547	44331.049	31.664	1403698.3355	62581.464	10.414	651723.3660
(104 B- 15)	211 31 26	25.294	44309.488	-6.973	-308970.0598	62568.239	33.948	2124066.5775
TOTAL					1198.4809			-1198.4808
								599.240
(104 B- 8)	31 31 26	25.294	44331.049	7.149	316922.6693	62581.464	-33.852	-2118507.7193
(104 B- 9)	301 6 5	23.794	44343.340	23.275	1032091.2385	62561.090	-11.583	-724645.1054
(104 B- 10)	256 17 5	2.986	44342.632	35.156	1558909.5705	62558.189	51.502	3221871.8498
(104 B- 11)	212 24 58	60.170	44291.838	32.062	1420084.9099	62525.934	53.800	3363895.2492
(104 B- 12)	176 19 35	3.012	44288.832	-9.815	-434694.8860	62526.127	14.493	906191.1586
(104 B- 13)	140 2 56	14.984	44277.345	-15.690	-694711.5430	62535.749	1.616	101057.7703
(104 B- 19)	31 34 49	11.587	44287.216	-15.359	-680207.385	62541.817	-4.165	-260486.6678
(104 B- 17)	121 33 21	10.903	44281.510	-17.828	-789450.762	62551.108	-8.210	-513544.5966
(104 B- 16)	31 31 40	16.326	44295.426	-17.131	-758824.9428	62559.645	-27.978	-1750293.7478
(104 B- 15)	31 25 52	16.480	44309.488	-21.819	-966788.7186	62568.239	-35.623	-2228868.3778
TOTAL					3330.1871			-3330.1868
								1665.093

計算者

点検者

座標に依る方向角・距離及び面積計算書

点名	方向角	距離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X 座標	前点-後点		Y 座標	前点-後点	
(104 B- 13)	211 34 49	11.587	44277.345	-6.050	-267877.9372	62535.749	24.352	1522870.5596
(104 B- 14)	140 4 36	18.882	44262.864	-21.323	-943817.0490	62547.867	-0.524	-32775.0823
(104 B- 18)	31 31 39	17.603	44277.869	-3.241	-143504.5734	62557.072	-18.646	-1166439.1645
(104 B- 17)	301 24 14	6.988	44281.510	15.255	675514.4350	62551.108	-9.347	-584665.2064
(104 B- 19)	301 33 21	10.903	44287.216	15.359	680207.3505	62541.817	4.165	260486.6678
TOTAL					522.2259			-522.2258
								261.112

計算者

点検者

座標に依る方向角・距離及び面積計算書

点名	方向角	距離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X座標	前点-後点		Y座標	前点-後点	
(105 B- 1)	131 49 24	19.867	44203.930	-27.325	-1207872.3872	62592.033	-18.087	-1132102.1008
(105 B- 2)	21 46 46	33.744	44235.265	5.581	246877.0139	62604.553	-36.524	-2286568.6937
(105 B- 13)	285 59 45	18.830	44240.454	24.792	1096809.3355	62586.452	12.632	790592.0616
(105 B- 12)	200 34 44	19.036	44222.633	9.224	407909.5667	62579.761	23.276	1456606.5170
(105 B- 11)	204 54 27	6.014	44217.178	-12.272	-542633.2084	62577.228	18.703	1170381.8952
TOTAL					1090.3205			-1090.3207
								545.160
(105 B- 2)	105 59 45	18.830	44235.265	-24.392	-1078986.5838	62604.553	-10.467	-655281.8562
(105 B- 3)	21 53 30	16.873	44250.921	30.494	1349387.5849	62610.844	-30.747	-1925095.6204
(105 B- 7)	292 18 21	39.760	44266.012	48.398	2142386.4487	62574.059	3.836	240034.0903
(105 B- 8)	211 31 55	22.206	44247.085	12.044	532911.8917	62562.446	21.900	1370117.5674
(105 B- 9)	188 14 56	3.004	44244.112	-5.378	-237944.8343	62562.015	21.478	1343706.9581
(105 B- 10)	162 34 20	19.395	44225.607	-15.213	-672804.1592	62567.824	26.934	1685201.7716
(105 B- 11)	131 52 14	12.629	44217.178	-11.937	-527820.4537	62577.228	2.974	186104.6760
(105 B- 12)	24 54 27	6.014	44222.633	-9.224	-407909.5667	62579.761	-23.276	-1456606.5170
(105 B- 13)	20 34 44	19.036	44240.454	-24.792	-1096809.3355	62586.452	-12.632	-790592.0616
TOTAL					2410.9921			-2410.9918
								1205.495

計算者

点検者

座標に依る方向角・距離及び面積計算書

(2)

点名	方向角	距離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X座標	前点-後点		Y座標	前点-後点	
(105 B- 3)	112 18 21	39.760	44250.921	-56.766	-2511947.7814	62610.844	-34.850	-2181987.9134
(105 B- 4)	21 48 21	53.790	44300.862	3.799	168298.9747	62630.825	-64.575	-4044385.5243
(105 B- 5)	301 36 28	27.922	44315.496	26.759	1185838.3574	62607.045	-14.086	-881882.8358
(105 B- 6)	259 34 36	3.029	44314.948	32.986	1461772.8747	62604.066	49.484	3097899.6019
(105 B- 7)	211 30 58	57.403	44266.012	-6.778	-300035.0293	62574.059	64.027	4006429.2755
TOTAL					3927.3961			-3927.3961
								1963.698

計算者

点検者

座標に依る方向角・距離及び面積計算書

(1)

点 名	方 向 角	距 離	1	2 (ΔY)	1 \times 2	3	4 (ΔX)	3 \times 4
			X 座 標	前点-後点		Y 座 標	前点-後点	
(106 B- 1)	21 48 44	12.813	44293.631	-32.296	-1430507.1067	62644.084	3.314	207602.4943
(106 B- 2)	118 54 57	31.457	44278.421	-22.120	-979438.6725	62671.619	26.268	1646258.0878
(106 B- 30)	206 5 26	12.313	44267.363	10.291	455555.4326	62666.204	8.454	529780.0886
(106 B- 29)	298 6 15	5.528	44269.967	26.881	1190020.9829	62661.328	-14.372	-900568.6060
(106 B- 28)	298 8 14	24.954	44281.735	17.244	763594.2383	62639.323	-23.664	-1482296.9394
TOTAL					-775.1254			775.1253
								387.562
(106 B- 2)	26 5 26	12.313	44278.421	-15.811	-700086.1144	62671.619	-5.247	-328837.9848
(106 B- 3)	119 12 13	11.910	44272.610	-4.774	-211357.4401	62682.015	16.469	1032310.1050
(106 B- 31)	207 48 40	12.050	44261.952	15.811	699825.7230	62676.393	5.247	328863.0340
(106 B- 30)	297 58 16	11.537	44267.363	4.774	211332.3909	62666.204	-16.469	-1032049.7136
TOTAL					-285.4406			285.4406
								142.720
(106 B- 3)	27 48 40	12.050	44272.610	-11.385	-504043.6648	62682.015	-7.610	-477010.1341
(106 B- 4)	117 52 26	6.519	44269.562	-11.266	-498740.8854	62687.778	5.559	348481.3579
(106 B- 5)	114 31 37	6.049	44267.051	-1.059	-46878.8070	62693.281	11.029	691444.1961
(106 B- 52)	207 33 7	9.608	44258.533	5.764	255106.1842	62688.837	10.937	685627.8102
(106 B- 33)	208 37 13	2.756	44256.114	12.096	535321.9549	62687.517	-3.243	-203295.6176
(106 B- 32)	297 43 7	12.173	44261.776	11.124	492367.9962	62676.741	-5.838	-365906.8139
(106 B- 31)	296 49 40	.390	44261.952	-5.274	-233437.5348	62676.393	-10.834	-679036.0417
TOTAL					-304.7567			304.7569
								152.378

計算者

点検者

座標に依る方向角・距離及び面積計算書

点 名	方 向 角	距 離	1	2 (ΔY)	1 \times 2	3	4 (ΔX)	3 \times 4
			X 座 標	前点-後点		Y 座 標	前点-後点	
(106 B- 5)	27 33 7	9.608	44267.051	-17.177	-760375.1350	62693.281	-2.724	-170776.4974
(106 B- 6)	114 28 2	13.989	44261.257	-8.159	-361127.5958	62706.014	15.211	953821.1789
(106 B- 34)	205 54 24	10.469	44251.840	17.177	760113.8556	62701.440	2.724	170798.7225
(106 B- 52)	297 58 16	14.270	44258.533	8.159	361105.3707	62688.837	-15.211	-953559.8996
TOTAL					-283.5045			283.5044
								141.752
(106 B- 6)	25 54 24	10.469	44261.257	-6.411	-283758.9186	62706.014	-8.585	-538331.1301
(106 B- 7)	114 21 59	2.017	44260.425	6.945	307388.6516	62707.851	19.093	1197280.9991
(106 B- 50)	205 41 1	20.263	44242.164	13.027	576342.6704	62699.069	16.006	1003561.2984
(106 B- 40)	297 58 40	4.807	44244.419	14.786	654197.9793	62694.824	-7.798	-488894.2375
(106 B- 39)	297 44 16	11.910	44249.962	7.307	323334.4723	62684.283	-11.695	-733092.6896
(106 B- 33)	27 43 48	6.950	44256.114	-4.554	-201542.3431	62687.517	-8.571	-537294.7082
(106 B- 52)	28 37 13	2.756	44258.533	-13.923	-616211.5549	62688.837	4.274	267932.0893
(106 B- 34)	117 58 16	14.270	44251.840	-17.177	-760113.8556	62701.440	-2.724	-170798.7225
TOTAL					-362.8986			362.8989
								181.449

計算者

点検者

座標に依る方向角・距離及び面積計算書

(3)

点名	方向角	距離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X座標	前点-後点		Y座標	前点-後点	
(106 B- 7)	25 41 1	20.263	44260.425	-10.611	-469647.3696	62707.851	-17.447	-1094063.8763
(106 B- 51)	113 59 30	2.002	44259.611	2.858	126493.9682	62709.680	10.560	662214.2208
(106 B- 54)	205 41 1	10.814	44249.865	-6.969	-308377.3091	62704.993	15.389	964967.1372
(106 B- 53)	115 49 59	12.950	44244.222	-7.496	-331654.6881	62716.649	14.282	895719.1810
(106 B- 43)	205 42 40	9.588	44235.583	4.390	194194.2093	62712.489	9.098	570558.2249
(106 B- 42)	206 36 54	.513	44235.124	13.446	594785.4773	62712.259	-6.503	-407817.8202
(106 B- 41)	297 46 47	14.938	44242.086	13.190	583553.1143	62699.043	-7.040	-441401.2627
(106 B- 50)	18 26 6	.082	44242.164	-8.808	-389684.9805	62699.069	-18.339	-1149838.2263
TOTAL					-337.5782			337.5784
								168.789
(106 B- 8)	114 21 35	12.959	44254.266	-6.969	-308407.9797	62721.485	15.389	965220.9326
(106 B- 53)	205 42 40	11.148	44244.222	16.492	729675.7092	62716.649	4.401	276015.9722
(106 B- 54)	295 49 59	12.950	44249.865	6.969	308377.3091	62704.993	-15.389	-964967.1372
(106 B- 51)	25 41 1	10.814	44259.611	-16.492	-729929.5046	62709.680	-4.401	-275985.3016
TOTAL					-284.4660			284.4660
								142.233

計算者

点検者

座標に依る方向角・距離及び面積計算書

(4)

点名	方向角	距離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X 座標	前点-後点		Y 座標	前点-後点	
(106 B- 8)	25 42 40	11.148	44254.266	-22.777	-1007979.4166	62721.485	-1.875	-117602.7843
(106 B- 9)	114 28 52	19.713	44246.097	-10.144	-448832.4079	62739.426	24.190	1517666.7149
(106 B- 45)	205 57 3	17.818	44230.076	8.968	396655.3215	62731.629	18.474	1158904.1141
(106 B- 44)	205 31 7	2.718	44227.623	19.140	846516.7042	62730.458	-5.507	-345456.6322
(106 B- 43)	293 53 33	19.653	44235.583	13.809	610849.1656	62712.489	-16.599	-1040964.6049
(106 B- 53)	25 42 40	9.588	44244.222	-8.996	-398021.0211	62716.649	-18.683	-1171735.1532
TOTAL					-811.6543			811.6544
								405.827
(106 B- 9)	25 57 3	17.818	44246.097	-16.254	-719176.0606	62739.426	-12.150	-762284.0259
(106 B- 10)	114 35 42	9.301	44242.226	-.648	-28668.9624	62747.883	20.123	1262675.6496
(106 B- 46)	205 39 51	18.031	44225.974	16.254	718848.9813	62740.074	12.150	762291.8991
(106 B- 45)	295 54 26	9.389	44230.076	.648	28661.0892	62731.629	-20.123	-1262348.5703
TOTAL					-334.9525			334.9525
								167.476
(106 B- 10)	25 39 51	18.031	44242.226	-21.171	-936652.1666	62747.883	-10.198	-639902.9108
(106 B- 11)	114 22 27	14.669	44236.172	-5.307	-234761.3648	62761.245	22.575	1416835.1058
(106 B- 48)	205 59 31	18.380	44219.651	18.671	825625.1038	62753.190	11.388	714633.3277
(106 B- 47)	295 48 16	11.792	44224.784	13.116	580052.2669	62742.574	-6.323	-396721.2954
(106 B- 46)	295 27 16	2.769	44225.974	-5.309	-234795.6959	62740.074	-17.442	-1094312.3707
TOTAL					-531.8566			531.8566
								265.928

計算者

点検者

座標に依る方向角・距離及び面積計算書

(5)

点名	方向角	距離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X 座標	前点-後点		Y 座標	前点-後点	
(106 B- 11)	25 59 31	18.380	44236.172	-26.153	-1156908.6063	62761.245	-8.308	-521420.4234
(106 B- 12)	114 24 32	19.874	44227.959	-19.115	-845417.4362	62779.343	10.954	687684.9232
(106 B- 13)	159 38 37	2.924	44225.218	5.466	241735.0415	62780.360	18.315	1149822.2934
(106 B- 14)	202 36 2	16.869	44209.644	23.877	1055593.6697	62773.877	7.162	449586.5070
(106 B- 49)	295 48 33	19.321	44218.056	20.687	914738.9244	62756.483	-10.007	-628004.1253
(106 B- 48)	295 50 37	3.659	44219.651	-4.762	-210573.9780	62753.190	-18.116	-1136836.7900
TOTAL					-832.3849			832.3849
								416.192
(106 B- 14)	115 48 33	19.321	44209.644	-10.421	-460708.7001	62773.877	25.057	1572925.0359
(106 B- 15)	202 43 48	18.047	44192.999	9.815	433754.2851	62766.904	17.686	1110095.4641
(106 B- 16)	249 52 58	3.027	44191.958	18.913	835802.5016	62764.062	-7.460	-468219.9025
(106 B- 17)	297 52 38	18.181	44200.459	7.579	334995.2787	62747.991	-26.098	-1637597.0691
(106 B- 49)	25 45 40	19.539	44218.056	-25.886	-1144628.5976	62756.483	-9.185	-576418.2963
TOTAL					-785.2323			785.2321
								392.616
(106 B- 17)	205 45 40	19.539	44200.459	22.124	977890.9549	62747.991	10.385	651637.8865
(106 B- 18)	297 52 52	15.422	44207.671	5.417	239472.9538	62734.359	-24.325	-1526013.2826
(106 B- 47)	25 38 35	18.983	44224.784	-18.831	-832796.9075	62742.574	-11.980	-751656.0365
(106 B- 48)	115 48 16	11.792	44219.651	-13.909	-615051.1257	62753.190	6.728	422203.4623
(106 B- 49)	115 50 37	3.659	44218.056	5.199	229889.6731	62756.483	19.192	1204422.4217
TOTAL					-594.4514			594.4514
								297.225

計算者

点検者

座標に依る方向角・距離及び面積計算書

(6)

点名	方向角	距離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X 座標	前点-後点		Y 座標	前点-後点	
(106 B- 18)	205 38 35	18.983	44207.671	19.016	840653.0717	62734.359	11.401	715234.4269
(106 B- 19)	297 52 18	12.218	44213.383	3.901	172476.4070	62723.558	-19.952	-1251460.4292
(106 B- 44)	25 51 9	15.824	44227.623	-8.071	-356961.1452	62730.458	-16.693	-1047159.5353
(106 B- 45)	25 31 7	2.718	44230.076	-9.616	-425316.4108	62731.629	1.649	103444.4562
(106 B- 46)	115 54 26	9.389	44225.974	-10.945	-484053.2854	62740.074	5.292	332020.4716
(106 B- 47)	115 27 16	2.769	44224.784	5.715	252744.6405	62742.574	18.303	1148377.3319
TOTAL					-456.7222			456.7221
								228.361
(106 B- 19)	205 51 9	15.824	44213.383	24.282	1073589.3660	62723.558	5.041	316189.4558
(106 B- 20)	297 53 20	19.666	44222.582	11.299	499670.9540	62706.176	-21.741	-1363294.9724
(106 B- 42)	25 52 26	13.939	44235.124	-6.313	-279256.3378	62712.259	-13.001	-815322.0792
(106 B- 43)	26 36 54	.513	44235.583	-18.199	-805043.3750	62712.489	7.501	470406.3799
(106 B- 44)	113 53 33	19.653	44227.623	-11.069	-489555.5589	62730.458	22.200	1392616.1676
TOTAL					-594.9517			594.9517
								297.475
(106 B- 20)	205 52 26	13.939	44222.582	23.991	1060943.9647	62706.176	3.068	192382.5479
(106 B- 21)	297 52 50	20.260	44232.056	11.352	502122.2997	62688.268	-21.837	-1368923.7083
(106 B- 40)	27 56 12	13.994	44244.419	-10.801	-477883.9696	62694.824	-10.108	-633719.2809
(106 B- 50)	117 58 40	4.807	44242.164	-4.219	-186657.6899	62699.069	2.333	146276.9279
(106 B- 41)	198 26 6	.082	44242.086	-13.190	-583553.1143	62699.043	7.040	441401.2627
(106 B- 42)	117 46 47	14.938	44235.124	-7.133	-315529.1394	62712.259	19.504	1223139.8995
TOTAL					-557.6488			557.6488
								278.824

計算者

点検者

座標に依る方向角・距離及び面積計算書

(7)

点名	方向角	距離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X 座標	前点-後点		Y 座標	前点-後点	
(106 B- 21)	207 56 12	13.994	44232.056	17.088	755837.3729	62688.268	6.809	426844.4168
(106 B- 22)	297 48 17	11.907	44237.610	3.985	176286.8758	62677.736	-17.906	-1122307.5408
(106 B- 39)	27 55 31	13.980	44249.962	-17.088	-756143.3506	62684.283	-6.809	-426817.2829
(106 B- 40)	117 44 16	11.910	44244.419	-3.985	-176314.0097	62694.824	17.906	1122613.5185
TOTAL					-333.1116			333.1116
								166.555
(106 B- 22)	207 55 31	13.980	44237.610	17.291	764912.5145	62677.736	6.638	416054.8115
(106 B- 23)	298 00 20	12.169	44243.324	4.810	212810.3884	62666.992	-16.928	-1060826.8405
(106 B- 38)	27 53 10	12.687	44254.538	-9.749	-431437.4909	62672.926	-18.452	-1156440.8305
(106 B- 32)	27 47 34	8.182	44261.776	-14.591	-645823.5736	62676.741	-1.576	-98778.5438
(106 B- 33)	117 43 7	12.173	44256.114	-7.542	-333779.6117	62687.517	11.814	740590.3258
(106 B- 39)	207 43 48	6.950	44249.962	9.781	432808.8783	62684.283	18.504	1159909.9726
TOTAL					-508.8950			508.8951
								254.447
(106 B- 23)	207 53 10	12.687	44243.324	25.228	1116170.5778	62666.992	1.012	63418.9959
(106 B- 24)	297 52 6	21.825	44253.526	14.045	621540.7726	62647.698	-20.087	-1258404.3097
(106 B- 37)	27 58 7	11.192	44263.411	-25.228	-1116677.3327	62652.947	-1.012	-63404.7823
(106 B- 38)	113 56 48	21.861	44254.538	-14.045	-621554.9862	62672.926	20.087	1258911.0645
TOTAL					-520.9685			520.9684
								260.484

計算者

点検者

座標に依る方向角・距離及び面積計算書

点名	方向角	距離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X座標	前点-後点		Y座標	前点-後点	
(106 B- 24)	207 58 7	11.192	44253.526	7.908	349956.8836	62647.698	8.473	530813.9451
(106 B- 25)	297 58 10	3.011	44254.938	-3.870	-171266.6100	62645.039	-13.777	-863060.7023
(106 B- 35)	27 50 6	13.983	44267.303	-13.294	-588489.5260	62651.568	-9.378	-587546.4047
(106 B- 36)	113 49 24	7.395	44264.316	-9.760	-432019.7241	62658.333	-2.664	-166921.7991
(106 B- 29)	27 55 24	6.396	44269.967	-7.871	-348448.9102	62661.328	-3.047	-190929.0664
(106 B- 30)	118 6 15	5.528	44267.363	-15.065	-666887.8235	62666.204	8.015	502269.6250
(106 B- 31)	117 58 16	11.537	44261.952	-10.537	-466388.1882	62676.393	5.587	350173.0076
(106 B- 32)	116 49 40	.390	44261.776	3.467	153455.5773	62676.741	7.414	464685.3577
(106 B- 38)	207 47 34	8.182	44254.538	23.794	1052992.4771	62672.926	-1.635	-102470.2340
(106 B- 37)	293 56 48	21.861	44263.411	25.228	1116677.3327	62652.947	1.012	63404.7823
TOTAL					-418.5113			418.5112
								209.255
(106 B- 25)	207 50 6	13.983	44254.938	20.092	889170.2142	62645.039	5.200	325754.2028
(106 B- 26)	297 50 47	15.339	44262.103	8.258	365516.4465	62631.476	-20.450	-1280813.6842
(106 B- 27)	21 46 5	14.305	44275.388	-20.092	-889581.0956	62636.781	-5.200	-325711.2612
(106 B- 35)	118 40 6	16.853	44267.303	-8.258	-365559.3881	62651.568	20.450	1281224.5656
TOTAL					-453.8230			453.8230
								226.911

計算者

点検者

座標に依る方向角・距離及び面積計算書

点名	方向角	距離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X 座標	前点-後点		Y 座標	前点-後点	
(106 B- 27)	298 40 6	16.853	44275.388	12.245	542152.1260	62636.781	-14.432	-903974.0233
(106 B- 28)	21 49 35	6.837	44281.735	-24.547	-1086983.7490	62639.323	5.421	339567.7699
(106 B- 29)	118 8 14	24.954	44269.967	-19.010	-841572.0726	62661.328	17.419	1091497.6724
(106 B- 36)	207 55 24	6.396	44264.316	9.760	432019.7241	62658.333	2.664	166921.7991
(106 B- 35)	293 49 24	7.395	44267.303	21.552	954048.9142	62651.568	-11.072	-693678.1608
TOTAL					-335.0573			335.0573
								167.528

計算者

点検者

座標に依る方向角・距離及び面積計算書

点名	方向角	距離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X座標	前点-後点		Y座標	前点-後点	
(107 B- 1)	21 48 16	24.669	44258.357	-35.203	-1558026.9414	62629.994	-9.117	-570997.6552
(107 B- 2)	117 53 57	29.465	44244.570	-14.414	-637741.2319	62656.034	35.403	2218211.5717
(107 B- 32)	208 16 24	24.544	44222.954	15.351	678866.5668	62644.408	19.673	1232403.4385
(107 B- 33)	297 32 49	4.201	44224.897	23.577	1042690.3965	62640.683	-12.499	-782945.8968
(107 B- 31)	298 00 4	22.484	44235.453	10.689	472832.7571	62620.831	-33.460	-2095293.0052
TOTAL					-1378.4529			1378.4530
								689.226
(107 B- 2)	28 16 24	24.544	44244.570	-14.538	-643227.5586	62656.034	-20.072	-1257631.9144
(107 B- 3)	117 56 00	3.296	44243.026	2.883	127552.6439	62658.946	12.219	765629.6611
(107 B- 36)	208 29 44	12.147	44232.351	5.956	263447.8825	62653.151	10.975	687618.3322
(107 B- 37)	208 13 16	.340	44232.051	-10.882	-481333.1789	62652.990	6.152	385441.1944
(107 B- 39)	117 55 13	12.498	44226.199	-3.375	-149263.4216	62664.033	20.097	1259359.0712
(107 B- 40)	208 17 36	16.178	44211.954	10.353	457726.3597	62656.365	12.698	795610.5227
(107 B- 41)	299 56 56	3.099	44213.501	4.381	193699.3478	62653.680	1.402	87840.4593
(107 B- 42)	209 54 13	3.402	44210.552	16.506	729739.3713	62651.984	-4.813	-301543.9989
(107 B- 34)	297 39 33	16.721	44218.314	11.301	499711.1665	62637.174	-14.345	-898530.2610
(107 B- 33)	28 3 34	7.460	44224.897	-7.234	-319922.9048	62640.683	-4.640	-290652.7691
(107 B- 32)	117 32 49	4.201	44222.954	-15.351	-678866.5668	62644.408	-19.673	-1232403.4385
TOTAL					-736.8590			736.8590
								368.429

計算者

点検者

座標に依る方向角・距離及び面積計算書

点 名	方 向 角	距 離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X 座 標	前点-後点		Y 座 標	前点-後点	
(107 B- 3)	28 29 44	12.147	44243.026	-16.851	-745539.2311	62658.946	-4.833	-302830.6860
(107 B- 4)	117 51 7	12.505	44237.184	-5.256	-232510.6391	62670.002	16.528	1035809.7930
(107 B- 38)	208 29 30	12.159	44226.498	16.851	745260.7177	62664.202	4.833	302856.0882
(107 B- 36)	297 54 26	12.505	44232.351	5.256	232485.2368	62653.151	-16.528	-1035531.2797
TOTAL					-303.9157			303.9155
								151.957
(107 B- 36)	297 54 26	12.505	44232.351	11.212	495933.1194	62653.151	-5.553	-347912.9475
(107 B- 37)	208 13 16	.340	44232.051	-10.882	-481333.1789	62652.990	6.152	385441.1944
(107 B- 39)	117 55 13	12.498	44226.199	-11.212	-495864.1431	62664.033	5.553	347973.3752
(107 B- 38)	29 28 33	.343	44226.498	10.882	481272.7512	62664.202	-6.152	-385510.1707
TOTAL					8.5486			-8.5486
								4.274
(107 B- 4)	28 29 30	12.159	44237.184	-17.477	-773133.2647	62670.002	-4.525	-283581.7590
(107 B- 5)	117 49 1	13.203	44231.023	2.479	109648.7060	62681.679	31.635	1982934.9151
(107 B- 60)	209 3 40	29.143	44205.549	19.882	878894.7252	62667.523	22.186	1390341.6652
(107 B- 45)	299 51 56	6.603	44208.837	11.158	493282.2032	62661.797	-6.405	-401348.8097
(107 B- 40)	299 50 53	6.263	44211.954	-2.236	-98857.9291	62656.365	-17.362	-1087839.8091
(107 B- 39)	28 17 36	16.178	44226.199	-7.837	-346600.7215	62664.033	-14.544	-911385.6959
(107 B- 38)	29 28 33	.343	44226.498	-5.969	-263987.9665	62664.202	-10.985	-688366.2589
TOTAL					-754.2474			754.2477
								377.123

計算者

点検者

座標に依る方向角・距離及び面積計算書

(3)

点名	方向角	距離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X 座標	前点-後点		Y 座標	前点-後点	
(107 B- 5)	29 3 40	29.143	44231.023	-25.955	-1148016.2019	62681.679	-19.219	-1204679.1887
(107 B- 6)	117 55 46	13.354	44224.768	2.766	122325.7082	62693.478	32.032	2008197.4872
(107 B- 47)	209 28 5	29.607	44198.991	19.376	856399.6496	62678.913	23.013	1442429.8248
(107 B- 46)	299 52 41	5.548	44201.755	11.390	503457.9894	62674.102	-6.558	-411016.7609
(107 B- 60)	299 58 17	7.595	44205.549	-7.577	-334945.4447	62667.523	-29.268	-1834153.0631
TOTAL					-778.2994			778.2993
								389.149
(107 B- 6)	29 28 5	29.607	44224.768	-25.531	-1129102.5518	62693.478	-19.974	-1252239.5295
(107 B- 7)	117 53 13	12.407	44218.965	3.818	168828.0083	62704.444	31.969	2004598.3702
(107 B- 48)	209 28 00	30.054	44192.799	25.531	1128286.3512	62689.660	19.974	1252163.2688
(107 B- 47)	299 56 56	12.403	44198.991	-3.818	-168751.7476	62678.913	-31.969	-2003782.1696
TOTAL					-739.9399			739.9399
								369.969
(107 B- 7)	29 28 00	30.054	44218.965	-28.041	-1239943.9975	62704.444	-19.154	-1201040.9203
(107 B- 8)	117 52 32	14.997	44211.953	1.967	86964.9115	62717.701	33.491	2100478.5241
(107 B- 50)	209 53 48	30.544	44185.474	27.572	1218281.8891	62702.477	19.418	1217556.6983
(107 B- 49)	299 45 45	14.224	44192.535	12.817	566415.7210	62690.129	-7.325	-459205.1949
(107 B- 48)	299 22 31	.538	44192.799	-14.315	-632619.9176	62689.660	-26.430	-1656887.7138
TOTAL					-901.3935			901.3934
								450.696

計算者

点検者

座標に依る方向角・距離及び面積計算書

点名	方向角	距離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X座標	前点-後点		Y座標	前点-後点	
(107 B- 8)	29 53 48	30.544	44211.953	-30.512	-1348995.1099	62717.701	-18.374	-1152375.0381
(107 B- 9)	117 55 50	17.304	44203.848	-9.294	-410830.5633	62732.989	17.199	1078944.6778
(107 B- 58)	213 23 22	10.892	44194.754	11.512	508770.0080	62726.995	17.466	1095589.6946
(107 B- 57)	213 23 20	10.027	44186.382	14.955	660807.3428	62721.477	22.681	1422585.8198
(107 B- 56)	213 24 20	17.141	44172.073	12.649	558732.5513	62712.040	19.156	1201311.8382
(107 B- 55)	213 31 54	5.815	44167.226	16.078	710120.6596	62708.828	-1.992	-124915.9853
(107 B- 52)	297 59 35	14.571	44174.065	6.351	280549.4868	62695.962	-18.248	-1144075.9145
(107 B- 50)	29 43 41	13.138	44185.474	-21.739	-960548.0192	62702.477	-37.888	-2375671.4485
TOTAL					-1393.6439			1393.6440
								696.821
(107 B- 9)	33 23 22	10.892	44203.848	-15.932	-704255.7063	62732.989	-3.865	-242463.0024
(107 B- 10)	117 45 6	11.230	44198.619	-10.628	-469742.9227	62742.927	8.174	512860.6852
(107 B- 11)	166 48 49	3.025	44195.674	4.969	219608.3041	62743.617	11.217	703795.1518
(107 B- 12)	214 22 36	10.022	44187.402	10.410	459990.8548	62737.958	4.574	286963.4198
(107 B- 59)	307 53 45	6.021	44191.100	10.963	484467.0293	62733.207	-7.352	-461214.5378
(107 B- 58)	300 27 53	7.207	44194.754	.218	9634.4563	62726.995	-12.748	-799643.7322
TOTAL					-297.9845			297.9844
								148.992

計算者

点検者

座標に依る方向角・距離及び面積計算書

点名	方向角	距離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X座標	前点-後点		Y座標	前点-後点	
(107 B- 12)	127 53 45	6.021	44187.402	.950	41978.0319	62737.958	12.076	757623.5808
(107 B- 13)	214 14 3	10.134	44179.024	16.481	728114.4945	62732.257	1.020	63986.9021
(107 B- 57)	304 18 57	13.052	44186.382	5.262	232508.7420	62721.477	-15.730	-986608.8332
(107 B- 58)	33 23 20	10.027	44194.754	-11.730	-518404.4644	62726.995	-4.718	-295945.9624
(107 B- 59)	120 27 53	7.207	44191.100	-10.963	-484467.0293	62733.207	7.352	461214.5378
TOTAL					-270.2253			270.2251
								135.112
(107 B- 13)	124 18 57	13.052	44179.024	-1.123	-49613.0439	62732.257	21.494	1348367.1319
(107 B- 14)	214 20 20	17.120	44164.888	20.217	892881.5406	62722.600	6.951	435984.7926
(107 B- 56)	304 13 53	12.773	44172.073	1.123	49605.2379	62712.040	-21.494	-1347932.5877
(107 B- 57)	33 24 20	17.141	44186.382	-20.217	-893316.0848	62721.477	-6.951	-435976.9866
TOTAL					-442.3502			442.3502
								221.175
(107 B- 14)	124 13 53	12.773	44164.888	.996	43988.2284	62722.600	24.055	1508792.1430
(107 B- 15)	214 24 41	20.448	44148.018	21.818	963221.4567	62711.044	9.877	619396.9815
(107 B- 54)	304 16 20	12.418	44155.011	2.216	97847.5043	62700.782	-19.208	-1204356.6206
(107 B- 55)	33 22 22	14.627	44167.226	-11.258	-497234.6303	62708.828	-17.062	-1069938.0233
(107 B- 56)	33 31 54	5.815	44172.073	-13.772	-608337.7893	62712.040	2.338	146620.7495
TOTAL					-515.2302			515.2301
								257.615

計算者

点検者

座標に依る方向角・距離及び面積計算書

(6)

点名	方向角	距離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X座標	前点-後点		Y座標	前点-後点	
(107 B- 15)	124 16 20	12.418	44148.018	-7.494	-330845.2468	62711.044	11.057	693396.0135
(107 B- 16)	214 15 32	4.917	44143.954	5.721	252547.5608	62708.276	5.101	319874.9158
(107 B- 17)	250 39 1	3.130	44142.917	10.517	464251.0580	62705.323	-1.518	-95186.6803
(107 B- 18)	288 39 51	7.984	44145.472	9.326	411700.6718	62697.759	-4.838	-303331.7580
(107 B- 19)	322 20 22	2.884	44147.755	-3.023	-133458.6633	62695.997	-9.539	-598057.1153
(107 B- 54)	33 24 11	8.692	44155.011	-15.047	-664400.4505	62700.782	-.263	-16490.3056
TOTAL					-205.0700			205.0701
								102.535
(107 B- 19)	213 24 11	8.692	44147.755	13.456	594052.1912	62695.997	-3.990	-250157.0280
(107 B- 20)	322 22 00	14.201	44159.001	.622	27466.8986	62687.326	-25.275	-1584422.1646
(107 B- 53)	29 50 41	16.174	44173.030	-8.636	-381478.2870	62695.375	-15.064	-944443.1290
(107 B- 52)	29 33 35	1.190	44174.065	-13.453	-594273.6964	62695.962	5.804	363887.3634
(107 B- 55)	117 59 35	14.571	44167.226	-4.820	-212886.0293	62708.828	19.054	1194854.0087
(107 B- 54)	213 22 22	14.627	44155.011	12.831	566552.9461	62700.782	19.471	1220846.9263
TOTAL					-565.9768			565.9768
								282.988
(107 B- 20)	209 50 41	16.174	44159.001	15.456	682521.5194	62687.326	4.467	280024.2852
(107 B- 21)	322 14 15	12.095	44168.563	1.689	74600.7029	62679.919	-19.613	-1229341.2513
(107 B- 51)	29 38 8	11.564	44178.614	-15.456	-682824.6579	62685.637	-4.467	-280016.7404
(107 B- 53)	119 49 52	11.225	44173.030	-1.689	-74608.2476	62695.375	19.613	1229644.3898
TOTAL					-310.6832			310.6833
								155.341

計算者

点検者

座標に依る方向角・距離及び面積計算書

点名	方向角	距離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X座標	前点-後点		Y座標	前点-後点	
(107 B- 21)	209 38 8	11.564	44168.563	7.751	342350.5318	62679.919	7.441	466401.2772
(107 B- 22)	322 5 2	3.308	44171.173	-10.210	-450987.6763	62677.886	-23.972	-1502514.2831
(107 B- 49)	29 49 4	24.622	44192.535	-24.591	-1086738.6281	62690.129	-14.301	-896531.5348
(107 B- 50)	119 45 45	14.224	44185.474	-5.833	-257733.8698	62702.477	18.470	1158114.7501
(107 B- 52)	209 43 41	13.138	44174.065	7.102	313724.2096	62695.962	12.444	780188.5511
(107 B- 53)	209 33 35	1.190	44173.030	10.325	456086.5347	62695.375	-4.549	-285201.2608
(107 B- 51)	299 49 52	11.225	44178.614	15.456	682824.6579	62685.637	4.467	280016.7404
TOTAL					-474.2402			474.2401
								237.120
(107 B- 22)	209 49 4	24.622	44171.173	14.453	638405.9633	62677.886	18.494	1159164.8236
(107 B- 23)	322 22 59	3.621	44174.041	18.919	835728.6816	62675.676	-3.986	-249825.2445
(107 B- 24)	273 49 41	16.746	44175.159	1.574	69531.7002	62658.967	-27.714	-1736530.6114
(107 B- 46)	29 38 35	30.601	44201.755	-19.946	-881648.2052	62674.102	-23.832	-1493649.1988
(107 B- 47)	119 52 41	5.548	44198.991	-15.558	-687647.9019	62678.913	8.956	561352.3448
(107 B- 48)	119 56 56	12.403	44192.799	-11.216	-495666.4335	62689.660	6.456	404724.4449
(107 B- 49)	119 22 31	.538	44192.535	11.774	520322.9070	62690.129	21.626	1355736.7297
TOTAL					-973.2885			973.2883
								486.644

計算者

点検者

座標に依る方向角・距離及び面積計算書

(8)

点名	方向角	距離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X 座標	前点-後点		Y 座標	前点-後点	
(107 B- 24)	209 38 35	30.601	44175.159	25.851	1141972.0353	62658.967	25.891	1622303.3145
(107 B- 25)	273 45 51	10.739	44175.864	14.728	650622.1249	62648.251	-2.837	-177733.0880
(107 B- 26)	297 59 11	4.543	44177.996	-13.546	-598435.1338	62644.239	-32.973	-2065568.4925
(107 B- 45)	29 39 11	35.489	44208.837	-23.284	-1029358.5607	62661.797	-27.553	-1726520.4927
(107 B- 60)	119 51 56	6.603	44205.549	-12.305	-543949.2804	62667.523	7.082	443811.3978
(107 B- 46)	119 58 17	7.595	44201.755	8.556	378190.2157	62674.102	30.390	1904665.9597
TOTAL					-958.5990			958.5988
								479.299
(107 B- 26)	209 39 11	35.489	44177.996	25.853	1142133.7305	62644.239	26.469	1658130.3620
(107 B- 27)	297 47 32	9.377	44182.368	2.110	93224.7964	62635.944	-15.238	-954446.5146
(107 B- 43)	29 38 56	12.503	44193.234	-16.040	-708859.4733	62642.129	-28.184	-1765505.7637
(107 B- 42)	29 38 33	19.926	44210.552	-11.551	-510676.0861	62651.984	-20.267	-1269767.7597
(107 B- 41)	29 54 13	3.402	44213.501	-4.381	-193699.3478	62653.680	-1.402	-87840.4593
(107 B- 40)	119 56 56	3.099	44211.954	-8.117	-358868.4306	62656.365	4.664	292229.2863
(107 B- 45)	119 50 53	6.263	44208.837	12.126	536076.3574	62661.797	33.958	2127869.3025
TOTAL					-668.4535			668.4535
								334.226
(107 B- 27)	209 38 56	12.503	44182.368	14.382	635430.8165	62635.944	6.532	409137.9862
(107 B- 28)	297 52 00	9.272	44186.702	2.007	88682.7109	62627.747	-15.187	-951127.5936
(107 B- 44)	29 41 54	12.494	44197.555	-14.382	-635649.2360	62633.937	-6.532	-409124.8764
(107 B- 43)	117 48 36	9.262	44193.234	-2.007	-88695.8206	62642.129	15.187	951346.0131
TOTAL					-231.5292			231.5293
								115.764

計算者

点検者

座標に依る方向角・距離及び面積計算書

点名	方向角	距離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X座標	前点-後点		Y座標	前点-後点	
(107 B- 28)	209 41 54	12.494	44186.702	27.939	1234532.2671	62627.747	-0.644	-40332.2690
(107 B- 29)	297 51 43	24.601	44198.199	11.566	511196.3696	62605.998	-37.133	-2324748.5237
(107 B- 30)	21 39 49	27.584	44223.835	-28.852	-1275946.0874	62616.181	-15.751	-986267.4669
(107 B- 35)	117 54 2	21.125	44213.950	-20.993	-928183.4523	62634.850	5.521	345807.0068
(107 B- 34)	28 2 13	4.944	44218.314	-17.134	-757636.5920	62637.174	3.398	212841.1172
(107 B- 42)	117 39 33	16.721	44210.552	-4.955	-219063.2851	62651.984	25.080	1571311.7587
(107 B- 43)	209 38 33	19.926	44193.234	18.047	797555.2939	62642.129	12.997	814159.7506
(107 B- 44)	297 48 36	9.262	44197.555	14.382	635649.2360	62633.937	6.532	409124.8764
TOTAL					-1896.2502			1896.2501
								948.125
(107 B- 30)	297 54 2	21.125	44223.835	14.019	619973.9428	62616.181	-21.503	-1346435.7400
(107 B- 31)	21 48 48	12.514	44235.453	-24.502	-1083857.0694	62620.831	-1.062	-66503.3225
(107 B- 33)	118 00 4	22.484	44224.897	-16.343	-722767.4916	62640.683	17.139	1073598.6659
(107 B- 34)	208 3 34	7.460	44218.314	5.833	257925.4255	62637.174	10.947	685689.1437
(107 B- 35)	208 2 13	4.944	44213.950	20.993	928183.4523	62634.850	-5.521	-345807.0068
TOTAL					-541.7404			541.7403
								270.870

計算者

点検者

座標に依る方向角・距離及び面積計算書

(1)

点 名	方 向 角	距 離	1	2 (ΔY)	1 \times 2	3	4 (ΔX)	3 \times 4
			X 座 標	前点-後点		Y 座 標	前点-後点	
(107 B- 61)	34 17 47	18.503	44194.027	-13.366	-590697.3648	62747.343	-15.993	-1003518.2565
(107 B- 62)	76 28 42	3.024	44194.734	-12.719	-562112.8217	62750.283	4.471	280556.5152
(107 B- 63)	117 54 5	11.065	44189.556	2.618	115688.2576	62760.062	23.317	1463376.3656
(107 B- 75)	214 21 2	21.971	44171.417	23.145	1022347.4464	62747.665	10.815	678615.9969
(107 B- 74)	304 16 18	13.006	44178.741	.322	14225.5546	62736.917	-22.610	-1418481.6933
TOTAL					-548.9279			548.9279
								274.463
(107 B- 63)	34 21 2	21.971	44189.556	-15.025	-663948.0789	62760.062	-16.750	-1051231.0385
(107 B- 64)	117 51 29	2.972	44188.167	-3.648	-161198.4332	62762.690	4.217	264670.2637
(107 B- 78)	160 10 00	3.006	44185.339	13.892	613822.7293	62763.710	38.525	2417971.9277
(107 B- 65)	202 40 20	38.686	44149.642	26.069	1150937.0172	62748.798	28.106	1763617.7165
(107 B- 76)	304 13 50	13.495	44157.233	21.665	956666.4529	62737.641	-14.768	-926509.4822
(107 B- 73)	304 20 00	12.725	44164.410	.724	31975.0328	62727.133	-21.508	-1349135.1765
(107 B- 74)	34 19 19	17.352	44178.741	-20.532	-907077.9102	62736.917	-7.007	-439597.5774
(107 B- 75)	124 16 18	13.006	44171.417	-23.145	-1022347.4464	62747.665	-10.815	-678615.9969
TOTAL					-1170.6365			1170.6364
								-585.318

計算者

点検者

座標に依る方向角・距離及び面積計算書

()

点名	方向角	距離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X 座標	前点-後点		Y 座標	前点-後点	
107 B- 63	34 21 2	21.971	44189.556	-15.025	-663948.0789	62760.062	-16.750	-1051231.0385
107 B- 64	117 51 29	2.972	44188.167	-3.648	-161198.4332	62762.690	4.217	264670.2637
107 B- 78	160 10 00	3.006	44185.339	7.062	312036.8640	62763.710	22.176	1391848.0329
107 B- 79	202 40 20	20.968	44165.991	16.045	708643.3255	62755.628	13.922	873683.8530
107 B- 75	304 16 18	9.636	44171.417	-4.434	-195856.0629	62747.665	-23.565	-1478648.7257
TOTAL					-322.3855			322.3854
								161.192

計算者

点検者

座標に依る方向角・距離及び面積計算書

()

点	名	方向角	距離	1	2 (ΔY)	1 × 2	3	4 (ΔX)	3 × 4
				X 座標	前点-後点		Y 座標	前点-後点	
107	B- 74	34 19 19	17.352	44178.741	-20.532	-907077.9102	62736.917	-7.007	-439597.5774
107	B- 75	124 16 18	13.006	44171.417	-18.711	-826491.3834	62747.665	12.750	800032.7287
107	B- 79	124 16 18	9.636	44165.991	-1.133	-50040.0678	62755.628	21.775	1366503.7997
107	B- 65	202 40 20	17.718	44149.642	17.987	794119.6106	62748.798	8.758	549553.9728
107	B- 76	304 13 50	13.495	44157.233	21.665	956666.4529	62737.641	-14.768	-926509.4822
107	B- 73	304 20 00	12.725	44164.410	.724	31975.0328	62727.133	-21.508	-1349135.1765
TOTAL						-848.2651			848.2651
									424.132

計算者

点検者

画地測量設計株式会社

座標に依る方向角・距離及び面積計算書

(2)

点名	方向角	距離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X座標	前点-後点		Y座標	前点-後点	
(107 B- 65)	124 13 50	13.495	44149.642	-6.375	-281453.9677	62748.798	19.002	1192352.6595
(107 B- 66)	202 44 13	12.372	44138.231	7.125	314484.8958	62744.016	13.304	834746.3888
(107 B- 67)	231 3 50	3.012	44136.338	9.642	425562.5709	62741.673	3.173	199079.3284
(107 B- 68)	260 3 12	7.410	44135.058	15.410	680121.2437	62734.374	-4.261	-267311.1676
(107 B- 77)	304 20 20	9.823	44140.599	-3.267	-144207.3369	62726.263	-22.175	-1390954.8820
(107 B- 76)	34 22 23	20.153	44157.233	-22.535	-995083.2456	62737.641	-9.043	-567336.4875
TOTAL					-575.8398			575.8396
								287.919
(107 B- 68)	124 20 20	9.823	44135.058	3.807	168022.1658	62734.374	7.650	479917.9611
(107 B- 69)	259 57 54	12.103	44132.949	12.817	565652.0073	62722.456	1.358	85177.0952
(107 B- 70)	309 52 28	1.171	44133.700	-3.807	-168016.9959	62721.557	-7.650	-479819.9110
(107 B- 77)	34 17 56	8.351	44140.599	-12.817	-565750.0573	62726.263	-1.358	-85182.2651
TOTAL					-92.8801			92.8802
								46.440
(107 B- 70)	214 17 56	8.351	44133.700	12.685	559835.9845	62721.557	.261	16370.3263
(107 B- 71)	309 45 30	10.379	44140.338	8.963	395629.8494	62713.578	-9.472	-594023.0108
(107 B- 72)	340 51 9	3.000	44143.172	-13.555	-598360.6964	62712.594	-24.072	-1509617.5627
(107 B- 73)	34 23 40	25.738	44164.410	-25.047	-1106185.9772	62727.133	-14.061	-882006.2171
(107 B- 76)	124 20 00	12.725	44157.233	.870	38416.7927	62737.641	23.811	1493845.9698
(107 B- 77)	214 22 23	20.153	44140.599	16.084	709957.3943	62726.263	23.533	1476137.1471
TOTAL					-706.6527			706.6526
								353.326

計算者

点検者