

座標に依る方向角・距離及び面積計算書

(1)

点名	方向角	距離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X座標	前点-後点		Y座標	前点-後点	
(37 B- 3)	291 54 33	26.746	45128.891	9.149	412884.2237	62751.950	-51.524	-3233231.4718
(37 B- 4)	20 39 36	44.399	45170.435	-24.354	-1100080.7739	62767.615	-56.992	-3577251.9140
(37 B- 5)	29 21 23	17.724	45185.883	-11.703	-528810.3887	62776.304	-15.578	-977929.2637
(37 B- 6)	87 31 49	3.017	45186.013	-15.954	-720897.6514	62779.318	17.646	1107803.8454
(37 B- 7)	143 56 50	21.987	45168.237	-15.809	-714064.6587	62792.258	21.385	1342812.4373
(37 B- 8)	141 31 1	4.610	45164.628	15.494	699780.7462	62795.127	49.326	3097432.4344
(37 B- 31)	201 53 1	49.267	45118.911	43.177	1948099.2202	62776.764	35.737	2243453.2150
TOTAL					-3089.2826			3089.2826
								1544.641
(37 B- 8)	21 53 1	49.267	45164.628	-38.971	-1760110.7177	62795.127	-19.816	-1244348.2366
(37 B- 9)	141 29 34	33.099	45138.727	-61.529	-2777340.7335	62815.735	43.574	2737132.8368
(37 B- 10)	113 21 31	44.574	45121.054	-29.090	-1312571.4608	62856.656	47.189	2966142.7399
(37 B- 34)	201 50 33	31.799	45091.538	40.154	1810605.6168	62844.825	18.125	1139062.4531
(37 B- 33)	291 54 33	30.528	45102.929	63.439	2551284.7128	62816.502	-25.514	-1602700.2320
(37 B- 32)	291 54 33	37.850	45117.052	39.738	1792861.4123	62781.386	-15.982	-1003372.1110
(37 B- 31)	291 54 33	4.982	45118.911	-13.741	-619978.9560	62776.764	-47.576	-2986667.3240
TOTAL					-5259.1261			5259.1262
								2625.063

計算者

点検者

画地測量設計株式会社

座標に依る方向角・距離及び面積計算書

点名	方向角	距離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X座標	前点-後点		Y座標	前点-後点	
(37 B- 1)	306 57 55	30.191	45101.468	25.000	1127536.7000	62743.667	-21.231	-1332110.7940
(37 B- 2)	344 5 12	3.199	45104.544	-8.283	-373600.9379	62742.790	-27.423	-1720595.5301
(37 B- 3)	20 37 4	26.013	45128.891	-33.974	-1533208.9428	62751.950	-14.367	-901557.2656
(37 B- 31)	111 54 33	26.746	45118.911	-29.436	-1328120.2641	62776.764	11.839	743214.1089
(37 B- 32)	111 54 33	4.982	45117.052	8.974	404880.4246	62781.386	35.598	2234891.7788
(37 B- 30)	201 56 54	36.375	45083.313	37.719	1700497.4830	62767.790	15.584	978173.2393
TOTAL					-2015.5372			2015.5373
								-1007.768
(37 B- 14)	111 45 7	18.325	45089.999	-12.228	-551360.5077	62883.304	18.749	1178999.0666
(37 B- 15)	201 50 16	12.882	45078.041	21.796	982520.9816	62878.512	5.135	322881.1591
(37 B- 35)	291 51 49	18.322	45084.864	12.228	551297.7169	62861.508	-18.749	-1178590.4134
(37 B- 36)	21 49 29	12.847	45096.790	-21.796	-982929.6348	62866.284	-5.135	-322818.3683
TOTAL					-471.4440			471.4440
								235.722

計算者

点検者

座標に依る方向角・距離及び面積計算書

点名	方向角	距離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X座標	前点-後点		Y座標	前点-後点	
(37 B- 15)	111 51 49	18.322	45078.041	-.314	-14154.5048	62878.512	48.535	3051808.5799
(37 B- 16)	201 48 27	44.927	45036.329	19.408	874065.0732	62861.822	42.907	2697212.1965
(37 B- 17)	246 16 00	2.969	45035.134	33.523	1509712.7970	62859.104	-10.699	-672529.5536
(37 B- 18)	291 6 43	33.021	45047.028	35.858	1615296.3300	62828.299	-13.899	-873250.5278
(37 B- 19)	291 38 34	5.436	45049.033	10.048	452652.6835	62823.246	-4.187	-263040.9310
(37 B- 20)	293 35 51	5.451	45051.215	9.962	448800.2038	62818.251	-4.510	-283310.3120
(37 B- 21)	295 6 44	5.485	45053.543	9.819	442380.7387	62813.284	-4.787	-300687.1905
(37 B- 22)	296 52 33	5.440	45056.002	9.627	433754.1312	62808.432	-5.064	-318061.8996
(37 B- 23)	298 36 53	5.439	45058.607	8.810	396966.3276	62803.657	-4.930	-309622.0290
(37 B- 24)	299 57 3	4.657	45060.932	-12.845	-578807.6715	62799.622	-44.322	-2783404.8462
(37 B- 33)	21 53 49	45.262	45102.929	-45.203	-2038787.6995	62816.502	-30.606	-1922561.8602
(37 B- 34)	111 54 33	30.528	45091.538	-45.006	-2029389.7592	62844.825	18.065	1135291.7636
(37 B- 35)	111 48 14	17.968	45084.864	-33.687	-1518773.8135	62861.508	13.497	848441.7734
TOTAL					-6285.1635			6285.1635
								3142.581
(37 B- 24)	201 53 49	45.262	45060.932	17.553	790954.5393	62799.622	41.605	2612778.2733
(37 B- 25)	300 13 10	.779	45061.324	5.359	241483.6353	62798.949	-3.247	-203908.1874
(37 B- 26)	301 21 8	5.487	45064.179	9.209	414996.0244	62794.263	-5.779	-362888.0458
(37 B- 27)	302 52 54	5.386	45067.103	8.993	405288.4572	62789.740	-6.022	-378119.8142
(37 B- 28)	304 43 28	5.439	45070.201	8.838	398330.4364	62785.270	-6.335	-397744.6854
(37 B- 29)	306 32 28	5.437	45073.438	17.480	787883.6962	62780.902	-13.112	-823183.1870
(37 B- 30)	306 59 4	16.415	45083.313	-.484	-21820.3234	62767.790	-43.614	-2737554.3930
(37 B- 32)	21 56 54	36.375	45117.052	-48.712	-2197741.8370	62781.386	-19.616	-1231519.6677
(37 B- 33)	111 54 33	37.850	45102.929	-18.236	-822497.0132	62816.502	56.120	3525262.0922
TOTAL					-3122.3848			3122.3850
								1561.192

計算者

点検者

座標に依る方向角・距離及び面積計算書

点名	方向角	距離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X座標	前点-後点		Y座標	前点-後点	
(38 B- 1)	21 43 39	24.638	45099.076	-12.060	-543894.8565	62893.395	-22.941	-1442837.3746
(38 B- 2)	88 58 1	2.939	45099.129	-7.755	-349743.7453	62896.334	9.128	574117.7367
(38 B- 3)	152 19 13	10.367	45089.948	-13.501	-608759.3879	62901.150	23.950	1506482.5425
(38 B- 4)	149 32 32	17.133	45075.179	-9.047	-407795.1444	62909.835	14.958	941005.3119
(38 B- 5)	117 34 9	.408	45074.990	2.802	126300.1219	62910.197	8.184	514857.0522
(38 B- 18)	201 35 28	8.598	45066.995	10.360	466894.0682	62907.033	5.098	320700.0542
(38 B- 31)	291 55 44	7.757	45069.892	22.759	1025745.6720	62899.837	-9.193	-578238.2015
(38 B- 17)	292 1 33	16.788	45076.188	6.442	290380.8030	62884.274	-29.184	-1835214.6524
TOTAL					-872.4690			872.4690
								436.234
(38 B- 5)	21 35 28	8.598	45074.990	-18.628	-839656.9137	62910.197	-.216	-13588.6025
(38 B- 6)	116 42 15	17.310	45067.211	-26.132	-1177696.3578	62925.661	10.016	630263.4205
(38 B- 7)	101 50 34	10.900	45064.974	-6.584	-296707.7888	62936.329	12.436	782676.1874
(38 B- 8)	201 49 22	10.986	45054.775	24.275	1093704.6631	62932.245	2.246	141345.8222
(38 B- 20)	291 29 56	21.701	45062.728	25.987	1171045.1125	62912.054	-10.236	-643967.7847
(38 B- 19)	291 29 56	6.229	45065.011	5.021	226271.4202	62906.258	-4.267	-268421.0028
(38 B- 18)	21 20 13	2.130	45066.995	-3.939	-177518.8933	62907.033	-9.979	-627749.2823
TOTAL					-558.7578			558.7578
								279.378

計算者

点検者

座標に依る方向角・距離及び面積計算書

(2)

点名	方向角	距離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X座標	前点-後点		Y座標	前点-後点	
(38 B- 8)	111 29 56	21.701	45054.775	-8.027	-361654.6789	62932.245	38.216	2405018.6749
(38 B- 9)	201 53 50	32.616	45024.512	31.949	1438488.1338	62920.081	22.385	1408466.0131
(38 B- 22)	291 42 41	21.296	45032.390	13.825	622572.7917	62900.296	-23.256	-1462809.2837
(38 B- 21)	21 11 5	16.493	45047.768	-11.758	-529671.6561	62906.256	-30.338	-1908449.9945
(38 B- 20)	21 11 5	16.044	45062.728	-25.989	-1171135.2379	62912.054	-7.007	-440824.7623
TOTAL					-1400.6474			1400.6475
								700.323
(38 B- 9)	111 42 41	21.296	45024.512	-15.329	-690180.7444	62920.081	18.995	1195166.9385
(38 B- 10)	201 50 32	11.977	45013.395	30.541	1374754.0966	62915.625	1.166	73359.6187
(38 B- 11)	290 52 52	27.919	45023.346	21.515	968677.2891	62889.540	-21.412	-1346590.8304
(38 B- 23)	21 44 22	12.339	45034.807	-10.756	-484394.3840	62894.110	-9.044	-568814.3308
(38 B- 22)	111 20 30	6.641	45032.390	-25.971	-1169536.2006	62900.296	10.295	647558.5473
TOTAL					-679.9433			679.9433
								339.971
(38 B- 11)	201 44 22	12.339	45023.346	25.470	1146744.6226	62889.540	3.383	212755.3138
(38 B- 12)	291 7 55	22.407	45031.424	22.112	995734.8474	62868.640	-10.766	-676843.7782
(38 B- 13)	335 43 47	2.949	45034.112	-2.709	-121997.4094	62867.428	-12.537	-788168.9448
(38 B- 14)	21 42 29	10.601	45043.961	-19.629	-884167.9104	62871.349	-3.571	-224513.5872
(38 B- 24)	111 47 6	16.916	45037.683	-22.761	-1025102.7027	62887.057	9.154	575668.1197
(38 B- 23)	112 11 3	7.617	45034.807	-2.483	-111821.4257	62894.110	14.337	901712.8550
TOTAL					-609.9782			609.9783
								304.989

計算者

点検者

座標に依る方向角・距離及び面積計算書

(3)

点名	方向角	距離	1	2 (ΔY)	1 × 2	3	4 (ΔX)	3 × 4
			X 座標	前点-後点		Y 座標	前点-後点	
(38 B- 14)	291 47 6	16.916	45043.961	10.698	481880.2947	62871.349	-18.797	-1181792.7471
(38 B- 15)	21 48 39	13.484	45056.480	-6.293	-283540.4286	62876.359	-13.079	-822359.8993
(38 B- 27)	66 25 11	1.400	45057.040	-14.097	-635169.0928	62877.642	4.578	287853.8450
(38 B- 26)	111 50 57	13.806	45051.902	-13.943	-628158.6695	62890.456	7.796	490293.9949
(38 B- 25)	156 59 11	2.888	45049.244	3.399	153122.3803	62891.585	14.219	894255.4471
(38 B- 24)	201 23 18	12.416	45037.683	20.236	911382.5531	62887.057	5.283	332232.3221
TOTAL					-482.9628			482.9627
								241.481
(38 B- 16)	21 45 55	4.992	45061.116	-15.609	-703358.9596	62878.210	.874	54955.5555
(38 B- 29)	111 49 33	14.820	45055.606	-16.295	-734181.0997	62891.968	4.389	276032.8475
(38 B- 30)	66 9 41	2.774	45056.727	-1.092	-49201.9458	62894.505	2.596	163274.1349
(38 B- 28)	201 14 38	3.988	45053.010	2.920	131554.7892	62893.060	7.483	470628.7679
(38 B- 25)	201 23 18	4.045	45049.244	2.604	117308.2313	62891.585	1.108	69683.8761
(38 B- 26)	336 59 11	2.888	45051.902	13.943	628158.6695	62890.456	-7.796	-490293.9949
(38 B- 27)	291 50 57	13.806	45057.040	14.097	635169.0928	62877.642	-4.578	-287853.8450
(38 B- 15)	246 25 11	1.400	45056.480	-5.568	-25592.0806	62876.359	-4.076	-256284.0392
TOTAL					-143.3029			143.3028
								71.651
(38 B- 16)	291 49 33	14.820	45061.116	7.694	346700.2265	62878.210	-20.582	-1294159.3182
(38 B- 17)	21 55 00	16.246	45076.188	-21.627	-974862.7178	62884.274	-8.776	-551872.3886
(38 B- 31)	112 1 33	16.788	45069.892	-10.231	-461110.0650	62899.837	19.461	1224093.7278
(38 B- 30)	202 2 55	14.204	45056.727	7.869	354551.3847	62894.505	14.286	898510.8984
(38 B- 29)	246 9 41	2.774	45055.606	16.295	734181.0997	62891.968	-4.389	-276032.8475
TOTAL					-540.0719			540.0719
								270.035

計算者

点検者

座標に依る方向角・距離及び面積計算書

点名	方向角	距離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X座標	前点-後点		Y座標	前点-後点	
(38 B- 28)	291 39 54	14.199	45053.010	11.751	529417.9205	62893.060	-8.959	-563458.9245
(38 B- 30)	21 14 38	3.988	45056.727	-6.777	-305349.4388	62894.505	-16.882	-1061785.0334
(38 B- 31)	22 2 55	14.204	45069.892	-12.528	-564635.6069	62899.837	-10.268	-645855.5263
(38 B- 18)	111 55 44	7.757	45066.995	-6.421	-289375.1748	62907.033	4.881	307049.2280
(38 B- 19)	201 20 13	2.130	45065.011	-5.021	-226271.4202	62906.258	4.267	268421.0028
(38 B- 20)	111 29 56	6.229	45062.728	.002	90.1254	62912.054	17.243	1084792.5471
(38 B- 21)	201 11 5	16.044	45047.768	18.994	855637.3053	62906.256	9.718	611322.9958
TOTAL					-486.2895			486.2895
								243.144
(38 B- 21)	111 39 54	14.199	45047.768	-7.236	-325965.6492	62906.256	20.620	1297126.9987
(38 B- 22)	201 11 5	16.493	45032.390	12.146	546963.4089	62900.296	12.961	815250.7364
(38 B- 23)	291 20 30	6.641	45034.807	13.239	596215.8098	62894.110	-5.293	-332898.5242
(38 B- 24)	292 11 3	7.617	45037.683	2.525	113720.1495	62887.057	-14.437	-907900.4419
(38 B- 25)	21 23 18	12.416	45049.244	-6.003	-270430.6117	62891.585	-15.327	-963939.3232
(38 B- 28)	21 23 18	4.045	45053.010	-14.671	-660972.7097	62893.060	1.476	92830.1565
TOTAL					-469.6024			469.6023
								234.801

計算者

点検者

座標に依る方向角・距離及び面積計算書

(1)

点 名	方 向 角	距 離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X 座 標	前点-後点		Y 座 標	前点-後点	
(39 B- 2)	292 23 35	10.985	45060.069	8.665	390445.4978	62950.484	-7.867	-495231.4576
(39 B- 3)	22 3 31	3.973	45063.751	-3.181	-143347.7919	62951.976	-7.880	-496061.5708
(39 B- 4)	21 55 00	4.525	45067.949	-12.220	-550730.3367	62953.665	-1.081	-68052.9118
(39 B- 5)	106 29 16	10.983	45064.832	-6.976	-314372.2680	62964.196	12.065	759663.0247
(39 B- 29)	201 40 4	9.628	45055.884	13.712	617806.2814	62960.641	4.763	299881.5330
TOTAL					-198.6174			198.6175
								99.308
(39 B- 1)	291 23 16	21.320	45022.327	4.750	213856.0532	62935.382	-45.517	-2864629.7824
(39 B- 2)	21 48 30	40.651	45060.069	-25.259	-1138172.2828	62950.484	-33.557	-2112429.3915
(39 B- 29)	112 23 35	10.985	45055.884	-13.712	-617806.2814	62960.641	-4.763	-299881.5330
(39 B- 5)	21 40 4	9.628	45064.832	-4.132	-186207.8858	62964.196	-8.784	-553077.4976
(39 B- 6)	105 52 00	.600	45064.668	-9.452	-425951.2419	62964.773	4.891	307960.7047
(39 B- 7)	118 2 26	10.055	45059.941	-17.668	-796119.0375	62973.648	11.686	735910.0505
(39 B- 8)	128 21 32	11.214	45052.982	-36.220	-1631819.0080	62982.441	33.223	2092465.6373
(39 B- 9)	133 45 33	37.974	45026.718	-36.453	-1641358.9512	63009.868	34.814	2193625.5445
(39 B- 10)	133 26 55	12.433	45018.168	-12.189	-548726.4497	63018.894	11.312	712869.7289
(39 B- 11)	131 7 41	4.199	45015.406	14.269	642324.8282	63022.057	22.573	1422596.8926
(39 B- 26)	221 20 42	26.388	44995.595	66.823	3006740.6446	63004.625	.854	53805.9497
(39 B- 25)	290 59 51	52.904	45014.552	69.243	3116942.6241	62955.234	-26.732	-1682919.3152
TOTAL					-6296.9882			6296.9885
								3148.494

計算者

点検者

座標に依る方向角・距離及び面積計算書

(2)

点名	方向角	距離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X 座標	前点-後点		Y 座標	前点-後点	
(39 B- 11)	41 20 42	26.388	45015.406	-28.959	-1303601.1423	63022.057	-9.770	-615725.4968
(39 B- 12)	131 3 31	15.287	45005.365	-17.005	-765316.2318	63033.584	14.110	889403.8702
(39 B- 13)	126 36 16	6.824	45001.296	-37.698	-1696458.8566	63039.062	15.509	977672.8125
(39 B- 14)	109 32 52	34.191	44989.856	-42.867	-1928580.1571	63071.282	19.677	1241053.6159
(39 B- 15)	127 43 38	13.461	44981.619	-10.934	-491829.0221	63081.929	11.228	708283.8988
(39 B- 16)	174 31 8	3.005	44978.628	25.140	1130762.7079	63082.216	30.778	1941544.4440
(39 B- 17)	222 27 38	37.665	44950.841	42.825	1925019.7658	63056.789	12.846	810027.5114
(39 B- 28)	310 39 19	22.933	44965.782	30.850	1387194.3747	63039.391	-26.467	-1668463.5615
(39 B- 27)	310 35 27	17.715	44977.308	34.766	1563681.0899	63025.939	-29.813	-1878992.3194
(39 B- 26)	310 37 44	28.084	44995.595	3.882	174672.8997	63004.625	-38.098	-2400350.2032
TOTAL					-4454.5719			4454.5719
								2227.285
(39 B- 17)	130 39 19	22.933	44950.841	20.065	901938.6246	63056.789	55.884	3523865.5964
(39 B- 18)	222 27 31	55.496	44909.898	40.369	1812967.6723	63019.326	40.214	2534259.1757
(39 B- 19)	284 4 57	2.996	44910.627	11.790	529496.2923	63016.420	-20.802	-1310867.5688
(39 B- 20)	336 7 36	21.951	44930.700	-22.971	-1032103.1097	63007.536	-55.155	-3475180.6480
(39 B- 28)	42 14 24	47.387	44965.782	-49.253	-2214699.6608	63039.391	-20.141	-1269676.3741
TOTAL					-2400.1813			2400.1812
								1200.090

計算者

点検者

座標に依る方向角・距離及び面積計算書

点名	方向角	距離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X 座標	前点-後点		Y 座標	前点-後点	
(39 B- 20)	222 14 24	47.387	44930.700	39.636	1780873.2252	63007.536	17.510	1103261.9553
(39 B- 21)	336 6 57	19.218	44948.272	-18.403	-827183.0496	62999.755	-46.608	-2936292.5810
(39 B- 27)	42 2 36	39.098	44977.308	-39.636	-1782720.5798	63025.939	-17.510	-1103584.1918
(39 B- 28)	130 35 27	17.715	44965.782	18.403	827505.2861	63039.391	46.608	2938139.9357
TOTAL					-1525.1181			1525.1182
								762.559
(39 B- 21)	222 2 36	39.098	44948.272	43.376	1949676.2462	62999.755	-9.862	-621303.5838
(39 B- 22)	336 9 21	42.528	44987.170	50.257	2260920.2026	62982.563	-51.808	-3263000.6239
(39 B- 23)	291 19 40	35.496	45000.080	27.329	1229807.1863	62949.498	-27.382	-1723683.1542
(39 B- 25)	21 37 16	15.567	45014.552	-55.127	-2481517.2081	62955.234	4.485	282354.2244
(39 B- 26)	110 59 51	52.904	44995.595	-70.705	-3181413.5444	63004.625	37.244	2346544.2535
(39 B- 27)	130 37 44	28.084	44977.308	4.870	219039.4899	63025.939	47.323	2982576.5112
TOTAL					-3487.6275			3487.6272
								1743.813
(39 B- 23)	201 37 16	15.567	45000.080	25.672	1155242.0537	62949.498	6.680	420502.6466
(39 B- 24)	291 20 53	21.405	45007.872	14.116	635331.1211	62929.562	-22.247	-1399993.9658
(39 B- 1)	21 55 52	15.583	45022.327	-25.672	-1155813.1787	62935.382	-6.680	-420408.3517
(39 B- 25)	111 23 16	21.320	45014.552	-14.116	-635425.4160	62955.234	22.247	1400565.0907
TOTAL					-665.4199			665.4198
								332.709

計算者

点検者

座標に依る方向角・距離及び面積計算書

(1)

点 名	方 向 角	距 離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X 座 標	前点-後点		Y 座 標	前点-後点	
(42 B- 1)	21 35 23	41.866	45092.568	-18.204	-820865.1078	62738.292	-39.749	-2493784.3687
(42 B- 2)	73 40 17	2.917	45093.388	-37.846	-1706604.3622	62741.091	25.571	1604352.4379
(42 B- 3)	126 58 49	43.872	45066.997	-39.607	-1784963.5501	62776.138	29.754	1867841.2100
(42 B- 4)	126 24 32	5.666	45063.634	-9.207	-414900.8782	62780.698	6.589	413662.0191
(42 B- 5)	124 46 8	5.657	45060.408	-9.395	-423342.5331	62785.345	6.317	396615.0243
(42 B- 6)	123 3 52	5.665	45057.317	-9.586	-431919.4407	62790.093	6.038	379126.5815
(42 B- 7)	121 20 50	5.665	45054.370	-9.752	-439370.2162	62794.931	5.768	362201.1620
(42 B- 8)	119 51 32	5.666	45051.549	-9.908	-446370.7474	62799.845	5.496	345147.9481
(42 B- 9)	118 10 31	5.665	45048.874	-5.736	-258400.3412	62804.839	3.067	192622.4412
(42 B- 10)	117 50 51	.839	45048.482	8.837	398093.4354	62805.581	24.404	1532707.3987
(42 B- 24)	201 44 54	25.852	45024.470	82.694	3723253.5221	62796.002	-5.157	-323838.9823
(42 B- 23)	291 44 58	78.719	45053.639	57.710	2600045.5066	62722.887	-68.098	-4271303.1589
TOTAL					-5349.7128			5349.7129
								2674.856
(42 B- 10)	21 44 54	25.852	45048.482	-13.886	-625543.2210	62805.581	-21.849	-1372239.1392
(42 B- 11)	116 39 58	4.820	45046.319	-9.432	-424876.8808	62809.888	4.562	286538.7090
(42 B- 12)	115 5 3	5.659	45043.920	-10.309	-464357.7712	62815.013	4.671	293408.9257
(42 B- 13)	113 39 59	5.660	45041.648	-10.430	-469784.3886	62820.197	4.374	274775.5416
(42 B- 14)	111 50 7	5.651	45039.546	-35.804	-1612595.9049	62825.443	13.929	875095.5955
(42 B- 15)	111 9 29	32.767	45027.719	-31.802	-1431971.5196	62856.001	14.643	920400.4226
(42 B- 16)	156 9 58	3.079	45024.903	7.345	330707.9125	62857.245	24.297	1527242.4817
(42 B- 17)	201 47 37	23.134	45003.422	61.013	2745793.7864	62848.656	.523	32869.8470
(42 B- 25)	291 47 26	56.458	45024.380	52.654	2370713.7045	62796.232	-21.048	-1321735.0911
(42 B- 24)	291 22 14	.247	45024.470	-9.349	-420933.7700	62796.002	-24.102	-1513509.2402
TOTAL					-2848.0527			2848.0526
								1424.026

計算者

点検者

座標に依る方向角・距離及び面積計算書

点名	方向角	距離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X座標	前点-後点		Y座標	前点-後点	
(45 B- 9)	291 52 48	27.481	44922.296	-3.228	-145009.1714	62757.218	-78.331	-4915835.6431
(45 B- 10)	22 52 34	73.903	44990.386	-31.496	-1417017.1974	62785.947	-69.255	-4348240.7594
(45 B- 11)	67 10 2	3.002	44991.551	-25.048	-1126948.3694	62788.714	7.723	484917.2382
(45 B- 12)	111 44 50	23.988	44982.663	-1.823	-82003.3946	62810.995	59.949	3765456.3392
(45 B- 13)	201 50 2	55.007	44931.602	28.276	1270485.9781	62790.537	70.608	4433514.2364
(45 B- 14)	201 47 58	21.052	44912.055	33.319	1496424.7605	62782.719	9.306	584255.9830
TOTAL					-4067.3942			4067.3943
								2033.697
(45 B- 1)	111 46 37	25.122	44973.343	-24.536	-1103465.9438	62834.324	12.071	758473.1250
(45 B- 2)	156 18 38	3.004	44970.592	18.458	830067.1871	62835.531	51.865	3258964.8153
(45 B- 3)	201 49 15	52.905	44921.478	44.994	2021196.9811	62815.866	38.990	2449190.6153
(45 B- 13)	291 47 12	27.277	44931.602	4.871	218861.8333	62790.537	-61.185	-3841839.0063
(45 B- 12)	21 50 2	55.007	44982.663	-43.787	-1969655.8647	62810.995	-41.741	-2621793.7422
TOTAL					-2995.8070			2995.8071
								1497.903

計算者

点検者

座標に依る方向角・距離及び面積計算書

点名	方向角	距離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X座標	前点-後点		Y座標	前点-後点	
(45 B- 3)	111 47 12	27.277	44921.478	-5.004	-224787.0759	62815.866	60.960	3829255.1913
(45 B- 4)	201 47 32	54.749	44870.642	23.164	1039383.5512	62795.541	51.953	3262416.7415
(45 B- 5)	248 31 23	3.051	44869.525	25.988	1166069.2157	62792.702	-8.517	-534805.4429
(45 B- 6)	292 35 45	25.074	44879.159	9.983	448028.6442	62769.553	-42.530	-2669589.0890
(45 B- 14)	21 48 46	35.433	44912.055	-20.984	-942434.5621	62782.719	-52.443	-3292514.1325
(45 B- 13)	21 47 58	21.052	44931.602	-33.147	-1489347.8114	62790.537	-9.423	-591675.2301
TOTAL					-3088.0383			3088.0383
								1544.019
(45 B- 6)	201 48 46	35.433	44879.159	37.200	1669504.7148	62769.553	22.933	1439494.1589
(45 B- 7)	292 30 57	26.017	44889.122	25.176	1130128.5354	62745.519	-12.742	-799503.4030
(45 B- 8)	337 39 37	3.004	44891.901	-11.699	-525190.3497	62744.377	-33.174	-2081481.9625
(45 B- 9)	22 54 9	32.996	44922.296	-38.342	-1722410.6732	62757.218	-20.154	-1264808.9715
(45 B- 14)	111 52 48	27.481	44912.055	-12.335	-553990.1984	62782.719	43.137	2708258.1495
TOTAL					-1957.9711			1957.9714
								978.985

計算者

点検者

座標に依る方向角・距離及び面積計算書

点名	方向角	距離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X座標	前点-後点		Y座標	前点-後点	
(46 B- 1)	110 56 13	21.072	45005.970	-17.054	-767531.8123	62912.642	14.061	884614.6591
(46 B- 2)	201 54 42	7.040	44999.439	20.952	942828.2459	62910.015	-0.806	-50705.4720
(46 B- 20)	291 49 13	19.739	45006.776	19.476	876551.9693	62891.690	-7.810	-491184.0989
(46 B- 19)	292 20 24	1.244	45007.249	-1.271	-57204.2134	62890.539	-6.724	-422875.9842
(46 B- 18)	21 10 45	6.704	45013.500	-22.103	-994933.3905	62892.961	1.279	80440.0971
TOTAL					-289.2010			289.2011
								144.600
(46 B- 2)	111 49 13	19.739	44999.439	-0.365	-16424.7952	62910.015	52.190	3283273.6828
(46 B- 3)	201 49 20	48.315	44954.586	47.296	2126172.0994	62892.055	33.169	2086066.5722
(46 B- 22)	291 42 59	31.577	44966.270	15.479	696032.8933	62862.719	-35.443	-2228043.3495
(46 B- 21)	30 15 8	27.505	44990.029	-28.971	-1303406.1301	62876.576	-40.506	-2546878.5874
(46 B- 20)	42 3 57	22.559	45006.776	-33.439	-1504981.5826	62891.690	-9.410	-591810.8029
TOTAL					-2607.5152			2607.5152
								1303.757
(46 B- 3)	111 42 59	31.577	44954.586	-20.609	-926469.0628	62892.055	33.545	2109713.9849
(46 B- 4)	201 45 44	23.539	44932.725	42.143	1893599.8296	62883.328	8.524	536017.4878
(46 B- 24)	291 45 29	35.979	44946.062	24.586	1105043.8803	62849.912	-35.127	-2207728.8588
(46 B- 23)	22 3 34	23.511	44967.852	-12.807	-575903.2805	62858.742	-20.208	-1270249.4583
(46 B- 22)	111 41 31	4.280	44966.270	-33.313	-1497961.3525	62862.719	13.266	833936.8302
TOTAL					-1689.9859			1689.9858
								844.992

計算者

点検者

座標に依る方向角・距離及び面積計算書

点名	方向角	距離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X座標	前点-後点		Y座標	前点-後点	
(46 B- 4)	111 45 29	35.979	44932.725	-27.343	-1228595.4996	62883.328	28.560	1795947.8476
(46 B- 5)	201 44 56	16.390	44917.502	31.290	1405468.6375	62877.255	5.164	324698.1448
(46 B- 27)	291 44 49	27.149	44927.561	20.026	899719.3365	62852.038	-23.302	-1464578.1894
(46 B- 26)	21 24 15	14.224	44940.804	2.966	133294.4246	62857.229	-16.441	-1033435.7019
(46 B- 25)	291 24 29	8.761	44944.002	7.317	328855.2626	62849.072	-5.258	-330460.4205
(46 B- 24)	22 11 2	2.225	44946.062	-34.256	-1539672.2998	62849.912	11.277	708758.4576
TOTAL					-930.1382			930.1382
								465.069
(46 B- 5)	111 44 49	27.149	44917.502	-18.936	-850557.8178	62877.255	25.816	1623239.2150
(46 B- 6)	201 43 59	16.963	44901.745	31.512	1414943.7884	62870.974	5.689	357672.9710
(46 B- 29)	291 45 13	27.166	44911.813	25.136	1128903.3315	62845.743	-10.310	-647939.6103
(46 B- 28)	21 25 59	.260	44912.055	-6.295	-282721.3862	62845.838	-15.748	-989696.2568
(46 B- 27)	21 47 38	16.700	44927.561	-31.417	-1411489.1839	62852.038	-5.447	-342355.0509
TOTAL					-921.2680			921.2680
								460.634
(46 B- 6)	111 45 13	27.166	44901.745	-20.390	-915546.5805	62870.974	22.169	1393786.6226
(46 B- 31)	201 48 14	13.033	44889.644	30.026	1347856.4507	62866.133	1.908	119948.5817
(46 B- 32)	292 2 4	27.169	44899.837	20.390	915507.6764	62840.948	-22.169	-1393120.9762
(46 B- 29)	21 49 13	12.900	44911.813	-30.026	-1348522.0971	62845.743	-1.908	-119909.6776
TOTAL					-704.5505			704.5505
								352.275

計算者

点検者

座標に依る方向角・距離及び面積計算書

点名	方向角	距離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X座標	前点-後点		Y座標	前点-後点	
(46 B- 31)	112 2 4	27.169	44889.644	-22.973	-1031249.7916	62866.133	15.710	987626.9494
(46 B- 7)	201 50 53	5.944	44884.127	27.408	1230184.1528	62863.921	-4.667	-293385.9193
(46 B- 30)	292 00 29	27.176	44894.311	22.973	1031357.0066	62838.725	-15.710	-987196.3697
(46 B- 32)	21 54 50	5.956	44899.837	-27.408	-1230614.7324	62840.948	4.667	293278.7043
TOTAL					-323.3646			323.3647
								161.682
(46 B- 7)	112 00 29	27.176	44884.127	-10.030	-450187.7938	62863.921	48.138	3026143.4290
(46 B- 8)	201 46 52	40.872	44846.173	40.214	1803444.0010	62848.755	27.503	1728529.3087
(46 B- 9)	292 38 52	27.141	44856.624	10.030	449911.9387	62823.707	-48.138	-3024207.6075
(46 B- 30)	21 43 37	40.569	44894.311	-40.214	-1805379.8225	62838.725	-27.503	-1728253.4536
TOTAL					-2211.6766			2211.6766
								1105.838
(46 B- 9)	201 43 37	40.569	44856.624	36.512	1637805.0554	62823.707	28.721	1804359.6887
(46 B- 10)	292 38 35	23.289	44865.590	22.592	1013603.4092	62802.213	-11.798	-740940.5089
(46 B- 11)	338 48 29	3.037	44868.422	-13.037	-584949.6176	62801.115	-38.065	-2390524.4424
(46 B- 12)	21 51 36	37.963	44903.655	-37.610	-1688826.4645	62815.250	-25.889	-1626224.0072
(46 B- 30)	111 42 16	25.266	44894.311	-8.457	-379671.1881	62838.725	47.031	2955368.0754
TOTAL					-2038.8056			2038.8056
								1019.402

計算者

点検者

座標に依る方向角・距離及び面積計算書

点名	方向角	距離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X座標	前点-後点		Y座標	前点-後点	
(46 B- 12)	291 42 16	25.266	44903.655	16.377	735387.1579	62815.250	-27.122	-1703675.2105
(46 B- 13)	21 45 53	19.143	44921.433	-30.588	-1374056.7926	62822.348	-8.400	-527707.7232
(46 B- 28)	111 45 49	25.293	44912.055	-23.395	-1050717.5267	62845.838	9.620	604576.9615
(46 B- 29)	201 25 59	.260	44911.813	4.890	219618.7655	62845.743	12.218	767849.2879
(46 B- 32)	201 49 13	12.900	44899.837	7.018	315107.0560	62840.948	17.502	1099842.2718
(46 B- 30)	201 54 50	5.956	44894.311	25.698	1153694.0040	62838.725	-3.818	-239918.2520
TOTAL					-967.3359			967.3355
								483.667
(46 B- 13)	291 45 49	25.293	44921.433	12.038	540764.2104	62822.348	-38.046	-2390139.0520
(46 B- 14)	21 46 31	30.871	44950.101	-26.724	-1201246.4991	62833.800	-22.569	-1418096.0322
(46 B- 25)	111 46 11	16.445	44944.002	-23.429	-1052993.0228	62849.072	9.297	584307.8223
(46 B- 26)	111 24 29	8.761	44940.804	-2.966	-133294.4246	62857.229	16.441	1033435.7019
(46 B- 27)	201 24 15	14.224	44927.561	11.391	511769.8473	62852.038	28.749	1806933.2404
(46 B- 28)	201 47 38	16.700	44912.055	29.690	1333438.9129	62845.838	6.128	385119.2952
TOTAL					-1560.9759			1560.9756
								780.487
(46 B- 14)	291 46 11	16.445	44950.101	5.704	256395.3761	62833.800	-30.005	-1885328.1690
(46 B- 15)	21 48 47	25.750	44974.007	-24.942	-1121741.6825	62843.368	-17.751	-1115532.6253
(46 B- 23)	111 49 8	16.560	44967.852	-6.544	-294269.6234	62858.742	27.945	1756587.5451
(46 B- 24)	202 3 34	23.511	44946.062	9.670	434628.4195	62849.912	23.850	1498970.4012
(46 B- 25)	202 11 2	2.225	44944.002	16.112	724137.7602	62849.072	-4.039	-253847.4018
TOTAL					-849.7501			849.7502
								424.875

計算者

点検者

座標に依る方向角・距離及び面積計算書

点名	方向角	距離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X座標	前点-後点		Y座標	前点-後点	
(47 B- 4)	111 45 37	22.046	44863.819	-15.385	-690229.8553	62927.177	20.698	1302466.7095
(47 B- 5)	202 6 58	13.520	44851.294	25.475	1142586.7146	62922.087	4.399	276794.2607
(47 B- 16)	291 44 1	21.945	44859.420	16.728	750408.3777	62901.702	-17.295	-1087884.9360
(47 B- 24)	21 44 39	9.871	44868.589	-5.000	-224342.9450	62905.359	-12.572	-790846.1733
(47 B- 15)	21 32 12	3.658	44871.992	-21.818	-979017.1214	62906.702	4.770	300064.9685
TOTAL					-594.8294			594.8294
								297.414
(47 B- 5)	111 44 1	21.945	44851.294	-9.373	-420391.1786	62922.087	35.359	2224862.0742
(47 B- 6)	202 1 00	29.375	44824.061	13.791	618168.6252	62911.075	28.387	1785856.6860
(47 B- 7)	247 26 56	3.009	44822.907	21.059	943925.5985	62908.296	-5.937	-373486.5533
(47 B- 8)	291 12 6	19.607	44829.998	6.594	295609.0068	62890.016	-36.513	-2296303.1542
(47 B- 16)	21 39 44	31.658	44859.420	-32.071	-1438686.4588	62901.702	-21.296	-1339554.6457
TOTAL					-1374.4069			1374.4070
								687.203

計算者

点検者