

座標に依る方向角・距離及び面積計算書

点名	方向角	距離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X座標	前点-後点		Y座標	前点-後点	
(47 B- 11)	291 44 44	11.023	44889.771	6.372	286037.6208	62882.303	-13.745	-864317.2547
(47 B- 12)	21 48 53	10.406	44899.432	-20.236	-908584.9059	62886.170	-3.099	-194884.2408
(47 B- 21)	111 50 41	17.635	44892.870	-24.354	-1093320.9559	62902.539	9.730	612041.7044
(47 B- 20)	111 38 25	8.590	44889.702	-1.259	-56516.1348	62910.524	19.760	1243111.9542
(47 B- 17)	202 3 59	17.903	44873.110	20.745	930892.6669	62903.798	11.002	692067.5855
(47 B- 18)	291 44 22	15.092	44878.700	11.256	505154.6472	62889.779	-12.577	-790964.7504
(47 B- 19)	21 34 35	7.513	44885.687	7.476	335565.3960	62892.542	-11.071	-696283.3324
TOTAL					-771.6657			771.6658
								385.832
(47 B- 12)	291 50 41	17.635	44899.432	10.787	484330.1729	62886.170	-20.482	-1288034.5339
(47 B- 13)	21 51 4	14.998	44913.352	-21.940	-985398.9428	62891.752	-7.357	-462694.6194
(47 B- 22)	111 51 40	17.625	44906.789	-10.787	-484409.5329	62908.110	20.482	1288483.9090
(47 B- 21)	201 48 49	14.992	44892.870	21.940	984949.5678	62902.539	7.357	462773.9794
TOTAL					-528.7350			528.7351
								264.367

計算者

点検者

座標に依る方向角・距離及び面積計算書

点名	方向角	距離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X 座標	前点-後点		Y 座標	前点-後点	
(51 B- 17)	292 37 24	35.592	44876.213	25.367	1138374.8951	62652.782	-32.577	-2041039.6792
(51 B- 18)	21 37 20	20.316	44895.099	-40.740	-1829026.3332	62660.268	-5.116	-320569.9310
(51 B- 23)	112 29 37	35.992	44881.329	-25.367	-1138504.6727	62693.522	32.577	2042366.8661
(51 B- 24)	202 45 8	20.394	44862.522	40.740	1827699.1462	62685.635	5.116	320699.7086
TOTAL					-1456.9646			1456.9645
								728.482
(51 B- 18)	292 29 37	35.992	44895.099	27.030	1213514.5259	62660.268	-29.639	-1857187.6832
(51 B- 19)	21 24 56	17.046	44910.968	-7.854	-352730.7426	62666.492	-16.487	-1033182.4536
(51 B- 20)	69 14 10	1.743	44911.586	-34.073	-1530272.4697	62668.122	12.846	805034.6952
(51 B- 22)	112 32 19	35.126	44898.122	-25.400	-1140412.2988	62700.565	30.257	1897130.9952
(51 B- 23)	202 45 8	18.210	44881.329	40.297	1808582.9147	62693.522	3.023	189522.5170
TOTAL					-1318.0705			1318.0706
								659.035
(51 B- 2)	112 32 24	35.489	44884.518	-33.489	-1503137.6233	62733.343	15.152	950535.6131
(51 B- 3)	155 19 50	1.703	44882.970	13.831	620776.3580	62734.054	36.000	2258425.9440
(51 B- 4)	202 53 4	37.395	44848.518	48.295	2165959.1763	62719.512	20.494	1285373.6789
(51 B- 25)	292 28 00	36.525	44862.476	33.877	1519806.0994	62685.759	-14.004	-877851.3690
(51 B- 24)	290 21 12	.132	44862.522	-7.763	-348267.7582	62685.635	-13.853	-1181812.2766
(51 B- 23)	22 45 8	20.394	44881.329	-14.930	-670078.2419	62693.522	-35.600	-2231889.3832
(51 B- 22)	22 45 8	18.210	44898.122	-39.821	-1787888.1161	62700.565	-3.189	-199952.1017
TOTAL					-2830.1053			2830.1055
								1415.052

計算者

点検者

座標に依る方向角・距離及び面積計算書

点名	方向角	距離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X座標	前点-後点		Y座標	前点-後点	
(51 B- 4)	112 28 00	36.525	44848.518	-21.436	-961372.8318	62719.512	43.140	2705719.7476
(51 B- 5)	202 53 00	31.675	44819.336	45.878	2056221.4970	62707.195	15.244	955908.4805
(51 B- 28)	292 33 12	36.340	44833.274	33.661	1509132.8361	62673.634	-13.972	-875676.0142
(51 B- 27)	288 46 41	.106	44833.308	-4.455	-199732.3871	62673.534	-11.032	-691414.4270
(51 B- 26)	22 29 52	11.904	44844.306	-12.225	-548221.6408	62678.089	-29.168	-1828194.4999
(51 B- 25)	22 53 9	19.723	44862.476	-41.423	-1858338.3433	62685.759	-4.212	-264032.4169
TOTAL					-2310.8699			2310.8701
								1155.435
(51 B- 5)	112 33 12	36.340	44819.336	-26.051	-1167588.5221	62707.195	31.744	1990577.1980
(51 B- 6)	202 52 6	19.325	44801.530	40.961	1835115.4703	62699.685	3.929	246347.0623
(51 B- 29)	292 31 51	36.215	44815.407	26.051	1167486.1677	62666.234	-31.744	-1989276.9320
(51 B- 28)	22 29 53	19.339	44833.274	-40.961	-1836415.7363	62673.634	-3.929	-246244.7079
TOTAL					-1402.6204			1402.6204
								701.310
(51 B- 6)	112 31 51	36.215	44801.530	-24.634	-1103640.8900	62699.685	34.783	2180883.1433
(51 B- 7)	202 52 2	22.689	44780.624	11.578	518470.0646	62690.868	22.010	1379826.0046
(51 B- 8)	248 12 21	2.974	44779.520	34.211	1531952.1587	62688.107	-11.723	-734892.6783
(51 B- 9)	292 11 18	33.965	44792.347	23.275	1042541.8764	62656.657	-32.618	-2043734.8380
(51 B- 30)	22 26 38	21.413	44812.138	-9.577	-429165.8456	62664.832	-23.060	-1445051.0259
(51 B- 29)	23 12 48	3.557	44815.407	-34.853	-1561951.3801	62666.234	10.608	664763.4102
TOTAL					-1794.0160			1794.0159
								897.007

計算者

点検者

座標に依る方向角・距離及び面積計算書

点名	方向角	距離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X座標	前点-後点		Y座標	前点-後点	
(51 B- 9)	202 26 38	21.413	44792.347	16.758	750630.1510	62656.657	16.291	1020739.5991
(51 B- 10)	292 11 5	9.269	44795.847	.396	17739.1554	62648.074	-23.325	-1461266.3260
(51 B- 31)	22 26 20	21.449	44815.672	-16.758	-751021.0313	62656.261	-16.291	-1020733.1479
(51 B- 30)	112 24 27	9.271	44812.138	-.396	-17745.6066	62664.832	23.325	1461657.2064
TOTAL					-397.3315			397.3316
								198.665
(51 B- 10)	202 26 20	21.449	44795.847	16.757	750644.0081	62648.074	16.333	1023230.9926
(51 B- 11)	292 10 10	9.254	44799.339	.363	16262.1600	62639.504	-23.357	-1463070.8949
(51 B- 32)	22 26 51	21.494	44819.204	-16.757	-751035.4014	62647.711	-16.333	-1023225.0637
(51 B- 31)	112 26 44	9.251	44815.672	-.363	-16268.0889	62656.261	23.357	1463462.2881
TOTAL					-397.3222			397.3221
								198.661
(51 B- 11)	202 26 51	21.494	44799.339	21.037	942443.6945	62639.504	14.648	917543.4545
(51 B- 12)	292 7 40	13.850	44804.556	14.054	629683.2300	62626.674	-7.979	-499698.2318
(51 B- 13)	336 5 57	3.021	44807.318	-5.974	-267678.9177	62625.450	-20.919	-1310061.7885
(51 B- 14)	21 37 30	19.532	44825.475	-22.261	-997859.8989	62632.648	-11.886	-744451.6541
(51 B- 32)	112 36 10	16.316	44819.204	-6.856	-307280.4626	62647.711	26.136	1637360.5746
TOTAL					-692.3547			692.3547
								346.177

計算者

点検者

座標に依る方向角・距離及び面積計算書

点 名	方 向 角	距 離	1	2 (ΔY)	1 × 2	3	4 (ΔX)	3 × 4
			X 座 標	前点-後点		Y 座 標	前点-後点	
(51 B- 14)	292 36 10	16.316	44825.475	6.616	296565.3426	62632.648	-27.582	-1727533.6971
(51 B- 15)	21 37 18	22.924	44846.786	-40.886	-1833605.6923	62641.095	-7.833	-490667.6971
(51 B- 27)	112 33 44	35.128	44833.308	-32.539	-1458831.0090	62673.534	13.512	846844.7914
(51 B- 28)	108 46 41	.106	44833.274	7.300	327282.9002	62673.634	17.901	1121920.7222
(51 B- 29)	202 29 53	19.339	44815.407	8.802	394465.2124	62666.234	21.136	1324513.5218
(51 B- 30)	203 12 48	3.557	44812.138	9.973	446911.4522	62664.832	-.265	-16606.1804
(51 B- 31)	292 24 27	9.271	44815.672	17.121	767289.1203	62656.261	-7.066	-442729.1402
(51 B- 32)	292 26 44	9.251	44819.204	23.613	1058315.8640	62647.711	-9.803	-614135.5109
TOTAL					-1606.8096			1606.8097
								803.404
(51 B- 15)	292 33 44	35.128	44846.786	28.035	1257279.6455	62641.095	-24.553	-1538026.8055
(51 B- 16)	21 41 7	11.919	44857.861	-36.994	-1659471.7098	62645.499	2.480	155360.8375
(51 B- 26)	112 35 1	35.297	44844.306	-28.035	-1257210.1187	62678.089	24.553	1538935.1192
(51 B- 27)	202 29 52	11.904	44833.308	36.994	1658563.3961	62673.534	-2.480	-155430.3643
TOTAL					-838.7869			838.7869
								419.393
(51 B- 16)	292 35 1	35.297	44857.861	25.307	1135217.8883	62645.499	-31.907	1998829.9365
(51 B- 17)	21 38 44	19.744	44876.213	-40.136	-1301151.6849	62652.782	-4.661	-292024.6169
(51 B- 24)	112 37 24	35.592	44862.522	-32.977	-1479431.3879	62685.635	13.737	861112.5679
(51 B- 25)	110 21 12	.132	44862.476	7.546	338532.2438	62685.759	18.216	1141883.7859
(51 B- 26)	202 53 9	19.723	44844.306	40.260	1805431.7595	62678.089	4.615	289259.3807
TOTAL					-1401.1812			1401.1811
								700.590

計算者

点検者

座標に依る方向角・距離及び面積計算書

(1)

点名	方向角	距離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X 座標	前点-後点		Y 座標	前点-後点	
(52 B- 2)	112 30 42	52.511	44861.179	-49.164	-2205555.0043	62789.662	21.699	1362472.8757
(52 B- 3)	157 41 32	1.723	44859.585	11.770	527997.3154	62790.316	25.232	1584325.2533
(52 B- 4)	207 43 34	26.704	44835.947	60.923	2731540.3990	62777.892	3.150	197750.3598
(52 B- 11)	292 54 4	52.649	44856.435	38.284	1717283.7575	62729.393	-44.731	-2805948.4782
(52 B- 12)	22 50 55	26.307	44880.678	-11.759	-527751.8926	62739.608	-24.849	-1559016.5191
(52 B- 13)	68 34 14	1.659	44881.284	-50.054	-2246487.7893	62741.152	19.499	1223389.7228
TOTAL					-2973.2143			2973.2143
								1486.607
(52 B- 4)	112 54 4	52.649	44835.947	-32.965	-1478016.9928	62777.892	49.992	3138392.3768
(52 B- 5)	207 46 1	33.344	44806.443	61.428	2752370.1806	62762.358	10.115	634841.2511
(52 B- 10)	292 54 10	49.822	44825.832	32.965	1477683.5518	62716.464	-49.992	-3135321.4682
(52 B- 11)	22 54 10	33.222	44856.435	-61.428	-2755441.0891	62729.393	-10.115	-634507.8101
TOTAL					-3404.3495			3404.3496
								1702.174
(52 B- 5)	112 54 10	49.822	44806.443	-22.059	-988385.3261	62762.358	64.625	4056017.3857
(52 B- 6)	207 47 6	51.131	44761.207	26.615	1191319.5243	62738.523	46.337	2907114.9402
(52 B- 7)	248 23 39	2.990	44760.106	40.905	1830912.1359	62735.743	-14.437	-905715.9216
(52 B- 8)	292 10 25	41.170	44775.644	39.305	1759906.6874	62697.618	-18.283	-1146300.5498
(52 B- 9)	336 44 18	2.988	44778.389	-18.846	-843893.5190	62696.438	-50.188	-3146608.8303
(52 B- 10)	22 53 6	51.496	44825.832	-65.920	-2954918.8454	62716.464	-28.054	-1759447.6810
TOTAL					-5059.3429			5059.3432
								2529.671

計算者

点検者

座標に依る方向角・距離及び面積計算書

(1)

点名	方向角	距離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X座標	前点-後点		Y座標	前点-後点	
(53 B- 2)	112 39 55	29.189	44837.887	-14.482	-649342.2795	62845.440	42.412	2665400.8012
(53 B- 3)	201 46 53	33.560	44806.723	39.556	1772374.7349	62832.987	20.316	1276514.9638
(53 B- 21)	291 48 50	29.193	44817.571	19.958	894469.0820	62805.884	-28.707	-1802968.5119
(53 B- 20)	21 48 19	19.235	44835.430	-12.621	-565867.9620	62813.029	-31.564	-1982630.4473
(53 B- 19)	21 46 47	14.759	44849.135	-32.411	-1453605.3144	62818.505	-2.457	-154345.0667
TOTAL					-1971.7390			1971.7391
								985.869
(53 B- 3)	111 48 50	29.193	44806.723	-13.159	-589611.6679	62832.987	45.786	2876871.1427
(53 B- 4)	201 45 26	37.618	44771.785	41.158	1842717.1270	62819.043	24.075	1512368.4602
(53 B- 23)	291 45 37	29.302	44782.648	19.613	878322.0752	62791.829	-29.749	-1867994.1209
(53 B- 22)	21 55 22	20.358	44801.534	-14.055	-629685.5603	62799.430	-34.923	-2193144.4938
(53 B- 21)	21 55 22	17.287	44817.571	-33.557	-1503943.2300	62805.884	-5.189	-325899.7320
TOTAL					-2201.2560			2201.2562
								1100.628
(53 B- 4)	111 45 37	29.302	44771.785	-17.129	-766895.9052	62819.043	36.109	2268332.8236
(53 B- 5)	201 46 31	27.186	44746.539	27.746	1241537.4710	62808.958	18.230	1145007.3043
(53 B- 27)	291 39 57	19.004	44753.555	27.158	1215417.0466	62791.297	-10.780	-676890.1816
(53 B- 26)	291 37 13	10.216	44757.319	7.736	346242.6197	62781.800	-8.193	-514371.2874
(53 B- 25)	21 40 59	4.766	44761.748	-9.695	-433965.1468	62783.561	-24.485	-1537255.4910
(53 B- 24)	21 35 00	21.568	44781.804	-8.268	-370255.9554	62791.495	-20.900	-1312342.2455
(53 B- 23)	21 35 26	.908	44782.648	-27.548	-1233672.3871	62791.829	10.019	629111.3347
TOTAL					-1592.2572			1592.2571
								796.128

計算者

点検者

画地測量設計株式会社

座標に依る方向角・距離及び面積計算書

点名	方向角	距離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X座標	前点-後点		Y座標	前点-後点	
(53 B- 5)	111 39 57	19.004	44746.539	-12.061	-539688.0068	62808.958	20.979	1317669.1298
(53 B- 6)	201 51 13	15.044	44732.576	23.166	1036274.8556	62803.358	6.818	428193.2948
(53 B- 7)	292 8 3	18.964	44739.721	12.061	539605.7749	62785.792	-20.979	-1317183.1303
(53 B- 27)	21 41 57	14.889	44753.555	-23.166	-1036760.8551	62791.297	-6.818	-428111.0629
TOTAL					-568.2314			568.2314
								284.115
(53 B- 7)	201 41 57	14.889	44739.721	14.944	668590.3906	62785.792	10.002	627983.4915
(53 B- 8)	292 5 45	10.187	44743.553	3.992	178616.2635	62776.353	-17.598	-1104738.2600
(53 B- 26)	21 35 17	14.804	44757.319	-14.944	-668853.3751	62781.800	-10.002	-627943.5636
(53 B- 27)	111 37 13	10.216	44753.555	-3.992	-178656.1915	62791.297	17.598	1105001.2446
TOTAL					-302.9125			302.9125
								151.456
(53 B- 8)	201 35 17	14.804	44743.553	15.599	697954.6832	62776.353	9.606	603029.6469
(53 B- 9)	292 16 57	10.971	44747.713	2.955	132229.4919	62766.201	-22.322	-1401067.1387
(53 B- 29)	21 37 00	19.536	44765.875	-17.360	-777135.5900	62773.398	-14.035	-881024.6409
(53 B- 25)	112 6 4	10.969	44761.748	-8.402	-376088.2066	62783.561	8.556	537176.1479
(53 B- 26)	201 40 59	4.766	44757.319	7.208	322610.7553	62781.800	18.195	1142314.8510
TOTAL					-428.8662			428.8662
								214.433

計算者

点検者

座標に依る方向角・距離及び面積計算書

(3)

点名	方向角	距離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X座標	前点-後点		Y座標	前点-後点	
(53 B- 9)	201 37 00	19.536	44747.713	10.016	448193.0934	62766.201	17.017	1068092.4424
(53 B- 10)	292 6 20	3.043	44748.858	-12.372	-553632.8711	62763.382	-39.285	-2465659.4618
(53 B- 28)	21 43 2	41.054	44786.998	-28.113	-1259096.8747	62778.573	-32.946	-2068302.8660
(53 B- 24)	111 53 52	13.927	44781.804	-4.988	-223371.6383	62791.495	25.250	1585485.2487
(53 B- 25)	201 35 00	21.568	44761.748	18.097	810053.3535	62783.561	15.929	1000079.3431
(53 B- 29)	292 6 4	10.969	44765.875	17.360	777135.5900	62773.398	14.035	881024.6409
TOTAL					-719.3472			719.3473
								359.673
(53 B- 10)	201 43 2	41.054	44748.858	33.393	1494298.6151	62763.382	30.735	1929032.5457
(53 B- 11)	292 8 16	19.651	44756.263	19.173	858111.8304	62745.180	-10.244	-642761.6239
(53 B- 12)	341 7 5	3.000	44759.102	-17.172	-768603.2995	62744.209	-37.288	-2339606.0651
(53 B- 13)	27 46 27	38.935	44793.551	-34.364	-1539285.5865	62762.352	-27.896	-1750818.5713
(53 B- 28)	111 59 52	17.495	44786.998	-1.030	-46130.6079	62778.573	44.693	2805762.7630
TOTAL					-1609.0484			1609.0484
								804.524
(53 B- 13)	291 59 52	17.495	44793.551	6.261	280452.4228	62762.352	-25.450	-1597301.8584
(53 B- 14)	27 47 32	21.361	44812.448	-37.078	-1661555.9469	62772.312	-7.983	-501111.3666
(53 B- 22)	111 55 22	29.232	44801.534	-19.517	-874391.5390	62799.430	29.800	1871423.0140
(53 B- 23)	201 55 22	20.358	44782.648	7.935	355350.3118	62791.829	19.730	1238882.7861
(53 B- 24)	201 35 26	.908	44781.804	13.256	593627.5938	62791.495	-4.350	-273143.0032
(53 B- 28)	291 53 52	13.927	44786.998	29.143	1305227.4827	62778.573	-11.747	-737459.8970
TOTAL					-1289.6748			1289.6749
								644.837

計算者

点検者

座標に依る方向角・距離及び面積計算書

(4)

点名	方向角	距離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X座標	前点-後点		Y座標	前点-後点	
(53 B- 14)	291 55 22	29.232	44812.448	9.995	447900.4177	62772.312	-43.401	-2724381.1131
(53 B- 15)	27 47 33	36.723	44844.935	-40.717	-1825951.2183	62789.435	-22.982	-1443026.7951
(53 B- 20)	111 56 33	25.437	44835.430	-16.449	-737497.9880	62813.029	27.364	1718815.7255
(53 B- 21)	201 48 19	19.235	44817.571	13.599	609474.1480	62805.884	33.896	2128868.2440
(53 B- 22)	201 55 22	17.287	44801.534	33.572	1504077.0994	62799.430	5.123	321721.4798
TOTAL					-1997.5412			1997.5411
								998.770
(53 B- 15)	291 56 33	25.437	44844.935	17.017	763126.2588	62789.435	-22.014	-1382246.6220
(53 B- 16)	27 44 4	14.133	44857.444	-8.094	-363076.1517	62796.012	-12.960	-813836.3155
(53 B- 17)	73 26 35	1.583	44857.895	-22.493	-1008988.6322	62797.529	8.309	521784.6684
(53 B- 19)	112 39 59	22.732	44849.135	-15.500	-695161.5925	62818.505	22.465	1411217.7148
(53 B- 20)	201 46 47	14.759	44835.430	29.070	1303365.9501	62813.029	4.200	263814.7218
TOTAL					-734.1675			734.1675
								367.083
(53 B- 17)	292 39 59	22.732	44857.895	19.656	881726.7841	62797.529	-9.191	-577172.0890
(53 B- 18)	71 55 2	1.389	44858.326	-48.255	-2164638.5211	62798.849	19.147	1202409.5618
(53 B- 1)	112 38 33	50.855	44838.748	-46.591	-2089082.1080	62845.784	20.439	1284504.9791
(53 B- 2)	201 46 42	.927	44837.887	27.279	1223132.7194	62845.440	-10.387	-652775.5852
(53 B- 19)	292 39 55	29.189	44849.135	47.911	2148766.9069	62818.505	-20.008	-1256872.6480
TOTAL					-94.2187			94.2187
								47.109

計算者

点検者

座標に依る方向角・距離及び面積計算書

(1)

点名	方向角	距離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X座標	前点-後点		Y座標	前点-後点	
(54 B- 1)	111 13 59	17.445	44814.822	-17.151	-768619.0121	62904.467	8.407	528837.8540
(54 B- 2)	156 55 26	2.271	44812.733	5.173	231816.2678	62905.357	16.805	1057124.5243
(54 B- 3)	202 23 30	15.916	44798.017	23.632	1058666.7377	62899.294	7.742	486966.3341
(54 B- 26)	291 39 2	18.903	44804.991	17.025	762804.9717	62881.725	-8.354	-525313.9306
(54 B- 25)	21 30 52	1.483	44806.371	-6.481	-290390.0904	62882.269	-16.149	-1015485.7620
(54 B- 22)	21 53 59	15.918	44821.140	-22.198	-994939.6657	62888.206	-8.451	-531468.2289
TOTAL					-660.7910			660.7909
								330.395
(54 B- 3)	111 39 2	18.903	44798.017	-11.174	-500573.0419	62899.294	22.579	1420203.1592
(54 B- 4)	202 17 3	16.865	44782.412	23.754	1063761.4146	62892.899	8.615	541822.3248
(54 B- 28)	291 56 00	18.713	44789.402	15.511	694728.4144	62875.540	-11.649	-732437.1654
(54 B- 27)	21 38 9	5.012	44794.061	-6.185	-277051.2672	62877.388	-15.589	-980195.6015
(54 B- 26)	21 38 35	11.759	44804.991	-21.906	-981498.1328	62881.725	-3.956	-248760.1041
TOTAL					-632.6129			632.6130
								316.306
(54 B- 4)	111 56 00	18.713	44782.412	-12.944	-579663.5409	62892.899	17.712	1113959.0270
(54 B- 5)	202 22 49	11.595	44771.690	21.640	968859.3716	62888.484	3.800	238976.2392
(54 B- 29)	291 53 35	18.564	44778.612	12.944	579614.3537	62871.259	-17.712	-1113575.7394
(54 B- 28)	21 38 28	11.608	44789.402	-21.640	-969242.6592	62875.540	-3.800	-238927.0520
TOTAL					-432.4748			432.4748
								216.237

計算者

点検者

画地測量設計株式会社

座標に依る方向角・距離及び面積計算書

点名	方向角	距離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X座標	前点-後点		Y座標	前点-後点	
(54 B- 5)	111 53 35	18.564	44771.690	-13.089	-586016.6504	62888.484	17.062	1073003.3140
(54 B- 6)	202 11 24	10.951	44761.550	21.239	950690.5604	62884.348	3.261	205065.8588
(54 B- 30)	291 54 38	18.435	44768.429	13.089	585973.9671	62867.245	-17.062	-1072640.9341
(54 B- 29)	21 30 49	10.946	44778.612	-21.239	-951052.9402	62871.259	-3.261	-205023.1755
TOTAL					-405.0631			405.0632
								202.531
(54 B- 6)	111 54 38	18.435	44761.550	-13.344	-597298.1232	62884.348	16.118	1013569.9210
(54 B- 7)	202 8 22	9.974	44752.311	29.603	1324802.6625	62880.589	-0.976	-61371.4548
(54 B- 33)	291 34 00	27.790	44762.526	25.227	1129224.2434	62854.745	-11.620	-730372.1369
(54 B- 32)	23 42 31	1.535	44763.931	-3.793	-169789.5902	62855.362	-9.368	-588829.0312
(54 B- 31)	21 44 40	8.573	44771.894	-11.883	-532024.4164	62858.538	-4.498	-282737.7039
(54 B- 30)	111 42 1	9.371	44768.429	-25.810	-1155473.1524	62867.245	10.344	650298.7822
TOTAL					-558.3763			558.3764
								279.188
(54 B- 7)	111 34 00	27.790	44752.311	-8.430	-377261.9817	62880.589	52.987	3331853.7693
(54 B- 8)	202 9 11	46.181	44709.539	18.796	840360.4950	62863.175	43.424	2729770.5112
(54 B- 12)	244 44 35	1.528	44708.887	24.588	1099302.1135	62861.793	-8.779	-551863.6807
(54 B- 13)	292 7 1	25.049	44718.318	14.898	666213.5015	62838.587	-30.181	-1896531.3942
(54 B- 36)	21 49 14	22.351	44739.068	-6.941	-310533.8709	62846.895	-21.302	-1338764.5572
(54 B- 35)	291 59 21	1.474	44739.620	-4.922	-220208.4096	62845.528	-16.363	-1028341.3746
(54 B- 34)	21 41 27	17.016	44755.431	-9.217	-412510.8075	62851.817	-22.906	-1439683.7202
(54 B- 33)	22 25 31	7.675	44762.526	-28.772	-1287907.3980	62854.745	3.120	196106.8044
TOTAL					-2546.3577			2546.3580
								1273.178

計算者

点検者

座標に依る方向角・距離及び面積計算書

(3)

点名	方向角	距離	1	2 (ΔY)	1 × 2	3	4 (ΔX)	3 × 4
			X 座標	前点-後点		Y 座標	前点-後点	
(54 B- 13)	201 49 14	22.351	44718.318	29.638	1325361.5088	62838.587	12.066	758210.3907
(54 B- 14)	292 9 9	23.030	44727.002	13.074	584760.8241	62817.257	-29.327	-1842241.6960
(54 B- 15)	21 47 55	22.233	44747.645	-28.271	-1265060.6717	62825.513	-12.618	-792732.3230
(54 B- 35)	111 50 54	21.564	44739.620	-21.382	-956622.5548	62845.528	8.577	539026.0936
(54 B- 36)	111 59 21	1.474	44739.068	6.941	310533.8709	62846.895	21.302	1338764.5572
TOTAL					-1027.0227			1027.0225
								513.511
(54 B- 15)	291 50 54	21.564	44747.645	13.703	613176.9794	62825.513	-23.823	-1496692.1961
(54 B- 16)	21 46 44	17.012	44763.443	-26.304	-1177457.6046	62831.825	-7.786	-489208.5894
(54 B- 34)	111 50 20	21.538	44755.431	-13.703	-613283.6709	62851.817	23.823	1497318.8363
(54 B- 35)	201 41 27	17.016	44739.620	26.304	1176830.9644	62845.528	7.786	489315.2810
TOTAL					-733.3317			733.3318
								366.665
(54 B- 16)	291 50 20	21.538	44763.443	16.584	742356.9387	62831.825	-16.548	-1039741.0401
(54 B- 17)	21 45 52	9.191	44771.979	-23.537	-1053798.0697	62835.233	-.488	-30663.5937
(54 B- 32)	111 47 33	21.678	44763.931	-19.512	-873433.8216	62855.362	9.453	594171.7369
(54 B- 33)	203 42 31	1.535	44762.526	3.545	158683.1546	62854.745	8.500	534265.3325
(54 B- 34)	202 25 31	7.675	44755.431	22.920	1025794.4785	62851.817	-.917	-57635.1161
TOTAL					-397.3195			397.3195
								198.659

計算者

点検者

座標に依る方向角・距離及び面積計算書

点名	方向角	距離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X座標	前点-後点		Y座標	前点-後点	
(54 B- 17)	291 47 33	21.678	44771.979	6.706	300240.8911	62835.233	-41.620	-2615202.3974
(54 B- 18)	21 47 34	36.156	44805.551	-42.155	-1888778.0024	62848.656	22.082	-1387824.0217
(54 B- 27)	111 47 48	30.944	44794.061	-26.884	-1204243.5359	62877.388	16.149	1015406.9388
(54 B- 28)	201 38 9	5.012	44789.402	6.129	274514.2448	62875.540	15.449	971364.2174
(54 B- 29)	201 38 28	11.608	44778.612	8.295	371438.5865	62871.259	20.973	1318598.9150
(54 B- 30)	201 30 49	10.946	44768.429	12.721	569499.1853	62867.245	6.718	422342.1519
(54 B- 31)	291 42 1	9.371	44771.894	11.883	532024.4164	62858.538	4.498	282737.7039
(54 B- 32)	201 44 40	8.573	44763.931	23.305	1043223.4119	62855.362	-0.085	-5342.7057
TOTAL					-2080.8023			2080.8022
								-1040.401
(54 B- 18)	291 47 48	30.944	44805.551	23.832	1067805.8914	62848.656	-23.773	-1494101.0990
(54 B- 19)	21 44 54	13.224	44817.834	-33.613	-1506461.8542	62853.556	-0.820	-51539.9159
(54 B- 25)	111 45 48	30.917	44806.371	-28.169	-1262150.6646	62882.269	12.843	807596.9807
(54 B- 26)	201 30 52	1.483	44804.991	4.881	218693.1610	62881.725	12.310	774074.0347
(54 B- 27)	201 38 35	11.759	44794.061	33.069	1481294.8032	62877.388	-0.560	-35211.3372
TOTAL					-818.6632			818.6633
								409.331
(54 B- 19)	291 45 48	30.917	44817.834	22.922	1027314.3909	62853.556	-25.950	-1631049.7782
(54 B- 20)	21 47 18	15.602	44832.321	-34.650	-1553439.9226	62859.347	-3.306	-207813.0011
(54 B- 22)	111 10 41	30.949	44821.140	-22.922	-1027390.1710	62888.206	25.950	1631948.9457
(54 B- 25)	201 53 59	15.918	44806.371	34.650	1552540.7551	62882.269	3.306	207888.7813
TOTAL					-974.9476			974.9477
								487.473

計算者

点検者

座標に依る方向角・距離及び面積計算書

(1)

点名	方向角	距離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X座標	前点-後点		Y座標	前点-後点	
(56 B- 1)	21 35 8	29.615	44797.912	-13.637	-610909.1259	62621.758	-28.602	-1791107.5223
(56 B- 2)	68 47 31	2.941	44798.976	-29.299	-1312565.1978	62624.500	9.754	610839.3730
(56 B- 3)	112 9 49	28.676	44788.158	-17.004	-761577.8386	62651.057	34.958	2190155.6506
(56 B- 16)	201 35 25	25.961	44764.018	11.541	516621.5317	62641.504	29.158	1826500.9736
(56 B- 17)	201 36 44	5.397	44759.000	30.641	1371460.5190	62639.516	-6.356	-398136.7636
(56 B- 15)	291 39 3	30.828	44770.374	17.758	795032.3014	62610.863	-38.912	-2436313.9010
TOTAL					-1937.8102			1937.8103
								968.905
(56 B- 3)	21 35 25	25.961	44788.158	-43.734	-1958765.3019	62651.057	-10.217	-640105.8493
(56 B- 4)	112 9 45	36.908	44774.235	-35.033	-1568575.7747	62685.238	16.861	1056935.7979
(56 B- 5)	163 49 42	3.059	44771.297	11.114	497588.1948	62686.090	23.106	1448424.7955
(56 B- 6)	210 40 53	23.451	44751.129	44.586	1995273.8375	62674.124	7.279	456204.9485
(56 B- 16)	291 33 37	35.074	44764.018	23.067	1032571.6032	62641.504	-37.029	-2319552.2516
TOTAL					-1907.4411			1907.4410
								953.720

計算者

点検者

画地測量設計株式会社

座標に依る方向角・距離及び面積計算書

点名	方向角	距離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X座標	前点-後点		Y座標	前点-後点	
(56 B- 6)	111 33 37	35.074	44751.129	-21.472	-960896.2418	62674.124	31.683	1985704.2706
(56 B- 7)	210 40 30	21.852	44732.335	40.565	1814567.1692	62662.976	7.171	449356.2008
(56 B- 18)	291 33 34	31.630	44743.958	23.460	1049693.2546	62633.559	-26.665	-1670123.8507
(56 B- 17)	21 36 17	16.179	44759.000	-7.945	-355610.2550	62639.516	-20.060	-1256548.6909
(56 B- 16)	21 36 44	5.397	44764.018	-34.608	-1549193.1349	62641.504	7.871	493051.2779
TOTAL					-1439.2079			1439.2077
								719.603
(56 B- 7)	111 33 34	31.630	44732.335	-17.269	-772482.6931	62662.976	32.114	2012358.8112
(56 B- 8)	210 39 41	23.821	44711.844	37.943	1696501.4968	62650.828	10.101	632836.0136
(56 B- 19)	291 56 21	27.809	44722.234	17.269	772308.2589	62625.033	-32.114	-2011140.3097
(56 B- 18)	21 25 43	23.337	44743.958	-37.943	-1697719.9983	62633.559	-10.101	-632661.5794
TOTAL					-1392.9357			1392.9357
								696.467
(56 B- 8)	111 56 21	27.809	44711.844	-20.858	-932599.6421	62650.828	18.736	1173825.9134
(56 B- 9)	210 36 22	9.697	44703.498	7.768	347256.7724	62645.891	9.377	587430.5199
(56 B- 10)	249 59 21	3.013	44702.467	25.586	1143757.3206	62643.060	-6.947	-435181.3378
(56 B- 11)	289 19 15	24.113	44710.445	18.027	805995.1920	62620.305	-19.767	-1237815.5689
(56 B- 19)	21 51 12	12.702	44722.234	-30.523	-1365056.7483	62625.033	-1.399	-87612.4211
TOTAL					-647.1054			647.1055
								323.552

計算者

点検者

座標に依る方向角・距離及び面積計算書

(1)

点名	方向角	距離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X座標	前点-後点		Y座標	前点-後点	
(57 B- 24)	111 38 44	17.554	44703.436	-8.737	-390573.9203	62708.364	25.505	1599376.8238
(57 B- 1)	201 42 57	20.484	44684.406	10.301	460294.0662	62700.785	20.212	1267308.2664
(57 B- 2)	246 31 39	2.968	44683.224	17.289	772528.2597	62698.063	-3.938	-246904.9720
(57 B- 3)	289 21 56	15.441	44688.344	6.015	268800.3891	62683.496	-26.687	-1672834.4577
(57 B- 25)	21 37 48	23.201	44709.911	-24.868	-1111846.0667	62692.048	-15.092	-946148.3884
TOTAL					-797.2720			797.2721
								398.636
(57 B- 3)	201 37 48	23.201	44688.344	39.156	1749816.7976	62683.496	10.881	682059.1199
(57 B- 4)	289 14 52	32.416	44699.030	31.658	1415081.8917	62652.892	-13.514	-846691.1824
(57 B- 5)	339 33 34	3.018	44701.858	-10.486	-468743.6829	62651.838	-22.258	-1394504.6102
(57 B- 6)	30 42 26	22.599	44721.288	-28.247	-1263242.2221	62663.378	-12.812	-802843.1989
(57 B- 26)	111 36 34	17.970	44714.670	-28.670	-1281969.5889	62680.085	11.377	713111.3270
(57 B- 25)	111 41 35	12.875	44709.911	-3.411	-152505.5064	62692.048	26.326	1650430.8556
TOTAL					-1562.3110			1562.3110
								781.155

計算者

点検者

座標に依る方向角・距離及び面積計算書

点名	方向角	距離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X座標	前点-後点		Y座標	前点-後点	
(57 B- 6)	291 36 34	17.970	44721.288	2.759	123386.0335	62663.378	-30.115	-1887107.6284
(57 B- 7)	30 41 37	27.325	44744.785	-26.703	-1194819.9938	62677.326	-18.509	-1160094.6269
(57 B- 27)	111 21 28	13.696	44739.797	-2.759	-123437.0999	62690.081	30.115	1887911.7893
(57 B- 26)	201 41 35	27.042	44714.670	26.703	1194015.8330	62680.085	18.509	1160145.6932
TOTAL					-855.2272			855.2272
								427.613
(57 B- 19)	111 21 26	30.740	44728.602	-28.036	-1254011.0856	62718.710	12.413	778527.3472
(57 B- 20)	205 57 35	1.355	44727.384	1.466	65570.3449	62718.117	3.108	194927.9076
(57 B- 21)	204 47 33	2.082	44725.494	1.711	76525.3202	62717.244	3.802	238450.9616
(57 B- 22)	203 40 2	2.088	44723.582	1.642	73436.1216	62716.406	3.831	240266.5513
(57 B- 23)	202 43 56	2.081	44721.663	8.042	359651.6138	62715.602	20.146	1263468.5178
(57 B- 24)	201 39 29	19.612	44708.436	23.554	1052944.7315	62708.364	11.752	736948.6937
(57 B- 25)	291 38 44	17.554	44709.911	28.279	1264351.5731	62692.048	-11.234	-704282.4672
(57 B- 26)	291 41 35	12.875	44714.670	1.967	87953.7558	62680.085	-29.886	-1873257.0203
(57 B- 27)	21 41 35	27.042	44739.797	-38.625	-1728074.6591	62690.081	-13.932	-873398.2084
TOTAL					-1652.2838			1652.2833
								-826.141

計算者

点検者

