

座標に依る方向角・距離及び面積計算書

点名	方向角	距離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X座標	前点-後点		Y座標	前点-後点	
(58 B- 1)	21 30 27	12.312	44713.111	-7.246	-323991.2023	62588.208	-12.709	-795433.5354
(58 B- 2)	65 20 41	3.006	44714.365	-29.698	-1327927.2117	62590.940	8.194	512870.1623
(58 B- 3)	109 18 32	28.573	44704.917	-22.221	-993387.9606	62617.906	23.023	1441652.0498
(58 B- 22)	199 16 00	14.380	44691.342	8.753	391183.3165	62613.161	12.173	762190.0083
(58 B- 21)	289 16 47	4.246	44692.744	18.880	843799.0067	62609.153	-6.609	-413783.8921
(58 B- 20)	289 17 46	15.757	44697.951	25.459	1137965.1345	62594.281	-8.912	-557840.2322
(58 B- 19)	289 17 16	11.217	44701.656	6.073	271473.1568	62583.694	-15.160	-948768.8010
TOTAL					-885.7601			885.7602
								442.880
(58 B- 3)	19 16 00	14.380	44704.917	-10.822	-483796.6117	62617.906	-11.446	-716724.5520
(58 B- 4)	109 18 26	6.439	44702.788	-1.362	-60885.1972	62623.983	15.708	983697.5249
(58 B- 23)	199 8 54	14.374	44689.209	10.822	483626.6197	62619.268	11.446	716740.1415
(58 B- 22)	289 15 10	6.469	44691.342	1.362	60869.6078	62613.161	-15.708	-983527.5329
TOTAL					-185.5814			185.5815
								92.790
(58 B- 4)	19 8 54	14.374	44702.788	-20.834	-931337.8851	62623.983	-7.941	-497297.0490
(58 B- 5)	109 16 43	17.077	44697.150	-17.306	-773528.8779	62640.102	8.391	525613.0958
(58 B- 6)	156 40 33	2.998	44694.397	3.630	162240.6611	62641.289	13.957	874284.4705
(58 B- 7)	203 15 53	12.196	44683.193	18.006	804565.5731	62636.472	6.576	411897.4398
(58 B- 24)	289 20 9	13.977	44687.321	17.204	768809.2724	62623.283	-6.016	-376741.6705
(58 B- 23)	289 4 14	4.243	44689.209	-0.700	-31282.4463	62619.268	-14.967	-937222.5841
TOTAL					-533.7027			533.7025
								266.851

計算者

点検者

座標に依る方向角・距離及び面積計算書

点名	方向角	距離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X座標	前点-後点		Y座標	前点-後点	
(58 B- 7)	109 20 9	13.977	44683.193	-5.404	-241467.9749	62636.472	22.743	1424541.2826
(58 B- 8)	203 15 21	19.717	44665.078	19.660	878115.4334	62628.687	13.967	874734.8713
(58 B- 26)	289 15 16	12.579	44669.226	5.404	241392.4973	62616.812	-22.743	-1424094.1553
(58 B- 24)	19 11 16	19.689	44687.821	-19.660	-878562.5608	62623.283	-13.967	-874659.3936
TOTAL					-522.6050			522.6050
								261.302
(58 B- 8)	109 15 16	12.579	44665.078	-10.678	-476933.7028	62628.687	6.926	433766.2861
(58 B- 9)	203 18 38	3.025	44662.300	23.259	1038800.4357	62627.490	-4.949	-309943.4480
(58 B- 29)	289 18 8	23.376	44670.027	25.816	1153201.4170	62605.428	-9.038	-565827.8582
(58 B- 28)	289 15 2	3.976	44671.338	-3.725	-166400.7340	62601.674	-22.717	-1422122.2282
(58 B- 21)	19 15 32	22.675	44692.744	-11.487	-513385.5503	62609.153	-20.004	-1252433.4966
(58 B- 22)	109 16 47	4.246	44691.342	-10.115	-452052.9243	62613.161	3.535	221337.5241
(58 B- 23)	109 15 10	6.469	44689.209	-10.122	-452344.1734	62619.268	3.521	220482.4426
(58 B- 24)	109 4 14	4.248	44687.821	2.456	109753.2883	62623.283	19.983	1251401.0641
(58 B- 26)	199 11 16	19.689	44669.226	-5.404	-241392.4973	62616.812	22.743	1424094.1553
TOTAL					-754.4411			754.4412
								377.220
(58 B- 9)	109 18 8	23.376	44662.300	-17.789	-794497.6547	62627.490	17.662	1106126.7283
(58 B- 10)	203 16 20	10.815	44652.365	25.597	1142966.5869	62623.217	2.456	153802.6209
(58 B- 30)	289 19 39	22.598	44659.844	17.789	794453.9649	62601.893	-17.662	-1105674.6341
(58 B- 29)	19 8 39	10.779	44670.027	-25.597	-1143418.6811	62605.428	-2.456	-153758.9311
TOTAL					-495.7840			495.7840
								247.892

計算者

点検者

座標に依る方向角・距離及び面積計算書

点名	方向角	距離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X座標	前点-後点		Y座標	前点-後点	
(58 B- 10)	109 19 39	22.598	44652.365	-12.978	-579498.3929	62623.217	26.969	1688885.5392
(58 B- 11)	203 10 54	21.202	44632.875	11.140	497210.2275	62614.871	20.614	1290742.9507
(58 B- 12)	248 5 8	3.012	44631.751	20.625	920529.8643	62612.077	-5.137	-321638.2395
(58 B- 13)	289 20 52	18.898	44638.012	10.184	454593.5142	62594.246	-28.093	-1758460.1528
(58 B- 30)	19 18 13	23.133	44659.844	-28.971	-1293840.3405	62601.893	-14.353	-898524.9702
TOTAL					-1005.1274			1005.1274
								502.563
(58 B- 13)	199 18 13	23.133	44638.012	20.279	905214.2453	62594.246	17.410	1089765.8228
(58 B- 14)	289 17 36	13.384	44642.434	1.422	63481.5411	62581.614	-36.426	-2279597.8715
(58 B- 27)	19 18 14	33.910	44674.438	-20.060	-896169.2262	62592.824	-28.904	-1809182.9848
(58 B- 28)	109 18 16	9.377	44671.338	-12.604	-563037.5441	62601.674	4.411	276135.9840
(58 B- 29)	109 15 2	3.976	44670.027	-.219	-9782.7359	62605.428	11.494	719586.7894
(58 B- 30)	199 8 39	10.779	44659.844	11.182	499386.3756	62601.893	32.015	2004199.6043
TOTAL					-907.3442			907.3442
								453.672
(58 B- 14)	199 18 14	33.910	44642.434	27.903	1245657.8359	62581.614	26.184	1638636.9809
(58 B- 15)	289 13 16	17.678	44648.254	17.944	801168.2697	62564.921	-8.545	-534617.2499
(58 B- 16)	335 20 27	2.998	44650.979	-10.437	-466022.2678	62563.670	-32.301	-2020869.1046
(58 B- 17)	21 33 48	31.802	44680.555	-29.154	-1302616.9004	62575.358	-23.459	-1467955.3233
(58 B- 27)	109 18 5	18.506	44674.438	-6.256	-279483.2841	62592.824	38.121	2386101.0437
TOTAL					-1296.3467			1296.3468
								648.173

計算者

点検者

座標に依る方向角・距離及び面積計算書

(1)

点名	方向角	距離	1	2 (ΔY)	1 × 2	3	4 (ΔX)	3 × 4
			X 座標	前点-後点		Y 座標	前点-後点	
(59 B- 1)	109 18 56	25.223	44677.663	-25.056	-1119443.5241	62695.754	11.202	702317.8363
(59 B- 2)	156 20 2	3.122	44674.804	6.011	268540.2468	62697.007	21.145	1325728.2130
(59 B- 3)	201 39 55	19.676	44656.518	32.737	1461920.4297	62689.743	8.108	508288.4362
(59 B- 15)	291 46 47	27.431	44666.696	17.792	794709.8552	62664.270	-29.488	-1847843.9937
(59 B- 14)	21 41 29	20.782	44686.006	-31.484	-1406894.2129	62671.951	-10.967	-687323.2866
TOTAL					-1167.2053			1167.2052
								583.602
(59 B- 3)	111 46 47	27.431	44656.518	-18.154	-810694.4277	62689.743	28.576	1791422.0959
(59 B- 4)	201 41 36	19.800	44638.120	32.783	1463371.4879	62682.424	8.277	518822.4234
(59 B- 17)	291 40 34	27.402	44648.241	18.732	836350.8504	62656.960	-27.091	-1697439.7033
(59 B- 16)	21 38 18	18.257	44665.211	-7.310	-326502.6924	62663.692	-18.455	-1156458.4358
(59 B- 15)	21 16 2	1.594	44666.696	-26.051	-1163612.0974	62664.270	8.693	544740.4991
TOTAL					-1086.8792			1086.8793
								543.439
(59 B- 4)	111 40 34	27.402	44638.120	-15.409	-687828.7910	62682.424	35.451	2222154.6132
(59 B- 5)	201 39 4	27.253	44612.790	12.717	567340.8504	62672.369	26.583	1666019.5851
(59 B- 6)	244 47 37	2.942	44611.537	26.629	1187960.6187	62669.707	-7.172	-449467.1386
(59 B- 7)	289 22 4	25.405	44619.962	16.133	719853.8469	62645.740	-28.175	-1765043.7245
(59 B- 18)	21 38 10	21.247	44639.712	-11.220	-500857.5686	62653.574	-28.279	-1771780.4191
(59 B- 17)	21 39 11	9.177	44648.241	-28.850	-1288101.7528	62656.960	1.592	99749.8803
TOTAL					-1632.7964			1632.7964
								816.398

計算者

点検者

座標に依る方向角・距離及び面積計算書

点名	方向角	距離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X座標	前点-後点		Y座標	前点-後点	
(59 B- 7)	201 38 10	21.247	44619.962	31.725	1415568.2944	62645.740	11.408	714662.6019
(59 B- 8)	289 14 51	25.306	44628.304	25.114	1120795.2266	62621.849	-11.163	-699047.7003
(59 B- 9)	336 33 42	3.075	44631.125	-6.767	-302018.8228	62620.626	-21.345	-1336637.2619
(59 B- 10)	23 19 56	20.174	44649.649	-32.948	-1471116.6352	62628.616	-8.587	-537791.9255
(59 B- 18)	111 42 36	26.863	44639.712	-17.124	-764410.4282	62653.574	29.687	1859996.6513
TOTAL					-1182.3652			1182.3655
								591.182
(59 B- 10)	291 42 36	26.863	44649.649	14.129	630854.8907	62628.616	-35.150	-2201395.8524
(59 B- 11)	23 14 37	27.440	44674.862	-35.076	-1567015.4595	62639.445	-15.562	-974795.0430
(59 B- 16)	111 42 14	26.097	44665.211	-17.515	-782311.1706	62663.692	26.621	1668170.1447
(59 B- 17)	201 38 18	18.257	44649.241	10.118	451750.9024	62656.960	25.499	1597689.8230
(59 B- 18)	201 39 11	9.177	44639.712	28.344	1265267.9969	62653.574	-1.408	-88216.2321
TOTAL					-1452.8401			1452.8402
								-726.420
(59 B- 11)	291 42 14	26.097	44674.862	16.615	742272.8321	62639.445	-27.343	-1712750.3446
(59 B- 12)	23 20 4	19.268	44692.554	-10.389	-464310.9435	62647.077	-18.887	-1183215.3432
(59 B- 13)	66 33 58	3.005	44693.749	-24.874	-1111712.3126	62649.834	6.548	410231.1130
(59 B- 14)	109 17 41	23.433	44686.006	-14.436	-645087.1826	62671.951	27.053	1695464.2904
(59 B- 15)	201 41 29	20.782	44666.696	8.259	368902.2422	62664.270	20.795	1303103.4946
(59 B- 16)	201 16 2	1.594	44665.211	24.825	1108813.8630	62663.692	-8.166	-511711.7088
TOTAL					-1121.5014			1121.5014
								560.750

計算者

点検者

座標に依る方向角・距離及び面積計算書

()

点名	方向角	距離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X座標	前点-後点		Y座標	前点-後点	
(60 B- 27)	288 57 28	36.171	44727.136	33.573	1501624.1369	62724.632	-13.000	-815420.2160
(60 B- 28)	26 59 8	1.402	44728.385	-1.554	-69507.9102	62725.268	-2.981	-186984.0239
(60 B- 29)	27 55 29	1.960	44730.117	-1.862	-83287.4778	62726.186	-3.435	-215464.4489
(60 B- 30)	29 00 1	1.947	44731.820	-1.941	-86824.4626	62727.130	-3.395	-212958.6063
(60 B- 31)	30 30 30	1.964	44733.512	-2.044	-91435.2985	62728.127	-3.359	-210703.7785
(60 B- 32)	32 7 55	1.969	44735.179	-2.106	-94212.2869	62729.174	-3.285	-206065.3365
(60 B- 33)	33 12 19	1.934	44736.797	-9.884	-442178.5015	62730.233	-15.121	-948543.8531
(60 B- 34)	33 10 1	16.131	44750.300	-11.657	-521654.2471	62739.058	-14.323	-898611.5277
(60 B- 35)	73 51 6	2.948	44751.120	-29.738	-1330808.8065	62741.890	10.131	635638.0875
(60 B- 36)	112 8 48	29.049	44740.169	-18.522	-828677.4102	62768.796	31.831	1997993.5454
(60 B- 38)	201 52 37	22.500	44719.289	9.955	445180.5219	62760.412	24.784	1555454.0510
(60 B- 43)	201 55 13	4.208	44715.385	35.780	1599916.4753	62758.841	-7.847	-492468.6253
TOTAL					-1865.2672			1865.2677
								932.633
(60 B- 36)	21 52 37	22.500	44740.169	-25.749	-1152014.6115	62768.796	-13.802	-866334.9223
(60 B- 37)	112 10 33	18.752	44733.091	-9.086	-406444.8648	62786.161	27.812	1746208.7097
(60 B- 42)	201 46 00	22.326	44712.357	9.662	432010.7933	62777.882	20.186	1267234.3260
(60 B- 41)	291 36 56	1.488	44712.905	6.703	299710.6022	62776.499	-2.610	-163846.6623
(60 B- 40)	291 11 10	5.706	44714.967	16.087	719329.6741	62771.179	-6.384	-400731.2067
(60 B- 38)	291 52 16	11.602	44719.289	2.383	106566.0656	62760.412	-25.202	-1581687.9032
TOTAL					-842.3411			842.3412
								421.170

計算者

点検者

画地測量設計株式会社

座標に依る方向角・距離及び面積計算書

()

点名	方向角	距離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X座標	前点-後点		Y座標	前点-後点	
(60 B- 1)	112 11 52	16.162	44726.985	-6.716	-300386.4312	62801.125	26.754	1680181.2982
(60 B- 2)	201 46 29	22.234	44706.337	23.243	1039109.3908	62792.877	14.628	918534.2047
(60 B- 42)	291 52 26	16.158	44712.357	6.716	300288.1896	62777.882	-26.754	-1679559.4550
(60 B- 37)	21 46 00	22.326	44733.091	-23.243	-1039731.2341	62786.161	-14.628	-918435.9631
TOTAL					-720.0849			720.0848
								360.042
(60 B- 2)	111 52 26	16.158	44706.337	-7.639	-341511.7083	62792.877	24.433	1534218.3637
(60 B- 3)	201 46 36	19.828	44687.924	29.011	1296441.3631	62785.521	9.739	611468.1890
(60 B- 44)	291 49 44	23.328	44696.598	14.342	641038.6085	62763.866	-27.043	-1697323.2282
(60 B- 40)	21 42 30	19.771	44714.967	-12.633	-564884.1781	62771.179	-16.307	-1023609.6159
(60 B- 41)	111 11 10	5.706	44712.905	-6.703	-299710.6022	62776.499	2.610	163846.6623
(60 B- 42)	111 36 56	1.488	44712.357	-16.378	-732298.9829	62777.882	6.568	412325.1289
TOTAL					-925.4999			925.4998
								462.749
(60 B- 3)	111 49 44	23.328	44687.924	-18.523	-827754.4162	62785.521	16.558	1039602.6567
(60 B- 4)	201 39 57	8.483	44680.040	24.790	1107618.1916	62782.389	-.795	-49911.9992
(60 B- 45)	291 50 15	23.332	44688.719	18.523	827769.1420	62760.731	-16.558	-1039192.1838
(60 B- 44)	21 41 50	8.480	44696.598	-24.790	-1108028.6644	62763.866	.795	49897.2734
TOTAL					-395.7470			395.7471
								197.873

計算者

点検者

画地測量設計株式会社

座標に依る方向角・距離及び面積計算書

()

点名	方向角	距離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X座標	前点-後点		Y座標	前点-後点	
(60 B- 4)	111 50 15	23.332	44680.040	-17.269	-771579.6107	62782.389	19.605	1230848.7363
(60 B- 5)	201 53 8	11.775	44669.114	29.389	1312780.5913	62778.000	.933	58571.8740
(60 B- 47)	291 47 15	26.923	44679.107	20.603	920523.6415	62753.000	-20.944	-1314298.8320
(60 B- 68)	21 52 40	11.801	44690.058	-7.731	-345498.8383	62757.397	-9.612	-603224.0999
(60 B- 45)	111 52 53	3.593	44688.719	-24.992	-1116860.4652	62760.731	10.018	628737.0031
TOTAL					-634.6814			634.6815
								317.340
(60 B- 5)	111 47 15	26.923	44669.114	-20.877	-932557.0929	62778.000	20.255	1271568.3900
(60 B- 6)	201 53 20	11.059	44658.852	29.099	1299527.9343	62773.877	.215	13496.3835
(60 B- 48)	291 54 48	26.921	44668.899	20.877	932552.6044	62748.901	-20.255	-1270978.9897
(60 B- 47)	21 52 40	11.000	44679.107	-29.099	-1300117.3345	62753.000	-.215	-13491.8950
TOTAL					-593.8887			593.8888
								296.944
(60 B- 6)	111 54 48	26.921	44658.852	-20.927	-934575.7958	62773.877	20.190	1267404.5766
(60 B- 7)	201 45 41	10.921	44648.709	29.042	1296687.8067	62769.828	.137	8599.4664
(60 B- 51)	291 49 8	26.922	44658.715	22.698	1013663.5130	62744.835	-15.747	-988042.9167
(60 B- 49)	21 47 22	6.183	44664.456	-4.066	-181605.6780	62747.130	-10.184	-639016.7719
(60 B- 48)	21 43 57	4.783	44668.899	-26.747	-1194759.0415	62748.901	5.604	351644.8412
TOTAL					-589.1956			589.1956
								294.597

計算者

点検者

座標に依る方向角・距離及び面積計算書

()

点名	方向角	距離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X座標	前点-後点		Y座標	前点-後点	
(60 B- 7)	111 49 8	26.922	44648.709	-19.858	-886634.0633	62769.828	22.867	1435357.6568
(60 B- 8)	201 45 55	13.848	44635.848	30.136	1345145.9153	62764.693	2.853	179067.6691
(60 B- 52)	291 48 59	26.930	44645.856	19.858	886577.4084	62739.692	-22.867	-1434668.5369
(60 B- 51)	21 47 57	13.849	44658.715	-30.136	-1345835.0352	62744.835	-2.853	-179011.0142
TOTAL					-745.7748			745.7748
								372.887
(60 B- 8)	111 48 59	26.930	44635.848	-18.658	-832815.6519	62764.693	25.881	1624413.0195
(60 B- 9)	201 46 56	17.093	44619.975	34.297	1530331.2825	62758.350	4.718	296093.8953
(60 B- 56)	291 45 16	30.098	44631.130	23.666	1056240.3225	62730.396	-21.862	-1371411.9173
(60 B- 54)	21 49 31	11.534	44641.837	-7.208	-321778.3610	62734.684	-9.534	-598112.4772
(60 B- 55)	111 53 9	3.147	44640.664	-5.008	-223560.4453	62737.604	-4.019	-252142.4304
(60 B- 52)	21 54 28	5.596	44645.856	-27.089	-1209411.5931	62739.692	4.816	302154.3566
TOTAL					-994.4463			994.4465
								-497.223
(60 B- 9)	111 45 16	30.098	44619.975	-19.890	-887491.3027	62758.350	31.351	1967537.0308
(60 B- 10)	201 45 58	21.746	44599.779	29.867	1332061.5993	62750.286	11.318	710207.7369
(60 B- 59)	292 9 21	23.541	44608.657	46.341	2067209.7740	62728.483	-18.662	-1170638.9497
(60 B- 58)	291 44 19	26.417	44618.441	29.617	1321464.3670	62703.945	-11.814	-740784.4062
(60 B- 57)	291 47 9	5.470	44620.471	-7.242	-323141.4509	62698.866	-32.827	-2058215.6741
(60 B- 53)	21 48 18	33.170	44651.268	-35.818	-1599319.1172	62711.187	-21.366	-1339887.2214
(60 B- 54)	111 52 9	25.319	44641.837	-19.209	-857525.0469	62734.684	20.138	1263351.0663
(60 B- 56)	201 49 31	11.534	44631.130	-23.666	-1056240.3225	62730.396	21.862	1371411.9173
TOTAL					-2981.4999			2981.4999
								1490.749

計算者

点検者

画地測量設計株式会社

座標に依る方向角・距離及び面積計算書

()

点名	方向角	距離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X座標	前点-後点		Y座標	前点-後点	
(60 B- 10)	112 9 21	23.541	44599.779	-18.558	-827682.6986	62750.286	16.995	1066441.1105
(60 B- 11)	201 47 26	8.742	44591.662	12.455	555389.1502	62747.041	12.097	759050.9549
(60 B- 12)	246 37 44	10.033	44587.682	24.757	1103857.2432	62737.831	-1.460	-91597.2332
(60 B- 13)	289 17 7	16.471	44593.122	9.348	416856.5044	62722.284	-20.975	-1315599.9069
(60 B- 59)	21 45 13	16.726	44608.657	-28.002	-1249131.6133	62728.483	-6.657	-417583.5113
TOTAL					-711.4141			711.4140
								355.707
(60 B- 13)	201 45 13	16.726	44593.122	31.134	1388362.2603	62722.284	6.788	425758.8637
(60 B- 14)	289 19 50	26.425	44601.869	18.339	817953.6755	62697.349	-25.319	-1587434.1793
(60 B- 58)	21 42 13	17.836	44618.441	-31.134	-1389150.5420	62703.945	-6.788	-425634.3786
(60 B- 59)	111 44 19	26.417	44608.657	-18.339	-818078.1607	62728.483	25.319	1588222.4610
TOTAL					-912.7669			912.7668
								456.383
(60 B- 14)	201 42 13	17.836	44601.869	24.634	1098722.4409	62697.349	10.259	643212.1033
(60 B- 15)	289 17 21	19.111	44608.182	19.270	859599.6671	62679.311	-9.025	-565680.7817
(60 B- 16)	335 34 8	2.979	44610.894	-4.896	-218414.9370	62678.079	-18.146	-1137356.4215
(60 B- 17)	21 39 19	16.606	44626.328	-20.787	-927647.4801	62684.207	-9.577	-600326.6504
(60 B- 57)	111 46 45	15.786	44620.471	-19.738	-880718.8565	62698.866	7.887	494505.9561
(60 B- 58)	111 47 9	5.470	44618.441	1.517	67686.1749	62703.945	18.602	1166418.7848
TOTAL					-772.9907			772.9906
								386.495

計算者

点検者

座標に依る方向角・距離及び面積計算書

()

点名	方向角	距離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X座標	前点-後点		Y座標	前点-後点	
(60 B- 17)	291 46 45	15.786	44626.328	2.393	106790.8029	62684.207	-36.705	-2300823.8179
(60 B- 18)	21 41 3	33.197	44657.176	-26.980	-1204850.6084	62696.473	-24.940	-1563650.0366
(60 B- 53)	111 52 36	15.856	44651.268	-2.393	-106850.4843	62711.187	36.705	2301814.1188
(60 B- 57)	201 48 18	33.170	44620.471	26.980	1203860.3075	62698.866	24.940	1563709.7180
TOTAL					-1049.9823			1049.9823
								524.991
(60 B- 18)	291 52 36	15.856	44657.176	5.245	234226.8881	62696.473	-29.729	-1863903.4458
(60 B- 19)	21 40 41	25.634	44680.997	-25.089	-1121001.5337	62705.942	-17.549	-1100426.5761
(60 B- 67)	111 52 38	16.832	44674.725	-31.241	-1395683.0837	62721.562	12.545	786841.9952
(60 B- 50)	111 52 45	16.833	44668.452	-25.568	-1142082.9807	62737.183	10.269	644248.1322
(60 B- 49)	111 53 12	10.720	44664.456	-7.652	-341772.4173	62747.130	9.737	610968.8048
(60 B- 51)	201 47 22	6.183	44658.715	7.438	332171.5221	62744.835	18.600	1167053.9310
(60 B- 52)	201 47 57	13.849	44645.856	7.231	322834.1847	62739.692	18.051	1132514.1802
(60 B- 55)	201 54 28	5.596	44640.664	5.008	223560.4453	62737.604	4.019	252142.4304
(60 B- 54)	291 53 9	3.147	44641.837	26.417	1179303.4080	62734.684	-10.604	-665238.5891
(60 B- 53)	291 52 9	25.319	44651.268	38.211	1706169.6015	62711.187	-15.339	-961926.8973
TOTAL					-2273.9657			2273.9655
								1136.982
(60 B- 19)	291 52 38	16.832	44689.997	11.628	519550.6331	62705.942	-16.309	-1022671.2080
(60 B- 61)	21 41 21	10.802	44691.034	-19.628	-877195.6153	62709.934	-3.762	-235914.7717
(60 B- 66)	111 51 59	16.848	44684.759	-11.628	-519594.3776	62725.570	16.309	1022991.3211
(60 B- 67)	201 46 26	10.805	44674.725	19.628	876875.5023	62721.562	3.762	235958.5162
TOTAL					-363.8575			363.8576
								181.928

計算者

点検者

画地測量設計株式会社

座標に依る方向角・距離及び面積計算書

()

点名	方向角	距離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X座標	前点-後点		Y座標	前点-後点	
(60 B- 65)	111 51 52	16.847	44678.485	-11.613	-518851.2463	62741.205	16.307	1023120.8299
(60 B- 50)	201 50 41	10.809	44668.452	19.643	877422.4026	62737.183	3.760	235891.8080
(60 B- 67)	291 52 45	16.833	44674.725	11.613	518807.5814	62721.562	-16.307	-1022800.5115
(60 B- 66)	21 46 26	10.805	44684.759	-19.643	-877742.7210	62725.570	-3.760	-235848.1432
TOTAL					-363.9833			363.9832
								181.991
(60 B- 61)	291 51 59	16.848	44691.034	14.527	649226.6509	62709.934	-9.063	-568340.1318
(60 B- 60)	21 41 29	3.000	44693.822	-16.734	-747906.4173	62711.043	3.482	218359.8517
(60 B- 63)	111 51 53	16.836	44687.552	-31.278	-1397737.2514	62726.668	12.552	787345.1367
(60 B- 64)	111 52 1	16.867	44681.270	-14.537	-649531.6219	62742.321	9.067	568884.6245
(60 B- 65)	201 50 13	3.000	44678.485	16.751	748409.3022	62741.205	-3.489	-218904.0642
(60 B- 66)	291 51 52	16.847	44684.759	31.271	1397337.0986	62725.570	-12.549	-787143.1779
TOTAL					-202.2389			202.2390
								101.119
(60 B- 60)	291 51 53	16.836	44693.822	11.634	519967.9251	62711.043	-16.307	-1022628.9782
(60 B- 20)	21 41 3	10.801	44703.859	-19.650	-878430.8293	62715.034	-3.758	-235683.0977
(60 B- 62)	111 51 00	16.871	44697.580	-11.634	-520011.6457	62730.693	16.307	1022949.4107
(60 B- 63)	201 52 10	10.806	44687.552	19.650	878110.3968	62726.668	3.758	235726.8183
TOTAL					-364.1531			364.1531
								182.076

計算者

点検者

座標に依る方向角・距離及び面積計算書

()

点名	方向角	距離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X座標	前点-後点		Y座標	前点-後点	
(60 B- 46)	111 51 7	16.862	44691.304	-11.628	-519670.4829	62746.343	16.310	1023392.8543
(60 B- 64)	201 50 34	10.810	44681.270	19.675	879103.9872	62742.321	3.752	235409.1883
(60 B- 63)	291 52 1	16.867	44687.552	11.628	519626.8546	62726.668	-16.310	-1023071.9550
(60 B- 62)	21 52 10	10.806	44697.580	-19.675	-879424.8865	62730.693	-3.752	-235365.5601
TOTAL					-364.5276			364.5275
								182.263
(60 B- 20)	291 51 00	16.871	44703.859	14.565	651111.7063	62715.034	-9.052	-567696.4877
(60 B- 21)	21 31 49	2.981	44706.632	-42.363	-1893907.0514	62716.128	13.801	865545.2825
(60 B- 68)	111 52 51	44.473	44690.058	-36.872	-1647811.8185	62757.397	27.525	1727397.3524
(60 B- 47)	201 52 40	11.801	44679.107	8.496	379593.6930	62753.000	21.159	1327790.7270
(60 B- 48)	201 52 40	11.000	44668.899	5.870	262206.4371	62748.901	14.651	919334.1485
(60 B- 49)	201 43 57	4.783	44664.456	11.718	523378.0954	62747.130	.447	28047.9671
(60 B- 50)	291 53 12	10.720	44668.452	5.925	264660.5781	62737.183	-14.029	-880139.9403
(60 B- 65)	21 50 41	10.809	44678.485	-5.138	-229558.0559	62741.205	-12.818	-804216.7656
(60 B- 64)	21 50 13	3.000	44681.270	-5.138	-229572.3652	62742.321	-12.819	-804293.8128
(60 B- 46)	21 50 34	10.810	44691.304	11.628	519670.4829	62746.343	-16.310	-1023392.8543
(60 B- 62)	291 51 7	16.862	44697.580	31.309	1399436.5322	62730.693	-12.555	-787583.8506
TOTAL					-791.7660			791.7662
								395.883

計算者

点検者

座標に依る方向角・距離及び面積計算書

点名	方向角	距離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X 座標	前点-後点		Y 座標	前点-後点	
(61 B- 1)	299 18 29	22.753	44576.516	23.426	1044249.4638	62761.057	-12.476	783006.9471
(61 B- 2)	335 29 51	5.032	44581.095	-8.493	-378627.2398	62758.970	-31.115	-1952745.3515
(61 B- 3)	21 44 14	28.567	44607.631	-26.126	-1165418.9675	62769.550	-20.169	-1265999.0539
(61 B- 36)	112 16 19	16.799	44601.264	-12.846	-572947.8373	62785.096	39.012	2449372.1651
(61 B- 22)	184 43 41	32.756	44568.619	24.039	1071385.0321	62782.396	24.748	1553738.7362
TOTAL					-1359.5487			1359.5488
								-679.774
(61 B- 3)	292 16 19	16.799	44607.631	8.982	4006.7416	62769.550	-22.821	-1432463.9005
(61 B- 4)	21 44 55	17.715	44624.085	-27.352	-1220557.9729	62776.114	-8.080	-507231.0011
(61 B- 34)	111 56 28	22.411	44615.711	-14.433	-643938.568	62796.902	24.291	1525399.5464
(61 B- 35)	201 45 53	17.139	44599.794	11.806	526545.1679	62790.547	14.447	907135.0325
(61 B- 36)	285 5 32	5.646	44601.264	20.997	936492.7402	62785.096	-7.837	-492046.7973
TOTAL					-792.8800			792.8800
								396.440
(61 B- 4)	291 56 28	22.411	44624.085	19.186	856157.6948	62776.114	-12.352	-775410.5601
(61 B- 5)	21 56 7	4.288	44628.063	-22.378	-998686.7938	62777.716	4.395	275908.0618
(61 B- 32)	111 57 00	22.400	44619.690	-20.311	-906270.5235	62798.492	9.549	599662.8001
(61 B- 33)	201 34 27	1.265	44618.514	1.590	70943.4372	62798.027	3.979	249873.3494
(61 B- 34)	201 52 6	3.020	44615.711	21.913	977664.0751	62796.902	-5.571	-349841.5410
TOTAL					-192.1102			192.1102
								96.055

計算者

点検者

座標に依る方向角・距離及び面積計算書

(2)

点名	方向角	距離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X 座標	前点-後点		Y 座標	前点-後点	
(61 B- 5)	291 57 00	22.400	44628.063	10.003	446414.5141	62777.716	-35.333	-2218125.0394
(61 B- 6)	21 46 53	29.033	44655.023	-31.553	-1408999.9407	62788.489	-18.607	-1168305.4148
(61 B- 30)	111 53 56	22.396	44646.670	-14.946	-667289.1298	62809.269	22.872	1436573.6005
(61 B- 31)	201 53 28	15.647	44632.151	10.777	481000.6913	62803.435	26.980	1694436.6763
(61 B- 32)	201 38 14	13.406	44619.690	25.719	1147573.8071	62798.492	4.088	256720.2352
TOTAL					-1300.0580			1300.0578
								650.028
(61 B- 6)	291 53 56	22.396	44655.023	12.004	536038.8960	62788.489	-30.268	-1900481.9850
(61 B- 7)	21 49 26	23.607	44676.938	-29.585	-1321767.2107	62797.265	-13.568	-852033.2915
(61 B- 26)	111 51 25	22.421	44668.591	-20.227	-903511.5901	62818.074	9.789	614926.1263
(61 B- 27)	201 58 45	1.555	44667.149	1.914	85492.9231	62817.492	4.762	299136.8969
(61 B- 28)	201 51 39	3.577	44663.829	2.668	119163.0957	62816.160	6.636	416848.0377
(61 B- 29)	201 56 39	3.575	44660.513	6.891	307755.5950	62814.824	17.159	1077839.5650
(61 B- 30)	201 51 54	14.916	44646.670	26.335	1175770.0544	62809.269	5.490	344822.8868
TOTAL					-1058.2366			1058.2362
								529.118
(61 B- 7)	291 51 25	22.421	44676.938	11.235	501945.3984	62797.265	-32.347	-2031303.1309
(61 B- 8)	21 44 52	25.839	44700.938	-30.330	-1355779.4495	62806.839	-15.760	-989835.7826
(61 B- 25)	111 39 10	22.332	44692.698	-11.235	-502122.4620	62827.595	32.347	2032284.2154
(61 B- 26)	201 33 5	25.919	44668.591	30.330	1354798.3650	62818.074	15.760	990012.8462
TOTAL					-1158.1481			1158.1481
								579.074

計算者

点検者

座標に依る方向角・距離及び面積計算書

(3)

点 名	方 向 角	距 離	1	2 (ΔY)	1 \times 2	3	4 (ΔX)	3 \times 4
			X 座 標	前点-後点		Y 座 標	前点-後点	
(61 B- 8)	291 39 10	22.332	44700.938	16.940	757233.8897	62806.839	-17.824	-1119469.0983
(61 B- 9)	21 42 38	10.316	44710.522	-24.610	-1100325.9464	62810.655	-1.284	-80648.8810
(61 B- 23)	111 45 35	22.389	44702.222	-20.715	-926006.5287	62831.449	8.489	533376.1705
(61 B- 24)	202 41 4	.205	44702.033	3.854	172281.6351	62831.370	9.524	598405.9678
(61 B- 25)	202 1 5	10.069	44692.698	24.531	1096356.5746	62827.595	1.095	68796.2165
TOTAL					-460.3757			460.3755
								230.187
(61 B- 9)	291 45 35	22.389	44710.522	16.431	734638.5869	62810.655	-19.192	-1205462.0907
(61 B- 10)	21 49 46	11.733	44721.414	-25.160	-1125190.7762	62815.018	-2.447	-153708.3490
(61 B- 11)	112 6 2	22.446	44712.969	-16.431	-734678.7936	62835.815	19.192	1205944.9614
(61 B- 23)	202 6 35	11.600	44702.222	25.160	1124707.9055	62831.449	2.447	153748.5557
TOTAL					-523.0774			523.0774
								261.538
(61 B- 11)	22 6 35	11.600	44712.969	-28.129	-1257731.1050	62835.815	-1.089	-68428.2025
(61 B- 12)	112 7 6	25.651	44703.311	-24.887	-1112531.3008	62859.578	12.426	781093.1162
(61 B- 13)	157 53 58	2.988	44700.543	2.488	111214.9509	62860.702	11.623	730629.9393
(61 B- 14)	202 11 27	9.563	44691.688	29.332	1310896.5924	62857.090	-1.490	-93657.0641
(61 B- 24)	291 54 39	27.723	44702.033	25.641	1146204.8281	62831.370	-10.534	-661865.6515
(61 B- 23)	22 41 4	.205	44702.222	-4.445	-198701.3767	62831.449	-10.936	-687124.7262
TOTAL					-647.4111			647.4112
								323.705

計算者

点検者

座標に依る方向角・距離及び面積計算書

(4)

点名	方向角	距離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X座標	前点-後点		Y座標	前点-後点	
(61 B- 14)	111 54 39	27.723	44691.688	-11.516	-514669.4790	62857.090	45.064	2832591.9037
(61 B- 15)	202 15 00	37.512	44656.969	39.598	1768326.6584	62842.886	24.539	1542101.5795
(61 B- 27)	291 50 42	27.359	44667.149	24.812	1108281.3009	62817.492	-11.622	-730064.8920
(61 B- 26)	21 58 45	1.555	44668.591	-10.103	-451286.7748	62818.074	-25.549	-1604938.9726
(61 B- 25)	21 33 5	25.919	44692.698	-13.296	-594234.1126	62827.595	-33.442	-2101080.4319
(61 B- 24)	22 1 5	10.069	44702.033	-29.495	-1318486.4633	62831.370	1.010	63459.6837
TOTAL					-2068.8704			2068.8704
								1034.435
(61 B- 15)	111 50 42	27.359	44656.969	-24.045	-1073776.8196	62842.886	13.469	846430.8315
(61 B- 16)	202 18 4	3.555	44653.680	26.726	1193414.2516	62841.537	-6.860	-431092.9438
(61 B- 28)	291 47 52	27.331	44663.829	24.045	1073941.7683	62816.160	-13.469	-846070.8590
(61 B- 27)	21 51 39	3.577	44667.149	-26.726	-1193774.2241	62817.492	6.860	430927.9951
TOTAL					-195.0238			195.0238
								97.511
(61 B- 16)	111 47 52	27.331	44653.680	-24.025	-1072804.6620	62841.537	13.450	845218.6726
(61 B- 17)	202 16 22	3.567	44650.379	26.713	1192745.5742	62840.185	-6.833	-429386.9841
(61 B- 29)	291 46 52	27.311	44660.513	24.025	1072968.8248	62814.824	-13.450	-844859.3828
(61 B- 28)	21 56 39	3.575	44663.829	-26.713	-1193104.8640	62816.160	6.833	429222.8212
TOTAL					-195.1270			195.1269
								97.563

計算者

点検者

座標に依る方向角・距離及び面積計算書

点名	方向角	距離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X座標	前点-後点		Y座標	前点-後点	
(61 B- 17)	111 46 52	27.311	44650.379	-13.813	-616755.6851	62840.185	38.470	2417461.9169
(61 B- 18)	202 10 22	30.599	44622.043	36.750	1639860.0802	62828.637	18.228	1145240.3952
(61 B- 31)	291 51 17	27.153	44632.151	19.368	864435.5005	62803.435	-24.627	-1546660.1937
(61 B- 30)	21 53 28	15.647	44646.670	-11.389	-508480.9246	62809.269	-28.362	-1781396.4873
(61 B- 29)	21 51 54	14.916	44660.513	-30.916	-1380724.4199	62814.824	-3.709	-232980.1822
TOTAL					-1665.4489			1665.4489
								832.724
(61 B- 18)	111 51 17	27.153	44622.043	-19.675	-877938.6960	62828.637	23.683	1487970.6100
(61 B- 19)	202 9 13	14.657	44608.468	30.610	1365465.2054	62823.110	3.529	221702.7551
(61 B- 33)	291 49 36	27.020	44618.514	24.618	1098418.5776	62798.027	-11.222	-704719.4589
(61 B- 32)	21 34 27	1.265	44619.690	-5.408	-241303.2835	62798.492	-13.637	-856383.0354
(61 B- 31)	21 38 14	13.406	44632.151	-30.145	-1345436.1918	62803.435	-2.353	-147776.4825
TOTAL					-794.3883			794.3883
								397.194
(61 B- 19)	111 49 36	27.020	44608.468	-18.589	-829226.8116	62823.110	25.949	1630196.8813
(61 B- 20)	202 12 46	17.178	44592.565	32.563	1452067.6940	62816.616	8.674	544871.3271
(61 B- 35)	285 29 56	27.053	44599.794	19.714	879240.3389	62790.547	-23.146	-1453350.0008
(61 B- 34)	21 45 53	17.139	44615.711	-7.480	-333725.5182	62796.902	-18.720	-1175558.0054
(61 B- 33)	21 52 6	3.020	44618.514	-26.208	-1169362.0149	62798.027	7.243	454846.1095
TOTAL					-1006.3118			1006.3117
								503.155

計算者

点検者

