

座標に依る方向角・距離及び面積計算書

75-1BL
(1)

点 名	方 向 角	距 離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X 座 標	前点-後点		Y 座 標	前点-後点	
(75 B- 1)	288 22 17	23.390	44448.674	23.081	1025919.8445	62884.446	-10.326	-649344.7893
(75 B- 2)	343 21 28	3.083	44451.628	-14.953	-664685.1934	62883.563	-40.810	-2566278.2060
(75 B- 3)	22 42 2	41.035	44489.484	-24.729	-1100180.4498	62899.399	-34.597	-2176130.5072
(75 B- 16)	110 7 35	9.471	44486.225	-21.899	-974203.8412	62908.292	8.010	503895.4189
(75 B- 17)	110 4 1	13.847	44481.474	-5.215	-231970.8869	62921.298	26.065	1640043.6323
(75 B- 21)	200 4 45	22.693	44460.160	14.654	651519.1846	62913.507	40.172	2527361.4032
(75 B- 15)	199 59 53	20.068	44441.302	29.061	1291508.6774	62906.644	11.486	722545.7129
TOTAL					-2092.6648			2092.6648
								1046.332
(75 B- 3)	290 7 35	9.471	44489.484	1.915	85197.3618	62899.399	-19.928	-1253459.2232
(75 B- 4)	22 42 55	18.071	44506.153	-15.152	-674357.2302	62906.377	-13.684	-860810.8628
(75 B- 5)	110 3 41	8.702	44503.168	-1.915	-85223.5667	62914.551	19.928	1253761.1723
(75 B- 16)	200 16 30	18.062	44486.225	15.152	674055.2812	62908.292	13.684	860837.0677
TOTAL					-328.1539			328.1540
								164.076
(75 B- 5)	20 16 30	18.062	44503.168	-19.809	-881563.2549	62914.551	-11.987	-754156.7228
(75 B- 6)	110 5 25	14.428	44498.212	-7.332	-326260.8903	62928.101	21.905	1378440.0524
(75 B- 18)	200 8 47	18.054	44481.263	6.803	302606.0321	62921.883	16.738	1053186.4776
(75 B- 17)	289 50 1	.622	44481.474	13.591	604547.7131	62921.298	-4.962	-312215.4806
(75 B- 16)	290 4 1	13.847	44486.225	6.747	300148.5600	62908.292	-21.694	-1364732.4866
TOTAL					-521.8400			521.8400
								260.920

計算者

点検者

画地測量設計株式会社

座標に依る方向角・距離及び面積計算書

75-1BL
(2)

点 名	方 向 角	距 離	1	2 (ΔY)	1 × 2	3	4 (ΔX)	3 × 4
			X 座 標	前点-後点		Y 座 標	前点-後点	
(75 B- 6)	20 8 47	18.054	44498.212	-16.808	-747925.9472	62928.101	-13.061	-821903.9271
(75 B- 7)	110 9 37	11.281	44494.324	-3.566	-158666.7593	62938.691	20.556	1293767.7321
(75 B- 19)	202 51 3	18.088	44477.656	16.808	747580.4420	62931.667	13.061	821950.5026
(75 B- 18)	290 14 13	10.428	44481.263	3.566	158620.1838	62921.883	-20.556	-1293422.2269
TOTAL					-392.0807			392.0807
								196.040
(75 B- 7)	22 51 3	18.088	44494.324	-12.172	-541584.9117	62938.691	-14.821	-932814.3393
(75 B- 8)	109 44 13	5.469	44492.477	-5.968	-265531.1027	62943.839	21.459	1350711.8411
(75 B- 9)	177 36 21	19.629	44472.865	11.396	506812.7695	62944.659	15.140	952982.1372
(75 B- 20)	290 6 24	13.009	44477.337	12.992	577849.5623	62932.443	-4.791	-301509.3344
(75 B- 19)	292 20 48	.839	44477.656	-6.248	-277896.3946	62931.667	-16.987	-1069020.2273
TOTAL					-350.0772			350.0773
								175.038
(75 B- 9)	110 6 24	13.009	44472.865	-13.295	-591266.7401	62944.659	30.657	1929694.4109
(75 B- 10)	177 38 25	26.207	44446.680	14.866	660744.3448	62945.738	21.034	1324000.6530
(75 B- 25)	287 54 11	16.756	44451.831	13.399	595610.0835	62929.793	-14.661	-922613.6951
(75 B- 24)	14 59 16	9.845	44461.341	1.366	60734.1918	62932.339	-10.351	-651412.6409
(75 B- 22)	282 7 58	4.001	44462.182	-.104	-4624.0669	62928.427	-15.996	-1006603.1182
(75 B- 20)	14 50 31	15.678	44477.337	-16.232	-721956.1341	62932.443	-10.683	-672307.2885
TOTAL					-758.3210			758.3212
								379.160

計算者

点検者

座標に依る方向角・距離及び面積計算書

75-1BL
(3)

点 名	方 向 角	距 離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X 座 標	前点-後点		Y 座 標	前点-後点	
(75 B- 10)	107 54 11	16.756	44446.680	-16.683	-741503.9624	62945.738	22.869	1439506.0823
(75 B- 11)	177 36 54	17.733	44428.962	1.634	72596.9239	62946.476	17.850	1123594.5966
(75 B- 12)	266 48 53	2.376	44428.830	19.179	852100.5305	62944.104	-5.454	-343297.1432
(75 B- 13)	288 23 5	17.711	44434.416	18.248	810839.2231	62927.297	-8.177	-514556.5075
(75 B- 26)	330 55 9	2.965	44437.007	-2.496	-110914.7694	62925.856	-17.415	-1095853.7822
(75 B- 25)	14 52 24	15.338	44451.831	-19.882	-883791.3039	62929.793	-9.673	-608719.8876
TOTAL					-673.3582			673.3584
								336.679
(75 B- 13)	150 55 9	2.965	44434.416	6.305	280158.9928	62927.297	.003	188.7818
(75 B- 14)	288 28 30	8.167	44437.004	5.252	233383.1450	62919.551	-3.847	-242051.5126
(75 B- 27)	63 12 53	2.794	44438.263	-7.067	-314045.2046	62922.045	-18.443	-1160471.2759
(75 B- 23)	14 54 8	17.782	44455.447	-6.382	-283714.6627	62926.618	-23.919	-1505141.7759
(75 B- 22)	15 2 5	6.974	44462.182	-5.721	-254368.1432	62928.427	-5.894	-370900.1487
(75 B- 24)	102 7 58	4.001	44461.341	-1.366	-60734.1918	62932.339	10.351	651412.6409
(75 B- 25)	194 59 16	9.845	44451.831	6.483	288181.2203	62929.793	24.334	1531333.5828
(75 B- 26)	194 52 24	15.338	44437.007	2.496	110914.7694	62925.856	17.415	1095853.7822
TOTAL					-224.0748			224.0746
								112.037

計算者

点検者

画地測量設計株式会社

座標に依る方向角・距離及び面積計算書

75-1BL
(4)

点 名	方 向 角	距 離	1	2 (ΔY)	1 × 2	3	4 (ΔX)	3 × 4
			X 座 標	前点-後点		Y 座 標	前点-後点	
(75 B- 14)	243 12 53	2.794	44437.004	15.401	684374.2986	62919.551	-3.039	-191212.5154
(75 B- 15)	288 25 3	13.604	44441.302	6.044	268603.2292	62906.644	-23.156	-1456666.2484
(75 B- 21)	19 59 53	20.068	44460.160	-19.974	-888047.2358	62913.507	-14.145	-889911.5565
(75 B- 23)	109 46 19	13.932	44455.447	-8.538	-379560.6064	62926.618	21.897	1377904.1543
(75 B- 27)	194 54 8	17.782	44438.263	7.067	314045.2046	62922.045	18.443	1160471.2759
TOTAL					-585.1098			585.1099
								292.554
(75 B- 17)	20 4 45	22.693	44481.474	-8.376	-372576.8262	62921.298	-21.103	-1327828.1516
(75 B- 18)	109 50 1	.622	44481.263	-10.369	-461226.2160	62921.883	3.818	240235.7492
(75 B- 19)	110 14 13	10.428	44477.656	-10.560	-469684.0473	62931.667	3.926	247069.7246
(75 B- 20)	112 20 48	.839	44477.337	3.240	144106.5718	62932.443	15.474	973816.6229
(75 B- 22)	194 50 31	15.678	44462.182	5.825	258992.2101	62928.427	21.890	1377503.2670
(75 B- 23)	195 2 5	6.974	44455.447	14.920	663275.2692	62926.618	2.022	127237.6215
(75 B- 21)	289 46 19	13.932	44460.160	5.320	236528.0512	62913.507	-26.027	-1637449.8466
TOTAL					-584.9872			584.9870
								292.493

計算者

点検者

画地測量設計株式会社

座標に依る方向角・距離及び面積計算書

75-2BL
水路面積 (1)

点 名	方 向 角	距 離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X 座 標	前点-後点		Y 座 標	前点-後点	
(75 B- 8)	291 48 5	1.120	44492.477	.220	9788.3449	62943.839	19.196	1208269.9334
(75 B- 9)	177 36 21	19.629	44472.865	-1.899	-84453.9706	62944.659	45.797	2882676.5482
(75 B- 10)	177 38 25	26.207	44446.680	-1.817	-80759.6175	62945.738	43.903	2763506.7354
(75 B- 11)	177 36 54	17.733	44428.962	-1.730	-76862.1042	62946.476	17.665	1111949.4985
(75 B- 37)	86 56 30	.993	44429.015	-.247	-10973.9667	62947.468	-18.256	-1149168.9758
(75 B- 38)	357 39 23	18.218	44447.218	2.589	115073.8474	62946.723	-63.046	-3968539.0982
(75 B- 28)	357 38 43	44.881	44492.061	2.884	128315.1039	62944.879	-45.259	-2848822.2786
TOTAL					127.6372			-127.6371
								63.818

計算者

点検者

座標に依る方向角・距離及び面積計算書

点 名	方 向 角	距 離	1	2 (ΔY)	1 × 2	3	4 (ΔX)	3 × 4
			X 座 標	前点-後点		Y 座 標	前点-後点	
(75 B- 28)	357 38 43	44.881	44492.061	-7.122	-316872.4584	62944.879	-41.543	-2614919.1082
(75 B- 29)	110 12 23	9.554	44488.761	-3.762	-167366.7188	62953.845	17.523	1103140.2259
(75 B- 46)	200 5 49	15.145	44474.538	5.090	226375.3984	62948.641	17.289	1088319.0542
(75 B- 45)	177 52 14	3.068	44471.472	-12.710	-565232.4091	62948.755	7.673	483005.7971
(75 B- 44)	110 5 24	13.412	44466.865	-13.533	-601770.0840	62961.351	23.526	1481228.7436
(75 B- 39)	177 9 53	18.942	44447.946	14.628	650184.5540	62962.288	19.647	1237020.0723
(75 B- 38)	267 19 20	15.582	44447.218	17.409	773781.6181	62946.723	-44.115	-2776894.6851
TOTAL					-900.0998			900.0998
								450.049
(75 B- 29)	20 5 49	15.145	44488.761	-41.467	-1844815.4523	62953.845	-.924	-58169.3527
(75 B- 30)	110 8 24	38.625	44475.462	-42.137	-1874062.5422	62990.108	21.393	1347547.3804
(75 B- 31)	144 1 51	10.001	44467.368	-6.482	-288237.4793	62995.982	23.858	1502958.1385
(75 B- 32)	177 47 29	15.776	44451.604	18.345	815464.6753	62996.590	16.636	1048011.2712
(75 B- 42)	267 21 57	18.973	44450.732	19.359	860521.7207	62977.637	-9.429	-593816.1392
(75 B- 43)	357 44 35	10.309	44461.033	16.286	724092.3834	62977.231	-16.133	-1016011.6677
(75 B- 44)	290 9 58	16.917	44466.865	28.476	1266238.4477	62961.351	-10.439	-657253.5430
(75 B- 45)	290 5 24	13.412	44471.472	12.710	565232.4091	62948.755	-7.673	-483005.7971
(75 B- 46)	357 52 14	3.068	44474.538	-5.090	-226375.3984	62948.641	-17.289	-1088319.0542
TOTAL					-1941.2360			1941.2362
								970.618

計算者

点検者

座標に依る方向角・距離及び面積計算書

75-2BL
(3)

点 名	方 向 角	距 離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X 座 標	前点-後点		Y 座 標	前点-後点	
(75 B- 32)	87 21 57	18.973	44451.604	-19.027	-845780.6693	62996.590	1.130	71186.1467
(75 B- 33)	177 52 59	2.003	44449.602	16.525	734529.6730	62996.664	2.787	175571.7025
(75 B- 41)	267 17 33	16.618	44448.817	33.220	1476589.7007	62980.065	1.612	101523.8647
(75 B- 40)	267 9 5	16.642	44447.990	17.777	790151.9182	62963.444	.871	54841.1597
(75 B- 39)	267 49 13	1.157	44447.946	2.093	93029.5509	62962.288	-18.875	-1188413.1860
(75 B- 44)	357 9 53	18.942	44466.865	-14.943	-664468.3636	62961.351	-13.087	-823975.2005
(75 B- 43)	110 9 58	16.917	44461.033	-16.286	-724092.3834	62977.231	16.133	1016011.6677
(75 B- 42)	177 44 35	10.309	44450.732	-19.359	-860521.7207	62977.637	9.429	593816.1392
TOTAL					-562.2942			562.2940
								281.147
(75 B- 33)	87 17 33	16.618	44449.602	-17.294	-768711.4169	62996.664	17.431	1098094.8501
(75 B- 34)	177 48 54	18.229	44431.386	15.934	707969.7045	62997.359	18.990	1196319.8474
(75 B- 35)	267 20 6	16.647	44430.612	17.294	768383.0039	62980.730	-17.431	-1097817.1046
(75 B- 41)	357 54 29	18.217	44448.817	-15.934	-708247.4500	62980.065	-18.990	-1195991.4343
TOTAL					-606.1585			606.1586
								303.079

計算者

点検者

画地測量設計株式会社

座標に依る方向角・距離及び面積計算書

点名	方向角	距離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X座標	前点-後点		Y座標	前点-後点	
(75 B- 35)	177 54 29	18.217	44430.612	15.969	709512.4430	62980.730	18.997	1196444.9278
(75 B- 36)	267 16 26	16.653	44429.820	17.286	768013.8685	62964.096	-17.378	-1094190.0602
(75 B- 40)	357 56 42	18.182	44447.990	-15.969	-709789.9523	62963.444	-18.997	-1196116.5456
(75 B- 41)	87 9 5	16.642	44448.817	-17.286	-768342.2506	62980.065	17.378	1094467.5695
TOTAL					-605.8914			605.8915
								302.945
(75 B- 36)	177 56 42	18.182	44429.820	15.976	709810.8043	62964.096	18.975	1194743.7216
(75 B- 37)	267 13 42	16.647	44429.015	17.373	771865.2775	62947.468	-17.398	-1095160.0482
(75 B- 38)	357 39 23	18.218	44447.218	-14.820	-658707.7707	62946.723	-18.931	-1191644.4131
(75 B- 39)	87 19 20	15.582	44447.946	-16.721	-743214.1050	62962.288	-0.772	-48606.8863
(75 B- 40)	87 49 13	1.157	44447.990	-1.808	-80361.9659	62963.444	18.126	1141275.3859
TOTAL					-607.7598			607.7599
								303.879

計算者

点検者

座標に依る方向角・距離及び面積計算書

点名	方向角	距離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X座標	前点-後点		Y座標	前点-後点	
(76 B- 1)	357 49 59	8.146	44468.512	-4.609	-204955.3718	63010.947	-16.850	-1061734.4569
(76 B- 2)	29 26 45	10.002	44477.222	-14.664	-652213.9834	63015.864	-14.087	-887704.4761
(76 B- 3)	61 6 59	11.132	44482.599	-20.740	-922569.1032	63025.611	14.554	917274.7424
(76 B- 25)	151 7 15	22.762	44462.668	-8.846	-393316.7611	63036.604	21.111	1330765.7470
(76B- 24)	241 12 24	2.450	44461.488	25.349	1127054.2593	63034.457	2.296	144727.1132
(76 B- 23)	267 14 46	23.229	44460.372	23.510	1045263.3457	63011.255	-7.024	-442591.0551
TOTAL					-737.6145			737.6145
								368.807
(76 B- 3)	331 7 15	22.762	44482.599	1.254	55781.1791	63025.611	-25.322	-1595934.5217
(76 B- 4)	61 2 00	11.132	44487.990	-19.684	-875701.5951	63035.350	12.676	799036.0966
(76 B- 27)	151 10 10	20.623	44469.923	-10.986	-488546.5740	63045.295	19.941	1257186.2275
(76 B- 26)	150 56 53	2.144	44468.049	8.691	386471.8138	63046.336	7.255	457401.1676
(76 B- 25)	241 3 40	11.121	44462.668	20.725	921488.7943	63036.604	-14.550	-917182.5882
TOTAL					-506.3819			506.3818
								253.190
(76 B- 4)	331 10 10	20.623	44487.990	2.904	129193.1229	63035.350	-21.954	-1383878.0739
(76 B- 5)	61 5 56	8.043	44491.877	-17.008	-756717.8440	63042.391	14.164	892932.4261
(76 B- 28)	151 5 40	20.620	44473.826	-2.904	-129151.9907	63052.358	21.954	1384251.4675
(76 B- 27)	241 4 30	8.070	44469.923	17.008	756344.4503	63045.295	-14.164	-892973.5583
TOTAL					-332.2615			332.2614
								166.130

計算者

点検者

座標に依る方向角・距離及び面積計算書

点名	方向角	距離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X座標	前点-後点		Y座標	前点-後点	
(76 B- 5)	331 5 40	20.620	44491.877	2.925	130138.7402	63042.391	-21.938	-1383023.9737
(76 B- 6)	61 6 9	8.044	44495.764	-17.030	-757762.8609	63049.433	14.136	891266.7848
(76 B- 29)	151 00 20	20.606	44477.741	-2.925	-130097.3924	63059.421	21.938	1383397.5778
(76 B- 28)	241 00 2	8.075	44473.826	17.030	757389.2567	63052.358	-14.136	-891308.1326
TOTAL					-332.2564			332.2563
								166.128
(76 B- 6)	331 00 20	20.606	44495.764	2.935	130595.0673	63049.433	-21.917	-1381854.4230
(76 B- 7)	61 5 48	8.057	44499.658	-17.007	-756805.6836	63056.486	14.152	892375.3898
(76 B- 30)	151 7 9	20.609	44481.612	-2.935	-130553.5312	63066.440	21.917	1382227.1654
(76 B- 29)	241 7 23	8.016	44477.741	17.007	756432.9411	63059.421	-14.152	-892416.9259
TOTAL					-331.2064			331.2063
								165.603
(
(76 B- 7)	331 7 9	20.609	44499.658	2.902	129138.0075	63056.486	-21.929	-1382765.6814
(76 B- 8)	61 9 42	8.050	44503.541	-17.007	-756871.7217	63063.538	14.114	890078.7753
(76 B- 32)	151 3 3	20.567	44485.544	-7.940	-353215.2193	63073.493	19.148	1207731.2439
(76 B- 31)	240 15 52	2.321	44484.393	7.053	313748.4238	63071.478	3.932	247997.0514
(76 B- 30)	241 6 4	5.755	44481.612	14.992	666868.3271	63066.440	-15.265	-962709.2066
TOTAL					-332.1826			332.1826
								166.091

計算者

点検者

座標に依る方向角・距離及び面積計算書

点名	方向角	距離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X座標	前点-後点		Y座標	前点-後点	
(76 B- 8)	331 3 3	20.567	44503.541	2.915	129727.8220	63063.538	-21.892	-1380586.9738
(76 B- 9)	61 2 44	8.046	44507.436	-16.905	-752398.2055	63070.578	14.138	891691.8317
(76 B- 33)	151 19 8	20.555	44489.403	-2.915	-129686.6097	63080.443	21.892	1380957.0581
(76 B- 32)	240 57 31	7.949	44485.544	16.905	752028.1213	63073.493	-14.138	-891733.0440
TOTAL					-328.8719			328.8720
								164.435
(76 B- 9)	331 19 8	20.555	44507.436	-.386	-17179.8702	63070.578	-23.686	-1493889.7105
(76 B- 10)	61 7 30	11.706	44513.089	-20.282	-902814.4710	63080.829	12.266	773749.4485
(76 B- 34)	150 45 36	20.536	44495.170	.386	17175.1356	63090.860	23.686	1494370.1099
(76 B- 33)	241 1 50	11.907	44489.403	20.282	902334.0716	63080.443	-12.266	-773744.7138
TOTAL					-485.1340			485.1341
								242.567
(76 B- 10)	330 45 36	20.536	44513.089	-1.070	-47629.0052	63080.829	-24.045	-1516778.5333
(76 B- 11)	61 6 30	12.679	44519.215	-19.775	-880367.4766	63091.930	12.519	789847.8716
(76 B- 12)	155 3 5	20.564	44500.570	1.070	47615.6099	63100.604	24.045	1517254.0231
(76 B- 34)	241 00 19	11.140	44495.170	19.775	879891.9867	63090.860	-12.519	-789834.4763
TOTAL					-488.8852			488.8851
								244.442

計算者

点検者

画地測量設計株式会社

座標に依る方向角・距離及び面積計算書

点名	方向角	距離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X座標	前点-後点		Y座標	前点-後点	
(76 B- 12)	61 00 19	11.140	44500.570	-17.323	-770883.3741	63100.604	10.968	692087.4246
(76 B- 13)	155 9 15	18.038	44484.202	7.426	330339.6840	63108.183	24.308	1534033.7123
(76 B- 38)	242 6 51	16.976	44476.262	28.191	1253830.3020	63093.178	15.205	959331.7714
(76 B- 35)	241 8 49	15.055	44468.997	21.700	964977.2349	63079.992	-8.131	-512903.4149
(76 B- 31)	331 3 27	17.593	44484.393	6.499	289104.0701	63071.478	-16.547	-1043643.7464
(76 B- 32)	60 15 52	2.321	44485.544	-8.965	-398812.9019	63073.493	-5.010	-315998.1999
(76 B- 33)	60 57 31	7.949	44489.403	-17.367	-772647.4619	63080.443	-9.626	-607212.3443
(76 B- 34)	61 1 50	11.907	44495.170	-20.161	-897067.1223	63090.860	-11.167	-704535.6336
TOTAL					-1159.5692			1159.5692
								579.784
(76 B- 13)	62 6 51	16.976	44484.202	-23.267	-1035013.9279	63108.183	9.829	620290.3307
(76 B- 14)	155 3 47	19.596	44466.433	-7.298	-324516.0280	63116.445	20.618	1301334.8630
(76 B- 15)	198 41 38	3.008	44463.584	12.510	556239.4358	63115.481	9.160	578137.8059
(76 B- 16)	241 20 21	13.158	44457.273	22.303	991530.5597	63103.935	-12.678	-800031.6879
(76 B- 38)	330 28 9	21.824	44476.262	-4.248	-188935.1609	63093.178	-26.929	-1699036.1903
TOTAL					-695.1213			695.1214
								347.560

計算者

点検者

座標に依る方向角・距離及び面積計算書

点名	方向角	距離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X座標	前点-後点		Y座標	前点-後点	
(76 B- 16)	150 28 9	21.824	44457.273	2.690	119590.0643	63103.935	26.333	1661715.9203
(76 B- 17)	241 21 33	15.322	44449.929	22.036	979498.6354	63090.488	-8.254	-520748.8879
(76 B- 36)	331 9 39	17.806	44465.527	10.496	466710.1713	63081.899	-19.068	-1202845.6501
(76 B- 35)	331 12 30	3.959	44468.997	-11.279	-501565.8171	63079.992	-10.735	-677163.7141
(76 B- 38)	61 8 49	15.055	44476.262	-23.943	-1064895.1410	63093.178	11.724	739704.4188
TOTAL					-662.0871			662.0870
								331.043
(76 B- 17)	151 9 39	17.806	44449.929	4.836	214959.8566	63090.488	22.942	1447421.9756
(76 B- 18)	241 19 11	15.302	44442.585	21.974	976581.3627	63077.063	-8.168	-515213.4505
(76 B- 37)	331 8 24	17.712	44458.097	-4.836	-214999.3570	63068.514	-22.942	-1446917.8481
(76 B- 36)	60 57 55	15.309	44465.527	-21.974	-977085.4902	63081.899	8.168	515252.9510
TOTAL					-543.6279			543.6280
								271.813

計算者

点検者

座標に依る方向角・距離及び面積計算書

点名	方向角	距離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X 座標	前点-後点		Y 座標	前点-後点	
(76 B- 18)	151 8 24	17.712	44442.585	4.244	188614.3307	63077.063	22.513	1420053.9193
(76 B- 19)	241 18 37	14.583	44435.584	30.727	1365372.1895	63064.270	-25.464	-1605868.5712
(76 B- 26)	331 5 00	37.089	44468.049	18.975	843781.2297	63046.336	-34.339	-2164948.1319
(76 B- 27)	330 56 53	2.144	44469.923	-6.022	-267797.8763	63045.295	-5.777	-364212.6692
(76 B- 28)	61 4 30	8.070	44473.826	-14.126	-628237.2660	63052.358	-7.818	-492943.3348
(76 B- 29)	61 00 2	8.075	44477.741	-14.082	-626335.5487	63059.421	-7.786	-490980.6519
(76 B- 30)	61 7 23	8.016	44481.612	-12.057	-536314.7958	63066.440	-6.652	-419517.9588
(76 B- 31)	61 6 4	5.755	44484.393	-13.552	-602852.4939	63071.478	12.615	795646.6949
(76 B- 35)	151 3 27	17.593	44468.997	-10.421	-463411.4177	63079.992	18.866	1190067.1290
(76 B- 36)	151 12 30	3.959	44465.527	11.478	510375.3189	63081.899	10.900	687592.6991
(76 B- 37)	240 57 55	15.309	44458.097	4.836	214999.3570	63068.514	22.942	1446917.8481
TOTAL					-1806.9726			1806.9726
								903.486
-								

計算者

点検者

座標に依る方向角・距離及び面積計算書

点名	方向角	距離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X座標	前点-後点		Y座標	前点-後点	
(76 B- 19)	151 5 00	37.089	44435.584	-15.991	-710569.4237	63064.270	33.549	2115743.1942
(76 B- 20)	240 50 34	2.225	44434.500	28.470	1265050.2150	63062.327	2.345	147881.1568
(76 B- 21)	267 16 42	26.557	44433.239	27.870	1238354.3709	63035.800	-26.988	-1701210.1704
(76 B- 24)	357 16 41	28.281	44461.488	-.804	-35747.0363	63034.457	-29.429	-1855041.0350
(76 B- 25)	61 12 24	2.450	44462.668	-11.879	-528172.0331	63036.604	-6.561	-413583.1588
(76 B- 26)	61 3 40	11.121	44468.049	-27.666	-1230253.0436	63046.336	27.084	1707546.9642
TOTAL					-1336.9508			1336.9510
								668.475
(76 B- 21)	177 16 41	28.281	44433.239	22.124	983040.9796	63035.800	29.373	1851550.5534
(76 B- 22)	267 15 28	23.494	44432.115	24.545	1090586.2626	63012.333	-27.133	-1709713.6312
(76 B- 23)	357 48 55	28.278	44460.372	-22.124	-983641.2701	63011.255	-29.373	-1850829.5931
(76 B- 24)	87 14 46	23.229	44461.488	-24.545	-1091307.2229	63034.457	27.133	1710313.9217
TOTAL					-1321.2508			1321.2508
								660.625

計算者

点検者

座標に依る方向角・距離及び面積計算書

(1)

点 名	方 向 角	距 離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X 座 標	前点-後点		Y 座 標	前点-後点	
(77 B- 1)	335 19 26	29.606	44523.143	-10.615	-472613.1629	63099.049	-39.580	-2497460.3594
(77 B- 2)	61 6 34	26.241	44535.821	-37.325	-166229.5188	63122.024	13.181	832011.3983
(77 B- 17)	150 58 22	29.574	44509.962	-5.592	-248899.7075	63136.374	30.668	1936266.3178
(77 B- 16)	241 13 44	9.991	44505.153	24.965	1111071.1446	63127.616	13.721	866174.0191
(77 B- 15)	241 11 39	18.496	44496.241	28.567	1271124.1166	63111.409	-17.990	-1135374.2479
TOTAL					-1617.1280			1617.1279
								808.563
(77 B- 2)	330 58 22	29.574	44535.821	-.239	-10644.0612	63122.024	-33.905	-2140152.2237
(77 B- 3)	61 7 22	16.661	44543.867	-28.907	-1287629.5633	63136.613	17.867	1128061.8644
(77 B- 18)	151 4 39	29.606	44517.954	.239	10639.7910	63150.931	33.905	2141132.3155
(77 B- 17)	241 13 57	16.607	44509.962	28.907	1286649.4715	63136.374	-17.867	-1128057.5942
TOTAL					-984.3620			984.3620
								492.181
(77 B- 3)	331 4 39	29.606	44543.867	-17.751	-790698.1831	63136.613	-43.608	-2753261.4197
(77 B- 4)	61 6 40	36.627	44561.562	-46.689	-2080534.7682	63168.682	8.018	506486.4922
(77 B- 5)	150 22 41	29.579	44535.849	5.924	263830.3694	63183.302	37.067	2342015.4552
(77 B- 19)	241 4 19	23.473	44524.495	32.371	1441302.4276	63162.758	17.895	1130297.5544
(77 B- 18)	241 3 18	13.515	44517.954	26.145	1163921.9073	63150.931	-19.372	-1223359.8353
TOTAL					-2178.2470			2178.2468
								1089.123

計算者

点検者

面地測量設計株式会社

座標に依る方向角・距離及び面積計算書

点名	方向角	距離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X座標	前点-後点		Y座標	前点-後点	
(77 B- 5)	61 4 19	23.473	44535.849	-34.689	-1544904.0659	63183.302	13.500	852974.5770
(77 B- 6)	150 21 17	28.597	44510.995	-13.337	-593643.1403	63197.447	27.714	1751454.0461
(77 B- 7)	195 46 33	2.972	44508.135	19.893	885400.3295	63196.639	13.323	842284.8045
(77 B- 8)	241 15 20	21.767	44497.667	33.881	1507625.4556	63177.554	-16.360	-1033584.7834
(77 B- 19)	331 7 22	30.638	44524.495	-5.748	-255926.7972	63162.758	-38.182	-2411680.4259
TOTAL					-1448.2183			1448.2183
								724.109
(77 B- 8)	151 7 22	30.638	44497.667	-2.984	-132781.0383	63177.554	33.296	2103559.8379
(77 B- 9)	241 17 45	13.467	44491.199	26.623	1184489.1909	63165.742	-20.287	-1281443.4079
(77 B- 18)	331 1 55	30.581	44517.954	2.984	132841.5747	63150.931	-33.296	-2102673.3985
(77 B- 19)	61 3 18	13.515	44524.495	-26.623	-1185375.6308	63162.758	20.287	1281382.8715
TOTAL					-825.9030			825.9030
								412.951
(77 B- 9)	151 1 55	30.581	44491.199	-8.610	-383069.2233	63165.742	30.168	1905584.1046
(77 B- 10)	241 10 19	7.078	44487.786	13.430	597470.9659	63159.541	-9.712	-613405.4621
(77 B- 21)	331 9 18	14.984	44500.911	24.371	1084531.7019	63152.312	-3.680	-232400.5081
(77 B- 20)	241 8 45	19.572	44491.466	24.696	1098761.2443	63135.170	-4.242	-267819.3911
(77 B- 16)	331 6 19	15.633	44505.153	-1.204	-53584.2042	63127.616	-18.496	-1167608.3855
(77 B- 17)	61 13 44	9.991	44509.962	-23.315	-1037749.7640	63136.374	-12.801	-808208.7235
(77 B- 18)	61 13 57	16.607	44517.954	-29.368	-1307403.2730	63150.931	18.763	1184900.9183
TOTAL					-1042.5524			1042.5526
								521.276

計算者

点検者

画地測量設計株式会社

座標に依る方向角・距離及び面積計算書

点 名	方 向 角	距 離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X 座 標	前点-後点		Y 座 標	前点-後点	
(77 B- 10)	151 9 18	14.984	44487.786	9.916	441140.8859	63159.541	22.514	1421973.9060
(77 B- 11)	241 17 38	19.547	44478.397	24.371	10839830132	63142.396	-3.680	-232364.0172
(77 B- 20)	331 3 41	14.934	44491.466	-9.916	-441177.3768	63135.170	-22.514	-1421425.2173
(77 B- 21)	61 8 45	19.572	44500.911	-24.371	-1084531.7019	63152.312	3.680	232400.5081
TOTAL					-585.1796			585.1796
								292.589
(77 B- 11)	151 3 41	14.934	44478.397	9.006	400572.4433	63142.396	21.961	1386670.1585
(77 B- 12)	241 17 9	18.508	44469.505	19.097	849234.1369	63126.164	7.940	501221.7421
(77 B- 13)	288 22 51	3.019	44470.457	8.170	363323.6336	63123.299	-12.482	-787905.0181
(77 B- 14)	335 17 34	12.692	44481.987	-11.871	-528045.6676	63117.994	-21.009	-1326045.9359
(77 B- 20)	61 6 24	19.618	44491.466	-24.402	-1085680.7533	63135.170	3.590	226655.2603
TOTAL					-596.2071			596.2069
								298.103
(77 B- 14)	241 6 24	19.618	44481.987	23.761	1056936.4931	63117.994	-4.775	-301388.4213
(77 B- 15)	335 12 15	15.702	44496.241	-9.622	-428142.8309	63111.409	-23.166	-1462038.9008
(77 B- 16)	61 11 39	18.496	44505.153	-23.761	-1057486.9404	63127.616	4.775	301434.3664
(77 B- 20)	151 6 19	15.633	44491.466	9.622	428096.8858	63135.170	23.166	1462589.3482
TOTAL					-596.3924			596.3925
								298.196

計算者

点検者

画地測量設計株式会社

座標に依る方向角・距離及び面積計算書

(1)

点名	方向角	距離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X座標	前点-後点		Y座標	前点-後点	
(78 B- 1)	61 4 39	31.204	44594.612	-46.939	-2093226.4926	63228.549	18.991	1200773.3740
(78 B- 2)	150 3 48	39.329	44560.530	-6.264	-279127.1599	63248.176	41.391	2617905.2528
(78 B- 14)	241 19 23	15.231	44553.221	27.086	1206768.5440	63234.813	14.848	938910.5034
(78 B- 15)	241 13 1	15.657	44545.682	14.679	653886.0660	63221.090	8.060	509561.9854
(78 B- 16)	241 24 38	1.089	44545.161	19.853	884355.0813	63220.134	-33.839	-2139306.1144
(78 B- 13)	331 11 26	39.214	44579.521	-8.415	-375136.6692	63201.237	-49.451	-3125364.3708
TOTAL					-2480.6304			2480.6304
								1240.315
(78 B- 2)	61 19 23	15.231	44560.530	-22.834	-1017495.1420	63248.176	9.124	577076.3578
(78 B- 3)	150 2 36	18.967	44544.097	-8.618	-383881.0279	63257.647	19.387	1226376.0023
(78 B- 4)	196 6 24	3.075	44541.143	12.667	564202.6583	63256.794	9.433	596701.3378
(78 B- 5)	241 15 32	13.474	44534.664	21.981	978916.4493	63244.980	-12.078	-763872.8684
(78 B- 14)	331 16 57	21.160	44553.221	-3.196	-142392.0943	63234.813	-25.866	-1635631.6730
TOTAL					-649.1566			649.1565
								324.578
(78 B- 5)	151 16 57	21.160	44534.664	3.579	159389.5624	63244.980	26.078	1649302.5884
(78 B- 6)	241 18 54	15.669	44527.143	23.890	1063753.4462	63231.234	-11.018	-696681.7362
(78 B- 15)	331 18 50	21.133	44545.682	-3.579	-159428.9958	63221.090	-26.078	-1648679.5850
(78 B- 14)	61 13 1	15.657	44553.221	-23.890	-1064376.4496	63234.813	11.018	696721.1696
TOTAL					-662.4368			662.4368
								331.218

計算者

点検者

座標に依る方向角・距離及び面積計算書

点名	方向角	距離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X座標	前点-後点		Y座標	前点-後点	
(78 B- 6)	151 18 50	21.133	44527.143	3.582	159496.2262	63231.234	26.080	1649070.5827
(78 B- 7)	241 12 57	15.661	44519.602	23.944	1065977.3502	63217.508	-11.013	-696214.4156
(78 B- 17)	331 9 28	21.182	44538.156	-2.626	-116957.1976	63207.290	-25.559	-1615515.1251
(78 B- 16)	61 23 32	14.630	44545.161	-13.800	-614723.2218	63220.134	-7.526	-475794.7284
(78 B- 15)	61 24 38	1.089	44545.682	-11.100	-494457.0702	63221.090	18.018	1139117.5996
TOTAL					-663.9132			663.9132
								331.956
(78 B- 7)	151 9 28	21.182	44519.602	1.481	65933.5305	63217.508	24.949	1577213.6070
(78 B- 8)	241 20 16	13.333	44513.207	14.894	662979.7050	63205.809	5.538	350033.7702
(78 B- 9)	285 00 54	3.308	44514.064	12.503	556559.3421	63202.614	-17.251	-1090308.2941
(78 B- 10)	330 24 48	18.852	44530.458	-.937	-41725.0391	63193.306	-22.054	-1393665.1705
(78 B- 18)	61 4 51	11.705	44536.118	-13.984	-622793.0741	63203.551	-7.698	-486540.9355
(78 B- 17)	61 24 24	4.258	44538.156	-13.957	-621619.0432	63207.290	16.516	1043931.6016
TOTAL					-664.5788			664.5787
								332.289

計算者

点検者

面地測量設計株式会社

座標に依る方向角・距離及び面積計算書

点名	方向角	距離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X座標	前点-後点		Y座標	前点-後点	
(78 B- 10)	241 4 51	11.705	44530.458	14.692	654241.4889	63193.306	-2.156	-136244.7677
(78 B- 11)	330 21 43	8.993	44538.274	-5.947	-264869.1154	63188.859	-13.524	-854566.1291
(78 B- 19)	61 13 34	11.858	44543.982	-14.692	-654440.1835	63199.253	2.156	136257.5894
(78 B- 18)	151 20 30	8.962	44536.118	5.947	264856.2937	63203.551	13.524	854764.8237
TOTAL					-211.5163			211.5163
								105.758
(78 B- 11)	241 13 34	11.858	44538.274	25.298	1126729.2556	63188.859	-20.510	-1296003.4980
(78 B- 12)	330 23 00	30.158	44564.492	-12.378	-551619.2819	63173.955	-41.247	-2605736.1218
(78 B- 13)	61 9 2	31.148	44579.521	-46.179	-2058637.7002	63201.237	19.331	1221743.1124
(78 B- 16)	151 11 26	39.214	44545.161	-6.053	-269631.8595	63220.134	41.365	2615100.8429
(78 B- 17)	241 23 32	14.630	44538.156	16.583	738576.2409	63207.290	9.043	571583.5234
(78 B- 18)	241 24 24	4.258	44536.118	8.037	357936.7803	63203.551	-5.826	-368223.8881
(78 B- 19)	331 20 30	8.962	44543.982	14.692	654440.1835	63199.253	-2.156	-136257.5894
TOTAL					-2206.3813			2206.3814
								1103.190

計算者

点検者

座標に依る方向角・距離及び面積計算書

(1)

点名	方向角	距離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X 座標	前点-後点		Y 座標	前点-後点	
(81 B- 1)	22 39 25	34.947	44441.724	-16.241	-721778.0394	62879.402	-33.638	-2115137.3244
(81 B- 2)	63 27 35	3.106	44443.112	-18.114	-805042.5307	62882.181	3.718	233795.9489
(81 B- 3)	108 24 57	16.163	44438.006	-.477	-21196.9288	62897.516	40.602	2553764.9446
(81 B- 17)	202 42 48	38.480	44402.510	31.576	1402053.657	62882.658	28.532	1794167.9980
(81 B- 16)	292 36 52	18.110	44409.474	3.256	144597.2473	62865.940	-39.214	-2465224.9711
TOTAL					-1366.5959			1366.5960
								683.297
(81 B- 3)	22 42 48	38.480	44438.006	-56.367	-2504837.0842	62897.516	-21.693	-1364435.8145
(81 B- 4)	108 23 37	43.744	44424.203	-43.283	-1922812.7784	62939.025	16.233	1021689.1928
(81 B- 5)	143 52 8	3.009	44421.773	-3.097	-137574.2309	62940.799	33.025	2078619.8869
(81 B- 6)	177 31 26	30.624	44391.178	58.141	2580947.4800	62942.122	19.263	1212454.0960
(81 B- 17)	280 47 22	60.534	44402.510	44.606	1980618.3610	62882.658	-46.828	-2944669.1088
TOTAL					-3658.2525			3658.2524
								1829.126

計算者

点検者

画地測量設計株式会社

座標に依る方向角・距離及び面積計算書

点名	方向角	距離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X座標	前点-後点		Y座標	前点-後点	
(81 B- 6)	100 47 22	60.534	44391.178	-61.089	-2711812.6728	62942.122	49.139	3092912.9329
(81 B- 7)	177 32 20	37.842	44353.371	14.434	640196.5570	62943.747	35.047	2205989.5011
(81 B- 20)	279 45 7	16.294	44356.131	19.517	865698.6087	62927.688	15.155	953669.1116
(81 B- 10)	190 55 30	18.246	44338.216	67.048	2972788.7063	62924.230	6.498	408881.6465
(81 B- 11)	280 10 43	64.607	44349.633	53.753	2383925.8226	62860.640	-34.964	-2197859.4169
(81 B- 19)	22 40 24	25.519	44373.180	-17.118	-759580.0952	62870.477	-41.076	-2582467.7132
(81 B- 18)	22 33 23	18.981	44390.709	-12.181	-540723.2263	62877.758	-29.330	-1844204.6421
(81 B- 17)	22 32 57	12.778	44402.510	-64.364	-2857923.1536	62882.658	-0.469	-29491.9666
TOTAL					-7429.4533			7429.4533
								3714.726
(81 B- 7)	99 45 7	16.294	44353.371	-16.711	-741189.1827	62943.747	19.105	1202540.2864
(81 B- 8)	177 42 56	16.358	44337.026	1.604	71116.5897	62944.399	18.379	1156855.1092
(81 B- 9)	227 57 44	3.038	44334.992	20.169	894192.4536	62942.143	-1.190	-74901.1501
(81 B- 10)	280 12 11	18.201	44338.216	14.455	640908.9122	62924.230	-21.139	-1330155.2979
(81 B- 20)	10 55 30	18.246	44356.131	-19.517	-865698.6087	62927.688	-15.155	-953669.1116
TOTAL					-669.8359			669.8360
								334.917

計算者

点検者

座標に依る方向角・距離及び面積計算書

点 名	方 向 角	距 離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X 座 標	前点-後点		Y 座 標	前点-後点	
(81 B- 11)	202 40 24	25.519	44349.633	25.726	1140938.6585	62860.640	20.695	1300900.9448
(81 B- 12)	280 10 33	16.143	44352.485	17.401	771777.5914	62844.751	-5.445	-342189.6691
(81 B- 13)	329 45 11	3.002	44355.078	-8.920	-395647.2957	62843.239	-27.679	-1739438.0122
(81 B- 14)	22 34 48	27.169	44380.164	-27.238	-1208826.9070	62853.671	-18.102	-1137777.1524
(81 B- 19)	112 33 58	18.199	44373.180	-6.969	-309236.6914	62870.477	30.531	1919498.5332
TOTAL					-994.6442			994.6443
								497.322
(81 B- 14)	292 33 58	18.199	44380.164	9.468	420191.3927	62853.671	-24.500	-1539914.9395
(81 B- 15)	22 43 49	18.991	44397.680	-24.087	-1069406.9181	62861.009	-10.545	-662869.3399
(81 B- 18)	112 35 50	18.142	44390.709	-9.468	-420291.2328	62877.758	24.500	1540505.0710
(81 B- 19)	202 33 23	18.981	44373.180	24.087	1068816.7866	62870.477	10.545	662969.1799
TOTAL					-689.9716			689.9715
								344.985
(81 B- 15)	292 35 50	18.142	44397.680	11.818	524691.7822	62861.009	-18.765	-1179586.8338
(81 B- 16)	22 41 22	12.783	44409.474	-21.649	-961420.7026	62865.940	-4.830	-303642.4902
(81 B- 17)	112 36 52	18.110	44402.510	-11.818	-524748.8631	62882.658	18.765	1179993.0773
(81 B- 18)	202 32 57	12.778	44390.709	21.649	961014.4591	62877.758	4.830	303699.5711
TOTAL					-463.3244			463.3244
								231.662

計算者

点検者

座標に依る方向角・距離及び面積計算書

点 名	方 向 角	距 離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X 座 標	前点-後点		Y 座 標	前点-後点	
(82 B- 1)	87 17 15	23.751	44425.382	-24.361	-1082246.7309	62997.593	15.283	962792.2138
(82 B- 2)	177 46 36	16.419	44408.975	23.034	1022916.3301	62998.230	17.301	1089932.3772
(82 B- 14)	267 50 14	23.688	44408.081	24.361	1081825.2612	62974.559	-15.283	-962440.1851
(82 B- 13)	357 33 27	16.192	44424.258	-23.034	-1023268.3587	62973.869	-17.301	-1089510.9075
TOTAL					-773.4983			773.4984
								386.749
(82 B- 2)	87 50 14	23.688	44408.975	-24.996	-1110046.7391	62998.230	33.366	2101998.9421
(82 B- 3)	177 47 7	34.286	44374.715	22.371	992706.7492	62999.555	35.618	2243918.1499
(82 B- 16)	266 43 12	23.735	44373.357	23.963	1063318.7537	62975.859	-5.993	-377414.3229
(82 B- 15)	357 55 11	7.356	44380.708	1.300	57694.9204	62975.592	-34.724	-2186764.4566
(82 B- 14)	357 50 20	27.392	44408.081	-22.638	-1005310.1376	62974.559	-28.267	-1780101.8592
TOTAL					-1636.4534			1636.4533
								818.226
(82 B- 3)	86 43 12	23.735	44374.715	-25.188	-1117710.3214	62999.555	37.337	2352214.3850
(82 B- 4)	177 47 31	38.724	44336.020	22.220	985146.3644	63001.047	39.607	2495282.4685
(82 B- 5)	267 47 51	23.730	44335.108	25.188	1116712.7003	62977.335	-37.337	-2351384.7568
(82 B- 16)	357 47 24	38.277	44373.357	-22.220	-985975.9925	62975.859	-39.607	-2494284.8474
TOTAL					-1827.2492			1827.2493
								913.624

計算者

点検者

座標に依る方向角・距離及び面積計算書

点名	方向角	距離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X座標	前点-後点		Y座標	前点-後点	
(82 B- 5)	177 47 24	38.277	44335.108	23.232	1029993.2290	62977.335	39.202	2468837.4866
(82 B- 6)	267 47 28	24.726	44334.155	25.797	1143688.1965	62952.627	-.088	-5539.8311
(82 B- 7)	313 42 33	1.507	44335.196	3.019	133847.9567	62951.538	-45.567	-2868512.7320
(82 B- 9)	357 31 5	44.568	44379.722	-24.054	-1067509.8329	62949.608	-45.512	-2864962.5592
(82 B- 15)	87 49 37	26.003	44380.708	-26.251	-1165037.9657	62975.592	6.365	400839.6430
(82 B- 16)	177 55 11	7.356	44373.357	-1.743	-77342.7612	62975.859	45.600	2871699.1704
TOTAL					-2361.1776			2361.1777
								1180.588
(82 B- 9)	267 49 37	26.003	44379.722	27.800	1233756.2716	62949.608	-41.212	-2594279.2448
(82 B- 11)	357 32 9	42.237	44421.920	.811	36026.1771	62947.792	-43.348	-2728660.8876
(82 B- 12)	41 9 2	1.527	44423.070	-26.077	-1158420.3963	62948.797	-2.338	-147174.2873
(82 B- 13)	87 17 14	25.100	44424.258	-25.762	-1144457.7345	62973.869	14.989	943915.3224
(82 B- 14)	177 33 27	16.192	44408.081	-1.723	-76515.1235	62974.559	43.550	2742542.0444
(82 B- 15)	177 50 20	27.392	44380.708	24.951	1107343.0453	62975.592	28.359	1785924.8135
TOTAL					-2267.7603			2267.7606
								1133.880

計算者

点検者

座標に依る方向角・距離及び面積計算書

水路面積 (3)

点 名	方 向 角	距 離	1	2 (ΔY)	1 × 2	3	4 (ΔX)	3 × 4
			X 座 標	前点-後点		Y 座 標	前点-後点	
(82 B- 7)	177 31 5	44.568	44335.196	-0.835	-37019.8886	62951.538	43.489	2737699.4360
(82 B- 8)	313 26 30	1.508	44336.233	4.699	208335.9588	62950.443	-85.587	-5387739.5650
(82 B- 10)	357 33 33	84.627	44420.783	2.651	117759.4957	62946.839	-85.687	-5393725.7933
(82 B- 11)	39 58 8	1.484	44421.920	-2.769	-123004.2964	62947.792	41.061	2584699.2873
(82 B- 9)	177 32 9	42.237	44379.722	-3.746	-166246.4386	62949.608	86.724	5459241.8041
TOTAL					-175.1691			175.1691
								87.584

計算者 点検者

座標に依る方向角・距離及び面積計算書

()

点名	方向角	距離	1	2 (ΔY)	1 \times 2	3	4 (ΔX)	3 \times 4
			X 座標	前点-後点		Y 座標	前点-後点	
82 B- 2	87 50 14	23.688	44408.975	-24.117	-1071011.2500	62998.230	10.628	669545.1884
82 B- 18	177 47 7	11.531	44397.453	23.236	1031619.2179	62998.676	12.417	782254.5598
82 B- 17	267 50 18	23.699	44396.558	24.117	1070711.7892	62974.994	-10.628	-669298.2362
82 B- 14	357 50 20	11.531	44408.081	-23.236	-1031866.1701	62974.559	-12.417	-781955.0991
TOTAL					-546.4130			546.4129
								273.206

計算者
点検者

座標に依る方向角・距離及び面積計算書

()

点名	方向角	距離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X座標	前点-後点		Y座標	前点-後点	
82 B-18	87 50 8	23.699	44397.453	-24.561	-1090445.8431	62998.676	21.843	1376080.0798
82 B- 3	177 47 7	22.755	44374.715	22.817	1012497.8721	62999.555	24.096	1518037.2772
82 B-16	266 43 12	23.735	44373.357	23.963	1063318.7537	62975.859	-5.993	-377414.3229
82 B-15	357 55 11	7.356	44380.708	.865	38389.3124	62975.592	-23.201	-1461096.7099
82 B-17	357 50 20	15.861	44396.558	-23.084	-1024850.1448	62974.994	-16.745	-1054516.2745
TOTAL					-1090.0497			1090.0497
								545.024

計算者

点検者

座標に依る方向角・距離及び面積計算書

点 名	方 向 角	距 離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X 座 標	前点-後点		Y 座 標	前点-後点	
(83 B- 1)	357 45 17	16.054	44426.103	-22.891	-1016957.9237	63012.584	-17.168	-1081800.0421
(83 B- 2)	87 15 33	23.547	44427.229	-24.158	-1073272.9981	63036.104	15.152	955123.0478
(83 B- 15)	177 45 20	16.290	44410.951	22.891	1016611.0793	63036.742	17.168	1082214.7866
(83 B- 14)	267 50 2	23.546	44410.061	24.158	1072858.2536	63013.213	-15.152	-954776.2033
TOTAL					-761.5889			761.5890
								380.794
(83 B- 2)	357 45 20	16.290	44427.229	-10.685	-474704.9418	63036.104	-16.823	-1060456.3775
(83 B- 3)	87 14 40	11.336	44427.774	-11.960	-531356.1770	63047.427	16.232	1023385.8350
(83 B- 16)	177 49 32	16.789	44410.997	10.685	474531.5029	63048.064	16.823	1060657.5806
(83 B- 15)	269 46 2	11.322	44410.951	11.960	531154.9739	63036.742	-16.232	-1023212.3961
TOTAL					-374.6420			374.6420
								187.321
(83 B- 3)	357 49 32	16.789	44427.774	-10.795	-479597.8203	63047.427	-17.330	1092611.9099
(83 B- 4)	87 13 50	11.445	44428.327	-13.731	-610045.3580	63058.859	1.393	87840.9905
(83 B- 5)	130 14 47	3.012	44426.381	-5.264	-233860.4695	63061.158	16.650	1049968.2807
(83 B- 6)	168 35 58	15.000	44411.677	13.094	581526.4986	63064.123	15.384	970178.4682
(83 B- 16)	267 34 31	16.073	44410.997	16.696	741486.0059	63048.064	-16.097	-1014884.6862
TOTAL					-491.1433			491.1433
								245.571

計算者

点検者

座標に依る方向角・距離及び面積計算書

()

点名	方向角	距離	1		2 (ΔY)		3		4 (ΔX)	
			X座標	前点-後点	1×2	Y座標	前点-後点	3×4		
83 B- 2	357 45 20	16.290	44427.229	-10.685	-474704.9418	63036.104	-16.823	-1060456.3775		
83 B- 3	87 14 40	11.336	44427.774	-11.814	-524869.7220	63047.427	12.399	781725.0473		
83 B- 20	177 49 32	12.953	44414.830	-.637	-28292.2467	63047.918	16.777	1057754.9202		
83 B- 16	177 49 32	3.836	44410.997	11.176	496337.3024	63048.064	3.879	244563.4402		
83 B- 15	269 46 2	11.322	44410.951	11.960	531154.9739	63036.742	-16.232	-1023212.3961		
TOTAL					-374.6342				374.6341	
									187.317	

計算者

点検者