

座標に依る方向角・距離及び面積計算書

()

点名	方向角	距離	1		2 (ΔY)		3		4 (ΔX)	
			X座標	前点-後点	1×2	Y座標	前点-後点	3×4		
83 B- 3	357 49 32	12.953	44427.774	-10.941	-486084.2753	63047.427	-13.497	-850951.1222		
83 B- 4	87 13 50	11.445	44428.327	-13.731	-610045.3580	63058.859	1.393	87840.9905		
83 B- 5	130 14 47	3.012	44426.381	-4.497	-199785.4353	63061.158	12.845	810020.5745		
83 B- 21	168 35 58	11.118	44415.482	13.240	588060.9816	63063.356	11.551	728444.8251		
83 B- 20	267 34 54	15.452	44414.830	15.929	707483.8270	63047.918	-12.292	-774985.0080		
TOTAL					-370.2600			370.2599		
								185.129		

計算者

点検者

座標に依る方向角・距離及び面積計算書

()

点名	方向角	距離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X座標	前点-後点		Y座標	前点-後点	
83 B- 6	168 35 58	3.882	44411.677	-9.515	-422577.1066	63064.123	47.009	2964581.3581
83 B- 7	168 33 12	44.081	44368.473	8.272	367016.0086	63072.871	43.870	2767006.8507
83 B- 19	267 45 33	17.033	44367.807	34.439	1527982.9052	63055.851	1.362	85882.0690
83 B- 18	267 42 43	17.433	44367.111	17.871	792884.6406	63038.432	-11.161	-703571.9395
83 B- 17	357 49 1	11.866	44378.968	1.690	75000.4559	63037.980	-43.840	-2763585.0432
83 B- 15	357 47 00	32.007	44410.951	-10.084	-447840.0298	63036.742	-32.029	-2019003.8095
83 B- 16	89 46 2	11.322	44410.997	-11.176	-496337.3024	63048.064	-3.879	-244563.4402
83 B- 20	357 49 32	3.836	44414.830	-15.292	-679191.5803	63047.918	-4.485	-282769.9122
83 B- 21	87 34 54	15.452	44415.482	-16.205	-719752.8858	63063.356	3.153	198838.7614
TOTAL					-2814.8946			2814.8946
								1407.447

計算者

点検者

座標に依る方向角・距離及び面積計算書

点 名	方 向 角	距 離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X 座 標	前点-後点		Y 座 標	前点-後点	
(83 B- 6)	87 34 31	16.073	44411.677	-24.807	-1101720.4713	63064.123	42.524	2681738.7664
(83 B- 7)	168 33 12	44.081	44368.473	8.272	367016.0086	63072.871	43.870	2767006.8507
(83 B- 19)	267 45 33	17.033	44367.807	34.439	1527982.9052	63055.851	1.362	85882.0690
(83 B- 18)	267 42 43	17.433	44367.111	17.871	792884.6406	63038.432	-11.161	-703571.9395
(83 B- 17)	357 49 1	11.866	44378.968	1.690	75000.4559	63037.980	-43.840	-2763585.0432
(83 B- 15)	357 47 00	32.007	44410.951	-10.084	-447840.0298	63036.742	-32.029	-2019003.8095
(83 B- 16)	89 46 2	11.322	44410.997	-27.381	-1216017.5088	63048.064	-7.726	-45772.8944
TOTAL					-2693.9996			2693.9995
								-1346.999
(83 B- 7)	87 45 33	17.033	44368.473	-22.465	-996737.7459	63072.871	26.410	1665754.5231
(83 B- 8)	168 37 46	27.618	44341.397	-3.549	-157367.6179	63078.316	29.495	1860494.9304
(83 B- 9)	218 5 21	3.073	44338.978	21.341	946238.1294	63076.420	3.178	200456.8627
(83 B- 10)	267 45 53	19.460	44338.219	20.569	911992.8266	63056.975	-28.829	-1817869.5322
(83 B- 19)	357 49 28	29.609	44367.807	-15.896	-705270.6600	63055.851	-30.254	-1907691.7161
TOTAL					-1145.0678			1145.0679
								572.533

計算者

点検者

座標に依る方向角・距離及び面積計算書

点 名	方 向 角	距 離	1	2 (ΔY)	1 × 2	3	4 (ΔX)	3 × 4
			X 座 標	前点-後点		Y 座 標	前点-後点	
(83 B- 10)	177 49 28	29.609	44338.219	16.291	722313.9257	63056.975	30.276	1909112.9751
(83 B- 11)	267 44 16	17.429	44337.531	18.543	822150.8373	63039.560	-28.892	-1821338.9675
(83 B- 18)	357 48 58	29.601	44367.111	-16.291	-722784.6053	63038.432	-30.276	-1908551.5672
(83 B- 19)	87 42 43	17.433	44367.807	-18.543	-822712.2452	63055.851	28.892	1821809.6470
TOTAL					-1032.0875			1032.0874
								516.043
(83 B- 11)	177 48 58	29.601	44337.531	22.378	992185.2687	63039.560	30.498	1922580.5008
(83 B- 12)	267 45 49	23.524	44336.613	25.107	1113159.3425	63016.054	-40.497	-2551961.1388
(83 B- 13)	357 47 10	41.446	44378.028	-21.926	-973032.6419	63014.453	-42.355	-2668977.1568
(83 B- 17)	87 42 43	23.546	44378.968	-23.979	-1064163.2736	63037.980	10.917	688185.6276
(83 B- 18)	177 49 1	11.866	44367.111	-1.580	-70100.0353	63038.432	41.437	2612123.5067
TOTAL					-1951.3396			1951.3395
								975.669
(83 B- 13)	267 42 43	23.546	44378.028	24.767	1099110.6194	63014.453	-31.093	-1959308.3871
(83 B- 14)	357 46 59	32.057	44410.061	-22.289	-989855.8496	63013.213	-32.923	-2074584.0115
(83 B- 15)	87 50 2	23.546	44410.951	-24.767	-1099926.0234	63036.742	31.093	1960001.4190
(83 B- 17)	177 47 00	32.007	44378.968	22.289	989162.8177	63037.980	32.923	2075399.4155
TOTAL					-1508.4359			1508.4359
								754.217

計算者

点検者

座標に依る方向角・距離及び面積計算書

点 名	方 向 角	距 離	1	2 (ΔY)	1 × 2	3	4 (ΔX)	3 × 4
			X 座 標	前点-後点		Y 座 標	前点-後点	
(84 B- 1)	348 31 1	15.125	44428.151	1.717	76283.1352	63066.920	-17.533	-1105752.3083
(84 B- 2)	25 30 57	3.004	44430.862	-25.427	-1129743.5280	63068.214	-15.930	-1004676.6490
(84 B- 3)	61 17 17	27.516	44444.081	-29.667	-1318522.5510	63092.347	-1.211	-76404.8322
(84 B- 30)	155 15 25	13.222	44432.073	-7.815	-347236.6504	63097.881	16.954	1069761.4744
(84 B- 31)	155 14 30	5.447	44427.127	27.950	1241738.1996	63100.162	18.744	1182749.4365
(84 B- 29)	245 28 2	33.231	44413.329	33.242	1476387.8826	63069.931	-1.024	-64583.6093
TOTAL					-1093.5120			1093.5121
								546.756
(84 B- 3)	335 15 25	13.222	44444.081	-7.168	-318575.1726	63092.347	-18.951	-1195663.0679
(84 B- 4)	61 20 19	14.476	44451.024	-19.709	-876085.2320	63105.049	5.467	344995.3028
(84 B- 52)	150 32 59	14.252	44438.614	7.168	318535.9851	63112.056	18.951	1196036.5732
(84 B- 30)	245 13 45	15.611	44432.073	19.709	875711.7267	63097.881	-5.467	-344956.1154
TOTAL					-412.6928			412.6927
								206.346
(84 B- 4)	330 32 59	14.252	44451.024	2.269	100859.3734	63105.049	-15.019	-947774.7309
(84 B- 5)	61 9 38	5.409	44453.633	-10.641	-473031.1087	63109.787	10.738	677672.8928
(84 B- 51)	156 8 30	14.594	44440.286	-2.269	-100835.0089	63115.690	15.019	947934.5481
(84 B- 52)	245 17 34	4.000	44438.614	10.641	472871.2915	63112.056	-10.738	-677697.2573
TOTAL					-135.4527			135.4527
								67.726

計算者

点検者

座標に依る方向角・距離及び面積計算書

点名	方向角	距離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X座標	前点-後点		Y座標	前点-後点	
(84 B- 5)	336 8 30	14.594	44453.633	-2.140	-95130.7746	63109.787	-17.734	-1119188.9626
(84 B- 6)	61 23 24	9.162	44458.020	-10.870	-483258.6774	63117.830	-3.565	-225015.0639
(84 B- 7)	106 12 46	2.944	44457.198	-8.361	-371706.6324	63120.657	12.958	817917.4734
(84 B- 8)	155 29 13	13.338	44445.062	4.967	220758.6229	63126.191	16.912	1067590.1421
(*84 B- 51)	245 32 36	11.536	44440.286	16.404	728998.4515	63115.690	-8.571	-540964.5789
TOTAL					-339.0100			339.0101
								169.505
(84 B- 8)	65 32 36	11.536	44445.062	-17.403	-773477.4139	63126.191	10.231	645844.0601
(84 B- 9)	155 18 5	16.518	44430.055	7.212	320429.5566	63133.093	21.456	1354583.6434
(84 B- 53)	245 26 36	15.518	44423.606	21.037	934539.3994	63118.979	-8.559	-540235.3412
(84 B- 52)	335 14 12	16.528	44438.614	3.289	146158.6014	63112.056	-16.680	-1052709.0940
(84 B- 51)	65 17 34	4.000	44440.286	-14.135	-628163.4426	63115.690	-6.448	-406969.9691
TOTAL					-513.2991			513.2992
								256.649
(84 B- 9)	65 26 36	15.518	44430.055	-15.362	-682534.5049	63133.093	-3.740	-236117.7678
(84 B- 10)	155 15 54	2.983	44427.346	12.886	572490.7805	63134.341	9.158	578184.2948
(84 B- 54)	245 28 26	15.536	44420.897	15.362	682393.8197	63120.207	3.740	236069.5741
(84 B- 53)	335 36 54	2.974	44423.606	-12.886	-572442.5869	63118.979	-9.158	-578043.6096
TOTAL					-92.4916			92.4915
								46.245

計算者

点検者

座標に依る方向角・距離及び面積計算書

点 名	方 向 角	距 離	1	2 (ΔY)	1 × 2	3	4 (ΔX)	3 × 4
			X 座 標	前点-後点		Y 座 標	前点-後点	
(84 B- 10)	65 28 26	15.536	44427.346	-20.394	-906051.2943	63134.341	7.198	454440.9865
(84 B- 11)	155 21 31	15.014	44413.699	7.887	350290.8440	63140.601	20.055	1266284.7530
(84 B- 55)	245 37 53	15.531	44407.291	20.394	905642.2926	63126.454	-7.198	-454384.2158
(84 B- 54)	335 20 18	14.972	44420.897	-7.887	-350347.6146	63120.207	-20.055	-1265875.7513
TOTAL					-465.7723			465.7724
								232.886
(84 B- 11)	65 37 53	15.531	44413.699	-15.402	-684059.7919	63140.601	-3.696	-233367.6612
(84 B- 12)	155 10 2	2.988	44410.987	12.842	570325.8950	63141.856	9.207	581347.0681
(84 B- 56)	245 15 46	15.521	44404.492	15.402	683917.9857	63127.759	3.696	233320.1972
(84 B- 55)	335 00 12	3.088	44407.291	-12.842	-570278.4310	63126.454	-9.207	-581205.2619
TOTAL					-94.3422			94.3422
								47.171
(84 B- 12)	65 15 46	15.521	44410.987	-15.351	-681753.0614	63141.856	-3.771	-238107.9389
(84 B- 13)	155 16 51	2.999	44408.263	12.872	571623.1613	63143.110	9.131	576559.7374
(84 B- 57)	245 36 10	15.511	44401.856	15.351	681612.8914	63128.984	3.771	238059.3986
(84 B- 56)	335 4 29	2.907	44404.492	-12.872	-571574.6210	63127.759	-9.131	-576419.5674
TOTAL					-91.6297			91.6297
								45.814

計算者

点検者

座標に依る方向角・距離及び面積計算書

点 名	方 向 角	距 離	1	2 (ΔY)	1 × 2	3	4 (ΔX)	3 × 4
			X 座 標	前点-後点		Y 座 標	前点-後点	
(84 B- 13)	65 36 10	15.511	44408.263	-20.411	-906417.0560	63143.110	7.211	455324.9662
(84 B- 14)	155 13 32	14.998	44394.645	7.790	345834.2845	63149.395	20.107	1269744.8852
(84 B- 58)	245 14 56	15.499	44388.156	20.411	906006.6521	63135.320	-7.211	-455268.7925
(84 B- 57)	335 10 49	15.094	44401.856	-7.790	-345890.4582	63128.984	-20.107	-1269334.4812
TOTAL					-466.5776			466.5777
								233.288
(84 B- 14)	65 14 56	15.499	44394.645	-19.649	-872310.3796	63149.395	5.654	357046.6793
(84 B- 15)	155 20 36	13.361	44382.502	-4.643	-206067.9567	63154.969	14.992	946819.2952
(84 B- 16)	198 5 47	2.997	44379.653	12.678	562645.2407	63154.038	9.419	594847.8839
(84 B- 17)	240 46 55	13.459	44373.083	18.718	830575.3675	63142.291	-8.503	-536898.9003
(84 B- 58)	335 10 49	16.607	44388.156	-7.104	-315333.4602	63135.320	-21.562	-1361323.7698
TOTAL					-491.1883			491.1883
								245.594
(84 B- 17)	155 10 49	16.607	44373.083	6.803	301870.0836	63142.291	22.778	1438255.1043
(84 B- 18)	240 46 40	15.783	44365.378	20.980	930785.6304	63128.517	-8.034	-507174.5055
(84 B- 39)	335 23 59	17.310	44381.117	7.447	330506.1782	63121.311	-16.222	-1023953.9070
(84 B- 38)	333 28 57	.540	44381.600	-14.009	-621741.8344	63121.070	-7.039	-444309.2117
(84 B- 58)	65 17 39	15.686	44388.156	-21.221	-941961.0584	63135.320	8.517	537723.5204
TOTAL					-541.0006			541.0005
								270.500

計算者

点検者

座標に依る方向角・距離及び面積計算書

点名	方向角	距離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X座標	前点-後点		Y座標	前点-後点	
(84 B- 38)	245 17 39	15.686	44381.600	20.108	892425.2128	63121.070	-6.291	-397094.6513
(84 B- 37)	335 29 16	14.120	44394.447	7.486	332336.8302	63115.212	-16.393	-1034647.6703
(84 B- 36)	335 20 23	3.902	44397.993	-12.547	-557061.6181	63113.584	-10.045	-633975.9512
(84 B- 56)	65 22 10	15.594	44404.492	-15.400	-683829.1768	63127.759	-3.863	-243862.5330
(84 B- 57)	155 4 29	2.907	44401.856	-7.561	-335722.4332	63128.984	16.336	1031275.0826
(84 B- 58)	155 10 49	15.094	44388.156	7.914	351287.8665	63135.320	20.256	1278869.0419
TOTAL					-563.3186			563.3187
								281.659
(84 B- 36)	245 22 10	15.594	44397.993	18.778	833705.5125	63113.584	-3.421	-215911.5708
(84 B- 35)	335 6 29	10.936	44407.913	7.554	335457.3748	63108.981	-16.394	-1034608.6345
(84 B- 34)	335 29 43	7.115	44414.387	-11.226	-498595.9084	63106.030	-12.984	-819368.6935
(84 B- 54)	65 20 8	15.600	44420.897	-20.424	-907252.4003	63120.207	7.096	447900.9888
(84 B- 55)	155 20 18	14.972	44407.291	-7.552	-335363.8616	63126.454	16.405	1035589.4778
(84 B- 56)	155 00 12	3.088	44404.492	12.870	571485.8120	63127.759	9.298	586961.9031
TOTAL					-563.4710			563.4709
								281.735

計算者

点検者

座標に依る方向角・距離及び面積計算書

点名	方向角	距離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X座標	前点-後点		Y座標	前点-後点	
(84 B- 34)	245 20 8	15.600	44414.387	14.661	651159.3278	63106.030	5.449	343864.7574
(84 B- 33)	335 28 44	1.166	44415.448	3.953	175574.2659	63105.546	-8.578	-541319.3735
(84 B- 32)	335 13 38	8.279	44422.965	5.384	239173.2435	63102.077	-11.679	-736969.1572
(84 B- 31)	335 17 32	4.581	44427.127	4.196	186416.2248	63100.162	-9.108	-574716.2754
(84 B- 30)	335 14 30	5.447	44432.073	-11.894	-528475.0762	63097.881	-11.487	-724805.3590
(84 B- 52)	65 13 45	15.611	44438.614	-21.098	-937565.8781	63112.056	8.467	534369.7781
(84 B- 53)	155 14 12	16.528	44423.606	-8.151	-362096.8125	63118.979	17.717	1118278.9509
(84 B- 54)	155 36 54	2.974	44420.897	12.949	575206.1952	63120.207	9.219	581905.1883
TOTAL					-608.5096			608.5096
								304.254
(84 B- 18)	155 23 59	17.310	44365.378	-1.265	-56122.2031	63128.517	19.042	1202093.2207
(84 B- 19)	240 55 39	6.797	44362.075	12.609	559361.4036	63122.576	-8.682	-548030.2048
(84 B- 50)	330 54 36	13.715	44374.060	8.289	367816.5833	63115.908	-15.652	-987890.1920
(84 B- 44)	336 9 8	4.009	44377.727	-5.403	-239772.8589	63114.287	-7.057	-445397.5233
(84 B- 39)	64 14 12	7.799	44381.117	-14.230	-631543.2949	63121.311	12.349	779485.0695
TOTAL					-260.3700			260.3701
								130.185

計算者

点検者

座標に依る方向角・距離及び面積計算書

点名	方向角	距離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X 座標	前点-後点		Y 座標	前点-後点	
(84 B- 21)	150 56 10	12.730	44360.127	6.549	290514.4717	63119.079	18.206	1149145.9522
(84 B- 22)	240 55 40	14.569	44353.048	18.887	837696.0175	63106.346	-6.275	-395992.3211
(84 B- 45)	335 15 29	14.704	44366.402	-3.579	-158787.3527	63100.192	-18.770	-1184390.6038
(84 B- 46)	60 54 21	11.138	44371.818	-10.655	-472781.7207	63109.925	-3.756	-237040.8783
(84 B- 47)	150 57 5	1.899	44370.158	-2.970	-131779.3692	63110.847	.564	35594.5177
(84 B- 48)	61 50 47	2.323	44371.254	-8.232	-365264.1629	63112.895	10.031	633085.4497
TOTAL					-402.1163			402.1164
								201.058
(84 B- 22)	155 15 29	14.704	44353.048	13.398	594242.1371	63106.346	24.244	1529950.2524
(84 B- 23)	240 53 00	22.380	44342.158	22.270	987499.8586	63086.794	9.621	606958.0450
(84 B- 24)	295 1 38	3.000	44343.427	9.518	422060.7381	63084.076	-34.859	-2199047.8052
(84 B- 25)	348 33 20	34.271	44377.017	-8.107	-359764.4768	63077.276	-40.434	-2550466.5777
(84 B- 40)	65 20 22	16.403	44383.861	-22.916	-1017100.5586	63092.183	10.615	669723.5225
(84 B- 45)	155 21 27	19.208	44366.402	-14.163	-628361.3515	63100.192	30.813	1944306.2160
TOTAL					-1423.6531			1423.6530
								711.826

計算者

点検者

画地測量設計株式会社

座標に依る方向角・距離及び面積計算書

点 名	方 向 角	距 離	1	2 (ΔY)	1 × 2	3	4 (ΔX)	3 × 4
			X 座 標	前点-後点		Y 座 標	前点-後点	
(84 B- 25)	245 20 22	16.403	44377.017	17.916	795058.6365	63077.276	-8.066	-508781.3082
(84 B- 26)	348 35 25	15.211	44391.927	-31.705	-1407446.0455	63074.267	-30.896	-1948742.5532
(84 B- 35)	65 16 25	38.218	44407.913	-39.317	-1745985.9154	63108.981	-6.066	-382819.0787
(84 B- 36)	155 6 29	10.936	44397.993	-6.231	-276643.8943	63113.584	13.466	849887.5221
(84 B- 37)	155 20 23	3.902	44394.447	9.031	400926.2508	63115.212	8.439	532629.2740
(84 B- 41)	245 20 33	11.728	44389.554	23.029	1022247.0390	63104.553	10.586	668024.7980
(84 B- 40)	245 17 13	13.617	44383.861	27.277	1210658.5764	63092.183	12.537	790986.6982
TOTAL					-1185.3525			1185.3522
								592.676
(84 B- 26)	245 16 25	38.218	44391.927	36.402	1615954.9266	63074.267	7.667	483590.4050
(84 B- 27)	348 31 48	8.489	44400.246	-31.279	-1388795.2946	63072.579	-23.521	-1483530.1306
(84 B- 33)	65 14 39	36.303	44415.448	-33.451	-1485741.1510	63105.546	-14.141	-892375.5259
(84 B- 34)	155 28 44	1.166	44414.387	-3.435	-152563.4193	63106.030	7.535	475503.9360
(84 B- 35)	155 29 43	7.115	44407.913	31.763	1410528.5406	63108.981	22.460	1417427.7132
TOTAL					-616.3977			616.3977
								308.198

計算者

点検者

座標に依る方向角・距離及び面積計算書

(1)

点名	方向角	距離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X座標	前点-後点		Y座標	前点-後点	
(85 B- 1)	335 17 25	13.344	44460.933	4.239	188469.8949	63127.682	-15.408	-972671.3242
(85 B- 2)	22 10 13	3.548	44464.219	-18.899	-840329.2748	63129.021	-12.902	-814490.6289
(85 B- 3)	61 17 40	20.021	44473.835	-25.010	-1112290.6133	63146.581	3.975	251007.6594
(85 B- 19)	151 16 13	15.499	44460.244	13.321	592254.9103	63154.031	25.024	1580366.4717
(85 B- 18)	241 10 13	23.710	44448.811	26.349	1171181.7210	63133.260	-.689	-43498.8161
TOTAL					-713.3619			713.3619
								356.680
(85 B- 3)	331 16 13	15.499	44473.835	-8.326	-370289.1502	63146.581	-22.242	-1404506.2546
(85 B- 4)	61 15 40	17.992	44482.486	-27.035	-1202584.0090	63162.357	11.980	756685.0368
(85 B- 22)	151 22 38	23.503	44461.855	4.489	199589.2670	63173.616	29.261	1848523.1777
(85 B- 20)	241 16 37	17.958	44453.225	19.585	870616.4116	63157.868	1.611	101747.3253
(85 B- 19)	331 20 11	7.999	44460.244	11.287	501822.7740	63154.031	-20.610	-1301604.5789
TOTAL					-844.7066			844.7063
								422.353
(85 B- 4)	331 22 38	23.503	44482.486	-7.175	-319161.8370	63162.357	-30.739	-1941547.6918
(85 B- 5)	61 15 45	21.023	44492.594	-24.081	-1071426.1561	63180.791	.232	14657.9435
(85 B- 26)	151 21 35	11.782	44482.254	-11.273	-501448.4493	63186.438	20.626	1303283.4701
(85 B- 24)	151 19 24	11.724	44471.968	10.197	453480.6576	63192.064	18.941	1196920.8842
(85 B- 23)	241 19 19	18.035	44463.313	18.448	820259.1982	63176.241	10.113	638901.3252
(85 B- 22)	240 57 3	3.003	44461.855	13.884	617308.3948	63173.616	-19.173	-1211227.7395
TOTAL					-988.1918			988.1917
								494.095

計算者

点検者

座標に依る方向角・距離及び面積計算書

(2)

点 名	方 向 角	距 離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X 座 標	前点-後点		Y 座 標	前点-後点	
(85 B- 5)	331 21 35	11.782	44492.594	-13.027	-579605.0220	63180.791	-20.583	-1300450.2211
(85 B- 6)	61 15 16	21.299	44502.837	-21.634	-962774.3756	63199.465	-9.222	-582825.4662
(85 B- 49)	109 1 52	3.131	44501.816	-3.417	-152062.7052	63202.425	1.281	80962.3064
(85 B- 7)	119 38 12	.526	44501.556	-4.872	-216811.5808	63202.882	8.074	510300.0692
(85 B- 8)	150 31 59	8.975	44493.742	16.444	731655.0934	63207.297	19.302	1220027.2466
(85 B- 26)	241 9 23	23.813	44482.254	26.506	1179046.6245	63186.438	1.148	72538.0308
TOTAL					-551.9657			551.9657
								275.982
(85 B- 8)	61 9 23	23.813	44493.742	-26.663	-1186336.6429	63207.297	-1.296	-81916.6569
(85 B- 9)	150 20 24	11.729	44483.550	12.682	564140.3811	63213.101	20.370	1287650.8673
(85 B- 25)	241 9 50	21.103	44473.372	21.037	935586.3267	63194.615	11.582	731920.0309
(85 B- 24)	241 10 22	2.912	44471.968	8.177	363647.2823	63192.064	-8.882	-561271.9124
(85 B- 26)	331 19 24	11.724	44482.254	-15.233	-677598.1751	63186.438	-21.774	-1375821.5010
TOTAL					-560.8279			560.8279
								280.413
(85 B- 9)	61 9 50	21.103	44483.550	-28.790	-1280681.4045	63213.101	7.941	501975.2350
(85 B- 10)	150 22 26	20.844	44465.431	-9.341	-415351.5909	63223.405	21.090	1333381.6114
(85 B- 11)	197 57 33	3.123	44462.460	17.625	783650.8575	63222.442	12.111	765686.9950
(85 B- 12)	241 15 10	19.004	44453.320	27.827	1237002.5356	63205.780	-10.912	-689701.4713
(85 B- 25)	330 53 27	22.951	44473.372	-7.321	-325589.5564	63194.615	-30.230	-1910373.2114
TOTAL					-969.1587			969.1587
								484.579

計算者

点検者

座標に依る方向角・距離及び面積計算書

(3)

点名	方向角	距離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X 座標	前点-後点		Y 座標	前点-後点	
(85 B- 12)	150 53 27	22.951	44453.320	7.280	323620.1696	63205.780	30.160	1906286.3248
(85 B- 13)	241 16 37	21.033	44443.212	29.539	1312808.0392	63187.335	-9.993	-631431.0386
(85 B- 23)	331 6 18	22.959	44463.313	-4.729	-210267.0071	63176.241	-28.756	-1816695.9861
(85 B- 24)	61 19 19	18.035	44471.968	-18.374	-817127.9400	63192.064	-10.059	-635648.9717
(85 B- 25)	61 10 22	2.912	44473.372	-13.716	-609996.7703	63194.615	18.648	1178453.1805
TOTAL					-963.5086			963.5089
								481.754
(85 B- 13)	151 6 18	22.959	44443.212	7.306	324702.1068	63187.335	30.204	1908510.2663
(85 B- 14)	241 13 48	20.991	44433.109	25.847	1148462.5683	63168.935	-3.453	-218122.3325
(85 B- 21)	331 13 4	15.467	44446.665	11.067	491891.2415	63161.488	-20.116	-1270556.4926
(85 B- 20)	331 6 32	7.493	44453.225	-12.128	-539128.7128	63157.868	-15.190	-959368.0149
(85 B- 22)	61 16 37	17.958	44461.855	-18.373	-816897.6619	63173.616	-10.088	-637295.4382
(85 B- 23)	60 57 3	3.003	44463.313	-13.719	-609992.1910	63176.241	18.643	1177794.6609
TOTAL					-962.6491			962.6490
								481.324

計算者

点検者

座標に依る方向角・距離及び面積計算書

点名	方向角	距離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X座標	前点-後点		Y座標	前点-後点	
(85 B- 14)	151 13 4	15.467	44433.109	12.810	569188.1262	63168.935	24.647	1556924.7409
(85 B- 15)	241 17 55	23.095	44422.018	23.575	1047249.0743	63148.678	10.626	671017.8524
(85 B- 16)	277 58 40	3.350	44422.483	8.934	396870.4631	63145.360	-12.736	-804219.3049
(85 B- 17)	335 24 29	13.495	44434.754	-16.128	-716643.7125	63139.744	-24.182	-1526845.2894
(85 B- 21)	61 17 13	24.793	44446.665	-29.191	-1297442.5980	63161.488	1.645	103900.6477
TOTAL					-778.6469			778.6467
								389.323
(85 B- 17)	241 17 13	24.793	44434.754	28.228	1254304.2359	63139.744	-2.146	-135497.8906
(85 B- 18)	335 14 16	15.480	44448.811	-14.287	-635040.1627	63133.260	-25.490	-1609266.7974
(85 B- 19)	61 10 13	23.710	44460.244	-24.608	-1094077.6843	63154.031	-4.414	-278761.8928
(85 B- 20)	151 20 11	7.999	44453.225	-7.457	-331487.6988	63157.868	13.579	857620.6895
(85 B- 21)	151 6 32	7.493	44446.665	18.124	805551.3564	63161.488	18.471	1166655.8448
TOTAL					-749.9535			749.9535
								374.976

計算者

点検者

画地測量設計株式会社

座標に依る方向角・距離及び面積計算書

(5)

点名	方向角	距離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X 座標	前点-後点		Y 座標	前点-後点	
(85 B- 27)	335 17 24	14.602	44413.455	4.721	209675.9210	63149.517	-16.240	-1025548.1560
(85 B- 28)	24 55 57	3.281	44416.430	-15.059	-668867.0193	63150.900	-10.455	-660242.6595
(85 B- 29)	61 19 26	15.588	44423.910	-21.723	-965020.5969	63164.576	6.927	437541.0179
(85 B- 45)	150 48 52	16.502	44409.503	8.955	397687.0993	63172.623	23.720	1498454.6175
(85 B- 44)	241 17 16	19.386	44400.190	23.106	1025910.7901	63155.621	-3.952	-249591.0141
TOTAL					-613.8058			613.8058
								306.902
(85 B- 29)	330 48 52	16.502	44423.910	-7.740	-343841.0634	63164.576	-23.076	-1457585.7557
(85 B- 30)	61 13 40	18.011	44432.579	-23.770	-1056162.4028	63180.363	5.708	360633.5120
(85 B- 46)	150 57 30	16.445	44418.202	7.740	343796.8834	63188.346	23.076	1458134.2722
(85 B- 45)	241 2 45	17.969	44409.503	23.770	1055613.8863	63172.623	-5.708	-360589.3320
TOTAL					-592.6965			592.6965
								296.348
(85 B- 30)	330 57 30	16.445	44432.579	-7.782	-345774.3297	63180.363	-23.028	-1454917.3991
(85 B- 31)	61 14 40	17.983	44441.230	-23.793	-1057390.1853	63196.128	5.742	362872.1669
(85 B- 47)	150 50 55	16.481	44426.837	7.782	345729.6455	63204.156	23.028	1455465.3043
(85 B- 46)	241 21 28	18.014	44418.202	23.793	1056842.2801	63188.346	-5.742	-362827.4827
TOTAL					-592.5894			592.5894
								296.294

計算者

点検者

座標に依る方向角・距離及び面積計算書

点名	方向角	距離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X座標	前点-後点		Y座標	前点-後点	
(85 B- 31)	330 50 55	16.481	44441.230	-7.755	-344641.7386	63196.128	-23.057	-1457113.1232
(85 B- 32)	61 14 8	18.005	44449.894	-23.832	-1059329.8738	63211.911	5.742	362962.7929
(85 B- 48)	150 48 24	16.502	44435.488	7.755	344597.2094	63219.960	23.057	1457662.6177
(85 B- 47)	241 18 14	18.017	44426.837	23.832	1058780.3793	63204.156	-5.742	-362918.2637
TOTAL					-594.0237			594.0237
								297.011
(85 B- 32)	330 48 24	16.502	44449.894	-5.700	-253364.3958	63211.911	-21.950	-1387501.4464
(85 B- 33)	61 14 48	15.683	44457.438	-16.520	-734436.8757	63225.660	-6.712	-424370.6299
(85 B- 34)	106 42 45	2.893	44456.606	-9.901	-440164.8560	63228.431	13.400	847260.9754
(85 B- 35)	150 25 59	14.450	44444.038	8.471	376485.4458	63235.561	21.118	1335408.5771
(85 B- 48)	241 16 32	17.790	44435.488	23.650	1050899.2912	63219.960	-5.856	-370216.0857
TOTAL					-581.3905			581.3905
								290.695
(85 B- 35)	61 16 32	17.790	44444.038	-22.811	-1013812.9508	63235.561	4.082	258127.5600
(85 B- 36)	150 17 00	14.545	44431.406	-6.409	-284760.8810	63242.771	15.306	967993.8529
(85 B- 37)	196 40 32	2.791	44428.732	14.696	652924.6454	63241.970	10.433	659803.4730
(85 B- 38)	240 49 15	15.915	44420.973	22.010	977705.6157	63228.075	-6.756	-427168.8747
(85 B- 48)	330 47 29	16.629	44435.488	-7.486	-332644.0631	63219.960	-23.065	-1458168.3774
TOTAL					-587.6338			587.6338
								293.816

計算者

点検者

座標に依る方向角・距離及び面積計算書

(1)

点名	方向角	距離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X座標	前点-後点		Y座標	前点-後点	
(86 B- 1)	330 23 45	14.897	44504.967	6.524	290350.4047	63207.803	-15.900	-1005004.0677
(86 B- 2)	15 48 52	3.064	44507.915	-11.506	-512108.0699	63208.638	-8.785	-555287.8848
(86 B- 3)	61 19 17	12.163	44513.752	-19.020	-846651.5630	63219.309	8.839	558795.4722
(86 B- 21)	150 21 54	16.885	44499.076	4.147	184537.6681	63227.658	21.737	1374379.6019
(86 B- 20)	240 31 51	14.353	44492.015	19.855	883388.9578	63215.162	-5.891	-372400.5193
TOTAL					-482.6023			482.6023
								241.301
(86 B- 3)	330 21 54	16.885	44513.752	-2.348	-104518.2896	63219.309	-20.554	-1299409.6771
(86 B- 4)	61 12 40	12.206	44519.630	-13.664	-608316.2243	63230.006	-4.988	-315391.2699
(86 B- 5)	106 41 51	3.098	44518.740	-10.111	-450128.9801	63232.973	13.476	852127.5441
(86 B- 6)	150 25 12	14.472	44506.154	5.315	236550.2085	63240.117	19.664	1243553.6606
(86 B- 21)	240 23 56	14.329	44499.076	20.808	925936.7734	63227.658	-7.598	-480403.7454
TOTAL					-476.5121			476.5123
								238.256
(86 B- 6)	60 23 56	14.329	44506.154	-20.875	-929065.9647	63240.117	7.763	490933.0282
(86 B- 7)	150 26 36	17.061	44491.313	4.043	179878.3784	63248.533	21.909	1385712.1094
(86 B- 22)	240 26 1	14.324	44484.245	20.875	928608.6143	63236.074	-7.763	-490901.6424
(86 B- 21)	330 25 37	17.052	44499.076	-4.043	-179909.7642	63227.658	-21.909	-1385254.7591
TOTAL					-488.7362			488.7361
								244.368

計算者

点検者

座標に依る方向角・距離及び面積計算書

点名	方向角	距離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X座標	前点-後点		Y座標	前点-後点	
(86 B- 7)	60 26 1	14.324	44491.313	-14.427	-641876.1726	63248.533	-3.614	-228580.1982
(86 B- 8)	150 19 36	3.975	44487.859	10.494	466855.5923	63250.501	10.526	665774.7735
(86 B- 23)	240 25 33	14.329	44480.787	14.427	641724.3140	63238.039	3.614	228542.2729
(86 B- 22)	330 23 34	3.977	44484.245	-10.494	-466817.6670	63236.074	-10.526	-665622.9149
TOTAL					-113.9333			113.9333
								56.966
(86 B- 8)	60 25 33	14.329	44487.859	-18.917	-841576.8287	63250.501	4.304	272230.1563
(86 B- 9)	150 25 42	13.080	44476.483	5.996	266680.9920	63256.956	18.414	1164813.5877
(86 B- 24)	240 31 21	14.302	44469.445	18.917	841228.4910	63244.505	-4.304	-272204.3495
(86 B- 23)	330 18 46	13.056	44480.787	-5.996	-266706.7988	63238.039	-18.414	-1164465.2501
TOTAL					-374.1445			374.1444
								187.072
(86 B- 9)	60 31 21	14.302	44476.483	-20.865	-928001.8177	63256.956	7.793	492961.4581
(86 B- 10)	150 25 58	17.052	44461.652	4.025	178958.1493	63265.370	21.865	1383297.3150
(86 B- 25)	240 30 46	14.290	44454.618	20.865	927545.6045	63252.931	-7.793	-492930.0912
(86 B- 24)	330 23 27	17.054	44469.445	-4.025	-178989.5161	63244.505	-21.865	-1382841.1018
TOTAL					-487.5800			487.5801
								243.790

計算者

点検者

画地測量設計株式会社

座標に依る方向角・距離及び面積計算書

(3)

点名	方向角	距離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X 座標	前点-後点		Y 座標	前点-後点	
(86 B- 10)	60 30 46	14.290	44461.652	-19.917	-885542.7228	63265.370	6.088	385159.5725
(86 B- 11)	150 19 19	15.103	44448.530	-6.585	-292693.5700	63272.848	16.115	1019641.9455
(86 B- 12)	196 36 47	3.123	44445.537	11.438	508368.0522	63271.955	8.872	561348.7847
(86 B- 13)	240 51 35	12.073	44439.658	19.024	845420.0537	63261.410	-9.081	-574476.8642
(86 B- 25)	330 27 23	17.196	44454.618	-3.960	-176040.2872	63252.931	-21.994	-1391184.9644
TOTAL					-488.4741			488.4741
								244.237
(86 B- 13)	150 27 23	17.196	44439.658	2.085	92656.6869	63261.410	20.878	1320771.7179
(86 B- 14)	240 44 32	12.109	44433.740	13.529	601144.0684	63250.846	5.214	329789.9110
(86 B- 15)	283 21 24	3.047	44434.444	10.387	461540.5698	63247.881	-13.762	-870417.3383
(86 B- 16)	330 23 12	15.020	44447.502	-5.050	-224459.8851	63240.459	-20.174	-1275813.0198
(86 B- 25)	60 17 34	14.359	44454.618	-20.951	-931368.7017	63252.931	7.844	496155.9907
TOTAL					-487.2617			487.2615
								243.630
(86 B- 16)	240 17 34	14.359	44447.502	20.889	928463.8692	63240.459	-7.726	-488595.7862
(86 B- 17)	330 26 32	17.063	44462.344	-4.046	-179894.6438	63232.042	-21.943	-1387500.6976
(86 B- 24)	60 19 37	14.344	44469.445	-20.889	-928922.2366	63244.505	7.726	488627.0456
(86 B- 25)	150 23 27	17.054	44454.618	4.046	179863.3844	63252.931	21.943	1387959.0649
TOTAL					-489.6268			489.6267
								244.813

計算者

点検者

座標に依る方向角・距離及び面積計算書

点 名	方 向 角	距 離	1	2 (ΔY)	1 × 2	3	4 (ΔX)	3 × 4
			X 座 標	前点-後点		Y 座 標	前点-後点	
(86 B- 17)	240 19 37	14.344	44462.344	18.948	842472.4941	63232.042	-4.285	-270949.2999
(86 B- 18)	330 20 9	13.103	44473.730	-5.997	-266708.9588	63225.557	-18.443	-1166068.9477
(86 B- 23)	60 31 2	14.339	44480.787	-18.948	-842821.9520	63238.039	4.285	270974.9971
(86 B- 24)	150 18 46	13.056	44469.445	5.997	266683.2616	63244.505	18.443	1166418.4057
TOTAL					-375.1551			375.1552
								187.577
(86 B- 18)	240 31 2	14.339	44473.730	14.435	641978.2925	63225.557	3.597	227422.3285
(86 B- 19)	330 33 27	3.973	44477.190	-10.517	-467766.6072	63223.604	-10.515	-664796.1960
(86 B- 22)	60 30 2	14.327	44484.245	-14.435	-642130.0765	63236.074	-3.597	-227460.1581
(86 B- 23)	150 23 34	3.977	44480.787	10.517	467804.4368	63238.039	10.515	664947.9800
TOTAL					-113.9544			113.9544
								56.977
(86 B- 19)	240 30 2	14.327	44477.190	20.912	930106.9972	63223.604	-7.770	-491247.4030
(86 B- 20)	330 20 27	17.060	44492.015	-4.054	-180370.6288	63215.162	-21.886	-1383527.0355
(86 B- 21)	60 31 51	14.353	44499.076	-20.912	-930564.6773	63227.658	7.770	491278.9026
(86 B- 22)	150 25 37	17.052	44484.245	4.054	180339.1292	63236.074	21.886	1383984.7155
TOTAL					-489.1797			489.1796
								244.589

計算者

点検者

座標に依る方向角・距離及び面積計算書

点名	方向角	距離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X座標	前点-後点		Y座標	前点-後点	
(86 B- 26)	330 19 7	14.445	44521.670	6.288	279952.2609	63238.213	-15.487	-979370.2047
(86 B- 27)	16 24 38	3.062	44524.607	-11.217	-499432.5167	63239.078	-8.582	-542717.7673
(86 B- 28)	61 23 46	11.791	44530.252	-18.517	-824566.6762	63249.430	8.520	538885.1436
(86 B- 45)	150 2 24	16.350	44516.087	4.064	180913.3775	63257.595	21.132	1336759.4975
(86 B- 44)	240 19 46	14.074	44509.120	19.382	862675.7638	63245.366	-5.583	-353098.8783
TOTAL					-457.7907			457.7908
								228.895
(86 B- 28)	330 2 24	16.350	44530.252	-2.189	-97476.7216	63249.430	-19.853	-1255690.9337
(86 B- 29)	61 13 4	11.813	44535.940	-13.401	-596826.1319	63259.784	-4.851	-306873.2121
(86 B- 30)	105 21 36	3.160	44535.103	-10.000	-445351.0300	63262.831	12.922	817482.3021
(86 B- 31)	150 5 11	13.942	44523.018	5.236	233122.5222	63269.784	19.016	1203138.2125
(86 B- 45)	240 22 35	14.022	44516.087	20.354	906080.4347	63257.595	-7.234	-457605.4422
TOTAL					-450.9266			450.9266
								225.463
(86 B- 31)	60 22 35	14.022	44523.018	-20.712	-922160.7488	63269.784	7.831	495465.6785
(86 B- 32)	149 59 58	17.046	44508.256	3.696	164502.5141	63278.307	21.733	1375227.4460
(86 B- 46)	240 17 42	14.068	44501.285	20.712	921710.6149	63266.088	-7.831	-495436.7351
(86 B- 45)	330 9 14	17.065	44516.087	-3.696	-164531.4575	63257.595	-21.733	-1374777.3121
TOTAL					-479.0773			479.0773
								239.538

計算者

点検者