

座標に依る方向角・距離及び面積計算書

点名	方向角	距離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X座標	前点-後点		Y座標	前点-後点	
(86 B- 32)	60 17 42	14.068	44508.256	-14.469	-643989.9560	63278.307	-3.107	-196605.6998
(86 B- 33)	149 47 16	4.471	44504.392	9.976	443975.8145	63280.557	10.835	685644.8350
(86 B- 47)	240 18 33	14.074	44497.421	14.469	643833.1844	63268.331	3.107	196574.7044
(86 B- 46)	329 51 55	4.468	44501.285	-9.976	-443944.8191	63266.088	-10.835	-685488.0634
TOTAL					-125.7762			125.7762
								62.888
(86 B- 33)	60 18 33	14.074	44504.392	-18.525	-824443.8618	63280.557	3.955	250274.6029
(86 B- 34)	150 2 9	12.612	44493.466	5.968	265537.0050	63286.856	17.908	1133341.0172
(86 B- 48)	240 21 10	14.115	44486.484	18.525	824112.1161	63274.589	-3.955	-250250.9994
(86 B- 47)	330 13 21	12.601	44497.421	-5.968	-265560.6085	63268.331	-17.908	-1133009.2715
TOTAL					-355.3492			355.3492
								177.674
(86 B- 34)	60 21 10	14.115	44493.466	-20.777	-924440.7430	63286.856	7.793	493194.4688
(86 B- 35)	150 3 33	17.051	44478.691	3.772	167773.6224	63295.366	21.741	1376104.5522
(86 B- 49)	240 26 22	14.120	44471.725	20.777	923989.0303	63283.084	-7.793	-493165.0736
(86 B- 48)	330 4 34	17.029	44486.484	-3.772	-167803.0176	63274.589	-21.741	-1375652.8394
TOTAL					-481.1079			481.1080
								240.553

計算者

点検者

座標に依る方向角・距離及び面積計算書

点名	方向角	距離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X座標	前点-後点		Y座標	前点-後点	
(86 B- 35)	60 26 22	14.120	44478.691	-19.990	-889129.0330	63295.366	6.326	400406.4853
(86 B- 36)	149 53 26	15.365	44465.399	-6.896	-306633.3915	63303.074	16.269	1029877.7109
(86 B- 37)	195 15 24	3.086	44462.422	11.289	501936.2819	63302.262	8.800	557059.9056
(86 B- 50)	240 56 7	11.986	44456.599	19.178	852588.6556	63291.785	-9.303	-588803.4758
(86 B- 49)	330 5 28	17.450	44471.725	-3.581	-159253.2472	63283.084	-22.092	-1398049.8917
TOTAL					-490.7342			490.7343
								245.367
(86 B- 50)	150 5 28	17.450	44456.599	1.991	88513.0886	63291.785	21.084	1334443.9949
(86 B- 38)	240 52 18	12.240	44450.641	13.706	609240.4855	63281.093	5.127	324442.1638
(86 B- 39)	285 24 51	3.126	44451.472	10.496	466562.6501	63278.079	-13.982	-884754.1005
(86 B- 40)	330 21 47	15.130	44464.623	-5.005	-222545.4381	63270.597	-20.253	-1281419.4010
(86 B- 49)	60 22 15	14.365	44471.725	-21.188	-942266.9093	63283.084	8.024	507783.4660
TOTAL					-496.1232			496.1232
								248.061
(86 B- 40)	240 22 15	14.365	44464.623	20.903	929444.0145	63270.597	-7.743	-489904.2325
(86 B- 41)	330 27 00	17.065	44479.468	-3.992	-177562.0362	63262.181	-21.861	-1382974.5388
(86 B- 48)	60 30 52	14.254	44486.484	-20.903	-929900.9750	63274.589	7.743	489935.1426
(86 B- 49)	150 4 34	17.029	44471.725	3.992	177531.1262	63283.084	21.861	1383431.4993
TOTAL					-487.8705			487.8706
								243.935

計算者

点検者

座標に依る方向角・距離及び面積計算書

点 名	方 向 角	距 離	1	2 (ΔY)	1 × 2	3	4 (ΔX)	3 × 4
			X 座 標	前点-後点		Y 座 標	前点-後点	
(86 B- 41)	240 30 52	14.254	44479.468	18.617	828074.2557	63262.181	-3.937	-249063.2065
(86 B- 42)	330 27 8	12.590	44490.421	-6.150	-273616.0891	63255.972	-17.953	-1135634.4653
(86 B- 47)	60 28 24	14.204	44497.421	-18.617	-828408.4867	63268.331	3.937	249087.4191
(86 B- 48)	150 13 21	12.601	44486.484	6.150	273591.8766	63274.589	17.953	1135968.6963
TOTAL					-358.4435			358.4436
								179.221
(86 B- 42)	240 28 24	14.204	44490.421	14.555	647558.0776	63255.972	3.131	198054.4483
(86 B- 43)	330 25 17	4.449	44494.290	-10.116	-450104.2376	63253.776	-10.864	-687189.0224
(86 B- 46)	60 23 50	14.160	44501.285	-14.555	-647716.2031	63266.088	-3.131	-198086.1215
(86 B- 47)	149 51 55	4.468	44497.421	10.116	450135.9108	63268.331	10.864	687347.1479
TOTAL					-126.4523			126.4523
								63.226
(86 B- 43)	240 23 50	14.160	44494.290	20.722	922010.6773	63253.776	-7.835	-495593.3349
(86 B- 44)	330 26 34	17.049	44509.120	-3.819	-169980.3292	63245.366	-21.797	-1378559.2427
(86 B- 45)	60 19 46	14.074	44516.087	-20.722	-922462.3548	63257.595	7.835	495623.2568
(86 B- 46)	150 9 14	17.065	44501.285	3.819	169950.4074	63266.088	21.797	1379010.9201
TOTAL					-481.5993			481.5993
								240.799

計算者

点検者

座標に依る方向角・距離及び面積計算書

点 名	方 向 角	距 離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X 座 標	前点-後点		Y 座 標	前点-後点	
(86 B- 4)	241 15 1	10.348	44519.630	6.105	271792.3411	63230.006	5.867	370970.4452
(86 B- 5)	106 41 51	3.098	44518.740	-10.111	-450128.9801	63232.973	13.476	852127.5441
(86 B- 6)	150 25 12	14.472	44506.154	-15.560	-692515.7562	63240.117	27.427	1734486.6889
(86 B- 7)	150 26 36	17.061	44491.313	-10.384	-461997.7941	63248.533	18.295	1157131.9112
(86 B- 8)	150 19 36	3.975	44487.859	-8.423	-374721.2363	63250.501	14.830	938004.9298
(86 B- 9)	150 25 42	13.080	44476.483	-14.869	-661320.8257	63256.956	26.207	1657775.0458
(86 B- 10)	150 25 58	17.052	44461.652	-15.892	-706584.5735	63265.370	27.953	1768456.8876
(86 B- 11)	150 19 19	15.103	44448.530	-6.585	-292693.5700	63272.848	16.115	1019641.9455
(86 B- 12)	196 36 47	3.123	44445.537	-8.245	-366453.4525	63271.955	-2.111	-133567.0970
(86 B- 38)	60 48 53	10.467	44450.641	-6.124	-272215.7254	63281.093	-5.935	-375573.2869
(86 B- 39)	285 24 51	3.126	44451.472	10.496	466562.6501	63278.079	-13.982	-884754.1005
(86 B- 40)	330 21 47	15.130	44464.623	15.898	706898.5764	63270.597	-27.996	-1771323.6336
(86 B- 41)	330 27 00	17.065	44479.468	14.625	650512.2195	63262.181	-25.798	-1632037.7454
(86 B- 42)	330 27 8	12.590	44490.421	8.405	373941.9885	63255.972	-14.822	-937580.0169
(86 B- 43)	330 25 17	4.449	44494.290	10.606	471906.4397	63253.776	-18.699	-1182782.3574
(86 B- 44)	330 26 34	17.049	44509.120	15.563	692695.4345	63245.366	-27.380	-1731658.1210
(86 B- 26)	330 19 7	14.445	44521.670	6.288	279952.2609	63238.213	-15.487	-979370.2047
(86 B- 27)	16 24 38	3.062	44524.607	8.207	365413.4496	63239.078	2.040	129007.7191
TOTAL					1043.4465			-1043.4462
								521.723

計算者

点検者

座標に依る方向角・距離及び面積計算書

(1)

点名	方向角	距離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X座標	前点-後点		Y座標	前点-後点	
(87 B- 1)	241 8 30	22.085	44597.508	-1.877	-83709.5225	63233.787	47.435	2999494.6863
(87 B- 2)	150 00 57	42.458	44560.732	-31.288	-1394216.1828	63255.006	30.966	1958754.5157
(87 B- 41)	60 00 51	11.625	44566.542	-10.127	-451325.3708	63265.075	-7.918	-500932.8638
(K- 124)	1 34 27	2.109	44568.650	.565	25181.2872	63265.133	-6.911	-437225.3341
(K- 123)	352 36 34	4.843	44573.453	1.546	68910.5583	63264.510	-8.376	-529903.5357
(K- 122)	345 30 56	3.690	44577.026	4.534	202112.2358	63263.587	-10.373	-656233.1879
(K- 121)	332 1 49	7.699	44583.826	6.651	296527.0267	63259.976	-19.740	-1248751.9262
(K- 120)	346 46 45	13.292	44596.766	6.143	273957.9335	63256.936	-23.139	-1463702.2421
(K- 119)	343 4 40	10.661	44606.965	3.807	169818.7157	63253.833	-11.401	-721156.9500
(87 B- 42)	329 39 36	1.393	44608.167	20.046	894215.3156	63253.129	9.457	598184.8409
TOTAL					1471.9967			-1471.9969
								735.998
(87 B- 2)	240 00 51	11.625	44560.732	4.174	185996.4953	63255.006	16.006	1012459.6260
(87 B- 3)	149 57 54	11.777	44550.536	-13.802	-614886.4978	63260.901	5.625	355842.5681
(87 B- 40)	59 57 54	9.133	44555.107	-4.980	-221884.4328	63268.808	-8.854	-560182.0260
(K- 126)	325 39 7	5.188	44559.390	3.838	171018.9388	63265.881	-7.612	-481579.8861
(K- 125)	344 41 43	3.451	44562.719	.806	35917.5515	63264.970	-7.152	-452471.0654
(87 B- 41)	1 34 27	3.824	44566.542	9.964	444061.0244	63265.075	1.987	125707.7040
TOTAL					223.0794			-223.0794
								111.539

計算者

点検者

座標に依る方向角・距離及び面積計算書

点名	方向角	距離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X座標	前点-後点		Y座標	前点-後点	
(87 B- 3)	239 57 54	9.133	44550.536	-1.294	-57648.3935	63260.901	20.476	1295330.2088
(87 B- 4)	149 57 3	18.375	44534.631	-33.020	-1470533.5156	63270.102	2.634	166653.4486
(87 B- 39)	60 52 30	27.267	44547.902	-14.703	-654987.8031	63293.921	-15.522	-982448.2417
(K- 130)	283 52 10	9.390	44550.153	16.657	742071.8985	63284.805	-4.876	-308576.7091
(K- 129)	289 11 34	7.985	44552.778	13.061	581903.8334	63277.264	-3.167	-200399.0950
(K- 128)	275 36 28	5.547	44553.320	8.426	375406.2743	63271.744	-2.285	-144575.9350
(K- 127)	300 57 18	3.389	44555.063	2.936	130813.6649	63268.838	-1.787	-113061.4135
(87 B- 40)	325 39 07	.053	44555.107	7.937	353633.8842	63268.808	4.527	286417.8938
TOTAL					659.8431			-659.8431
								329.921
(87 B- 4)	240 52 30	27.267	44534.631	11.394	507427.5856	63270.102	34.850	2204963.0547
(87 B- 5)	150 4 1	24.900	44513.052	-49.755	-2214746.9022	63282.527	.085	5379.0147
(87 B- 38)	60 4 1	43.076	44534.546	-34.503	-1536575.4406	63319.857	-23.705	-1500997.2101
(K- 135)	308 1 42	3.589	44536.757	7.577	337455.0077	63317.030	-4.494	-284546.7328
(K- 134)	295 40 13	5.270	44539.040	12.520	557628.7808	63312.280	-7.655	-484655.5034
(K- 133)	304 39 33	9.446	44544.412	10.157	452437.5926	63304.510	-6.496	-411226.0969
(K- 132)	295 12 54	2.638	44545.536	9.995	445232.6323	63302.123	-3.333	-210985.9759
(K- 131)	286 11 27	7.922	44547.745	8.202	365380.6044	63294.515	-2.366	-149754.8224
(87 B- 39)	283 52 10 ¹⁰	.614	44547.902	24.413	1087547.9315	63293.921	13.114	830036.4799
TOTAL					1787.7921			-1787.7922
								893.896

計算者

点検者

座標に依る方向角・距離及び面積計算書

(3-1)

点 名	方 向 角	距 離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X 座 標	前点-後点		Y 座 標	前点-後点	
(87 B- 5)	240 4 1	43.076	44513.052	5.304	236097.2278	63282.527	77.060	4876551.5306
(87 B- 6)	150 2 33	64.135	44457.486	-32.922	-1463629.3540	63314.553	57.242	3624251.6428
(87 B- 7)	151 52 15	1.900	44455.810	-1.616	-71840.5889	63315.449	3.433	217361.9364
(87 B- 8)	157 43 00	1.899	44454.053	-1.262	-56101.0148	63316.169	3.580	226671.8850
(87 B- 9)	163 26 32	1.902	44452.230	-.921	-40940.5038	63316.711	3.680	233005.4964
(87 B- 10)	168 27 53	1.895	44450.373	-.647	-28759.3913	63317.090	3.739	236742.5995
(87 B- 11)	171 53 44	1.901	44448.491	-.391	-17379.3599	63317.358	3.777	239149.6611
(87 B- 12)	176 17 11	1.899	44446.596	-.088	-3911.3004	63317.481	3.793	240163.2054
(87 B- 13)	181 3 23	1.898	44444.698	.227	10088.9464	63317.446	3.782	239466.5807
(87 B- 14)	185 49 8	1.894	44442.814	.570	25332.4039	63317.254	3.750	237439.7025
(87 B- 15)	191 27 6	1.904	44440.948	.903	40130.1760	63316.876	3.688	233512.6386
(87 B- 16)	196 4 27	1.896	44439.126	2.024	89944.7910	63316.351	6.649	420990.4177
(87 B- 17)	197 15 7	5.054	44434.299	-4.346	-193111.4634	63314.852	6.641	420473.9321
(87 B- 37)	107 14 31	6.120	44432.485	-5.832	-259130.2525	63320.697	-1.171	-74148.5361
(K- 157)	359 44 59	2.985	44435.470	-2.504	-111266.4168	63320.684	-7.538	-477311.3159
(K- 156)	28 56 5	5.202	44440.023	-11.468	-509638.1837	63323.201	-12.120	-767477.1961
(K- 155)	49 47 22	11.721	44447.590	-15.330	-681381.5547	63332.152	-14.753	-934339.2384
(K- 154)	41 35 43	9.609	44454.776	-7.398	-328876.4328	63338.531	-9.915	-628001.5348
(K- 153)	20 28 32	2.913	44457.505	-1.312	-58328.2465	63339.550	-6.082	-385231.1431
(K- 152)	4 59 39	3.366	44460.858	.414	18406.7952	63339.843	-5.902	-373831.7533
(K- 151)	344 29 53	2.645	44463.407	2.012	89460.3748	63339.136	-6.592	-417531.5845
(K- 150)	342 6 39	4.248	44467.450	1.670	74260.6415	63337.831	-10.716	-678728.1969
(K- 149)	356 52 9	6.683	44474.123	-.394	-17522.8044	63337.466	-12.696	-804132.4683
(K- 148)	7 10 57	6.071	44480.146	-.289	-12854.7621	63338.225	-8.671	-549205.7489
(K- 147)	349 56 7	2.689	44482.794	4.512	200706.3665	63337.755	-6.157	-389970.5575
(K- 146)	310 57 45	5.353	44486.303	5.718	254372.6805	63333.713	-7.717	-488746.2632
(K- 145)	338 16 59	4.529	44490.511	1.503	66869.2380	63332.037	-9.098	-576194.8726

計算者

点検者

座標に依る方向角・距離及び面積計算書

(3-2)

点名	方向角	距離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X座標	前点-後点		Y座標	前点-後点	
(K- 144)	2 1 34	4.893	44495.401	.693	30835.3128	63332.210	-13.998	-886524.2755
(K- 143)	354 34 7	9.149	44504.509	1.822	81087.2153	63331.344	-12.484	-790628.4984
(K- 142)	344 11 21	3.509	44507.885	1.942	86434.3126	63330.388	-5.576	-353130.2434
(K- 141)	335 51 32	2.411	44510.085	2.464	109672.8494	63329.402	-6.323	-400431.8088
(K- 140)	340 16 42	4.380	44514.208	1.217	54173.7911	63327.924	-10.117	-640688.6071
(K- 139)	2 29 36	6.000	44520.202	.313	13934.8232	63328.185	-8.129	-514794.8158
(K- 138)	344 57 6	2.211	44522.337	5.072	225817.2932	63327.611	-10.551	-668169.6236
(K- 137)	331 52 38	9.543	44530.753	7.176	319552.6835	63323.113	-11.757	-744489.8395
(K- 136)	321 17 9	4.282	44534.094	3.256	145003.0100	63320.435	-3.793	-240174.4099
(87 B- 38)	308 1 42	.734	44534.546	37.908	1688215.5697	63319.857	21.042	1332376.4309
TOTAL					5724.8724			-5724.8719
								2862.436
(87 B- 17)	287 14 31	6.120	44434.299	12.387	550407.6617	63314.852	19.265	1219760.6237
(87 B- 18)	197 14 31	22.071	44413.220	-17.820	-791443.5804	63308.310	28.648	1813656.4648
(87 B- 36)	107 15 37	25.511	44405.651	-22.393	-994375.7428	63332.672	2.612	165424.9392
(K- 162)	338 20 11	5.334	44410.608	5.192	230579.8767	63330.703	-9.535	-603858.2531
(K- 161)	324 51 13	5.599	44415.186	5.028	223319.5552	63327.480	-10.340	-654806.1432
(K- 160)	342 36 23	6.038	44420.948	5.143	228456.9355	63325.675	-9.750	-617425.3312
(K- 159)	320 4 13	5.201	44424.936	4.965	220569.8072	63322.337	-8.568	-542545.7834
(K- 158)	340 26 35	4.860	44429.516	1.640	72864.4062	63320.710	-7.549	-478008.0397
(87 B- 37)	359 44 59	2.969	44432.485	5.858	260285.4971	63320.697	-4.783	-302862.8937
TOTAL					664.4164			-664.4166
								332.208

計算者

点検者

座標に依る方向角・距離及び面積計算書

(4)

点名	方向角	距離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X 座標	前点-後点		Y 座標	前点-後点	
(87 B- 18)	287 15 37	25.511	44413.220	29.214	1297487.8090	63308.310	8.047	509441.9705
(87 B- 19)	197 15 37	16.352	44397.604	-22.672	-1006582.4778	63303.458	24.148	1528651.9037
(87 B- 35)	107 13 19	28.816	44389.072	-27.905	-1238677.0541	63330.982	8.012	507407.8277
(K- 165)	36 47 54	.644	44389.592	-2.044	-90732.3260	63331.363	-5.989	-379291.5330
(K- 164)	16 54 48	5.716	44395.061	-1.394	-61886.7150	63333.026	-15.845	-1003511.7969
(K- 163)	358 30 54	10.379	44405.437	.354	15719.5246	63332.757	-10.590	-670693.8966
(87 B- 36)	338 20 11	.230	44405.651	24.447	1085584.9499	63332.672	-7.783	-492918.1861
TOTAL					913.7106			-913.7107
								456.855
(87 B- 19)	287 13 19	28.816	44397.604	37.489	1664421.7763	63303.458	23.616	1494974.4641
(87 B- 20)	197 13 19	33.657	44365.456	8.640	383317.5398	63293.493	32.561	2060899.4255
(87 B- 34)	107 18 31	1.388	44365.043	-5.986	-265569.1473	63294.818	-2.378	-150515.0772
(K- 170)	59 5 30	5.433	44367.834	-8.681	-385157.1669	63299.479	-5.908	-373973.3219
(K- 169)	52 12 39	5.087	44370.951	-8.355	-370719.2956	63303.499	-8.158	-516429.9448
(K- 168)	40 41 38	6.649	44375.992	-10.672	-473580.5866	63307.834	-9.200	-582432.0728
(K- 167)	56 43 23	7.580	44380.151	-21.006	-932249.4519	63314.171	-10.217	-646880.8851
(K- 166)	67 33 37	15.871	44386.209	-16.811	-746176.5594	63328.840	-8.921	-564956.5816
(87 B- 35)	36 47 54	3.576	44389.072	25.382	1126683.4255	63330.982	-11.395	-721656.5398
TOTAL					970.5339			-970.5336
								485.266

計算者

点検者

座標に依る方向角・距離及び面積計算書

(5)

点名	方向角	距離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X 座標	前点-後点		Y 座標	前点-後点	
(87 B- 20)	287 18 31	1.388	44365.456	10.726	475863.8810	63293.493	29.751	1883044.7102
(87 B- 21)	197 18 31	31.595	44335.292	11.177	495535.5586	63284.092	40.573	2567625.4647
(87 B- 22)	189 41 04	10.559	44324.883	-1.647	-73003.0823	63282.316	35.325	2235447.8127
(87 B- 23)	172 10 40	25.150	44299.967	-1.956	-86650.7354	63285.739	41.722	2640407.6025
(87 B- 24)	184 59 25	16.870	44283.161	3.623	160437.8923	63284.272	33.963	2149323.7299
(87 B- 25)	187 9 45	17.292	44266.004	2.925	129478.0617	63282.116	18.445	1167238.6296
(87 B- 26)	210 51 06	1.500	44264.716	-.236	-10446.4729	63281.347	1.889	119538.4644
(87 B- 33)	120 51 06	1.171	44264.115	-3.633	-160811.5297	63282.352	-10.116	-640164.2728
(K- 185)	13 46 36	11.035	44274.832	-2.013	-89125.2368	63284.980	-11.858	-750433.2928
(K- 184)	331 40 31	1.296	44275.973	-1.547	-68494.9302	63284.365	-24.239	-1533949.7232
(K- 183)	5 20 51	23.199	44299.071	-4.130	-182955.1632	63286.527	-36.596	-2316033.7420
(K- 182)	8 17 43	13.641	44312.569	-1.961	-86896.9478	63288.495	-15.622	-988692.8688
(K- 181)	359 48 40	2.124	44314.693	.679	30089.6765	63288.488	-3.822	-241888.6011
(K- 180)	338 24 30	1.826	44316.391	4.097	181564.2539	63287.816	-6.217	-393460.3520
(K- 179)	322 50 28	5.670	44320.910	4.744	210258.3970	63284.391	-7.335	-464191.0079
(K- 178)	334 54 7	3.110	44323.726	.914	40511.8855	63283.072	-6.609	-418237.8228
(K- 177)	6 5 41	3.815	44327.519	-3.097	-137282.3263	63283.477	-10.282	-650680.7105
(K- 176)	22 31 53	7.025	44334.008	-3.844	-170419.9267	63286.169	-9.800	-620204.4562
(K- 175)	19 11 4	3.506	44337.319	-2.681	-118868.3522	63287.321	-8.328	-527056.8092
(K- 174)	16 56 58	5.245	44342.336	-1.664	-73785.6471	63288.850	-10.498	-664406.3473
(K- 173)	1 24 39	5.483	44347.817	-2.780	-123286.9312	63288.985	-16.221	-1026610.6256
(K- 172)	13 50 7	11.061	44358.557	-5.630	-249738.6759	63291.630	-17.105	-1082603.3311
(K- 171)	25 7 31	7.030	44364.922	-3.188	-141435.3713	63294.615	-6.486	-410528.8728
(87 B- 34)	59 05 30	.236	44365.043	1.122	49777.5782	63294.818	-.534	-33799.4328
TOTAL					315.8557			-315.8549
								157.927

計算者

点検者

座標に依る方向角・距離及び面積計算書

()

点名	方向角	距離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X座標	前点-後点		Y座標	前点-後点	
(87 B- 28)	327 5 54	17.156	44254.703	31.557	1396545.6625	63268.327	1.446	91486.0008
(87 B- 29)	234 31 15	27.308	44238.853	21.636	957151.8235	63246.089	16.710	1056842.1471
(K- 192)	145 00 29	1.050	44237.993	-8.038	-355584.9877	63246.691	.178	11257.9109
(K- 191)	84 45 35	7.467	44238.675	-16.289	-720603.7770	63254.127	1.210	76537.4936
(K- 190)	102 3 48	9.053	44236.783	-16.930	-748928.7361	63262.980	1.123	71044.3265
(K- 189)	84 33 41	8.114	44237.552	-14.166	-626669.1616	63271.057	-2.893	-183043.1679
(K- 188)	70 46 12	6.449	44239.676	-6.589	-291495.2251	63277.146	-2.747	-173822.3200
(87 B- 32)	38 47 07	.799	44240.299	8.819	390155.1968	63277.646	-15.027	-950873.1864
TOTAL					570.7953			-570.7954
								285.397
(87 B- 30)	250 47 14	6.603	44236.680	6.868	303817.5182	63239.855	3.848	243346.9620
(87 B- 31)	200 43 36	1.791	44235.005	-6.836	-302390.4941	63239.221	-1.313	-83033.0971
(K- 192)	68 12 03	8.046	44237.993	-6.868	-303826.5359	63246.691	-3.848	-243373.2669
(87 B- 29)	325 00 29	1.050	44238.853	6.836	302416.7991	63246.089	1.313	83042.1148
TOTAL					17.2873			-17.2872
								8.643

計算者

点検者

画地測量設計株式会社

座標に依る方向角・距離及び面積計算書

点 名	方 向 角	距 離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X 座 標	前点-後点		Y 座 標	前点-後点	
(87 B- 26)	300 51 06	1.171	44264.716	1.774	78525.6061	63281.347	.687	43474.2853
(87 B- 27)	210 51 06	1.500	44263.428	13.020	576309.8325	63280.578	10.013	633628.4275
(87 B- 28)	234 32 27	15.040	44254.703	2.932	129754.7891	63268.327	23.129	1463333.1351
(87 B- 32)	147 5 54	17.156	44240.299	-17.133	-757969.0427	63277.646	4.681	296202.6609
(K- 187)	38 47 07	12.474	44250.022	-4.082	-180628.5898	63285.460	-21.270	-1346081.7342
(K- 186)	342 5 21	12.135	44261.569	3.108	137564.9564	63281.728	-14.093	-891829.3927
(87 B- 33)	13 46 36	2.621	44264.115	.381	16864.6278	63282.352	-3.147	-199149.5617
TOTAL					422.1794			-422.1798
								211.089
(87 B- 28)	327 5 54	17.156	44254.703	31.557	1396545.6625	63268.327	1.446	91486.0008
(87 B- 29)	234 31 15	27.308	44238.853	28.472	1259568.6226	63246.089	18.023	1139884.2620
(87 B- 30)	250 47 14	6.603	44236.680	6.868	303817.5182	63239.855	3.848	243346.9620
(87 B- 31)	200 43 36	1.791	44235.005	-6.836	-302390.4941	63239.221	-1.313	-83033.0971
(K- 192)	68 12 03	8.046	44237.993	-14.906	-659411.5236	63246.691	-3.670	-232115.3559
(K- 191)	84 45 35	7.467	44238.675	-16.289	-720603.7770	63254.127	1.210	76537.4936
(K- 190)	102 3 48	9.053	44236.783	-16.930	-748928.7361	63262.980	1.123	71044.3265
(K- 189)	84 33 41	8.114	44237.552	-14.166	-626669.1616	63271.057	-2.893	-183043.1679
(K- 188)	70 46 12	6.449	44239.676	-6.589	-291495.2251	63277.146	-2.747	-173822.3200
(87 B- 32)	38 47 07	.799	44240.299	8.819	390155.1968	63277.646	-15.027	-950873.1864
TOTAL					588.0826			-588.0824
								294.041

計算者

点検者

座標に依る方向角・距離及び面積計算書

点名	方向角	距離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X座標	前点-後点		Y座標	前点-後点	
(95 B- 1)	22 40 22	39.168	44343.579	-17.744	-786832.4657	62838.466	-37.563	-2360401.2983
(95 B- 2)	61 44 45	3.004	44345.001	-55.426	-2457866.0254	62841.112	8.062	506625.0449
(95 B- 3)	100 11 12	53.625	44335.517	-43.024	-1907491.2834	62893.892	32.923	2070655.6063
(95 B- 21)	202 35 55	25.388	44312.078	20.870	924793.0678	62884.136	50.009	3144772.7572
(95 B- 18)	202 41 57	28.801	44285.508	59.516	2635696.2941	62873.022	7.399	465197.4897
(95 B- 19)	291 36 27	52.060	44304.679	49.654	2199904.5310	62824.620	-21.930	-1377743.9166
(95 B- 20)	335 35 31	3.030	44307.438	-13.846	-613480.7865	62823.368	-38.900	-2443829.0152
TOTAL					-5276.6681			5276.6680
								2638.334
(95 B- 3)	22 35 55	25.388	44335.517	-58.811	-2607416.0902	62893.892	-14.631	-920200.5338
(95 B- 4)	100 10 45	49.839	44326.709	-51.037	-2262302.2472	62942.947	11.089	697974.3392
(95 B- 5)	139 00 43	3.022	44324.428	-3.290	-145827.3681	62944.929	32.616	2053011.8042
(95 B- 6)	177 31 52	30.363	44294.093	8.459	374683.7326	62946.237	27.479	1729699.6465
(95 B- 24)	286 17 59	10.176	44296.949	31.940	1414844.5510	62936.470	-9.271	-583484.0133
(95 B- 23)	286 8 10	23.082	44303.364	38.262	1695135.3133	62914.297	-11.068	-696335.4391
(95 B- 22)	286 7 48	16.748	44308.017	30.161	1336374.1007	62898.208	-8.714	-548094.9845
(95 B- 21)	286 5 51	14.646	44312.078	4.316	191250.9286	62884.136	-27.500	-1729313.7400
TOTAL					-3257.0793			3257.0792
								1628.539

計算者

点検者

座標に依る方向角・距離及び面積計算書

(2)

点名	方向角	距離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X 座標	前点-後点		Y 座標	前点-後点	
(95 B- 6)	106 17 59	10.176	44294.093	-11.064	-490069.8449	62946.237	32.144	2023343.8421
(95 B- 7)	177 27 52	29.317	44264.805	.928	41077.7390	62947.534	31.384	1975545.4070
(95 B- 8)	226 42 36	3.057	44262.709	5.790	256281.0851	62945.309	2.175	136906.0470
(95 B- 9)	268 43 50	3.566	44262.630	7.218	319487.6633	62941.744	-.116	-7301.2423
(95 B- 10)	273 3 20	3.658	44262.825	7.077	313248.0125	62938.091	-.548	-34490.0738
(95 B- 11)	275 53 10	3.442	44263.178	7.207	319004.7238	62934.667	-.918	-57774.0243
(95 B- 12)	278 29 40	3.825	44263.743	7.195	318477.6308	62930.884	-1.301	-81873.0800
(95 B- 13)	282 10 22	3.490	44264.479	6.901	305469.1695	62927.472	-1.654	-104082.0386
(95 B- 14)	284 44 28	3.608	44265.397	4.069	180115.9003	62923.983	-1.091	-68650.0654
(95 B- 15)	286 36 31	.605	44265.570	-12.487	-552744.1725	62923.403	-31.552	-1985359.2114
(95 B- 24)	22 36 29	33.991	44296.949	-22.834	-1011476.5334	62936.470	-28.523	-1795136.9338
TOTAL					-1128.6265			1128.6265
								564.313
(95 B- 15)	202 36 29	33.991	44265.570	34.380	1521850.2966	62923.403	22.931	1442896.5541
(95 B- 16)	291 37 20	22.926	44274.018	9.106	403159.2079	62902.090	-37.794	-2377321.5894
(95 B- 23)	22 35 9	31.784	44303.364	-34.380	-1523149.6543	62914.297	-22.931	-1442687.7445
(95 B- 24)	106 8 10	23.082	44296.949	-9.106	-403368.0175	62936.470	37.794	2378620.9471
TOTAL					-1508.1673			1508.1673
								754.083

計算者

点検者

座標に依る方向角・距離及び面積計算書

(3)

点名	方向角	距離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X 座標	前点-後点		Y 座標	前点-後点	
(95 B- 16)	202 35 9	31.784	44274.018	27.685	1225726.1883	62902.090	23.228	1461089.7465
(95 B- 17)	291 34 3	16.643	44280.136	3.882	171895.4879	62886.612	-33.999	-2138081.9213
(95 B- 22)	22 34 59	30.196	44308.017	-27.685	-1226667.4506	62898.208	-23.228	-1460999.5754
(95 B- 23)	106 7 48	16.748	44303.364	-3.882	-171985.6590	62914.297	33.999	2139023.1837
TOTAL					-1031.4334			1031.4335
								515.716
(95 B- 17)	202 34 59	30.196	44280.136	25.186	1115239.5052	62886.612	22.509	1415514.7495
(95 B- 18)	291 34 6	14.613	44285.508	2.476	109650.9178	62873.022	-31.942	-2008290.0687
(95 B- 21)	22 41 57	28.801	44312.078	-25.186	-1116043.9965	62884.136	-22.509	-1415459.0172
(95 B- 22)	106 5 51	14.646	44308.017	-2.476	-109706.6500	62898.208	31.942	2009094.5599
TOTAL					-860.2235			860.2235
								430.111

計算者

点検者

座標に依る方向角・距離及び面積計算書

(1)

点名	方向角	距離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X座標	前点-後点		Y座標	前点-後点	
(96 B- 2)	357 40 49	20.531	44325.062	-.103	-4565.4813	62951.968	-21.625	-1361336.3080
(96 B- 3)	40 3 12	1.451	44326.173	-22.330	-989803.4430	62952.902	-1.917	-120680.7131
(96 B- 4)	87 50 34	21.411	44326.979	-22.192	-983704.3179	62974.298	20.789	1309172.6811
(96 B- 27)	177 53 20	21.610	44305.384	6.105	270484.3693	62975.094	21.878	1377769.1065
(96 B- 26)	267 39 6	6.907	44305.101	22.295	987782.2267	62968.193	.836	52641.4093
(96 B- 25)	267 56 34	15.404	44304.548	16.225	718841.2913	62952.799	-19.961	-1256600.8208
TOTAL					-965.3549			965.3550
								482.677
(96 B- 4)	357 53 20	21.610	44326.979	-14.692	-651251.9754	62974.298	-22.173	-1396329.1095
(96 B- 5)	87 51 46	15.499	44327.557	-16.444	-728922.3473	62989.786	21.006	1323163.4447
(96 B- 29)	177 27 50	21.605	44305.973	9.336	413640.5639	62990.742	22.002	1385922.3054
(96 B- 28)	267 40 27	10.300	44305.555	15.648	693293.3246	62980.450	.589	37095.4850
(96 B- 27)	268 10 17	5.359	44305.384	6.152	272566.7223	62975.094	-21.424	-1349178.4138
TOTAL					-673.7119			673.7118
								336.855
(96 B- 5)	357 27 50	21.605	44327.557	-10.616	-470581.3451	62989.786	-22.079	-1390751.4850
(96 B- 6)	87 33 2	11.583	44328.052	-12.429	-550953.3583	63001.358	21.115	1330273.6741
(96 B- 7)	177 43 44	21.627	44306.442	10.616	470357.1882	63002.215	22.079	1391025.9049
(96 B- 29)	267 39 33	11.483	44305.973	12.429	550678.9384	62990.742	-21.115	-1330049.5173
TOTAL					-498.5768			498.5767
								249.288

計算者

点検者

座標に依る方向角・距離及び面積計算書

(2)

点名	方向角	距離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X 座標	前点-後点		Y 座標	前点-後点	
(96 B- 7)	87 39 33	11.483	44306.442	-11.973	-530481.0300	63002.215	12.189	767933.9986
(96 B- 8)	177 44 17	12.668	44293.784	21.372	946646.7516	63002.715	13.458	847890.5384
(96 B- 33)	267 54 19	21.887	44292.984	22.265	986183.2887	62980.843	-11.771	-741347.5029
(96 B- 28)	358 12 34	12.577	44305.555	-9.899	-438580.6889	62980.450	-12.989	-818053.0650
(96 B- 29)	87 40 27	10.300	44305.973	-21.765	-964319.5023	62990.742	-.887	-55872.7881
TOTAL					-551.1809			551.1810
								275.590
(96 B- 8)	87 54 19	21.887	44293.784	-22.001	-974507.5417	63002.715	2.193	138164.9539
(96 B- 9)	177 31 55	2.996	44290.791	13.567	600893.1614	63002.844	3.656	230338.3976
(96 B- 40)	267 13 43	13.712	44290.128	14.747	653146.5176	62989.148	9.040	569421.8979
(96 B- 41)	187 9 4	8.443	44281.751	13.452	595678.1144	62988.097	8.794	553917.3250
(96 B- 35)	268 4 27	12.408	44281.334	12.911	571716.3032	62975.696	-11.079	-697707.7359
(96 B- 32)	357 27 35	11.507	44292.830	-5.147	-227975.1960	62975.186	-11.650	-733660.9169
(96 B- 33)	88 26 26	5.659	44292.984	-27.529	-1219341.5565	62980.843	-.954	-60083.7242
TOTAL					-390.1976			390.1974
								195.098
(96 B- 9)	87 13 43	13.712	44290.791	-14.312	-633889.8007	63002.844	15.310	964573.5416
(96 B- 10)	177 47 29	15.985	44274.818	14.459	640169.5934	63003.460	16.524	1041069.1730
(96 B- 42)	267 54 24	15.085	44274.267	15.363	680185.5639	62988.385	-6.933	-436698.4732
(96 B- 41)	357 47 46	7.490	44281.751	-.763	-33786.9760	62988.097	-15.861	-999054.2065
(96 B- 40)	7 9 4	8.443	44290.128	-14.747	-653146.5176	62989.148	-9.040	-569421.8979
TOTAL					-468.1370			468.1370
								234.068

計算者

点検者

座標に依る方向角・距離及び面積計算書

(3)

点名	方向角	距離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X 座標	前点-後点		Y 座標	前点-後点	
(96 B- 10)	87 54 24	15.085	44274.818	-15.190	-672534.4854	63003.460	2.447	154169.4666
(96 B- 11)	177 48 12	3.000	44271.820	11.006	487255.6509	63003.575	3.390	213582.1192
(96 B- 39)	267 58 52	11.128	44271.428	27.419	1213878.2843	62992.454	.954	60094.8011
(96 B- 37)	268 1 30	16.308	44270.866	16.609	735294.8133	62976.156	-6.750	-425089.0530
(96 B- 36)	357 33 52	7.319	44278.178	.460	20367.9618	62975.845	-10.468	-659231.1454
(96 B- 35)	357 17 49	3.160	44281.334	-12.252	-542534.9041	62975.696	-3.573	-225012.1618
(96 B- 41)	88 4 27	12.408	44281.751	-12.689	-561891.1384	62988.097	7.067	445136.8814
(96 B- 42)	177 47 46	7.490	44274.267	-15.363	-680185.5639	62988.385	6.933	436698.4732
TOTAL					-349.3815			349.3813
								174.690
(96 B- 11)	87 58 52	11.128	44271.820	-12.046	-533298.3437	63003.575	22.603	1424069.8057
(96 B- 12)	177 41 47	23.014	44248.825	9.905	438284.6116	63004.500	22.349	1408087.5705
(96 B- 43)	273 24 49	10.849	44249.471	11.224	496656.0625	62993.670	-.829	-52221.7524
(96 B- 13)	294 54 48	.434	44249.654	1.216	53807.5792	62993.276	-21.957	-1383143.3611
(96 B- 39)	357 50 17	21.790	44271.428	-10.299	-455951.4369	62992.454	-22.166	-1396290.7353
TOTAL					-501.5273			501.5274
								250.763

計算者

点検者

座標に依る方向角・距離及び面積計算書

(4)

点名	方向角	距離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X 座標	前点-後点		Y 座標	前点-後点	
(96 B- 13)	177 50 17	21.790	44249.654	14.421	638124.2603	62993.276	14.805	932615.4511
(96 B- 14)	294 34 10	16.761	44256.623	16.524	731296.4384	62978.033	-7.095	-446829.1441
(96 B- 15)	275 37 3	1.287	44256.749	1.877	83069.9178	62976.752	-14.243	-896977.8787
(96 B- 37)	357 34 57	14.130	44270.866	-15.702	-695141.1379	62976.156	-14.679	-924426.9939
(96 B- 39)	88 1 30	16.308	44271.428	-17.120	-757926.8473	62992.454	21.212	1336195.9342
TOTAL					-577.3687			577.3686
								288.684
(96 B- 15)	177 34 57	14.130	44256.749	4.293	189994.2234	62976.752	13.602	856609.7807
(96 B- 16)	276 00 48	4.916	44257.264	11.085	490591.7714	62971.863	-2.559	-161144.9974
(96 B- 17)	288 15 26	6.524	44259.308	6.912	305920.3368	62965.667	-20.368	-1282484.7054
(96 B- 38)	357 45 44	18.338	44277.632	-10.178	-450657.7384	62964.951	-18.870	-1188148.6253
(96 B- 36)	87 7 51	10.908	44278.178	-11.205	-496136.9844	62975.845	6.766	426094.5672
(96 B- 37)	177 33 52	7.319	44270.866	-.907	-40153.6754	62976.156	21.429	1349516.0469
TOTAL					-442.0666			442.0667
								221.033
(96 B- 17)	177 45 44	18.338	44259.308	9.619	425730.2836	62965.667	14.938	940581.1336
(96 B- 18)	288 8 24	10.876	44262.694	11.116	492024.1065	62955.332	-4.472	-281536.2447
(96 B- 19)	324 16 41	1.338	44263.780	1.363	60331.5321	62954.551	-14.587	-918318.0354
(96 B- 21)	357 31 54	13.514	44277.281	-10.400	-460483.7224	62953.969	-13.852	-872038.3785
(96 B- 38)	88 10 10	10.988	44277.632	-11.698	-517959.7391	62964.951	17.973	1131669.0643
TOTAL					-357.5393			357.5393
								178.769

計算者

点検者

座標に依る方向角・距離及び面積計算書

点名	方向角	距離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X座標	前点-後点		Y座標	前点-後点	
(96 B- 21)	268 10 10	10.988	44277.281	11.114	492097.7010	62953.969	-2.649	-166765.0638
(96 B- 22)	357 28 50	3.003	44280.281	-11.531	-510595.9202	62953.837	-3.446	-216938.9223
(96 B- 34)	87 48 36	11.672	44280.727	-11.194	-495678.4580	62965.500	-12.016	-756593.4480
(96 B- 31)	357 40 43	11.580	44292.297	-9.686	-429015.1887	62965.031	-12.103	-762065.7701
(96 B- 32)	86 59 44	10.169	44292.830	-10.665	-472383.0319	62975.186	10.963	690396.9641
(96 B- 35)	177 27 35	11.507	44281.334	-.659	-29181.3991	62975.696	14.652	922719.8977
(96 B- 36)	177 17 49	3.160	44278.178	10.745	475769.0226	62975.845	3.702	233136.5781
(96 B- 38)	267 7 51	10.908	44277.632	21.876	968617.4776	62964.951	.897	56479.5610
TOTAL					-369.7967			369.7967
								184.898
(96 B- 22)	267 48 36	11.672	44280.281	12.155	538226.8155	62953.837	-11.163	-702753.6824
(96 B- 23)	357 34 24	11.619	44291.890	-11.194	-495803.4166	62953.345	-12.016	-756447.3935
(96 B- 31)	88 00 19	11.693	44292.297	-12.155	-538372.8700	62965.031	11.163	702878.6410
(96 B- 34)	177 40 43	11.580	44280.727	11.194	495678.4580	62965.500	12.016	756593.4480
TOTAL					-271.0131			271.0131
								135.506

計算者

点検者

座標に依る方向角・距離及び面積計算書

点名	方向角	距離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X座標	前点-後点		Y座標	前点-後点	
(96 B- 23)	268 00 19	11.693	44291.890	11.828	523884.4749	62953.345	-2.593	-163238.0235
(96 B- 24)	357 17 24	3.003	44294.890	-15.235	-674832.6491	62953.203	-3.597	-226442.6711
(96 B- 30)	87 46 36	15.389	44295.487	-14.990	-663989.3501	62968.580	-10.211	-642972.1703
(96 B- 26)	357 41 42	9.622	44305.101	-6.514	-288603.4279	62968.193	-9.897	-623196.2061
(96 B- 27)	87 39 6	6.907	44305.384	-12.257	-543051.0916	62975.094	-.454	-28590.6926
(96 B- 28)	88 10 17	5.359	44305.555	-5.749	-254712.6356	62980.450	12.400	780957.5800
(96 B- 33)	178 12 34	12.577	44292.984	5.264	233158.2677	62980.843	12.725	801431.2271
(96 B- 32)	268 26 26	5.659	44292.830	15.812	700358.2279	62975.186	.687	43263.9527
(96 B- 31)	266 59 44	10.169	44292.297	21.841	967388.0587	62965.031	.940	59187.1291
TOTAL					-400.1251			400.1253
								200.062
(96 B- 24)	267 46 36	15.389	44294.890	15.781	699017.6590	62953.203	-9.061	-570418.9723
(96 B- 25)	357 36 17	9.666	44304.548	-14.990	-664125.1745	62952.799	-10.211	-642811.0305
(96 B- 26)	87 56 34	15.404	44305.101	-15.781	-699178.7988	62968.193	9.061	570554.7967
(96 B- 30)	177 41 42	9.622	44295.487	14.990	663989.3501	62968.580	10.211	642972.1703
TOTAL					-296.9642			296.9642
								148.482

計算者

点検者

座標に依る方向角・距離及び面積計算書

(1)

点名	方向角	距離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X 座標	前点-後点		Y 座標	前点-後点	
(97 B- 1)	357 47 2	12.802	44328.594	-12.481	-553265.1817	63016.350	-13.310	-838747.6185
(97 B- 2)	87 42 50	12.986	44329.112	-13.453	-596359.5437	63029.326	12.277	773811.0353
(97 B- 28)	177 51 54	12.804	44316.317	12.481	553111.9524	63029.803	13.310	838926.6779
(97 B- 27)	267 43 27	12.968	44315.802	13.453	596180.4843	63016.845	-12.277	-773657.8060
TOTAL					-332.2887			332.2887
								166.144
(97 B- 2)	357 51 54	12.804	44329.112	-8.541	-378614.9455	63029.326	-13.148	-828709.5782
(97 B- 3)	87 45 30	9.025	44329.465	-9.484	-420420.6460	63038.344	12.418	782810.1557
(97 B- 30)	177 54 37	12.779	44316.694	6.774	300201.2851	63038.810	13.061	823349.8974
(97 B- 29)	267 42 22	7.246	44316.404	9.007	399157.8508	63031.570	.377	23762.9018
(97 B- 28)	267 10 53	1.769	44316.317	2.244	99445.8153	63029.803	-12.708	-800982.7365
TOTAL					-230.6403			230.6402
								115.320
(97 B- 3)	357 54 37	12.779	44329.465	-2.526	-111976.2285	63038.344	-12.896	-812942.4842
(97 B- 4)	87 36 28	2.995	44329.590	-4.248	-188312.0983	63041.336	31.840	2007236.1382
(97 B- 32)	177 44 59	31.990	44297.625	12.012	532103.0715	63042.592	32.538	2051279.8584
(97 B- 31)	267 31 38	13.280	44297.052	11.022	488242.1071	63029.324	-18.779	-1183627.6753
(97 B- 29)	6 37 13	19.482	44316.404	-9.486	-420385.4083	63031.570	-19.642	-1238066.0979
(97 B- 30)	87 42 22	7.246	44316.694	-6.774	-300201.2851	63038.810	-13.061	-823349.8974
TOTAL					-529.8416			529.8418
								264.920

計算者

点検者

座標に依る方向角・距離及び面積計算書

点 名	方 向 角	距 離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X 座 標	前点-後点		Y 座 標	前点-後点	
(97 B- 4)	357 44 59	31.990	44329.590	-13.242	-587012.4307	63041.336	-32.532	-2050860.7427
(97 B- 5)	87 45 37	14.509	44330.157	-15.198	-673729.7260	63055.834	19.492	1229084.3163
(97 B- 33)	178 00 5	20.071	44310.098	-1.161	-51444.0237	63056.534	32.015	2018754.9360
(97 B- 34)	177 47 31	11.965	44298.142	13.942	617604.6957	63056.995	12.473	786509.8986
(97 B- 32)	267 56 39	14.412	44297.625	15.659	693656.5098	63042.592	-31.448	-1982563.4332
TOTAL					-924.9749			924.9750
								462.487
(97 B- 5)	358 00 5	20.071	44330.157	-12.829	-568711.5841	63055.834	-20.614	-1299832.9620
(97 B- 6)	87 39 3	13.540	44330.712	-13.754	-609724.6128	63069.363	6.907	435620.0902
(97 B- 42)	178 16 22	7.465	44323.250	-7.730	-32355.9725	63069.588	20.071	1265869.7007
(97 B- 43)	177 42 23	12.619	44310.641	13.054	578431.1076	63070.093	13.152	829497.8631
(97 B- 33)	267 42 24	13.570	44310.098	14.259	631817.6873	63056.534	-19.516	-1230611.3175
TOTAL					-543.3745			543.3745
								271.687
(97 B- 6)	358 16 22	7.465	44330.712	-8.884	-393834.0454	63069.363	-7.841	-494526.8752
(97 B- 7)	87 37 3	9.117	44331.091	-11.484	-509098.2490	63078.472	1.519	95816.1989
(97 B- 8)	128 37 49	3.040	44329.193	-3.506	-155418.1506	63080.847	7.452	470078.4718
(97 B- 9)	168 29 23	5.668	44323.639	11.259	499039.8515	63081.978	5.943	374896.1952
(97 B- 42)	268 12 6	12.396	44323.250	12.615	559137.7987	63069.588	-7.073	-446091.1959
TOTAL					-172.7948			172.7948
								86.397

計算者

点検者

座標に依る方向角・距離及び面積計算書

点 名	方 向 角	距 離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X 座 標	前点-後点		Y 座 標	前点-後点	
(97 B- 9)	88 12 6	12.396	44323.639	-14.904	-660599.5156	63081.978	12.095	762976.5239
(97 B- 10)	168 36 51	12.735	44311.155	11.885	526638.0771	63084.492	12.998	819972.2270
(97 B- 43)	267 57 20	14.408	44310.641	14.904	660405.7934	63070.093	-12.095	-762832.7748
(97 B- 42)	357 42 23	12.619	44323.250	-11.885	-526781.8262	63069.588	-12.998	-819778.5048
TOTAL					-337.4713			337.4713
								168.735
(97 B- 10)	87 57 20	14.408	44311.155	-17.221	-763082.4002	63084.492	13.580	856687.4013
(97 B- 11)	168 40 39	14.374	44297.061	17.548	777324.8264	63087.314	14.893	939559.3674
(97 B- 44)	267 45 14	20.386	44296.262	30.181	1336905.4834	63066.944	1.167	73599.1236
(97 B- 35)	267 51 7	9.818	44295.894	9.949	440699.8494	63057.133	-1.880	-118547.4100
(97 B- 34)	356 29 14	2.252	44298.142	.599	26534.5870	63056.995	-14.204	-895661.5569
(97 B- 33)	357 47 31	11.965	44310.098	-13.098	-580373.6636	63056.534	-12.499	-788143.6184
(97 B- 43)	87 42 24	13.570	44310.641	-27.958	-1238836.9010	63070.093	-1.057	-66665.0883
TOTAL					-828.2186			828.2187
								414.109

計算者

点検者

座標に依る方向角・距離及び面積計算書

点 名	方 向 角	距 離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X 座 標	前点-後点		Y 座 標	前点-後点	
(97 B- 11)	87 45 14	20.386	44297.061	-20.995	-930016.7956	63087.314	2.284	144091.4251
(97 B- 12)	168 32 24	3.146	44293.978	18.223	807169.1610	63087.939	3.764	237463.0023
(97 B- 45)	267 55 51	18.860	44293.297	18.644	825804.2292	63069.091	6.850	432023.2733
(97 B- 46)	178 6 22	6.172	44287.128	11.677	517140.7936	63069.295	6.610	416888.0399
(97 B- 36)	267 52 27	11.889	44286.687	12.162	538614.6872	63057.414	-8.766	-552761.2911
(97 B- 35)	358 15 7	9.211	44295.894	-9.530	-422139.8698	63057.133	-9.575	-603772.0484
(97 B- 44)	87 51 7	9.818	44296.262	-30.181	-1336905.4834	63066.944	-1.167	-73599.1236
TOTAL					-333.2778			333.2775
								166.638
(97 B- 12)	87 55 51	18.860	44293.978	-21.359	-946075.0761	63087.939	11.846	747339.7253
(97 B- 13)	168 39 56	12.776	44281.451	7.898	349734.8999	63090.450	12.947	816832.0561
(97 B- 47)	267 41 22	10.417	44281.031	32.709	1448388.2429	63080.041	1.283	80931.6926
(97 B- 37)	267 47 2	22.317	44280.168	22.627	1001927.3613	63057.741	-5.656	-356654.5830
(97 B- 36)	357 7 42	6.527	44286.687	-11.554	-511688.3815	63057.414	-6.960	-438879.6014
(97 B- 46)	87 52 27	11.889	44287.128	-11.677	-517140.7936	63069.295	-6.610	-416888.0399
(97 B- 45)	358 6 22	6.172	44293.297	-18.644	-825804.2292	63069.091	-6.850	-432023.2733
TOTAL					-657.9763			657.9764
								328.988

計算者

点検者

座標に依る方向角・距離及び面積計算書

点名	方向角	距離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X座標	前点-後点		Y座標	前点-後点	
(97 B- 13)	87 41 22	10.417	44281.451	-12.165	-538683.8514	63090.450	8.313	524470.9108
(97 B- 14)	168 37 51	8.908	44272.718	10.123	448172.7243	63092.206	9.216	581457.7704
(97 B- 48)	267 40 18	11.889	44272.235	12.165	538571.7387	63080.327	-8.313	-524386.7583
(97 B- 47)	358 8 16	8.801	44281.031	-10.123	-448256.8768	63080.041	-9.216	-581345.6578
TOTAL					-196.2652			196.2651
								98.132
(97 B- 14)	87 40 18	11.889	44272.718	-13.709	-606934.6910	63092.206	8.543	538996.7158
(97 B- 15)	168 32 20	9.210	44263.692	-.056	-2478.7667	63094.036	11.480	724319.5332
(97 B- 16)	215 51 48	3.028	44261.238	13.291	588276.1142	63092.262	3.653	230476.0330
(97 B- 17)	264 3 23	11.579	44260.039	11.935	528243.5654	63080.745	-10.997	-693698.9527
(97 B- 48)	358 2 13	12.203	44272.235	-11.461	-507404.0853	63080.327	-12.679	-799795.4660
TOTAL					-297.8634			297.8633
								148.931

計算者

点検者

座標に依る方向角・距離及び面積計算書

(6)

点名	方向角	距離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X座標	前点-後点		Y座標	前点-後点	
(97 B- 17)	178 2 13	12.203	44260.039	18.807	832398.5534	63080.745	14.201	895809.6597
(97 B- 18)	264 2 46	19.329	44258.034	22.151	980359.7111	63061.520	3.691	232760.0703
(97 B- 19)	240 2 56	3.377	44256.348	3.617	160075.2107	63058.594	-16.795	-1059069.0862
(97 B- 38)	357 51 31	18.494	44274.829	.853	37766.4291	63057.903	-23.820	-1502039.2494
(97 B- 37)	358 15 43	5.341	44280.168	-22.138	-980274.3591	63057.741	-6.202	-391084.1096
(97 B- 47)	87 47 2	22.317	44281.031	-22.586	-1000131.3661	63080.041	7.933	500413.9652
(97 B- 48)	178 8 16	8.801	44272.235	-.704	-31167.6534	63080.327	20.992	1324182.2243
TOTAL					-973.4743			973.4743
								486.737
(97 B- 19)	177 51 31	18.494	44256.348	11.675	516692.8629	63058.594	25.537	1610327.3149
(97 B- 20)	240 17 28	14.237	44249.292	12.796	566213.9404	63046.228	-4.890	-308296.0549
(97 B- 40)	357 56 19	11.954	44261.238	.922	40808.8614	63045.798	-25.008	-1576649.3163
(97 B- 39)	357 50 34	13.071	44274.300	-12.105	-535940.4015	63045.306	-13.591	-856848.7538
(97 B- 38)	87 35 43	12.608	44274.829	-13.288	-588323.9277	63057.903	17.952	1132015.4746
TOTAL					-548.6645			548.6645
								274.332

計算者

点検者

画地測量設計株式会社

座標に依る方向角・距離及び面積計算書

点 名	方 向 角	距 離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X 座 標	前点-後点		Y 座 標	前点-後点	
(97 B- 20)	177 56 19	11.954	44249.292	6.226	275496.0919	63046.228	15.730	991717.1664
(97 B- 21)	240 22 53	7.656	44245.508	10.876	481214.1450	63039.572	2.926	184453.7876
(97 B- 22)	281 29 33	4.306	44246.366	4.819	213223.2377	63035.352	-15.390	-970114.0672
(97 B- 41)	357 38 23	14.544	44260.898	-10.446	-462349.3405	63034.753	-14.872	-937452.8466
(97 B- 40)	88 14 13	11.050	44261.238	-11.475	-507897.7060	63045.798	11.606	731709.5315
TOTAL					-313.5719			313.5717
								156.785
(97 B- 22)	177 38 23	14.544	44246.366	4.110	181852.5642	63035.352	13.568	855263.6559
(97 B- 23)	281 34 10	4.807	44247.330	15.861	701806.9011	63030.643	-1.641	-103433.2851
(97 B- 24)	273 28 26	11.173	44248.007	12.140	537170.8049	63019.491	-25.936	-1634473.5185
(97 B- 25)	357 45 36	25.278	44273.266	-25.815	-1142914.3617	63018.503	-26.293	-1656945.4993
(97 B- 39)	87 47 27	26.823	44274.300	-27.295	-1208467.0185	63045.306	12.028	758308.9405
(97 B- 40)	177 50 34	13.071	44261.238	10.553	467088.8446	63045.798	13.402	844939.7847
(97 B- 41)	268 14 13	11.050	44260.898	10.446	462349.3405	63034.753	14.872	937452.8466
TOTAL					-1112.9249			1112.9248
								-556.462

計算者

点検者

画地測量設計株式会社

座標に依る方向角・距離及び面積計算書

()

点名	方向角	距離	1	2 (ΔY)	1 \times 2	3	4 (ΔX)	3 \times 4
			X座標	前点-後点		Y座標	前点-後点	
97 B-24-1	357 45 36	6.606	44254.608	-15.496	-685769.4055	63019.233	-7.209	-454305.6506
97 B-41-1	87 47 27	15.766	44255.216	-16.119	-713349.8267	63034.987	8.242	519534.3628
97 B- 22	177 38 23	8.857	44246.366	4.344	192206.2139	63035.352	7.886	497096.7858
97 B- 23	281 34 10	4.807	44247.330	15.861	701806.9011	63030.643	-1.641	-103433.2851
97 B- 24	273 28 26	11.173	44248.007	11.410	504869.7598	63019.491	-7.278	-458655.8554
TOTAL					-236.3574			236.3575
								118.178

計算者

点検者

座標に依る方向角・距離及び面積計算書

()

点名	方向角	距離	1	2 (ΔY)	1 × 2	3	4 (ΔX)	3 × 4
			X 座標	前点-後点		Y 座標	前点-後点	
97 B-24-2	357 45 36	14.672	44269.269	-26.224	-1160917.3102	63018.659	-15.695	-989077.8530
97 B-39-1	87 47 27	26.818	44270.303	-27.139	-1201451.7531	63045.457	8.031	506318.0651
97 B- 40	177 50 34	9.071	44261.238	10.704	473772.2915	63045.798	9.405	592945.7301
97 B- 41	268 14 13	11.050	44260.898	10.811	478504.5682	63034.753	6.022	379595.2825
97 B-41-1	177 38 23	5.687	44255.216	15.520	686840.9523	63034.987	6.290	396490.0682
97 B-24-1	267 47 27	15.766	44254.608	16.328	722589.2394	63019.233	-14.053	-885609.2813
TOTAL					-662.0119			662.0116
								331.005

計算者

点検者