

座標に依る方向角・距離及び面積計算書

()

点 名	方 向 角	距 離	1		1 × 2	3		4 (ΔX)	
			X 座 標	2 (ΔY) 前点-後点		Y. 座 標	前点-後点	3 × 4	
97 B- 25	357 45 36	4.000	44273.266	-26.647	-1179749.7191	63018.503	-5.031	-317046.0885	
97 B- 39	87 47 27	26.823	44274.300	-26.954	-1193369.4822	63045.306	2.963	186803.2416	
97 B-39-1	177 50 34	4.000	44270.303	26.647	1179670.7640	63045.457	5.031	317181.6941	
97 B-24-2	267 47 27	26.818	44269.269	26.954	1193233.8766	63018.659	-2.963	-186724.2866	
TOTAL					-214.5607				214.5606
									107.280

計算者 点検者

画地測量設計株式会社

座標に依る方向角・距離及び面積計算書

点名	方向角	距離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X座標	前点-後点		Y座標	前点-後点	
(97 B- 25)	267 47 27	26.823	44273.266	27.722	1227343.4800	63018.503	-22.325	-1406888.0794
(97 B- 26)	357 44 49	23.377	44296.625	-10.821	-479333.7791	63017.584	-23.786	-1498936.2530
(97 B- 31)	87 55 1	11.748	44297.052	-25.008	-1107780.6764	63029.324	-1.000	-63029.3240
(97 B- 32)	87 31 38	13.280	44297.625	-27.671	-1225759.5813	63042.592	-1.090	-68716.4252
(97 B- 34)	87 56 39	14.412	44298.142	-14.541	-644139.2828	63056.995	1.731	109151.6583
(97 B- 35)	176 29 14	2.252	44295.894	-.419	-18559.9795	63057.133	11.455	722319.4585
(97 B- 36)	178 15 7	9.211	44286.687	-.608	-26926.3056	63057.414	15.726	991640.8925
(97 B- 37)	177 7 42	6.527	44280.168	-.489	-21653.0021	63057.741	11.858	747738.6927
(97 B- 38)	178 15 43	5.341	44274.829	12.435	550557.4986	63057.903	5.868	370023.7748
(97 B- 39)	267 35 43	12.608	44274.300	39.400	1744407.4200	63045.306	1.563	98539.8132
TOTAL					-1844.2082			1844.2084
								922.104
(97 B- 26)	267 55 1	11.748	44296.625	12.479	552777.5833	63017.584	-18.750	-1181579.7000
(97 B- 27)	357 47 35	19.191	44315.802	-12.219	-541494.7846	63016.845	-19.692	-1240927.7117
(97 B- 28)	87 43 27	12.968	44316.317	-14.725	-652557.7678	63029.803	-.602	-37943.9414
(97 B- 29)	87 10 53	1.769	44316.404	.479	21227.5575	63031.570	19.265	1214303.1960
(97 B- 31)	186 37 13	19.482	44297.052	13.986	619538.5692	63029.324	19.779	1246656.9993
TOTAL					-508.8424			508.8422
								254.421

計算者

点検者

画地測量設計株式会社

座標に依る方向角・距離及び面積計算書

(1)

点名	方向角	距離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X座標	前点-後点		Y座標	前点-後点	
(98 B- 1)	348 34 37	2.085	44330.761	-.804	-35641.9318	63086.645	-4.835	-305023.9285
(98 B- 2)	23 33 34	3.045	44333.552	-17.922	-794545.9189	63087.862	-12.124	-764877.2388
(98 B- 20)	60 48 29	19.135	44342.885	-18.779	-832715.0374	63104.567	.891	56226.1691
(98 B- 35)	168 31 58	10.432	44332.661	17.509	776220.5614	63106.641	14.168	894094.8896
(98 B- 34)	258 36 47	19.976	44328.717	19.996	886397.0251	63087.058	1.900	119865.4102
TOTAL					-285.3016			285.3016
								142.650
(98 B- 20)	348 31 58	10.432	44342.885	-10.830	-480233.4445	63104.567	-17.437	-1100354.3347
(98 B- 21)	60 47 45	14.783	44350.098	-22.693	-1006436.7739	63117.471	15.087	952253.2849
(98 B- 47)	156 18 00	24.354	44327.798	8.232	364906.4331	63127.260	30.180	1905180.7068
(98 B- 36)	246 22 54	19.669	44319.918	20.619	913832.3892	63109.239	-4.863	-306900.2292
(98 B- 35)	348 28 36	13.005	44332.661	4.672	207122.1921	63106.641	-22.967	-1449370.2238
TOTAL					-809.2040			809.2040
								404.602
(98 B- 21)	336 18 00	24.354	44350.098	-1.836	-81426.7799	63117.471	-28.795	-1817467.5774
(98 B- 22)	60 48 27	13.316	44356.593	-19.949	-884869.6737	63129.096	12.513	789934.3782
(98 B- 41)	156 21 1	20.751	44337.585	-10.291	-456278.0872	63137.420	23.484	1482719.1712
(98 B- 42)	156 16 36	4.889	44333.109	10.160	450424.3874	63139.387	9.787	617945.1805
(98 B- 47)	246 20 57	13.239	44327.798	21.916	971488.0209	63127.260	-16.989	-1072469.0201
TOTAL					-662.1325			662.1324
								331.066

計算者

点検者

座標に依る方向角・距離及び面積計算書

点名	方向角	距離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X座標	前点-後点		Y座標	前点-後点	
(98 B- 22)	336 21 1	20.751	44356.593	-3.107	-137815.9344	63129.096	-25.399	-1603415.9093
(98 B- 23)	60 47 27	13.096	44362.984	-19.625	-870623.5610	63140.527	14.070	888387.2148
(98 B- 45)	158 10 32	22.041	44342.523	3.107	137772.2189	63148.721	25.399	1603914.3646
(98 B- 41)	246 23 49	12.333	44337.585	19.625	870125.1056	63137.420	-14.070	-888343.4994
TOTAL					-542.1709			542.1707
								271.085
(98 B- 23)	338 10 32	22.041	44362.984	-5.732	-254288.6242	63140.527	-28.251	-1783783.0282
(98 B- 3)	60 46 41	15.957	44370.774	-16.515	-732783.3326	63154.453	-6.281	-396673.1192
(98 B- 4)	120 14 9	2.997	44369.265	-2.628	-116602.4284	63157.042	5.555	350837.3683
(98 B- 5)	179 26 52	4.046	44365.219	-.307	-13620.1222	63157.081	9.722	614013.1414
(98 B- 6)	177 17 48	5.682	44359.543	-.968	-42940.0376	63157.349	11.316	714688.5612
(98 B- 7)	172 55 30	5.683	44353.903	-1.841	-81655.5354	63158.049	11.212	708128.0453
(98 B- 8)	168 25 38	5.688	44348.331	-1.437	-63728.5516	63159.190	6.714	424050.8016
(98 B- 24)	165 28 8	1.180	44347.189	10.469	464270.7216	63159.486	5.808	366830.2946
(98 B- 45)	246 33 58	11.733	44342.523	18.959	840689.8935	63148.721	-15.795	-997434.0481
TOTAL					-658.0169			658.0169
								329.008

計算者

点検者

画地測量設計株式会社

座標に依る方向角・距離及び面積計算書

(3)

点名	方向角	距離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X座標	前点-後点		Y座標	前点-後点	
(98 B- 24)	66 33 58	11.733	44347.189	-12.006	-532432.3511	63159.486	-.326	-20589.9924
(98 B- 9)	164 2 33	4.514	44342.849	-3.218	-142695.2880	63160.727	9.667	610574.7479
(98 B- 10)	159 38 19	5.682	44337.522	-4.344	-192602.1955	63162.704	10.498	663082.0665
(98 B- 11)	155 24 15	5.687	44332.351	-3.547	-157246.8489	63165.071	7.401	467484.6904
(98 B- 25)	152 6 52	2.523	44330.121	20.203	895601.4345	63166.251	11.664	736771.1516
(98 B- 43)	246 11 36	23.372	44320.687	26.864	1190630.9355	63144.868	-2.988	-188676.8655
(98 B- 42)	336 11 29	13.577	44333.109	7.448	330192.9958	63139.387	-16.898	-1066929.3615
(98 B- 41)	336 16 36	4.889	44337.585	-9.334	-413847.0183	63137.420	-9.414	-594375.6718
(98 B- 45)	66 23 49	12.333	44342.523	-22.066	-978462.1125	63148.721	-9.604	-606480.3164
TOTAL					-860.4485			860.4488
								430.224
(98 B- 25)	66 11 36	23.372	44330.121	-22.967	-1018129.8890	63166.251	-6.695	-422898.0504
(98 B- 12)	149 57 31	3.164	44327.382	-4.714	-208959.2787	63167.835	7.479	472432.2379
(98 B- 13)	146 33 42	5.680	44322.642	-6.623	-293548.8579	63170.965	9.215	582120.4424
(98 B- 14)	142 1 33	5.677	44318.167	-7.321	-324453.3006	63174.458	8.677	548164.7720
(98 B- 15)	137 40 00	5.684	44313.965	-3.941	-174641.3360	63178.286	4.322	273056.5520
(98 B- 26)	136 43 15	.165	44313.845	12.623	559373.6654	63178.399	5.619	354999.4239
(98 B- 46)	246 38 49	13.872	44308.346	25.699	1138680.1838	63165.663	11.172	705686.7870
(98 B- 44)	246 21 52	14.150	44302.673	20.795	921274.0850	63152.700	-12.341	-779367.4707
(98 B- 43)	336 30 7	19.643	44320.687	-13.551	-600589.6295	63144.868	-27.448	-1733200.3368
TOTAL					-994.3575			994.3573
								497.178

計算者

点検者

座標に依る方向角・距離及び面積計算書

(4)

点名	方向角	距離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X座標	前点-後点		Y座標	前点-後点	
(98 B- 26)	66 38 49	13.872	44313.845	-22.346	-990237.1803	63178.399	4.269	269708.5853
(98 B- 16)	135 28 2	13.703	44304.077	-8.989	-398249.3481	63188.009	12.681	801287.1421
(98 B- 17)	192 2 3	2.978	44301.164	16.180	716792.8335	63187.388	9.727	614623.7230
(98 B- 27)	246 20 57	16.986	44294.350	21.725	962294.7537	63171.829	-7.182	-453700.0758
(98 B- 46)	336 13 26	15.294	44308.346	-6.570	-291105.8332	63165.663	-19.495	-1231414.6001
TOTAL					-504.7744			504.7745
								252.387
(98 B- 27)	156 13 26	15.294	44294.350	6.814	301821.7009	63171.829	19.674	1242842.5637
(98 B- 28)	246 22 24	14.168	44288.672	19.129	847198.0066	63158.849	-8.323	-525671.1002
(98 B- 44)	336 17 23	15.292	44302.673	-6.814	-301878.4138	63152.700	-19.674	-1242466.2198
(98 B- 46)	66 21 52	14.150	44308.346	-19.129	-847574.3506	63165.663	8.323	525727.8131
TOTAL					-433.0569			433.0568
								216.528

計算者

点検者

画地測量設計株式会社

座標に依る方向角・距離及び面積計算書

(5)

点名	方向角	距離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X 座標	前点-後点		Y 座標	前点-後点	
(98 B- 28)	156 17 23	15.292	44288.672	33.639	1489826.6374	63158.849	31.402	1983314.1762
(98 B- 29)	246 22 41	43.427	44271.271	41.264	1826809.7265	63119.061	10.133	639585.4451
(98 B- 40)	348 31 13	7.416	44278.539	4.225	187076.8272	63117.585	-21.041	-1328057.1059
(98 B- 39)	348 42 45	14.045	44292.312	5.811	257382.6250	63114.836	-28.853	-1821052.3631
(98 B- 38)	348 31 20	15.388	44307.392	5.394	238994.0724	63111.774	-26.590	-1678142.0706
(98 B- 37)	348 32 48	11.744	44318.902	2.535	112348.4165	63109.442	-12.526	-790508.8704
(98 B- 36)	348 42 3	1.036	44319.918	-17.818	-789692.2989	63109.239	-8.896	-561419.7901
(98 B- 47)	66 22 54	19.669	44327.798	-30.148	-1336394.4541	63127.260	-13.191	-832711.6866
(98 B- 42)	66 20 57	13.239	44333.109	-17.608	-780617.3832	63139.387	7.111	448984.1809
(98 B- 43)	156 11 29	13.577	44320.687	-13.313	-590041.3060	63144.868	30.436	1921877.2024
(98 B- 44)	156 30 7	19.643	44302.673	-13.981	-619395.6712	63152.700	32.015	2021833.6905
TOTAL					-3702.8084			3702.8084
								1851.404
(98 B- 29)	168 31 13	7.416	44271.271	15.146	670532.6705	63119.061	14.524	916741.2419
(98 B- 18)	246 25 2	18.137	44264.015	19.267	852834.7770	63102.439	5.940	374828.4876
(98 B- 19)	296 27 8	2.954	44265.331	4.473	197998.8255	63099.794	-10.525	-664125.3318
(98 B- 30)	348 46 22	9.389	44274.540	-17.791	-787688.3411	63097.966	-13.208	-833397.9349
(98 B- 40)	78 28 45	20.022	44278.539	-21.095	-934055.7802	63117.585	3.269	206331.3853
TOTAL					-377.8483			377.8481
								188.924

計算者

点検者

座標に依る方向角・距離及び面積計算書

点名	方向角	距離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X 座標	前点-後点		Y 座標	前点-後点	
(98 B- 30)	258 28 45	20.022	44274.540	22.400	991749.6960	63097.966	-9.824	-619874.4179
(98 B- 31)	348 37 29	14.100	44288.363	-16.870	-747144.6838	63095.185	-17.772	-1121327.6278
(98 B- 39)	78 38 15	20.044	44292.312	-22.400	-992147.7888	63114.836	9.824	620040.1488
(98 B- 40)	168 42 45	14.045	44278.539	16.870	746978.9529	63117.585	17.772	1121725.7206
TOTAL					-563.8237			563.8237
								281.911
(98 B- 31)	258 38 15	20.044	44288.363	22.683	1004592.9379	63095.185	-11.142	-703006.5512
(98 B- 32)	348 38 23	15.393	44303.454	-16.589	-734949.9984	63092.153	-19.029	-1200580.5794
(98 B- 38)	78 39 5	20.012	44307.392	-22.683	-1005024.5727	63111.774	11.142	703191.3859
(98 B- 39)	168 31 20	15.388	44292.312	16.589	734765.1637	63114.836	19.029	1201012.2142
TOTAL					-616.4695			616.4695
								308.234

計算者

点検者

座標に依る方向角・距離及び面積計算書

点名	方向角	距離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X座標	前点-後点		Y座標	前点-後点	
(98 B- 32)	258 39 5	20.012	44303.454	21.940	972017.7807	63092.153	-7.537	-475525.5571
(98 B- 33)	348 34 30	11.707	44314.929	-17.289	-766160.8074	63089.834	-15.448	-974611.7556
(98 B- 37)	78 32 45	20.006	44318.902	-21.940	-972356.7098	63109.442	7.537	475655.8643
(98 B- 38)	168 32 48	11.744	44307.392	17.289	766030.5002	63111.774	15.448	974950.6847
TOTAL					-469.2363			469.2363
								234.618
(98 B- 33)	258 32 45	20.006	44314.929	22.384	991945.3707	63089.834	-9.815	-619226.7207
(98 B- 34)	348 37 00	14.065	44328.717	-16.807	-745032.7466	63087.058	-17.732	-1118659.7124
(98 B- 35)	78 36 47	19.976	44332.661	-22.181	-983342.7536	63106.641	8.799	555275.3341
(98 B- 36)	168 28 36	13.005	44319.918	-2.801	-124140.0903	63109.239	13.759	868320.0194
(98 B- 37)	168 42 3	1.036	44318.902	19.405	860008.2933	63109.442	4.989	314853.0061
TOTAL					-561.9265			561.9265
								280.963

計算者

点検者

画地測量設計株式会社

座標に依る方向角・距離及び面積計算書

(1)

点名	方向角	距離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X座標	前点-後点		Y座標	前点-後点	
(99 B- 1)	135 25 5	14.342	44309.365	-13.028	-577262.4072	63194.052	9.884	624610.0099
(99 B- 2)	83 37 18	2.979	44309.696	-28.224	-1250596.8599	63197.013	-46.017	-2908136.9472
(99 B- 3)	28 56 29	52.206	44355.382	-44.467	-1972350.7713	63222.276	-106.457	-6730453.8361
(99 B- 4)	17 32 13	63.733	44416.153	-16.897	-750499.7372	63241.480	-62.639	-3961383.0657
(99 B- 5)	308 59 51	2.968	44418.021	74.933	3328375.5675	63239.173	38.719	2448557.5393
(99 B- 6)	240 48 5	83.198	44377.434	74.165	3291252.3926	63166.547	43.176	2727278.8332
(99 B- 7)	210 43 44	3.012	44374.845	1.463	64920.3982	63165.008	12.182	769476.1274
(99 B- 8)	179 32 46	9.593	44365.252	-.336	-14906.7246	63165.084	14.670	926631.7822
(99 B- 9)	177 4 6	5.084	44360.175	-14.648	-649787.8434	63165.344	2.197	138774.2607
(99 B- 22)	78 40 51	14.673	44363.055	-28.465	-1262794.3605	63179.732	-.229	-14468.1586
(99 B- 21)	100 39 54	14.324	44360.404	-21.022	-932544.4128	63193.809	14.120	892296.5830
(99 B- 20)	148 48 11	13.408	44348.935	-10.918	-484201.6723	63200.754	24.272	1534008.7010
(99 B- 19)	162 45 36	13.405	44336.132	20.182	894791.8160	63204.727	25.611	1618736.2631
(99 B- 17)	242 3 56	27.341	44323.324	20.742	919354.3864	63180.572	16.552	1045764.8277
(99 B- 18)	137 38 53	5.066	44319.580	-13.480	-597427.9384	63183.985	13.959	881985.2466
TOTAL					6321.8331			-6321.8335
								3160.916

計算者

点検者

座標に依る方向角・距離及び面積計算書

(2)

点名	方向角	距離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X 座標	前点-後点		Y 座標	前点-後点	
(99 B- 9)	258 40 51	14.673	44360.175	13.769	610795.2495	63165.344	7.913	499827.3670
(99 B- 10)	172 59 19	5.071	44355.142	-1.629	-72254.5263	63165.963	10.002	631785.9619
(99 B- 11)	168 30 38	5.071	44350.173	-2.366	-104932.5093	63166.973	9.848	622068.3501
(99 B- 12)	164 28 5	5.064	44345.294	-3.137	-139111.1872	63168.329	9.618	607552.9883
(99 B- 13)	159 24 10	5.063	44340.555	-3.878	-171952.6722	63170.110	9.343	590198.3377
(99 B- 14)	155 30 43	5.059	44335.951	-4.549	-201684.2410	63172.207	9.016	569560.6183
(99 B- 15)	150 56 12	5.048	44331.539	-5.262	-233272.5582	63174.659	8.630	545197.3071
(99 B- 16)	146 19 43	5.068	44327.321	-5.913	-262107.4490	63177.469	8.215	519002.9078
(99 B- 17)	142 10 36	5.060	44323.324	-27.258	-1208165.1655	63180.572	-8.811	-556684.0198
(99 B- 19)	62 3 56	27.341	44336.132	-20.182	-894791.8160	63204.727	-25.611	-1618736.2631
(99 B- 20)	342 45 36	13.405	44348.935	10.918	484201.6723	63200.754	-24.272	-1534008.7010
(99 B- 21)	328 48 11	13.408	44360.404	21.022	932544.4128	63193.809	-14.120	-892296.5830
(99 B- 22)	280 39 54	14.324	44363.055	28.465	1262794.3605	63179.732	.229	14468.1586
TOTAL					2063.5704			-2063.5701
								1031.785

計算者

点検者

座標に依る方向角・距離及び面積計算書

点 名	方 向 角	距 離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X 座 標	前点-後点		Y 座 標	前点-後点	
(100 B- 1)	17 32 9	6.810	44422.758	-3.959	-175869.6989	63249.852	-8.824	-558116.6940
(100 B- 2)	39 17 56	3.011	44425.088	-22.725	-1009560.1248	63251.759	-13.960	-882994.5556
(100 B- 3)	60 48 36	23.846	44436.718	-21.368	-949523.7902	63272.577	-10.772	-681572.1994
(100 B- 4)	147 20 21	1.019	44435.860	2.752	122287.4867	63273.127	10.605	671011.5118
(100 B- 50)	198 42 54	10.291	44426.113	8.101	359895.9414	63269.825	24.774	1567446.6445
(100 B- 35)	197 42 41	15.775	44411.086	22.025	978154.1691	63265.026	9.849	623097.2410
(100 B- 34)	286 43 49	17.987	44416.264	15.174	673972.3899	63247.800	-11.672	-738228.3216
TOTAL					-643.6268			643.6267
								321.813
(100 B- 3)	327 20 21	1.019	44436.718	-4.464	-198365.5091	63272.577	-3.668	-232083.8124
(100 B- 5)	60 43 57	5.748	44439.528	-.517	-22975.2359	63277.591	10.372	656315.1738
(100 B- 42)	198 50 13	13.928	44426.346	-9.148	-406412.2132	63273.094	17.633	1115694.4665
(100 B- 41)	108 3 59	14.353	44421.895	-8.279	-367768.8687	63286.739	21.098	1335223.6194
(100 B- 38)	197 51 58	17.490	44405.248	14.081	625270.2970	63281.373	13.906	879990.7729
(100 B- 37)	287 27 33	9.136	44407.989	8.559	380087.9778	63272.658	-3.085	-195196.1499
(100 B- 36)	24 23 37	.378	44408.333	7.632	338924.3974	63272.814	-3.097	-195955.9049
(100 B- 35)	289 28 5	8.260	44411.086	2.989	132744.7360	63265.026	-17.780	-1124852.1622
(100 B- 50)	17 42 41	15.775	44426.113	-8.101	-359895.9414	63269.825	-24.774	-1567446.6445
(100 B- 4)	18 42 54	10.291	44435.860	-2.752	-122287.4867	63273.127	-10.605	-671011.5118
TOTAL					-677.8468			677.8469
								338.923

計算者

点検者

座標に依る方向角・距離及び面積計算書

(2)

点名	方向角	距離	1	2 (ΔY)	1 \times 2	3	4 (ΔX)	3 \times 4
			X 座標	前点-後点		Y 座標	前点-後点	
(100 B- 5)	18 50 13	13.928	44439.528	-17.856	-793512.2119	63277.591	-20.637	-1305859.6454
(100 B- 6)	60 50 11	15.298	44446.983	-15.712	-698350.9968	63290.950	-2.975	-188290.5762
(100 B- 39)	152 17 26	5.060	44442.503	1.634	72619.0499	63293.303	16.957	1073264.5389
(100 B- 40)	197 43 16	13.099	44430.026	6.564	291638.6906	63289.316	20.608	1304266.2241
(100 B- 41)	197 35 7	8.530	44421.895	16.222	720611.9806	63286.739	3.680	232895.1995
(100 B- 42)	288 3 59	14.353	44426.346	9.148	406412.2132	63273.094	-17.633	-1115694.4665
TOTAL					-581.2744			581.2744
								290.637

計算者 点検者

画地測量設計株式会社

座標に依る方向角・距離及び面積計算書

(3)

点 名	方 向 角	距 離	1	2 (ΔY)	1 × 2	3	4 (ΔX)	3 × 4
			X 座 標	前点-後点		Y 座 標	前点-後点	
(100 B- 6)	332 17 26	5.060	44446.983	-13.016	-578521.9307	63290.950	-13.065	-826896.2617
(100 B- 7)	60 48 45	17.604	44455.568	-18.267	-812069.8606	63306.319	-7.792	-493282.8376
(100 B- 8)	105 18 13	3.005	44454.775	-3.018	-134164.5109	63309.217	1.005	63625.7630
(100 B- 9)	150 29 19	.244	44454.563	-.787	-34985.7410	63309.337	1.446	91545.3013
(100 B- 10)	151 36 29	1.403	44453.329	-1.196	-53166.1814	63310.004	2.540	160807.4101
(100 B- 11)	157 56 58	1.409	44452.023	-.931	-41384.8334	63310.533	2.650	167772.9124
(100 B- 12)	163 20 52	1.403	44450.679	-.697	-30982.1232	63310.935	2.718	172079.1213
(100 B- 13)	167 52 57	1.405	44449.305	-.467	-20757.8254	63311.230	2.767	175182.1734
(100 B- 14)	172 57 40	1.404	44447.912	-.279	-12400.9674	63311.402	2.779	175942.3861
(100 B- 15)	175 35 8	1.390	44446.526	-.079	-3511.2755	63311.509	2.790	176639.1101
(100 B- 16)	181 8 33	1.404	44445.122	.170	7555.6707	63311.481	2.795	176955.5893
(100 B- 17)	185 49 44	1.398	44443.731	.428	19021.9168	63311.339	2.768	175245.7863
(100 B- 18)	191 44 00	1.406	44442.354	.692	30754.1089	63311.053	2.723	172395.9973
(100 B- 19)	196 47 6	1.406	44441.008	1.603	71238.9358	63310.647	5.167	327126.1130
(100 B- 20)	197 23 39	4.004	44437.187	17.344	770718.5713	63309.450	-1.495	-94647.6277
(100 B- 39)	288 13 22	17.000	44442.503	18.500	822186.3055	63293.303	-9.796	-620021.1961
TOTAL					-469.7405			469.7405
								234.870

計算者

点検者

画地測量設計株式会社

座標に依る方向角・距離及び面積計算書

点 名	方 向 角	距 離	1	2 (ΔY)	1 × 2	3	4 (ΔX)	3 × 4
			X 座 標	前点-後点		Y 座 標	前点-後点	
(100 B- 20)	108 13 22	17.000	44437.187	-12.375	-549910.1891	63309.450	17.456	1105129.7592
(100 B- 21)	197 15 38	12.712	44425.047	20.134	894453.8962	63305.678	7.161	453331.9601
(100 B- 40)	286 55 31	17.103	44430.026	12.375	549821.5717	63289.316	-17.456	-1104778.3000
(100 B- 39)	17 43 16	13.099	44442.503	-20.134	-894805.3554	63293.303	-7.161	-453243.3427
TOTAL					-440.0766			440.0766
								220.038
(100 B- 21)	106 55 31	17.103	44425.047	-8.582	-381255.7533	63305.678	30.014	1900056.6194
(100 B- 22)	197 15 48	26.216	44400.012	24.305	1079142.2916	63297.898	19.799	1253235.0825
(100 B- 38)	287 34 52	17.335	44405.248	11.159	495518.1624	63281.373	-21.883	-1384786.2853
(100 B- 41)	17 51 58	17.490	44421.895	-7.943	-352843.1119	63286.739	-24.778	-1568118.8189
(100 B- 40)	17 35 7	8.530	44430.026	-18.939	-841460.2624	63289.316	-3.152	-199487.9240
TOTAL					-898.6736			898.6737
								449.336
(100 B- 22)	107 34 52	17.335	44400.012	-6.743	-299389.2809	63297.898	36.703	2323222.7502
(100 B- 23)	197 16 7	32.952	44368.545	35.069	1555960.5046	63288.116	23.555	1490751.5723
(100 B- 45)	287 22 27	26.496	44376.457	25.194	1118020.4576	63262.829	-8.207	-519198.0376
(100 B- 44)	17 29 52	.309	44376.752	-5.026	-223037.5555	63262.922	-16.091	-1017963.6779
(100 B- 43)	17 20 36	16.548	44392.548	-9.736	-432205.8473	63267.855	-31.237	-1976297.9866
(100 B- 37)	17 16 43	16.171	44407.989	-13.518	-600307.1953	63272.658	-12.700	-803562.7566
(100 B- 38)	107 27 33	9.136	44405.248	-25.240	-1120788.4595	63281.373	7.977	504795.5124
TOTAL					-1747.3763			1747.3762
								873.688

計算者

点検者

座標に依る方向角・距離及び面積計算書

点名	方向角	距離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X座標	前点-後点		Y座標	前点-後点	
(100 B- 23)	107 22 27	26.496	44368.545	-21.238	-942299.1587	63288.116	21.000	1329050.4360
(100 B- 24)	197 11 25	13.700	44355.457	19.469	863556.3923	63284.067	8.284	524245.2110
(100 B- 49)	287 18 15	16.151	44360.261	13.645	605295.7613	63268.647	-10.665	-674760.1202
(100 B- 48)	16 50 56	6.124	44366.122	8.070	358034.6045	63270.422	-8.864	-560829.0206
(100 B- 46)	286 57 47	10.293	44369.125	7.593	336894.7661	63260.577	-10.335	-653798.0632
(100 B- 45)	17 4 27	7.670	44376.457	-27.539	-1222083.2493	63262.829	.580	36692.4408
TOTAL					-600.8838			600.8838
								300.441
(100 B- 24)	107 18 15	16.151	44355.457	-11.207	-497091.6065	63284.067	18.383	1163351.0036
(100 B- 25)	197 14 13	14.218	44341.878	6.808	301879.5054	63279.854	15.062	953121.1609
(100 B- 26)	240 15 10	2.989	44340.395	15.970	708116.1081	63277.259	-2.815	-178125.4840
(100 B- 27)	287 48 53	14.049	44344.693	8.612	381896.4961	63263.884	-19.866	-1256800.3195
(100 B- 49)	17 00 41	16.280	44360.261	-20.183	-895323.1477	63268.647	-10.764	-681023.7163
TOTAL					-522.6446			522.6447
								261.322

計算者

点検者

画地測量設計株式会社

座標に依る方向角・距離及び面積計算書

(6)

点名	方向角	距離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X 座標	前点-後点		Y 座標	前点-後点	
(100 B- 27)	197 00 41	16.280	44344.693	14.699	651822.6424	63263.884	12.365	782257.9256
(100 B- 28)	287 52 3	10.440	44347.896	5.273	233846.4556	63253.948	-18.084	-1143884.3956
(100 B- 47)	17 23 55	15.594	44362.777	-6.629	-294080.8487	63258.611	-21.229	-1342917.0529
(100 B- 46)	17 12 29	6.645	44369.125	-11.811	-524043.7353	63260.577	-3.345	-211606.6300
(100 B- 48)	106 57 47	10.293	44366.122	-8.070	-358034.6045	63270.422	8.864	560829.0206
(100 B- 49)	196 50 56	6.124	44360.261	6.538	290027.3864	63268.647	21.429	1355783.8365
TOTAL					-462.7041			462.7042
								231.352
(100 B- 28)	197 23 55	15.594	44347.896	27.816	1233581.0751	63253.948	7.423	469534.0560
(100 B- 29)	287 51 17	24.325	44355.354	24.571	1089855.4031	63230.795	-10.105	-638947.1834
(100 B- 30)	331 49 19	3.003	44358.001	-2.823	-125222.6368	63229.377	-16.020	-1012934.6195
(100 B- 31)	17 35 44	14.029	44371.374	-29.234	-1297152.7475	63233.618	-4.776	-302003.7595
(100 B- 47)	108 58 55	26.430	44362.777	-20.330	-901895.2564	63258.611	23.478	1485185.6690
TOTAL					-834.1625			834.1626
								417.081
(100 B- 31)	288 58 55	26.430	44371.374	20.783	922170.2658	63233.618	-21.888	-1384057.4307
(100 B- 32)	17 34 33	13.942	44384.665	-29.304	-1300648.2231	63237.828	-5.378	-340093.0389
(100 B- 44)	107 30 7	26.312	44376.752	-25.001	-1109463.1767	63262.922	8.208	519262.0637
(100 B- 45)	197 29 52	.309	44376.457	2.345	104062.7916	63262.829	7.627	482505.5967
(100 B- 46)	197 4 27	7.670	44369.125	4.218	187148.9692	63260.577	13.680	865404.6933
(100 B- 47)	197 12 29	6.645	44362.777	26.959	1195976.1051	63258.611	-2.249	-142268.6161
TOTAL					-753.2681			753.2680
								376.634

計算者

点検者

座標に依る方向角・距離及び面積計算書

点名	方向角	距離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X座標	前点-後点		Y座標	前点-後点	
(100 B- 32)	287 30 7	26.312	44384.665	20.110	892575.6131	63237.828	-23.681	-1497535.0048
(100 B- 33)	17 32 27	16.537	44400.433	-30.027	-1333211.8016	63242.812	-7.883	-498543.0869
(100 B- 43)	107 28 37	26.255	44392.548	-20.110	-892734.1402	63267.855	23.681	1498246.0742
(100 B- 44)	197 20 36	16.548	44376.752	30.027	1332500.7323	63262.922	7.883	498701.6141
TOTAL					-869.5964			869.5966
								434.798
(100 B- 33)	287 28 37	26.255	44400.433	20.055	890450.6838	63242.812	-23.716	-1499866.5293
(100 B- 34)	17 29 19	16.598	44416.264	-22.214	-986662.8884	63247.800	-10.653	-673778.8134
(100 B- 35)	106 43 49	17.987	44411.086	-25.014	-1110898.9052	63265.026	7.931	501754.9212
(100 B- 36)	109 28 5	8.260	44408.333	-7.632	-338924.3974	63272.814	3.097	195955.9049
(100 B- 37)	204 23 37	.378	44407.989	4.959	220219.2174	63272.658	15.785	998758.9065
(100 B- 43)	197 16 43	16.171	44392.548	29.846	1324939.9876	63267.855	7.556	478051.9123
TOTAL					-876.3022			876.3022
								438.151

計算者

点検者

座標に依る方向角・距離及び面積計算書

点 名	方 向 角	距 離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X 座 標	前点-後点		Y 座 標	前点-後点	
(108 B- 1)	22 35 18	12.413	44298.037	-7.532	-333652.8146	62819.428	-12.680	-796550.3470
(108 B- 2)	66 12 4	3.021	44299.256	-15.666	-693992.1444	62822.192	3.932	247016.8589
(108 B- 3)	111 45 50	13.892	44294.105	-7.584	-335926.4923	62835.094	18.967	1191793.2278
(108 B- 22)	201 3 9	14.804	44280.289	20.434	904823.4254	62829.776	7.529	473045.3835
(108 B- 21)	292 35 00	16.371	44286.576	10.348	458277.4884	62814.660	-17.748	-1114834.5856
TOTAL					-470.5375			470.5376
								235.268
(108 B- 3)	21 3 9	14.804	44294.105	-13.602	-602488.4162	62835.094	-10.529	-661590.7047
(108 B- 4)	111 38 33	8.912	44290.818	-9.489	-420275.5720	62843.378	6.018	378191.4488
(108 B- 5)	156 11 29	2.985	44288.087	.626	27724.3424	62844.583	7.365	462850.3537
(108 B- 33)	201 33 36	4.983	44283.453	2.480	109822.9634	62842.752	6.524	409986.1140
(108 B- 34)	198 57 6	1.998	44281.563	1.168	51720.8655	62842.103	3.825	240371.0439
(108 B- 35)	195 00 52	2.003	44279.628	.819	36265.0153	62841.584	3.910	245710.5934
(108 B- 36)	188 38 14	1.998	44277.653	.487	21563.2170	62841.284	3.963	249040.0084
(108 B- 37)	185 22 25	1.997	44275.665	.197	8722.3060	62841.097	2.170	136365.1804
(108 B- 6)	183 8 42	.182	44275.483	5.182	229435.5529	62841.087	-2.064	-129704.0035
(108 B- 23)	293 28 24	5.639	44277.729	11.311	500825.3927	62835.915	-4.806	-301989.4074
(108 B- 22)	292 38 11	6.651	44280.289	.821	36354.1172	62829.776	-16.376	-1028900.4117
TOTAL					-330.2158			330.2153
								165.107

計算者

点検者

座標に依る方向角・距離及び面積計算書

点名	方向角	距離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X座標	前点-後点		Y座標	前点-後点	
(108 B- 6)	113 28 24	5.639	44275.483	-5.113	-226380.5445	62841.087	4.067	255574.7008
(108 B- 38)	181 51 21	1.822	44273.662	.069	3054.8826	62841.028	3.825	240366.9321
(108 B- 39)	180 17 9	2.004	44271.658	-.196	-8677.2449	62841.018	3.994	250987.0258
(108 B- 40)	174 5 24	2.001	44269.668	-.539	-23861.3510	62841.224	3.962	248976.9294
(108 B- 41)	170 24 55	2.000	44267.696	-.846	-37450.4708	62841.557	3.905	245396.2800
(108 B- 42)	165 8 13	2.000	44265.763	-1.157	-51215.4877	62842.070	3.830	240685.1281
(108 B- 43)	161 14 55	2.003	44263.866	-1.384	-61261.1905	62842.714	3.871	243264.1458
(108 B- 7)	159 27 1	2.108	44261.892	.323	14296.5911	62843.454	4.636	291342.2527
(108 B- 25)	201 46 5	2.866	44259.230	13.424	594135.9035	62842.391	-2.557	-160687.9937
(108 B- 24)	292 53 25	13.418	44264.449	6.476	286656.5717	62830.030	-18.499	-1162292.7249
(108 B- 23)	23 54 1	14.526	44277.729	-11.057	-489578.8495	62835.915	-11.034	-693331.4861
TOTAL					-281.1900			281.1900
								140.595
(108 B- 7)	21 46 5	2.866	44261.892	-7.366	-326033.0964	62843.454	13.884	872518.5153
(108 B- 8)	159 8 47	17.706	44245.346	-1.631	-72164.1593	62849.757	24.310	1527877.5926
(108 B- 28)	211 2 15	9.061	44237.582	14.698	650203.9802	62845.085	3.500	219957.7975
(108 B- 26)	293 2 23	10.895	44241.846	2.694	119187.5331	62835.059	-21.648	-1360253.3572
(108 B- 25)	22 52 6	18.867	44259.230	-8.395	-371556.2358	62842.391	-20.046	-1259738.5699
TOTAL					-361.9782			361.9783
								180.989

計算者

点検者

座標に依る方向角・距離及び面積計算書

点 名	方 向 角	距 離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X 座 標	前点-後点		Y 座 標	前点-後点	
(108 B- 8)	31 2 15	9.061	44245.346	-9.241	-408871.2423	62849.757	4.200	263968.9794
(108 B- 9)	159 5 54	12.807	44233.382	3.757	166184.8161	62854.326	25.767	1619567.4180
(108 B- 32)	211 5 55	16.120	44219.579	10.597	468594.8786	62846.000	12.759	801852.1140
(108 B- 31)	294 41 19	2.499	44220.623	9.244	408775.4390	62843.729	-4.242	-266583.0984
(108 B- 30)	294 38 15	7.671	44223.821	-1.356	-59967.5012	62836.756	-16.959	-1065648.5450
(108 B- 28)	31 11 6	16.085	44237.582	-13.001	-575132.8035	62845.085	-21.525	-1352740.4546
TOTAL					-416.4133			416.4134
								208.206
(108 B- 9)	31 5 55	16.120	44233.382	-13.504	-597327.5905	62854.326	-.173	-10873.7983
(108 B- 10)	159 11 54	14.580	44219.752	3.005	132880.3547	62859.504	31.545	1982903.0536
(108 B- 13)	204 32 58	19.695	44201.837	21.137	934294.2286	62851.321	12.004	754467.2572
(108 B- 14)	294 31 39	14.239	44207.748	7.592	335625.2228	62838.367	-18.786	-1180481.5624
(108 B- 31)	22 36 36	13.947	44220.623	-7.633	-337536.0153	62843.729	-11.831	-743504.1577
(108 B- 32)	114 41 19	2.499	44219.579	-10.597	-468594.8786	62846.000	-12.759	-801852.1140
TOTAL					-658.6783			658.6784
								329.339
(108 B- 10)	24 32 58	19.695	44219.752	-16.810	-743334.0311	62859.504	4.662	293051.0076
(108 B- 11)	159 5 15	24.169	44197.175	-6.433	-284320.4267	62868.131	24.650	1549699.4291
(108 B- 12)	226 37 28	3.018	44195.102	16.810	742919.6646	62865.937	-4.662	-293080.9982
(108 B- 13)	294 44 24	16.093	44201.837	6.433	284350.4174	62851.321	-24.650	-1549285.0626
TOTAL					-384.3758			384.3759
								192.187

計算者

点検者

座標に依る方向角・距離及び面積計算書

点 名	方 向 角	距 離	1	2 (ΔY)	1 × 2	3	4 (ΔX)	3 × 4
			X 座 標	前点-後点		Y 座 標	前点-後点	
(108 B- 14)	202 36 36	13.947	44207.748	18.350	811212.1758	62838.367	6.995	439554.3771
(108 B- 15)	294 21 27	14.257	44213.628	7.592	335669.8637	62825.379	-18.826	-1182750.5850
(108 B- 29)	22 37 36	14.026	44226.574	-11.377	-503165.7323	62830.775	-10.193	-640434.0895
(108 B- 30)	114 42 58	6.584	44223.821	-12.954	-572875.3772	62836.756	5.951	373941.5349
(108 B- 31)	114 38 15	7.671	44220.623	-1.611	-71239.4236	62843.729	16.073	1010087.2562
TOTAL					-398.4936			398.4937
								199.246
(108 B- 15)	202 37 36	14.026	44213.628	7.238	320018.2394	62825.379	12.117	761255.1173
(108 B- 16)	294 13 49	2.020	44214.457	-9.028	-399168.1177	62823.537	-26.664	-1675126.7905
(108 B- 27)	22 49 8	28.029	44240.292	-11.522	-509736.6444	62834.407	-27.389	-1720971.5733
(108 B- 26)	22 45 40	1.685	44241.846	-10.678	-472414.4315	62835.059	2.710	170283.0098
(108 B- 28)	113 2 23	10.895	44237.582	-1.697	-75071.1766	62845.085	18.025	1132782.6571
(108 B- 30)	211 11 6	16.085	44223.821	14.310	632842.8785	62836.756	11.008	691707.0100
(108 B- 29)	294 42 58	6.584	44226.574	11.377	503165.7323	62830.775	10.193	640434.0895
TOTAL					-363.5200			363.5199
								181.759
(108 B- 16)	202 49 8	28.029	44214.457	41.662	1842062.7075	62823.537	11.801	741380.5601
(108 B- 17)	294 30 7	33.839	44228.491	31.962	1413631.0293	62792.745	-16.830	-1056801.8983
(108 B- 18)	337 17 34	3.031	44231.287	-8.397	-371410.1169	62791.575	-25.670	-1611859.7302
(108 B- 19)	22 41 49	24.794	44254.161	-42.832	-1895494.2239	62801.142	-9.005	-565524.2837
(108 B- 27)	112 37 57	36.040	44240.292	-22.395	-990761.3393	62834.407	39.704	2494777.2955
TOTAL					-1971.9433			1971.9434

計算者

点検者

985.971

座標に依る方向角・距離及び面積計算書

点名	方向角	距離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X座標	前点-後点		Y座標	前点-後点	
(108 B- 19)	292 37 57	36.040	44254.161	25.352	1121931.4896	62801.142	-32.882	-2065027.1512
(108 B- 20)	22 35 48	20.594	44273.174	-28.888	-1278963.4505	62809.055	-10.288	-646179.5578
(108 B- 24)	112 35 9	22.717	44264.449	-33.336	-1475599.6718	62830.030	13.944	876101.9383
(108 B- 25)	112 53 25	13.418	44259.230	-5.029	-222579.6676	62842.391	22.603	1420426.5637
(108 B- 26)	202 52 6	18.867	44241.846	7.984	353226.8984	62835.059	18.938	1189970.3473
(108 B- 27)	202 45 40	1.685	44240.292	33.917	1500497.9837	62834.407	-12.315	-773805.7222
TOTAL					-1486.4182			1486.4181
								743.209
(108 B- 20)	292 35 9	22.717	44273.174	15.370	680478.6843	62809.055	-22.127	-1389775.9599
(108 B- 21)	22 41 45	14.527	44286.576	-20.721	-917662.1412	62814.660	-7.115	-446926.3059
(108 B- 22)	112 35 00	16.371	44280.289	-21.255	-941177.5426	62829.776	8.847	555855.0282
(108 B- 23)	112 38 11	6.651	44277.729	-.254	-11246.5431	62835.915	15.840	995320.8936
(108 B- 24)	203 54 1	14.526	44264.449	26.860	1188943.1001	62830.030	4.555	286190.7866
TOTAL					-664.4425			664.4426
								332.221

計算者

点検者

座標に依る方向角・距離及び面積計算書

(1)

点名	方向角	距離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X 座標	前点-後点		Y 座標	前点-後点	
(109 B- 1)	21 29 38	4.984	44286.633	-4.543	-201194.1737	62848.314	-5.798	-364394.5245
(109 B- 2)	66 51 45	2.955	44287.794	-19.461	-861884.7590	62851.031	5.465	343480.8844
(109 B- 3)	111 35 24	18.007	44281.168	-13.331	-590312.2506	62867.775	15.196	955338.7089
(109 B- 38)	201 42 54	9.225	44272.598	21.974	972846.0684	62864.362	1.214	76317.3354
(109 B- 76)	291 37 9	19.966	44279.954	18.428	815990.9923	62845.801	-7.786	-489317.4065
(109 B- 77)	17 11 13	.450	44280.384	-.687	-30420.6238	62845.934	-2.042	-128331.3972
(109 B- 78)	18 57 59	1.705	44281.996	-2.380	-105391.1504	62846.488	-6.249	-392727.7035
TOTAL					-365.8968			365.8970
								182.948
(109 B- 3)	21 42 54	9.225	44281.168	-14.554	-644468.1190	62867.775	-4.135	-259958.2496
(109 B- 4)	111 42 23	11.991	44276.733	-4.331	-191762.536	62878.916	21.534	1354034.5771
(109 B- 40)	201 42 57	18.405	44259.634	18.394	814111.7077	62872.106	13.756	864868.6901
(109 B- 39)	286 5 51	12.057	44262.977	7.744	342772.4938	62860.522	-12.964	-814923.8072
(109 B- 38)	21 45 30	10.359	44272.598	-7.253	-321109.1532	62864.362	-18.191	-1143565.6091
TOTAL					-455.6013			455.6013
								227.800
(109 B- 4)	21 42 57	18.405	44276.733	-25.433	-1126090.163	62878.916	-9.737	-612252.0050
(109 B- 5)	111 34 11	20.025	44269.371	-11.090	-490947.3243	62897.539	25.911	1629738.1330
(109 B- 42)	202 6 10	20.020	44250.822	25.997	1150388.6195	62890.006	11.320	711914.8679
(109 B- 41)	291 22 53	19.829	44258.051	17.900	792219.1129	62871.542	-8.812	-554024.0281
(109 B- 40)	19 36 37	1.680	44259.634	-7.374	-326370.5411	62872.106	-18.682	-1174576.6842
TOTAL					-800.2833			800.2836
								400.141

計算者

点検者

座標に依る方向角・距離及び面積計算書

点 名	方 向 角	距 離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X 座 標	前点-後点		Y 座 標	前点-後点	
(109 B- 5)	22 6 10	20.020	44269.371	-11.274	-499092.8886	62897.539	-17.068	-1073535.1956
(109 B- 6)	111 35 52	4.023	44267.890	-.029	-1283.7688	62901.280	10.842	681975.6777
(109 B- 43)	201 37 49	10.070	44258.529	2.901	128393.9926	62897.568	9.675	608533.9704
(109 B- 44)	111 9 55	.870	44258.215	3.568	157913.3111	62898.379	11.206	704839.2350
(109 B- 45)	201 54 7	11.739	44247.323	1.043	46149.9578	62894.000	12.217	768375.9980
(109 B- 46)	111 39 44	3.590	44245.998	-.282	-12477.3714	62897.336	9.007	566516.3053
(109 B- 47)	201 40 50	8.267	44238.316	7.122	315065.2865	62894.282	6.000	377365.6920
(109 B- 48)	292 27 49	4.402	44239.998	18.118	801540.2837	62890.214	-5.627	-353883.2341
(109 B- 49)	285 41 2	14.593	44243.943	23.336	1032476.6538	62876.164	-6.483	-407626.1712
(109 B- 50)	285 17 11	9.627	44246.481	4.622	204507.2351	62866.878	-14.108	-886925.9148
(109 B- 41)	21 57 18	12.475	44258.051	-23.128	-1023600.2035	62871.542	-4.341	-272925.3638
(109 B- 42)	111 22 53	19.829	44250.822	-25.997	-1150388.6195	62890.006	-11.320	-711914.8679
TOTAL					-796.132			796.1310
								398.065
(109 B- 6)	21 37 49	10.070	44267.890	-22.255	-985181.8919	62901.280	-2.002	-125928.3625
(109 B- 7)	111 38 46	19.950	44260.531	-19.494	-862814.7913	62919.823	10.265	645871.9830
(109 B- 8)	161 52 45	3.058	44257.625	3.342	147908.9827	62920.774	9.483	596677.6998
(109 B- 9)	213 8 1	7.854	44251.048	22.395	991002.2199	62916.481	-.590	-37120.7237
(109 B- 44)	291 35 59	19.469	44258.215	18.913	837055.6202	62898.379	-7.481	-470542.7732
(109 B- 43)	291 9 55	.870	44258.529	-2.901	-128393.9926	62897.568	-9.675	-608533.9704
TOTAL					-423.8530			423.8530
								211.926

計算者

点検者

座標に依る方向角・距離及び面積計算書

点名	方向角	距離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X 座標	前点-後点		Y 座標	前点-後点	
(109 B- 9)	111 35 59	19.469	44251.048	-15.497	-685758.4908	62916.481	11.166	702525.4268
(109 B- 80)	213 4 51	4.773	44247.049	5.489	242872.0519	62913.876	10.455	657764.5735
(109 B- 10)	204 4 16	7.071	44240.593	16.540	731739.4082	62910.992	1.051	66119.4525
(109 B- 46)	291 35 37	14.687	44245.998	16.992	751827.9980	62897.336	-6.730	-423299.0712
(109 B- 45)	291 39 44	3.590	44247.323	-1.043	-46149.9578	62894.000	-12.217	-768375.9980
(109 B- 44)	21 54 7	11.739	44258.215	-22.481	-994968.9314	62898.379	-3.725	-234296.4617
TOTAL					-437.9219			437.9219
								218.960
(109 B- 10)	111 35 37	14.687	44240.593	-10.189	-450767.4020	62910.992	13.127	825832.5919
(109 B- 11)	204 10 44	8.465	44232.871	16.710	739131.2744	62907.525	2.277	143240.4344
(109 B- 47)	292 21 2	14.319	44238.316	10.189	450744.2017	62894.282	-13.127	-825613.2398
(109 B- 46)	21 40 50	8.267	44245.998	-16.710	-739350.6265	62897.336	-2.277	-143217.2340
TOTAL					-242.5524			242.5525
								121.276

計算者

点検者

画地測量設計株式会社

座標に依る方向角・距離及び面積計算書

点 名	方 向 角	距 離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X 座 標	前点-後点		Y 座 標	前点-後点	
(109 B- 11)	112 21 2	14.319	44232.871	-12.569	-555962.9555	62907.525	7.005	440667.2126
(109 B- 12)	203 22 1	1.699	44231.311	1.427	63118.0807	62906.851	13.502	849368.3022
(109 B- 13)	183 36 29	11.966	44219.369	11.221	496185.5395	62906.098	9.315	585970.3028
(109 B- 55)	284 5 16	10.793	44221.996	18.076	799356.7996	62895.630	-4.415	-277684.2064
(109 B- 54)	283 13 31	7.815	44223.784	7.790	344503.2773	62888.022	-.977	-61441.5974
(109 B- 53)	192 38 54	.831	44222.973	4.263	188522.5338	62887.840	-.247	-15533.2964
(109 B- 52)	284 32 2	4.216	44224.031	-2.374	-104987.8495	62883.759	-17.025	-1070595.9969
(109 B- 48)	22 00 43	17.222	44239.998	-10.523	-465537.4989	62890.214	-14.285	-898386.7069
(109 B- 47)	112 27 49	4.402	44238.316	-17.311	-765809.4882	62894.282	7.127	448247.5478
TOTAL					-611.5612			611.5614
								305.780
(109 B- 13)	104 5 16	10.793	44219.369	-9.578	-423533.1162	62906.098	17.086	1074813.5904
(109 B- 14)	183 31 20	14.486	44204.910	11.456	506411.4489	62905.208	12.692	798392.8999
(109 B- 61)	279 29 38	10.713	44206.677	9.578	423411.5523	62894.642	-17.086	-1074617.8532
(109 B- 55)	3 41 25	15.351	44221.996	-11.456	-506607.1861	62895.630	-12.692	-798271.3359
TOTAL					-317.3011			317.3012
								158.650
(109 B- 14)	99 29 38	10.713	44204.910	-9.899	-437584.4040	62905.208	12.587	791787.8530
(109 B- 15)	183 31 39	10.841	44194.090	17.805	786875.774	62904.541	8.680	546011.4158
(109 B- 63)	277 7 3	17.271	44196.230	15.750	696090.6225	62887.403	-13.584	-854262.4823
(109 B- 60)	6 54 55	11.528	44207.674	-7.239	-320019.3520	62888.791	-10.447	-656999.1995
(109 B- 61)	99 40 13	5.935	44206.677	-16.417	-725741.0163	62894.642	2.764	173840.7904
TOTAL					-378.3774			378.3774
								189.188

計算者

点検者

座標に依る方向角・距離及び面積計算書

点 名	方 向 角	距 離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X 座 標	前点-後点		Y 座 標	前点-後点	
(109 B- 15)	97 7 3	17.271	44194.090	-16.793	-742151.3533	62904.541	7.601	478137.4161
(109 B- 16)	183 36 54	5.472	44188.629	13.525	597651.2072	62904.196	8.783	552487.5534
(109 B- 65)	255 51 12	13.592	44185.307	12.834	567074.2300	62891.016	4.695	295273.3201
(109 B- 64)	165 51 21	1.416	44183.934	13.479	595555.2463	62891.362	4.863	305840.6934
(109 B- 27)	255 49 56	14.259	44180.444	16.579	732467.5810	62877.537	-7.235	-454918.9801
(109 B- 79)	345 35 55	11.073	44191.169	3.529	155950.6354	62874.783	-12.695	-798195.3701
(109 B- 28)	338 31 31	2.117	44193.139	-12.620	-557717.4141	62874.008	-5.061	-318205.3544
(109 B- 63)	77 00 22	13.747	44196.230	-30.533	-1349443.4905	62887.403	-.951	-59805.9202
TOTAL					-613.3580			613.3582
								306.679
(109 B- 16)	75 51 12	13.592	44188.629	-12.533	-553816.0872	62904.196	7.134	448758.5342
(109 B- 17)	183 32 27	10.476	44178.173	.600	26506.9038	62903.549	11.014	692819.6886
(109 B- 18)	175 11 7	.560	44177.615	9.959	439964.8677	62903.596	3.080	193743.0756
(109 B- 66)	255 51 12	10.319	44175.093	12.234	540438.0877	62893.590	-6.319	-397424.5952
(109 B- 64)	345 51 20	9.117	44183.934	2.574	113729.4461	62891.362	-10.214	-642372.3714
(109 B- 65)	345 51 21	1.416	44185.307	-12.834	-567074.2300	62891.016	-4.695	-295273.3201
TOTAL					-251.0119			251.0117
								125.505

計算者

点検者

座標に依る方向角・距離及び面積計算書

(6)

点 名	方 向 角	距 離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X 座 標	前点-後点		Y 座 標	前点-後点	
(109 B- 18)	75 51 12	10.319	44177.615	-12.165	-537420.6864	62903.596	23.491	1477668.3736
(109 B- 19)	175 15 20	26.102	44151.602	18.432	813802.3280	62905.755	27.216	1712043.0280
(109 B- 24)	266 39 23	20.626	44150.399	23.372	1031883.1254	62885.164	-9.733	-612061.3012
(109 B- 25)	345 43 56	11.284	44161.335	-7.884	-348167.9651	62882.383	-13.645	-858030.1160
(109 B- 68)	75 44 52	11.004	44164.044	-8.045	-355299.7339	62893.048	-12.973	-815911.5117
(109 B- 67)	345 40 49	10.593	44174.308	-5.542	-23942.4749	62890.428	-11.049	-694876.3389
(109 B- 66)	76 3 27	3.258	44175.093	-13.168	-581697.6246	62893.590	-3.307	-207989.1021
TOTAL					-843.0315			843.0317
								421.515
(109 B- 19)	86 39 23	20.626	44151.602	-20.794	-918088.4119	62905.755	1.304	82029.1045
(109 B- 20)	175 22 14	2.515	44149.095	1.084	47857.6189	62905.958	5.198	326985.1696
(109 B- 21)	205 33 36	2.983	44146.404	14.764	651777.5086	62904.671	12.275	772154.8365
(109 B- 22)	234 34 55	16.537	44136.820	16.293	719121.2082	62891.194	8.552	537845.4910
(109 B- 23)	290 7 36	2.999	44137.852	6.030	266151.2475	62888.378	-13.579	-853961.2848
(109 B- 24)	345 37 56	12.952	44150.399	-17.377	-767201.4834	62885.164	-13.750	-864671.0050
TOTAL					-382.3121			382.3118
								191.155
(109 B- 25)	255 44 52	11.004	44161.335	13.280	586462.5288	62882.383	-7.562	-475516.5802
(109 B- 26)	345 42 57	10.599	44171.606	-8.045	-355360.5702	62879.768	-12.973	-815739.2302
(109 B- 67)	75 46 36	10.997	44174.308	-13.280	-586634.8102	62890.428	7.562	475577.4165
(109 B- 68)	165 40 49	10.593	44164.044	8.045	355299.7339	62893.048	12.973	815911.5117
TOTAL					-233.1177			233.1178
								116.558

計算者

点検者

座標に依る方向角・距離及び面積計算書

(7)

点名	方向角	距離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X 座標	前点-後点		Y 座標	前点-後点	
(109 B- 26)	255 46 36	10.997	44171.606	12.891	569416.1729	62879.768	-6.136	-385830.2564
(109 B- 27)	345 49 58	9.115	44180.444	-11.594	-512228.0677	62877.537	-12.328	-775154.2761
(109 B- 64)	75 49 56	14.259	44183.934	-16.053	-709284.6925	62891.362	5.351	336531.6780
(109 B- 66)	165 51 20	9.117	44175.093	.934	41259.5368	62893.590	9.626	605413.6973
(109 B- 67)	256 3 27	3.258	44174.308	13.822	610577.2851	62890.428	3.487	219298.9224
TOTAL					-259.7654			259.7652
								129.882
(109 B- 29)	258 58 11	5.467	44195.993	10.359	457826.2914	62872.878	-11.977	-753028.4598
(109 B- 30)	339 1 24	13.947	44209.016	-6.012	-265784.6041	62867.885	-12.511	-786540.1092
(109 B- 58)	92 39 49	11.017	44208.504	-10.359	-457955.8929	62878.890	11.977	753100.4655
(109 B- 62)	183 13 30	11.483	44197.039	6.012	265712.5984	62878.244	12.511	786669.7106
TOTAL					-201.6072			201.6071
								100.803
(109 B- 30)	272 39 49	11.017	44209.016	13.983	618174.6707	62867.885	-8.331	-523752.3499
(109 B- 31)	339 8 59	8.367	44216.835	-7.825	-345996.7338	62864.907	-5.043	-317027.7260
(109 B- 56)	104 24 40	11.154	44214.059	-17.292	-764549.582	62875.710	-.834	-52438.3421
(109 B- 57)	60 54 42	7.426	44217.669	-8.049	-355908.0177	62882.199	-9.972	-627061.2884
(109 B- 52)	13 46 39	6.550	44224.031	-5.641	-249467.7588	62883.759	-5.304	-333535.4577
(109 B- 53)	104 32 2	4.216	44222.973	-.302	-13355.3378	62887.840	15.856	997149.5910
(109 B- 59)	194 19 32	15.273	44208.175	8.950	395663.1662	62884.061	14.469	909869.4786
(109 B- 58)	273 38 26	5.181	44208.504	16.176	715116.7607	62878.890	-.841	-52881.1464
TOTAL					-322.7587			322.7591
								161.379

計算者

点検者

座標に依る方向角・距離及び面積計算書

(8)

点名	方向角	距離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X 座標	前点-後点		Y 座標	前点-後点	
(109 B- 28)	257 00 22	13.747	44193.139	14.525	641905.3439	62874.008	.237	14901.1398
(109 B- 29)	338 23 59	3.070	44195.993	-4.236	-187214.2263	62872.878	-3.900	-245204.2242
(109 B- 62)	78 58 11	5.467	44197.039	-6.012	-265712.5984	62878.244	-12.511	-786669.7106
(109 B- 58)	3 13 30	11.483	44208.504	-5.817	-257160.8677	62878.890	-11.136	-700219.3190
(109 B- 59)	93 38 26	5.181	44208.175	-9.901	-437705.1406	62884.061	.830	52193.7706
(109 B- 60)	96 2 46	4.756	44207.674	-3.342	-147742.0465	62888.791	11.945	751206.6084
(109 B- 63)	186 54 55	11.528	44196.230	14.783	653352.8680	62887.403	14.535	914068.4026
TOTAL					-276.6676			276.6676
								138.333
(109 B- 53)	14 19 32	15.273	44222.973	-3.961	-175167.1960	62887.840	-15.609	-981616.2945
(109 B- 54)	12 38 54	.831	44223.784	-7.790	-344503.2773	62888.022	.977	61441.5974
(109 B- 55)	103 13 31	7.815	44221.996	-6.620	-292749.6135	62895.630	17.107	1075955.5424
(109 B- 61)	183 41 25	15.351	44206.677	6.839	302329.4640	62894.642	14.322	900777.0627
(109 B- 60)	279 40 13	5.935	44207.674	10.581	467761.3985	62888.791	-1.498	-94207.4089
(109 B- 59)	276 2 46	4.756	44208.175	.951	42041.9744	62884.061	-15.299	-962063.2492
TOTAL					-287.2499			287.2499
								143.624
(109 B- 31)	284 24 40	11.154	44216.835	15.862	701367.4367	62864.907	-16.068	-1010113.3256
(109 B- 32)	339 9 47	14.222	44230.127	-18.852	-833826.3542	62859.848	-7.196	-452339.4662
(109 B- 52)	104 18 9	24.676	44224.031	-22.351	-988451.3168	62883.759	12.458	783405.8696
(109 B- 57)	193 46 39	6.550	44217.669	8.049	355908.0177	62882.199	9.972	627061.2884
(109 B- 56)	240 54 42	7.426	44214.059	17.292	764549.5082	62875.710	.834	52438.3421
TOTAL					-452.7084			452.7083
								226.354

計算者

点検者