

座標に依る方向角・距離及び面積計算書

点 名	方 向 角	距 離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X 座 標	前点-後点		Y 座 標	前点-後点	
(109 B- 34)	285 31 47	15.392	44250.602	20.431	904084.0494	62852.048	-13.817	-1182686.9872
(109 B- 35)	339 8 13	15.727	44265.298	6.146	272054.5215	62846.447	-16.312	-1025151.2434
(109 B- 36)	341 21 47	1.705	44266.914	.598	26471.6145	62845.902	-1.844	-115887.8432
(109 B- 37)	346 54 49	.234	44267.142	-14.620	-647185.6160	62845.849	3.937	247424.1075
(109 B- 39)	105 50 49	15.253	44262.977	-26.257	-1162212.9870	62860.522	7.508	471956.7991
(109 B- 40)	106 5 51	12.057	44259.634	-11.020	-487741.1666	62872.106	4.926	309707.9941
(109 B- 41)	199 36 37	1.680	44258.051	5.228	231381.0906	62871.542	13.153	826949.3919
(109 B- 50)	201 57 18	12.475	44246.481	19.494	862540.9006	62866.878	7.449	468295.3742
TOTAL					-607.5930			607.5930
								303.796
(109 B- 37)	285 50 49	15.253	44267.142	15.041	665822.0828	62845.849	-5.591	-351371.1417
(109 B- 69)	345 31 47	1.473	44268.568	.676	29925.5519	62845.481	-3.104	-195072.3730
(109 B- 70)	349 35 57	1.706	44270.246	.463	20497.1238	62845.173	-3.375	-212102.4588
(109 B- 71)	354 46 52	1.704	44271.943	.173	7659.0461	62845.018	-3.409	-214238.6663
(109 B- 72)	359 23 51	1.712	44273.655	-.053	-2346.5037	62845.000	-3.415	-214615.6750
(109 B- 73)	2 23 14	1.704	44275.358	-.207	-9164.9991	62845.071	-3.386	-212793.4104
(109 B- 74)	4 37 12	1.688	44277.041	-.414	-18330.6949	62845.207	-3.382	-212542.4900
(109 B- 75)	9 17 34	1.722	44278.740	-.594	-26301.5715	62845.485	-2.913	-183068.8978
(109 B- 76)	14 35 24	1.254	44279.954	-18.877	-835872.6916	62845.801	6.142	385998.9097
(109 B- 38)	111 37 9	19.966	44272.598	-14.721	-651736.9151	62864.362	16.977	1067248.2736
(109 B- 39)	201 45 30	10.359	44262.977	18.513	819440.4932	62860.522	5.456	342967.0080
TOTAL					-409.0781			409.0783
								204.539

計算者

点検者

座標に依る方向角・距離及び面積計算書

点 名	方 向 角	距 離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X 座 標	前点-後点		Y 座 標	前点-後点	
(110 B- 1)	22 39 35	43.914	44221.835	-19.736	-872762.1355	62787.620	-41.629	-2613785.8329
(110 B- 2)	68 35 20	3.027	44222.940	-34.651	-1532369.0939	62790.438	13.397	841203.4978
(110 B- 3)	114 29 32	34.981	44208.438	-20.495	-906051.9368	62822.271	41.818	2627101.7286
(110 B- 24)	202 32 30	29.576	44181.122	17.213	760489.6529	62810.933	41.403	2600561.0589
(110 B- 25)	202 38 19	15.263	44167.035	40.231	1776883.9850	62805.058	-.189	-11870.1559
(110 B- 23)	292 33 52	37.204	44181.311	17.438	770433.7012	62770.702	-54.800	-3439834.4696
TOTAL					-3375.8271			3375.8269
								1687.913
(110 B- 4)	114 31 10	13.706	44202.750	-1.235	-54590.3962	62834.741	32.604	2048663.8955
(110 B- 26)	202 39 22	29.167	44175.834	23.808	1051738.2558	62823.506	21.628	1358746.7877
(110 B- 24)	292 48 39	13.640	44181.122	1.235	54563.6856	62810.933	-32.604	-2047887.6595
(110 B- 3)	22 32 30	29.576	44208.438	-23.808	-1052514.4919	62822.271	-21.628	-1358720.0771
TOTAL					-802.9467			802.9466
								401.473
(110 B- 4)	22 39 22	29.167	44202.750	-22.333	-987180.0157	62834.741	-21.858	-1373441.7687
(110 B- 5)	114 30 5	12.196	44197.692	-12.157	-537311.3416	62845.839	7.849	493276.9903
(110 B- 6)	159 13 18	2.985	44194.901	11.047	488221.0713	62846.898	26.605	1672041.7212
(110 B- 7)	206 56 48	26.714	44171.087	23.392	1033250.0671	62834.792	19.067	1198070.9790
(110 B- 26)	292 48 44	12.244	44175.834	.051	2252.9675	62823.506	-31.663	-1989180.6704
TOTAL					-767.2514			767.2514
								383.625

計算者

点検者

座標に依る方向角・距離及び面積計算書

点 名	方 向 角	距 離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X 座 標	前点-後点		Y 座 標	前点-後点	
(110 B- 7)	112 48 44	12.244	44171.087	2.990	132071.5501	62834.792	32.839	2063431.7344
(110 B- 8)	206 56 21	31.511	44142.995	27.511	1214417.9354	62820.516	22.562	1417356.4819
(110 B- 29)	292 40 36	14.344	44148.525	21.717	958773.5174	62807.281	-9.079	-570227.3041
(110 B- 28)	292 42 19	9.195	44152.074	2.223	98150.0605	62798.799	-18.510	-1162405.7694
(110 B- 25)	22 42 8	16.217	44167.035	-12.134	-535922.8026	62805.058	-29.048	-1824361.3247
(110 B- 24)	22 38 19	15.263	44181.122	-18.448	-815053.3386	62810.933	-8.799	-552673.3994
(110 B- 26)	112 48 39	13.640	44175.834	-23.859	-1053991.2234	62823.506	10.035	630433.8827
TOTAL					-1554.3012			1554.3014
								777.150
(110 B- 8)	112 40 36	14.344	44142.995	-3.428	-151322.1868	62820.516	24.797	1557760.3352
(110 B- 9)	206 58 35	21.619	44123.728	12.223	539324.3273	62810.709	21.345	1340694.5836
(110 B- 10)	229 18 4	3.187	44121.650	4.232	186722.8228	62808.293	2.637	165625.4686
(110 B- 11)	252 53 26	1.900	44121.091	10.790	476066.5718	62806.477	-3.371	-211720.6339
(110 B- 34)	293 39 1	9.797	44125.021	3.943	173984.9578	62797.503	-15.971	-1002938.9204
(110 B- 33)	22 40 35	13.050	44137.062	-9.778	-431572.1922	62802.534	-23.504	-1476110.7591
(110 B- 29)	22 29 43	12.407	44148.525	-17.982	-793878.7765	62807.281	-5.933	-372635.5981
TOTAL					-674.4758			674.4759
								337.237

計算者

点検者

座標に依る方向角・距離及び面積計算書

点 名	方 向 角	距 離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X 座 標	前点-後点		Y 座 標	前点-後点	
(110 B- 11)	113 39 1	9.797	44121.091	1.964	86653.8227	62806.477	7.330	460371.4764
(110 B- 12)	252 43 57	11.454	44117.691	11.906	525265.2290	62795.539	3.150	197805.9478
(110 B- 13)	284 28 52	1.000	44117.941	-1.964	-86647.6361	62794.571	-7.330	-460284.2054
(110 B- 34)	22 29 44	7.663	44125.021	-11.906	-525352.5000	62797.503	-3.150	-197812.1344
TOTAL					-81.0844			81.0844
								40.542
(110 B- 13)	202 29 44	7.663	44117.941	13.922	614209.9746	62794.571	4.297	269828.2715
(110 B- 14)	284 12 37	11.337	44120.724	1.443	63666.2047	62783.581	-23.080	-1449045.0494
(110 B- 32)	25 11 26	22.430	44141.021	-18.953	-836604.7710	62793.128	-16.338	-1025914.1252
(110 B- 33)	112 49 35	10.205	44137.062	-4.375	-193099.6462	62802.534	16.000	1004840.5440
(110 B- 34)	202 40 35	13.050	44125.021	7.963	351367.5422	62797.503	19.121	1200751.0548
TOTAL					-460.6957			460.6957
								230.347
(110 B- 14)	205 11 26	22.430	44120.724	10.713	472665.3162	62783.581	20.017	1256738.9408
(110 B- 15)	283 30 11	1.199	44121.004	8.110	357821.3424	62782.415	-4.604	-289050.2386
(110 B- 16)	301 54 37	8.180	44125.328	-1.275	-56259.7932	62775.471	-23.946	-1503221.4285
(110 B- 31)	22 43 38	21.274	44144.950	-17.657	-779467.3821	62783.690	-15.693	-985264.4471
(110 B- 32)	112 36 6	10.223	44141.021	.109	4811.3712	62793.128	24.226	1521226.3189
TOTAL					-429.1455			429.1455
								214.572

計算者

点検者

座標に依る方向角・距離及び面積計算書

(4)

点 名	方 向 角	距 離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X 座 標	前点-後点		Y 座 標	前点-後点	
(110 B- 16)	202 43 38	21.274	44125.328	10.756	474612.0279	62775.471	18.003	1130146.8044
(110 B- 17)	302 32 39	3.010	44126.947	-4.745	-209382.3635	62772.934	-19.027	-1194380.6152
(110 B- 30)	22 42 1	18.870	44144.355	-12.756	-563105.3923	62780.216	-30.619	-1922267.4337
(110 B- 27)	22 30 24	14.300	44157.566	-18.583	-820580.0489	62785.690	-7.719	-484642.7411
(110 B- 28)	112 43 52	14.213	44152.074	-21.591	-953287.4297	62798.799	9.041	567763.9417
(110 B- 29)	112 42 19	9.195	44148.525	-3.735	-164894.7408	62807.281	15.012	942862.9023
(110 B- 33)	202 29 43	12.407	44137.062	14.153	624671.8384	62802.534	7.504	471270.2151
(110 B- 32)	292 49 35	10.205	44141.021	18.844	831793.3997	62793.128	-7.888	-495312.1936
(110 B- 31)	292 36 6	10.223	44144.950	17.657	779467.3821	62783.690	15.693	985264.4471
TOTAL					-705.3271			705.3270
								352.663
(110 B- 17)	202 42 1	18.870	44126.947	14.328	632250.8966	62772.934	12.986	815169.3209
(110 B- 18)	302 6 43	8.319	44131.369	19.437	857781.4192	62765.888	-7.154	-449027.1627
(110 B- 19)	282 26 2	12.689	44134.101	13.783	608300.3140	62753.497	-5.421	-340186.7072
(110 B- 20)	332 37 52	3.028	44136.790	-5.465	-241207.5573	62752.105	-19.109	-1199129.9744
(110 B- 21)	22 39 56	17.794	44153.210	-28.111	-1241190.8863	62758.962	-7.565	-474771.5475
(110 B- 30)	112 37 5	23.025	44144.355	-13.972	-616784.9280	62780.216	26.263	1648796.8128
TOTAL					-850.7418			850.7419
								425.370

計算者

点検者

座標に依る方向角・距離及び面積計算書

(1)

点名	方向角	距離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X座標	前点-後点		Y座標	前点-後点	
(111 B- 1)	26 56 00	20.598	44193.370	-12.232	-540573.3018	62850.593	-19.221	-1208051.2480
(111 B- 2)	73 32 51	3.026	44194.227	-17.492	-773045.4186	62853.495	5.798	364424.5640
(111 B- 3)	114 31 10	16.036	44187.572	-16.607	-733823.0082	62868.085	9.092	571596.6288
(111 B- 4)	140 23 13	3.163	44185.135	-5.129	-226625.5574	62870.102	14.627	919600.9819
(111 B- 5)	165 40 44	12.581	44172.945	2.678	118295.1467	62873.214	23.635	1486008.4128
(111 B- 21)	206 50 5	12.826	44161.500	31.951	1411004.0865	62867.424	-2.061	-129569.7608
(111 B- 20)	297 18 21	29.442	44175.006	16.831	743509.5259	62841.263	-31.870	-2002751.0518
TOTAL					-1258.5269			1258.5269
								629.263
(111 B- 5)	26 50 5	12.826	44172.945	-10.692	-472297.1279	62873.214	7.816	491417.0406
(111 B- 6)	165 43 16	19.875	44153.684	6.482	286204.1796	62878.116	41.622	2617112.9441
(111 B- 24)	206 58 50	25.092	44131.323	12.409	547625.5871	62866.732	24.387	1533130.9932
(111 B- 25)	206 50 9	2.271	44129.297	12.680	559559.4859	62865.707	-3.869	-243227.4203
(111 B- 23)	296 49 48	13.061	44135.192	-1.717	-75780.1246	62854.052	-32.203	-2024089.0365
(111 B- 21)	26 56 37	29.511	44161.500	-19.162	-846222.6630	62867.424	-37.753	-2373433.8582
TOTAL					-910.6629			910.6629
								455.331

計算者

点検者

座標に依る方向角・距離及び面積計算書

点名	方向角	距離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X座標	前点-後点		Y座標	前点-後点	
(111 B- 6)	26 58 50	25.092	44153.684	-16.965	-749067.2490	62878.116	-.438	-27540.6148
(111 B- 7)	165 43 3	22.622	44131.761	-5.204	-229661.6842	62883.697	24.885	1564860.7998
(111 B- 8)	187 15 13	2.986	44128.799	2.913	128547.1914	62883.320	7.578	476529.7989
(111 B- 9)	208 47 3	5.267	44124.183	16.588	731931.9476	62880.784	-2.524	-158711.0988
(111 B- 24)	296 56 9	15.762	44131.323	2.668	117742.3697	62866.732	-29.501	-1854631.4607
TOTAL					-507.4245			507.4244
								253.712
(111 B- 9)	116 56 9	15.762	44124.183	-3.766	-166171.6731	62880.784	25.960	1632385.1526
(111 B- 10)	208 39 31	21.447	44105.363	13.151	580029.6288	62870.498	19.638	1234650.8397
(111 B- 11)	254 3 55	2.979	44104.545	14.104	622050.5026	62867.633	-5.564	-349795.5100
(111 B- 12)	299 35 23	12.925	44110.927	1.926	84957.6454	62856.394	-24.752	-1555821.4642
(111 B- 25)	26 53 1	20.596	44129.297	-10.338	-456208.6723	62865.707	-20.396	-1282208.9599
(111 B- 24)	26 50 9	2.271	44131.323	-15.077	-665367.9568	62866.732	5.114	321500.4674
TOTAL					-710.5254			710.5256
								355.262
(111 B- 12)	206 53 1	20.596	44110.927	20.637	910317.2004	62856.394	11.979	752956.7437
(111 B- 13)	299 26 22	13.003	44117.318	2.342	103322.7587	62845.070	-24.265	-1524935.6235
(111 B- 23)	26 40 49	20.004	44135.192	-20.637	-910817.9573	62854.052	-11.979	-752928.6889
(111 B- 25)	116 49 48	13.061	44129.297	-2.342	-103350.8135	62865.707	24.265	1525436.3803
TOTAL					-528.8117			528.8116
								264.405

計算者

点検者

座標に依る方向角・距離及び面積計算書

(3)

点 名	方 向 角	距 離	1	2 (ΔY)	1 \times 2	3	4 (ΔX)	3 \times 4
			X 座 標	前点-後点		Y 座 標	前点-後点	
(111 B- 13)	206 40 49	20.004	44117.318	15.982	705082.9762	62845.070	13.903	873735.0082
(111 B- 14)	299 33 56	8.048	44121.289	-1.802	-79506.5627	62838.070	-21.508	-1351521.2095
(111 B- 22)	26 39 9	19.622	44138.826	-15.982	-705426.7171	62846.872	-13.903	-873760.0614
(111 B- 23)	116 50 43	8.047	44135.192	1.802	79531.6159	62854.052	21.508	1351864.9504
TOTAL					-318.6877			318.6877
								159.343
(111 B- 14)	206 39 9	19.622	44121.289	9.755	430403.1741	62838.070	17.001	1068310.0280
(111 B- 15)	299 21 18	1.093	44121.825	14.966	660327.2329	62837.117	-5.181	-325559.1031
(111 B- 16)	288 20 21	14.763	44126.470	18.116	799395.1305	62823.104	-3.340	-209829.1673
(111 B- 17)	252 21 22	4.306	44125.165	6.056	267221.9992	62819.001	-.900	-56537.1009
(111 B- 18)	318 28 6	2.946	44127.370	-8.793	-388011.9644	62817.048	-23.358	-1467280.6071
(111 B- 19)	26 55 52	23.726	44148.523	-29.824	-1316685.5499	62827.794	-11.456	-719755.2080
(111 B- 22)	116 56 36	21.401	44138.826	-10.276	-453570.5759	62846.872	27.234	1711571.7120
TOTAL					-920.5535			920.5536
								460.276
(111 B- 19)	296 56 36	21.401	44148.523	5.609	247629.0655	62827.794	-36.180	-2273109.5869
(111 B- 20)	26 57 27	29.711	44175.006	-39.630	-1750655.4877	62841.263	-12.977	-815491.0699
(111 B- 21)	117 18 21	29.442	44161.500	-12.789	-564781.4235	62867.424	39.814	2503003.6191
(111 B- 23)	206 56 37	29.511	44135.192	20.552	907066.4659	62854.052	22.674	1425152.7750
(111 B- 22)	296 50 43	8.047	44138.826	26.258	1158997.2931	62846.872	-13.331	-837811.6506
TOTAL					-1744.0867			1744.0867
								872.043

計算者

点検者

座標に依る方向角・距離及び面積計算書

(1)

点名	方向角	距離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X座標	前点-後点		Y座標	前点-後点	
(114 B- 1)	321 42 39	25.922	44256.500	15.395	681328.8175	63106.376	-23.317	-1471451.3691
(114 B- 2)	12 39 12	3.045	44259.471	-17.470	-773212.9583	63107.043	-10.312	-650759.8274
(114 B- 3)	66 24 1	18.337	44266.812	-29.563	-1308659.7631	63123.846	15.318	966931.0730
(114 B- 29)	150 36 53	26.005	44244.153	1.408	62295.7674	63136.606	30.658	1935642.0667
(114 B- 28)	240 33 6	16.270	44236.154	30.230	1337258.9354	63122.438	-12.347	-779372.7419
TOTAL					-989.2011			989.2013
								494.600
(114 B- 3)	330 36 53	26.005	44266.812	.580	25674.7509	63123.846	-27.988	-1766710.2018
(114 B- 4)	66 22 11	13.295	44272.141	-24.264	-1074219.2292	63136.026	16.152	1019773.0919
(114 B- 30)	150 38 25	24.647	44250.660	-.580	-25665.3828	63148.110	27.988	1767389.3026
(114 B- 29)	240 30 22	13.217	44244.153	24.264	1073540.1283	63136.606	-16.152	-1019782.4601
TOTAL					-669.7328			669.7326
								334.866
(114 B- 4)	330 38 25	24.647	44272.141	-15.575	-689538.5960	63136.026	-33.589	-2120675.9773
(114 B- 5)	66 21 29	30.193	44284.249	-38.263	-1694448.2194	63163.685	6.637	419217.3773
(114 B- 33)	150 30 12	21.536	44265.504	-4.955	-219335.5723	63174.289	21.977	1388381.3493
(114 B- 32)	240 13 28	6.508	44262.272	21.491	951240.4875	63168.640	12.196	770404.7334
(114 B- 31)	240 29 50	18.202	44253.308	20.530	908520.4132	63152.798	11.612	733330.2903
(114 B- 30)	240 32 25	5.384	44250.660	16.772	742172.0695	63148.110	-18.833	-1189268.3556
TOTAL					-1389.4175			1389.4174
								694.708

計算者

点検者

座標に依る方向角・距離及び面積計算書

(2)

点名	方向角	距離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X座標	前点-後点		Y座標	前点-後点	
(114 B- 5)	330 30 12	21.536	44284.249	-3.634	-160928.9608	63163.685	-24.977	-1577639.3602
(114 B- 6)	66 21 39	15.542	44290.481	-21.910	-970404.4387	63177.923	7.380	466253.0717
(114 B- 34)	150 35 37	15.625	44276.869	-9.825	-435020.2379	63185.595	17.400	1099429.3530
(114 B- 35)	150 23 14	4.357	44273.081	11.306	500551.4537	63187.748	11.365	718128.7560
(114 B- 33)	240 37 19	15.445	44265.504	24.063	1065160.8227	63174.289	-11.168	-705530.4595
TOTAL					-641.3610			641.3610
								320.680
(114 B- 6)	330 35 37	15.625	44290.481	-6.333	-280491.6161	63177.923	-19.726	-1246247.7090
(114 B- 7)	66 24 57	15.281	44296.595	-16.769	-742809.6015	63191.928	-5.312	-335675.5215
(114 B- 8)	106 10 50	2.878	44295.793	-8.656	-383424.3842	63194.692	11.212	708538.8867
(114 B- 9)	150 29 25	11.962	44285.383	9.097	402864.1291	63200.584	18.924	1196007.8516
(114 B- 34)	240 24 10	17.238	44276.869	22.661	1003358.1284	63185.595	-5.098	-322120.1633
TOTAL					-503.3443			503.3445
								251.672
(114 B- 9)	60 24 10	17.238	44285.383	-21.810	-965864.2032	63200.584	3.593	227079.6983
(114 B- 10)	150 36 12	13.896	44273.276	8.170	361712.6649	63207.405	20.569	1300113.1134
(114 B- 37)	240 33 23	17.214	44264.814	15.351	679509.1597	63192.414	7.822	494291.0623
(114 B- 36)	330 38 32	.734	44265.454	4.666	206542.6083	63192.054	-8.267	-522408.7104
(114 B- 35)	330 33 8	8.759	44273.081	6.459	285959.8301	63187.748	-11.415	-721288.1434
(114 B- 34)	330 23 14	4.357	44276.869	-12.836	-568337.8904	63185.595	-12.302	-777309.1896
TOTAL					-477.8306			477.8306
								238.915

計算者

点検者

座標に依る方向角・距離及び面積計算書

点名	方向角	距離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X座標	前点-後点		Y座標	前点-後点	
(114 B- 10)	60 33 23	17.214	44273.276	-20.104	-890069.9407	63207.405	.563	35585.7690
(114 B- 11)	150 28 1	10.373	44264.251	9.964	441048.9969	63212.518	17.384	1098886.4129
(114 B- 38)	240 59 42	17.239	44255.892	20.104	889720.4527	63197.441	-.563	-35580.1592
(114 B- 37)	330 36 5	10.241	44264.814	-9.964	-441054.6066	63192.414	-17.384	-1098536.9249
TOTAL					-355.0977			355.0978
								177.548
(114 B- 11)	60 59 42	17.239	44264.251	-19.397	-858593.6766	63212.518	-.689	-43553.4249
(114 B- 12)	150 36 37	8.803	44256.581	10.687	472970.0811	63216.838	16.123	1019245.0790
(114 B- 40)	240 36 31	17.224	44248.128	18.889	835802.8897	63201.831	1.591	100554.1131
(114 B- 39)	330 30 8	7.884	44254.990	4.390	194279.4061	63197.949	-7.764	-490668.8760
(114 B- 38)	330 36 44	1.035	44255.892	-14.569	-644764.0905	63197.441	-9.261	-585271.5011
TOTAL					-305.3902			305.3901
								152.695
(114 B- 12)	60 36 31	17.224	44256.581	-19.830	-877608.0012	63216.838	.077	4867.6965
(114 B- 13)	150 30 56	9.799	44248.051	10.191	450931.8877	63221.661	16.988	1074009.5770
(114 B- 41)	240 36 20	17.232	44239.593	19.830	877271.1291	63206.647	-.077	-4866.9118
(114 B- 40)	330 33 56	9.800	44248.128	-10.191	-450932.6724	63201.831	-16.988	-1073672.7050
TOTAL					-337.6568			337.6567
								168.828

計算者

点検者

座標に依る方向角・距離及び面積計算書

点名	方向角	距離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X座標	前点-後点		Y座標	前点-後点	
(114 B- 13)	60 36 20	17.232	44248.051	-19.090	-844695.2935	63221.661	-1.241	-78458.0813
(114 B- 14)	150 32 36	8.288	44240.834	-3.567	-157807.0548	63225.737	10.329	653058.6374
(114 B- 15)	189 17 21	3.153	44237.722	10.439	461797.5799	63225.228	6.459	408371.7476
(114 B- 16)	251 22 23	10.479	44234.375	16.361	723718.6093	63215.298	2.133	134838.2306
(114 B- 17)	280 41 24	6.545	44235.589	8.651	382682.0804	63208.867	-5.218	-329823.8680
(114 B- 41)	330 59 38	4.578	44239.593	-12.794	-566001.3528	63206.647	-12.462	-787681.2349
TOTAL					-305.4315			305.4314
								152.715
(114 B- 17)	150 59 38	4.578	44235.589	7.976	352823.0578	63208.867	5.856	370151.1251
(114 B- 18)	259 42 18	10.363	44233.737	15.237	673989.4506	63198.671	4.138	261516.1005
(114 B- 19)	245 36 24	5.535	44231.451	7.834	346509.1871	63193.630	1.373	86764.8539
(114 B- 47)	288 6 7	2.938	44232.364	10.757	475807.5395	63190.837	-14.913	-942364.9521
(114 B- 46)	330 21 59	16.107	44246.364	-7.112	-314680.1407	63182.873	-22.626	-1429575.6844
(114 B- 39)	60 13 24	17.369	44254.990	-18.958	-838986.1004	63197.949	-1.764	-111481.1820
(114 B- 40)	150 30 8	7.884	44248.128	-8.698	-384870.2173	63201.831	15.397	973118.5919
(114 B- 41)	150 33 56	9.800	44239.593	-7.036	-311269.7763	63206.647	12.539	792548.1467
TOTAL					-676.9997			676.9996
								338.499

計算者

点検者

座標に依る方向角・距離及び面積計算書

点名	方向角	距離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X座標	前点-後点		Y座標	前点-後点	
(114 B- 39)	60 13 24	17.369	44254.990	-14.568	-644706.6943	63197.949	-9.528	-602150.0580
(114 B- 38)	330 36 44	1.035	44255.892	5.535	244956.3622	63197.441	-9.824	-620851.6603
(114 B- 37)	330 36 5	10.241	44264.814	5.387	238454.5530	63192.414	-9.562	-604245.8626
(114 B- 36)	330 38 32	.734	44265.454	15.520	686999.8460	63192.054	7.918	500354.6835
(114 B- 42)	240 33 17	17.409	44256.896	9.181	406322.5621	63176.894	19.090	1206046.9064
(114 B- 46)	150 24 59	12.111	44246.364	-21.055	-931607.1940	63182.873	1.906	120426.5559
TOTAL					419.4350			-419.4351
								209.717
(114 B- 43)	240 50 48	4.506	44254.701	8.254	365278.3020	63172.959	-5.376	-339617.8275
(114 B- 32)	330 17 48	8.716	44262.272	-1.330	-58868.8217	63168.640	-10.803	-682410.8179
(114 B- 33)	60 13 28	6.508	44265.504	-19.108	-845825.2504	63174.289	-10.809	-682850.8898
(114 B- 35)	60 37 19	15.445	44273.081	-17.765	-786511.2839	63187.748	.050	3159.3874
(114 B- 36)	150 33 8	8.759	44265.454	10.854	480457.2377	63192.054	16.185	1022763.3939
(114 B- 42)	240 33 17	17.409	44256.896	19.095	845085.4291	63176.894	10.753	679341.1411
TOTAL					-384.3872			384.3872
								192.193

計算者

点検者

座標に依る方向角・距離及び面積計算書

点 名	方 向 角	距 離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X 座 標	前点-後点		Y 座 標	前点-後点	
(114 B- 19)	108 6 7	2.938	44231.451	4.954	219122.6082	63193.630	4.418	279189.4573
(114 B- 20)	245 39 23	8.503	44227.946	6.899	305128.5994	63185.883	.938	59268.3582
(114 B- 48)	18 16 51	2.703	44230.513	3.882	171702.8514	63186.731	-10.870	-686839.7659
(114 B- 45)	330 19 52	9.556	44238.816	10.902	482291.5720	63182.001	-19.136	-1209050.7711
(114 B- 44)	330 19 41	12.468	44249.649	9.042	400105.3262	63175.829	-15.885	-1003548.0436
(114 B- 43)	330 23 58	5.810	44254.701	-1.065	-47131.2565	63172.959	-7.247	-457814.4338
(114 B- 42)	60 50 48	4.506	44256.896	-9.914	-438762.8669	63176.894	8.337	526705.7652
(114 B- 46)	150 24 59	12.111	44246.364	-13.943	-616927.0532	63182.873	24.532	1550002.2404
(114 B- 47)	150 21 59	16.107	44232.364	-10.757	-475807.5395	63190.837	14.913	942364.9521
TOTAL					-277.7589			277.7588
								138.879
(114 B- 20)	198 16 51	2.703	44227.946	3.800	168066.1948	63185.883	3.916	247435.9178
(114 B- 21)	245 26 26	3.246	44226.597	13.927	615943.8164	63182.931	8.328	526187.4493
(114 B- 22)	237 32 52	13.006	44219.618	16.756	740943.9192	63171.956	-3.204	-202402.9470
(114 B- 49)	330 24 57	11.710	44229.801	-10.045	-444288.3510	63166.175	-19.198	-1212664.2276
(114 B- 45)	60 19 58	18.214	44238.816	-20.556	-909373.1016	63182.001	-.712	-44985.5847
(114 B- 48)	150 19 52	9.556	44230.513	-3.882	-171702.8514	63186.731	10.870	686839.7659
TOTAL					-410.3736			410.3737
								205.186

計算者

点検者

座標に依る方向角・距離及び面積計算書

(1)

点 名	方 向 角	距 離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X 座 標	前点-後点		Y 座 標	前点-後点	
(115-1B- 1)	330 34 31	6.347	44301.385	3.033	134366.1007	63200.706	-8.320	-525829.8739
(115-1B- 2)	1 44 38	2.793	44304.177	-7.773	-344376.3678	63200.791	-16.665	-1053241.1820
(115-1B- 3)	28 59 38	15.861	44318.050	-21.038	-932363.1359	63208.479	-6.419	-405735.2267
(115-1B- 22)	119 10 37	15.290	44310.596	-10.403	-460963.1301	63221.829	12.896	815308.7067
(115-1B- 23)	208 26 13	6.189	44305.154	2.190	97028.2872	63218.882	6.858	433555.0927
(115-1B- 24)	151 52 15	1.606	44303.738	15.058	667125.6868	63219.639	9.297	587752.9837
(115-1B- 21)	243 30 42	17.670	44295.857	18.933	838653.4605	63203.824	2.353	148718.5978
TOTAL					-529.0986			529.0983
								264.549
(115-1B- 3)	299 10 37	15.290	44318.050	7.382	327155.8451	63208.479	-18.186	-1149509.3990
(115-1B- 4)	29 4 41	12.280	44328.782	-8.825	-391201.5011	63214.447	-11.566	-731138.2940
(115-1B- 5)	73 43 36	2.976	44329.616	-14.151	-627308.3960	63217.304	5.472	345925.0874
(115-1B- 6)	119 10 36	12.935	44323.310	-4.525	-200562.9777	63228.598	19.020	1202607.9339
(115-1B- 22)	208 1 52	14.404	44310.596	20.119	891484.8809	63221.829	5.260	332546.8205
TOTAL					-432.1488			432.1488
								216.074
(115-1B- 6)	28 1 52	14.404	44323.310	-15.413	-683155.1770	63228.598	2.582	163256.2400
(115-1B- 7)	150 31 43	17.569	44308.014	6.116	270987.8136	63237.242	24.429	1544822.5848
(115-1B- 25)	238 15 8	17.357	44298.881	17.603	779793.2022	63222.482	4.276	270339.3330
(115-1B- 24)	329 39 28	5.628	44303.738	3.600	159493.4568	63219.639	-6.273	-396576.7954
(115-1B- 23)	331 52 15	1.606	44305.154	-2.190	-97028.2872	63218.882	-6.858	-433555.0927
(115-1B- 22)	28 26 13	6.189	44310.596	-9.716	-430521.7507	63221.829	-18.156	-1147855.5273
TOTAL					-430.7423			430.7424
								215.371

計算者

点検者

座標に依る方向角・距離及び面積計算書

点 名	方 向 角	距 離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X 座 標	前点-後点		Y 座 標	前点-後点	
(115-1B- 7)	58 15 8	17.357	44308.014	-22.146	-981245.2780	63237.242	3.984	251937.1721
(115-1B- 8)	150 37 00	15.054	44294.897	8.668	383948.1671	63244.628	22.178	1402639.3597
(115-1B- 28)	240 33 33	18.435	44285.836	18.797	832440.8592	63228.574	4.160	263030.8678
(115-1B- 27)	330 45 54	5.616	44290.737	1.838	81406.3746	63225.831	-5.419	-342620.7781
(115-1B- 26)	60 12 51	1.043	44291.255	3.349	148331.4129	63226.736	-8.144	-514918.5379
(115-1B- 25)	330 50 46	8.732	44298.881	-10.506	-465404.0437	63222.482	-16.759	-1059545.5758
-TOTAL					-522.5079			522.5078
								261.253
(115-1B- 8)	60 33 33	18.435	44294.897	-22.869	-1012979.9994	63244.628	2.991	189164.6823
(115-1B- 9)	150 30 48	13.845	44282.845	9.152	405276.5974	63251.443	21.134	1336755.9963
(115-1B- 30)	240 22 8	18.369	44273.763	18.045	798920.0533	63235.476	5.374	339827.4480
(115-1B- 29)	330 44 00	4.251	44277.471	6.902	305603.1048	63233.398	-12.073	-763416.8140
(115-1B- 28)	330 1 42	9.656	44285.836	-11.230	-497329.9382	63228.574	-17.426	-1101821.1305
TOTAL					-510.1821			510.1821
								255.091
(115-1B- 9)	60 22 8	18.369	44282.845	-22.803	-1009781.7145	63251.443	3.018	190892.8549
(115-1B- 10)	150 32 7	13.898	44270.745	9.173	406095.5438	63258.279	21.094	1334370.1372
(115-1B- 32)	240 40 20	18.362	44261.751	18.377	813398.1981	63242.270	4.813	304385.0455
(115-1B- 31)	330 28 26	4.805	44265.932	6.794	300742.7420	63239.902	-12.012	-759637.7028
(115-1B- 30)	330 31 31	8.995	44273.763	-11.541	-510963.4987	63235.476	-16.913	-1069501.6055
TOTAL					-508.7293			508.7293
								254.364

計算者

点検者

座標に依る方向角・距離及び面積計算書

点 名	方 向 角	距 離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X 座 標	前点-後点		Y 座 標	前点-後点	
(115-1B- 10)	60 40 20	18.362	44270.745	-21.445	-949386.1265	63258.279	.621	39283.3912
(115-1B- 11)	150 31 3	11.045	44261.130	-4.657	-206124.0824	63263.715	12.511	791492.3383
(115-1B- 12)	195 3 21	2.999	44258.234	14.118	624837.7476	63262.936	12.436	786737.8720
(115-1B- 13)	234 25 40	16.399	44248.694	18.252	807627.1628	63249.597	.821	51927.9191
(115-1B- 33)	330 35 58	10.008	44257.413	7.327	324274.0650	63244.684	-13.057	-825785.8389
(115-1B- 32)	330 54 18	4.964	44261.751	-13.595	-601738.5048	63242.270	-13.332	-843145.9436
TOTAL					-509.7383			509.7381
								254.869
(115-1B- 13)	150 35 58	10.008	44248.694	1.349	59691.4882	63249.597	13.185	833945.9364
(115-1B- 14)	234 30 14	7.691	44244.228	13.076	578537.5253	63243.335	6.809	430623.8680
(115-1B- 15)	251 1 28	7.206	44241.885	9.634	426226.3200	63236.521	1.295	81891.2946
(115-1B- 16)	290 23 12	3.008	44242.933	6.353	281075.3533	63233.701	-7.335	-463819.1968
(115-1B- 17)	330 39 58	7.212	44249.220	-10.983	-485989.1832	63230.168	-14.480	-915572.8326
(115-1B- 33)	60 33 33	16.669	44257.413	-19.429	-859877.2771	63244.684	.526	33266.7037
TOTAL					-335.7735			335.7733
								167.886
(115-1B- 17)	240 33 33	16.669	44249.220	19.279	853080.7123	63230.168	-.243	-15364.9308
(115-1B- 18)	330 33 3	9.688	44257.656	-9.734	-430804.0235	63225.405	-16.712	-1056622.9683
(115-1B- 31)	60 16 44	16.693	44265.932	-16.865	-746544.9431	63239.902	-4.095	-258967.3986
(115-1B- 32)	150 28 26	4.805	44261.751	-4.782	-211659.6932	63242.270	8.519	538760.8981
(115-1B- 33)	150 54 18	4.964	44257.413	12.102	535603.2121	63244.684	12.531	792519.1352
TOTAL					-324.7354			324.7356
								162.367

計算者

点検者

座標に依る方向角・距離及び面積計算書

点 名	方 向 角	距 離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X 座 標	前点-後点		Y 座 標	前点-後点	
(115-1B- 18)	240 16 44	16.693	44257.656	21.100	933836.5416	63225.405	-3.404	-215219.2786
(115-1B- 19)	330 31 10	13.417	44269.336	-7.993	-353844.8026	63218.802	-19.815	-1252680.5616
(115-1B- 29)	60 52 2	16.710	44277.471	-16.674	-738282.5514	63233.398	-4.427	-279934.2529
(115-1B- 30)	150 44 00	4.251	44273.763	-6.504	-2879565545	63235.476	11.539	729674.1575
(115-1B- 31)	150 31 31	8.995	44265.932	10.071	445802.2011	63239.902	16.107	1018605.1015
TOTAL					-445.1658			445.1659
								222.582
(115-1B- 19)	240 52 2	16.710	44269.336	22.090	977909.6322	63218.802	-5.133	-324502.1106
(115-1B- 20)	330 32 29	15.238	44282.604	-7.029	-311262.4235	63211.308	-21.401	-1352785.2025
(115-1B- 27)	60 45 3	16.645	44290.737	-17.266	-764723.8650	63225.831	-3.232	-204345.8857
(115-1B- 28)	150 45 54	5.616	44285.836	-7.567	-335110.9210	63228.574	13.266	838790.2626
(115-1B- 29)	150 1 42	9.656	44277.471	9.772	432679.4466	63233.398	16.500	1043351.0670
TOTAL					-508.130			508.1308
								254.065
(115-1B- 20)	240 45 3	16.645	44282.604	22.007	974527.2662	63211.308	-5.120	-323641.8969
(115-1B- 21)	330 32 47	15.220	44295.857	-8.331	-369028.7846	63203.824	-21.134	-1335749.6164
(115-1B- 24)	63 30 42	17.670	44303.738	-18.658	-826619.1436	63219.639	-3.024	-191176.1883
(115-1B- 25)	149 39 28	5.628	44298.881	-7.097	-314389.1584	63222.482	12.483	789206.2428
(115-1B- 26)	150 50 46	8.732	44291.255	-3.349	-148331.4129	63226.736	8.144	514918.5379
(115-1B- 27)	240 12 51	1.043	44290.737	15.428	683317.4904	63225.831	8.651	546966.6639
TOTAL					-523.7429			523.7430
								261.871

計算者

点検者

座標に依る方向角・距離及び面積計算書

点 名	方 向 角	距 離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X 座 標	前点-後点		Y 座 標	前点-後点	
(115-2B- 34)	298 57 19	11.206	44333.073	10.619	470772.9021	63219.269	-8.306	-525099.2483
(115-2B- 35)	344 13 22	2.994	44335.954	-6.223	-275902.6417	63218.455	-15.659	-989937.7868
(115-2B- 36)	28 50 32	14.588	44348.732	-9.810	-435061.0609	63225.492	-13.886	-877949.1819
(115-2B- 37)	68 13 12	2.986	44349.840	-13.804	-612205.1913	63228.265	2.436	154024.0535
(115-2B- 38)	107 48 40	11.586	44346.296	-4.920	-218183.7763	63239.296	14.650	926455.6864
(115-2B- 56)	208 49 17	12.676	44335.190	10.222	453194.3121	63233.185	18.648	1179172.4338
(115-2B- 55)	208 35 38	8.590	44327.648	13.916	616863.5495	63229.074	2.117	133855.9496
TOTAL					-521.9065			521.9063
								260.953
(115-2B- 38)	28 49 17	12.676	44346.296	-23.721	-1051938.4874	63239.296	-5.432	-343515.8558
(115-2B- 39)	107 51 33	18.502	44340.622	-9.789	-434050.3487	63256.906	19.830	1254384.4459
(115-2B- 57)	208 55 12	16.173	44326.466	23.721	1051468.0999	63249.085	5.432	343569.0297
(115-2B- 56)	298 45 10	18.136	44335.190	9.789	433997.1749	63233.185	-19.830	-1253914.0585
TOTAL					-523.5613			523.5613
								261.780
(115-2B- 39)	28 55 12	16.173	44340.622	-26.790	-1187885.2633	63256.906	-8.066	-510230.2037
(115-2B- 40)	107 47 57	19.923	44334.532	-20.532	-910276.6110	63275.875	8.661	548032.3533
(115-2B- 41)	148 42 11	3.009	44331.961	-0.372	-16491.4894	63277.438	9.550	604299.5329
(115-2B- 42)	189 41 4	7.080	44324.982	10.377	459960.3382	63276.247	12.201	772033.4896
(115-2B- 59)	240 22 58	10.567	44319.760	25.386	1125101.4273	63267.061	-0.509	-32202.9340
(115-2B- 58)	289 28 55	17.184	44325.491	17.976	796795.0262	63250.861	-6.706	-424160.2738
(115-2B- 57)	298 45 58	2.026	44326.466	-6.045	-267953.4869	63249.085	-15.131	-957021.9051
TOTAL					-750.0589			750.0592
								375.029

計算者

点検者

座標に依る方向角・距離及び面積計算書

点 名	方 向 角	距 離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X 座 標	前点-後点		Y 座 標	前点-後点	
(115-2B- 42)	60 22 58	10.567	44324.982	-12.643	-560400.7474	63276.247	19.942	1261854.9176
(115-2B- 44)	172 10 40	25.400	44299.818	-2.058	-91169.0254	63279.704	41.186	2606237.8889
(115-2B- 63)	184 59 25	16.083	44283.796	1.474	65274.3153	63278.305	16.602	1050546.4196
(115-2B- 45)	187 22 5	.585	44283.216	3.665	162297.9866	63278.230	2.578	163131.2769
(115-2B- 62)	240 54 7	4.109	44281.218	9.327	413010.9202	63274.640	-8.169	-516890.5341
(115-2B- 61)	330 33 54	11.674	44291.385	11.483	508597.9739	63268.903	-20.348	-1287395.6382
(115-2B- 60)	330 33 37	11.691	44301.566	19.187	850014.1468	63263.157	-2.680	-169545.2607
(115-2B- 52)	240 50 8	15.392	44294.065	21.848	967736.7321	63249.716	-7.367	-465960.6577
(115-2B- 53)	330 30 52	17.080	44308.933	-1.145	-50733.7282	63241.309	-31.426	-1987421.3766
(115-2B- 58)	29 58 47	19.116	44325.491	-25.752	-1141470.0442	63250.861	-10.827	-684817.0720
(115-2B- 59)	109 28 55	17.184	44319.760	-25.386	-1125101.4273	63267.061	.509	32202.9340
TOTAL					-1942.8976			1942.8977
								971.448
(115-2B- 45)	60 54 7	4.109	44283.216	-1.849	-81879.6663	63278.230	11.873	751302.4247
(115-2B- 46)	187 9 14	13.980	44269.345	3.288	145557.6063	63276.489	16.474	1042416.8797
(115-2B- 47)	210 43 25	3.028	44266.742	6.714	297206.9057	63274.942	6.258	395974.5870
(115-2B- 48)	234 43 31	6.329	44263.087	8.099	358486.7416	63269.775	2.999	189746.0552
(115-2B- 49)	282 36 42	3.004	44263.743	8.572	379428.8049	63266.843	-10.640	-673159.2095
(115-2B- 50)	330 32 16	11.467	44273.727	-7.797	-345202.2494	63261.203	-17.475	-1105489.5224
(115-2B- 62)	60 51 39	15.384	44281.218	-17.027	-753976.2988	63274.640	-9.489	-600413.0589
TOTAL					-378.1560			378.1558
								189.077

計算者

点検者

座標に依る方向角・距離及び面積計算書

点 名	方 向 角	距 離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X 座 標	前点-後点		Y 座 標	前点-後点	
(115-2B- 50)	240 51 39	15.384	44273.727	19.188	849524.2736	63261.203	-2.690	-170172.6360
(115-2B- 51)	330 32 20	11.693	44283.908	-7.700	-340986.0916	63255.452	-17.658	-1116964.7714
(115-2B- 61)	60 55 54	15.389	44291.385	-19.188	-849863.0953	63268.903	2.690	170193.3490
(115-2B- 62)	150 33 54	11.674	44281.218	7.700	340965.3786	63274.640	17.658	1117303.5931
TOTAL					-359.5347			359.5347
								179.767
(115-2B- 51)	240 55 54	15.389	44283.908	19.187	849675.3427	63255.452	-2.680	-169524.6113
(115-2B- 52)	330 32 42	11.665	44294.065	-7.705	-341285.7708	63249.716	-17.658	-1116863.4851
(115-2B- 60)	60 50 8	15.392	44301.566	-19.187	-850014.1468	63263.157	2.680	169545.2607
(115-2B- 61)	150 33 37	11.691	44291.385	7.705	341265.1214	63268.903	17.658	1117202.2891
TOTAL					-359.4535			359.4534
								179.726
(115-2B- 53)	209 58 47	19.116	44308.933	19.365	858042.4875	63241.309	-.822	-51984.3559
(115-2B- 54)	330 33 1	19.959	44326.313	12.235	542332.4395	63231.496	-18.715	-1183377.4476
(115-2B- 55)	298 51 48	2.766	44327.648	-1.689	-74869.3974	63229.074	-8.877	-561284.4898
(115-2B- 56)	28 35 38	8.590	44335.190	-20.011	-887191.4870	63233.185	1.182	74741.6246
(115-2B- 57)	118 45 10	18.136	44326.466	-17.676	-783514.6130	63249.085	9.699	613452.8754
(115-2B- 58)	118 45 58	2.026	44325.491	7.776	344675.0180	63250.861	17.533	1108977.3459
TOTAL					-525.5524			525.5526
								262.776

計算者

点検者

画地測量設計株式会社