

座標に依る方向角・距離及び面積計算書

点名	方向角	距離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X座標	前点-後点		Y座標	前点-後点	
(40 B- 1)	42 26 35	29.765	44975.210	-23.055	-1036903.4665	63087.233	-22.269	-1404889.5916
(40 B- 2)	84 9 7	2.984	44975.514	-6.794	-305563.6421	63090.201	2.496	157473.1416
(40 B- 3)	126 11 53	4.741	44972.714	-13.574	-610459.6198	63094.027	13.529	853599.0912
(40 B- 4)	137 44 34	14.496	44961.985	-28.128	-1264690.7140	63103.775	21.752	1372633.3138
(40 B- 5)	120 57 8	21.432	44950.962	-30.535	-1372577.6246	63122.155	23.128	1459889.2008
(40 B- 6)	134 52 55	17.154	44938.857	-19.144	-860309.4784	63134.310	20.143	1271714.4063
(40 B- 7)	138 59 36	10.652	44930.819	30.438	1367604.2687	63141.299	24.726	1561231.7590
(40 B- 29)	245 58 8	40.979	44914.131	53.566	2405870.3411	63103.872	23.887	1507362.1904
(40 B- 28)	245 57 37	17.672	44906.932	36.726	1649251.9846	63087.733	-39.114	-2467613.5885
(40 B- 25)	336 2 2	50.683	44953.245	.500	22476.6225	63067.146	-68.278	-4306098.5945
TOTAL					-5301.3285			5301.3285
								2650.664
(40 B- 7)	65 58 8	40.979	44930.819	-41.140	-1848453.8936	63141.299	-12.415	-783899.2270
(40 B- 8)	139 00 40	5.661	44926.546	-18.118	-813979.1604	63145.012	8.130	513368.9475
(40 B- 9)	104 59 22	14.912	44922.689	-24.458	-1098719.1275	63159.417	10.301	650605.1545
(40 B- 10)	122 39 36	11.941	44916.245	-13.577	-609827.8583	63169.470	11.240	710024.8428
(40 B- 11)	143 41 32	5.951	44911.449	-5.631	-252896.3693	63172.994	10.391	656430.5806
(40 B- 12)	159 21 52	5.979	44905.854	-2.570	-115408.0447	63175.101	9.553	603511.7398
(40 B- 13)	173 19 41	3.985	44901.896	1.073	48179.7344	63175.564	6.518	411778.3261
(40 B- 14)	210 57 50	2.985	44899.336	54.608	2451862.9402	63174.028	26.181	1653959.2270
(40 B- 15)	246 00 27	58.091	44875.715	70.156	3148300.6615	63120.956	-14.795	-933874.5440
(40 B- 29)	336 1 29	42.043	44914.131	-20.343	-913688.1669	63103.872	-55.104	-3477275.7626
TOTAL					-4629.2846			4629.2847
								2314.642

計算者

点検者

座標に依る方向角・距離及び面積計算書

点名	方向角	距離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X座標	前点-後点		Y座標	前点-後点	
(40 B- 15)	156 1 29	42.043	44875.715	-.442	-19835.0660	63120.956	45.813	2891760.3572
(40 B- 16)	246 2 9	18.212	44868.318	25.166	1129156.0907	63104.314	-11.799	-744567.8008
(40 B- 30)	336 3 23	21.003	44887.514	21.570	968223.6769	63095.790	-13.420	-846745.5018
(40 B- 31)	246 7 9	14.267	44881.738	21.618	970253.4120	63082.744	-13.370	-843416.2872
(40 B- 27)	335 52 52	20.977	44900.884	-4.989	-224010.5102	63074.172	-25.194	-1589090.6893
(40 B- 28)	65 57 50	14.849	44906.932	-29.700	-1333735.8804	63087.733	-13.247	-835723.1990
(40 B- 29)	65 57 37	17.672	44914.131	-33.223	-1492182.1742	63103.872	31.217	1969913.5722
TOTAL					-2130.4512			2130.4513
								1065.225
(40 B- 16)	156 3 23	21.003	44868.318	4.505	202131.7725	63104.314	24.982	1576471.9723
(40 B- 17)	246 3 17	14.256	44862.532	21.570	967684.8152	63091.285	-13.420	-846685.0447
(40 B- 31)	336 1 30	21.019	44881.738	-4.505	-202192.2296	63082.744	-24.982	-1575933.1106
(40 B- 30)	66 7 9	14.267	44887.514	-21.570	-968223.6769	63095.790	13.420	846745.5018
TOTAL					-599.3188			599.3188
								299.659
(40 B- 17)	156 1 30	21.019	44862.532	21.376	958981.4840	63091.285	32.472	2048700.2065
(40 B- 18)	246 5 10	32.726	44849.266	38.479	1725754.9064	63061.368	-5.931	-374016.9736
(40 B- 32)	335 57 46	21.020	44868.463	16.902	758366.7616	63052.806	-38.382	-2420092.7998
(40 B- 26)	336 30 17	20.919	44887.648	-21.366	-959069.4871	63044.466	-32.421	-2043964.6321
(40 B- 27)	65 59 2	32.521	44900.884	-38.278	-1718716.0377	63074.172	5.910	372768.3565
(40 B- 31)	155 52 52	20.977	44881.738	-17.113	-768061.1823	63082.744	38.352	2419349.3978
TOTAL					-2743.5551			2743.5553
								1371.777

計算者

点検者

座標に依る方向角・距離及び面積計算書

(3)

点名	方向角	距離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X 座標	前点-後点		Y 座標	前点-後点	
(40 B- 18)	155 57 46	21.020	44849.266	4.383	196574.3328	63061.368	24.954	1573633.3770
(40 B- 19)	246 1 26	14.167	44843.509	15.747	706150.7362	63048.423	4.679	295003.5712
(40 B- 20)	291 2 35	3.002	44844.587	10.424	467459.9748	63045.621	-18.335	-1155941.4610
(40 B- 21)	336 10 12	18.865	44861.844	-7.185	-322332.3491	63037.999	-23.876	-1505095.2641
(40 B- 32)	65 54 52	16.219	44868.463	-23.369	-1048531.1118	63052.806	12.578	793078.1938
TOTAL					-678.4171			678.4169
								339.208
(40 B- 21)	245 54 52	16.219	44861.844	23.298	1045191.2415	63037.999	-12.521	-789298.7854
(40 B- 22)	336 4 36	20.939	44880.984	-6.467	-290245.3235	63029.508	-25.804	-1626413.4244
(40 B- 26)	65 59 11	16.375	44887.648	-23.298	-1045792.4231	63044.466	12.521	789379.7587
(40 B- 32)	156 30 17	20.919	44868.463	6.467	290164.3502	63052.806	25.804	1627014.6060
TOTAL					-682.1549			682.1549
								341.077
(40 B- 22)	245 59 11	16.375	44880.984	23.445	1052234.6698	63029.508	-12.581	-792974.2401
(40 B- 23)	336 12 9	21.033	44900.229	8.144	365667.4649	63021.021	-22.215	-1400011.9815
(40 B- 24)	6 35 16	2.990	44903.199	-46.125	-2071160.0538	63021.364	-53.016	-3341140.6338
(40 B- 25)	42 27 8	67.828	44953.245	-66.369	-2983501.9174	63067.146	-3.733	-235429.6560
(40 B- 28)	156 2 2	50.683	44906.932	-7.026	-315516.1042	63087.733	52.361	3303336.7876
(40 B- 27)	245 57 50	14.849	44900.884	43.267	1942726.5480	63074.172	19.284	1216322.3328
(40 B- 26)	245 59 2	32.521	44887.648	44.664	2004861.9102	63044.466	19.900	1254584.8734
TOTAL					-4687.4825			4687.4824
								2343.741

計算者

点検者

座標に依る方向角・距離及び面積計算書

(1)

点名	方向角	距離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X 座標	前点-後点		Y 座標	前点-後点	
(41 B- 1)	336 7 11	28.069	44835.230	10.230	458664.4029	63049.772	-28.492	-1796414.1038
(41 B- 2)	21 50 49	3.045	44838.056	-20.029	-898061.4236	63050.905	-11.179	-704846.0669
(41 B- 3)	66 9 8	20.660	44846.409	-24.842	-1114074.4923	63069.801	5.557	350478.8841
(41 B- 32)	156 51 18	15.128	44832.499	-11.996	-537810.6580	63075.747	27.911	1760507.1745
(41 B- 51)	156 37 49	15.252	44818.498	1.023	45849.3234	63081.797	17.051	1075607.7206
(41 B- 52)	246 40 24	7.703	44815.448	20.662	925976.7865	63074.724	8.934	563509.5842
(41 B- 31)	246 35 15	14.808	44809.564	24.952	1118088.2409	63061.135	-19.782	-1247475.3725
TOTAL					-1367.8202			1367.8202
								683.910
(41 B- 3)	336 51 18	15.128	44846.409	-9.590	-430077.0623	63069.801	-20.858	-1315509.9092
(41 B- 4)	65 54 18	17.019	44853.357	-21.649	-971030.3256	63085.337	7.132	449924.6234
(41 B- 33)	156 31 53	15.350	44839.277	9.590	430008.6664	63091.450	20.858	1315961.4641
(41 B- 32)	246 39 11	17.103	44832.499	21.649	970578.7708	63075.747	-7.132	-449856.2276
TOTAL					-519.9507			519.9507
								259.975

計算者

点検者

座標に依る方向角・距離及び面積計算書

(2)

点名	方向角	距離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X 座標	前点-後点		Y 座標	前点-後点	
(41 B- 4)	336 31 53	15.350	44853.357	4.282	192062.0746	63085.337	-14.883	-938899.0705
(41 B- 5)	66 19 11	1.999	44854.160	-7.950	-356590.5720	63087.168	13.276	837545.2423
(41 B- 34)	156 30 34	15.351	44840.081	-12.194	-546779.9477	63093.287	28.106	1773299.9244
(41 B- 48)	156 34 58	15.286	44826.054	-5.509	-246946.7314	63099.362	14.258	899670.7033
(41 B- 49)	247 47 54	.611	44825.823	13.593	609317.4120	63098.796	5.886	371399.5132
(41 B- 50)	246 32 4	14.201	44820.168	16.999	761898.0358	63085.769	7.325	462103.2579
(41 B- 51)	247 11 46	4.309	44818.498	10.022	449170.9869	63081.797	-12.331	-777861.6388
(41 B- 32)	336 37 49	15.252	44832.499	-9.653	-432768.1128	63075.747	-20.779	-1310650.9469
(41 B- 33)	66 39 11	17.103	44839.277	-9.590	-430008.6664	63091.450	-20.858	-1315961.4641
TOTAL					-645.5210			645.5208
								322.760
(41 B- 5)	336 30 34	15.351	44854.160	4.294	192603.7630	63087.168	-14.894	-939620.2801
(41 B- 6)	65 56 8	1.999	44854.975	-7.906	-354623.4323	63088.993	13.178	831386.7497
(41 B- 35)	156 30 41	15.257	44840.982	-21.742	-974932.6306	63095.074	7.201	454347.6278
(41 B- 37)	66 33 15	17.070	44847.774	-21.757	-975753.0189	63110.735	7.396	466766.9960
(41 B- 46)	156 44 56	15.442	44833.586	.940	42143.5708	63116.831	17.217	1086682.4793
(41 B- 47)	246 42 29	7.660	44830.557	17.469	783145.0002	63109.795	7.532	475342.9759
(41 B- 48)	246 39 16	11.363	44826.054	16.508	739988.4994	63099.362	-9.524	-600958.3236
(41 B- 34)	336 34 58	15.286	44840.081	12.194	546779.9477	63093.287	-28.106	-1773299.9244
TOTAL					-648.3007			648.3006
								324.150

計算者

点検者

座標に依る方向角・距離及び面積計算書

(3)

点名	方向角	距離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X座標	前点-後点		Y座標	前点-後点	
(41 B- 6)	336 30 41	15.257	44854.975	-9.537	-427781.8965	63088.993	-20.902	-1318686.1316
(41 B- 7)	66 8 12	17.078	44861.884	-21.727	-974714.1536	63104.611	7.149	451134.8640
(41 B- 36)	156 30 44	15.328	44847.826	-6.124	-274648.0864	63110.720	14.110	890492.2592
(41 B- 37)	163 54 33	.054	44847.774	15.646	701688.2720	63110.735	6.844	431929.8703
(41 B- 35)	246 33 15	17.070	44840.982	21.742	974932.6306	63095.074	-7.201	-454347.6278
TOTAL					-523.2339			523.2341
								261.617
(41 B- 7)	336 30 44	15.328	44861.884	-11.363	-509765.5878	63104.611	-21.826	-1377321.2396
(41 B- 8)	66 1 49	19.121	44869.652	-23.608	-1059282.7444	63122.083	6.432	406001.2378
(41 B- 38)	156 37 49	15.469	44855.452	11.363	509692.5010	63128.219	21.826	1377836.5078
(41 B- 36)	246 27 9	19.089	44847.826	23.608	1058767.4762	63110.720	-6.432	-405928.1510
TOTAL					-588.3550			588.3550
								294.177
(41 B- 8)	336 37 49	15.469	44869.652	4.317	193702.2876	63122.083	-15.014	-947714.9541
(41 B- 9)	65 53 30	1.993	44870.466	-14.108	-633032.5343	63123.902	27.715	1749478.9439
(41 B- 44)	156 41 45	31.063	44841.937	-10.766	-482768.2937	63136.191	29.192	1843071.6876
(41 B- 54)	246 28 31	1.661	44841.274	15.395	690331.4132	63134.668	6.634	418835.3875
(41 B- 45)	246 42 40	15.102	44835.303	17.837	799727.2996	63120.796	7.688	485272.6796
(41 B- 46)	246 35 8	4.321	44833.586	10.061	451070.7087	63116.831	-12.471	-787129.9994
(41 B- 37)	336 44 56	15.442	44847.774	6.111	274064.7469	63110.735	-14.240	-898696.8664
(41 B- 36)	343 54 33	.054	44847.826	-17.484	-784119.3897	63110.720	-7.678	-484564.1081
(41 B- 38)	66 27 9	19.089	44855.452	-11.363	-509692.5010	63128.219	-21.826	-1377836.5078
TOTAL					-716.2627			716.2628
								358.131

計算者

点検者

座標に依る方向角・距離及び面積計算書

(4)

点 名	方 向 角	距 離	1	2 (ΔY)	1 \times 2	3	4 (ΔX)	3 \times 4
			X 座 標	前点-後点		Y 座 標	前点-後点	
(41 B- 9)	336 41 45	31.063	44870.466	10.456	469165.5924	63123.902	-29.342	-1852181.5324
(41 B- 10)	66 4 52	2.005	44871.279	-7.945	-356502.3116	63125.735	13.405	846200.4776
(41 B- 39)	156 44 18	15.476	44857.061	-23.613	-1059209.7813	63131.847	6.593	416228.2672
(41 B- 40)	66 27 28	19.090	44864.686	-21.373	-958892.9338	63149.348	1.335	84304.3795
(41 B- 41)	156 37 44	9.761	44855.726	-6.155	-276086.9935	63153.220	14.333	905175.1022
(41 B- 42)	156 58 45	5.838	44850.353	4.642	208195.3386	63155.503	8.432	532527.2012
(41 B- 43)	246 10 3	7.571	44847.294	19.312	866090.9417	63148.578	8.416	531458.4324
(41 B- 44)	246 36 47	13.496	44841.937	24.676	1106519.6374	63136.191	-23.172	-1462991.8178
TOTAL					-720.5101			720.5099
								360.255
(41 B- 10)	336 44 18	15.476	44871.279	-11.299	-507000.5814	63125.735	-21.959	-1386178.0148
(41 B- 11)	66 1 48	19.054	44879.020	-23.613	-1059728.2992	63143.146	6.593	416302.7615
(41 B- 40)	156 36 11	15.618	44864.686	11.299	506926.0871	63149.348	21.959	1386696.5327
(41 B- 39)	246 27 28	19.090	44857.061	23.613	1059209.7813	63131.847	-6.593	-416228.2672
TOTAL					-593.0122			593.0122
								296.506
(41 B- 11)	336 36 11	15.618	44879.020	-24.432	-1096484.2166	63143.146	-27.961	-1765545.5053
(41 B- 12)	66 1 8	33.528	44892.647	-33.331	-1496316.8171	63173.780	-12.121	-765729.3873
(41 B- 13)	119 10 44	3.089	44891.141	-4.835	-217048.6667	63176.477	26.003	1642777.9314
(41 B- 14)	175 00 44	24.590	44866.644	23.257	1043463.5395	63178.615	35.415	2237470.6502
(41 B- 41)	246 44 9	27.643	44855.726	29.267	1312792.5328	63153.220	1.958	123654.0047
(41 B- 40)	336 37 44	9.761	44864.686	10.074	451966.8467	63149.348	-23.294	-1471000.9123
TOTAL					-1626.7814			1626.7814
								813.390

計算者

点検者

座標に依る方向角・距離及び面積計算書

(5)

点名	方向角	距離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X 座標	前点-後点		Y 座標	前点-後点	
(41 B- 14)	66 44 9	27.643	44866.644	-26.513	-1189549.3323	63178.615	1.714	108288.1461
(41 B- 15)	174 56 32	12.681	44854.012	-.616	-27630.0713	63179.733	14.749	931837.8820
(41 B- 16)	193 20 24	2.176	44851.895	1.555	69744.6967	63179.231	6.458	408011.4737
(41 B- 17)	193 38 6	4.467	44847.554	22.434	1006110.0264	63178.178	4.519	285502.1863
(41 B- 53)	269 31 23	21.382	44847.376	22.675	1016914.2508	63156.797	-2.799	-176775.8748
(41 B- 42)	336 30 25	3.246	44850.353	3.577	160429.7126	63155.503	-8.350	-527348.4500
(41 B- 41)	336 58 45	5.838	44855.726	-23.112	-1036705.5393	63153.220	-16.291	-1028829.1070
TOTAL					-686.2564			686.2563
								343.128
(41 B- 17)	89 31 23	21.382	44847.554	-20.360	-913096.1994	63178.178	4.144	261810.3696
(41 B- 18)	193 17 29	4.441	44843.232	1.348	60448.6767	63177.157	7.276	459676.9943
(41 B- 19)	186 19 00	2.972	44840.278	.617	27666.4515	63176.830	5.846	369331.7481
(41 B- 20)	185 43 35	2.907	44837.386	1.978	88688.3495	63176.540	5.396	340900.6098
(41 B- 21)	213 59 5	3.020	44834.882	12.321	552410.5811	63174.852	7.078	447151.6024
(41 B- 22)	246 43 27	11.575	44830.308	18.055	809411.2109	63164.219	-12.494	-789173.7521
(41 B- 53)	336 29 54	18.612	44847.376	-13.959	-626024.5215	63156.797	-17.246	-1089202.1210
TOTAL					-495.4512			495.4511
								247.725
(41 B- 22)	156 29 54	18.612	44830.308	-.443	-19859.8264	63164.219	20.084	1268590.1743
(41 B- 23)	246 37 42	7.603	44827.292	15.641	701143.6741	63157.240	-16.986	-1072788.8786
(41 B- 43)	336 35 5	21.797	44847.294	1.737	77899.7496	63148.578	-23.061	-1456269.3572
(41 B- 42)	66 10 3	7.571	44850.353	-8.219	-368625.0513	63155.503	-.082	-5178.7512
(41 B- 53)	156 30 25	3.246	44847.376	-8.716	-390889.7292	63156.797	20.045	1265977.9958
TOTAL					-331.1832			331.1831
								165.591

計算者

点検者

座標に依る方向角・距離及び面積計算書

(6)

点名	方向角	距離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X 座標	前点-後点		Y 座標	前点-後点	
(41 B- 23)	156 35 5	21.797	44827.292	5.268	236150.1742	63157.240	26.023	1643540.8565
(41 B- 55)	246 37 28	15.176	44821.271	22.572	1011705.7290	63143.310	-13.982	-882869.7604
(41 B- 54)	336 38 2	21.790	44841.274	7.119	319225.0296	63134.668	-20.666	-1304741.0488
(41 B- 44)	66 28 31	1.661	44841.937	-13.910	-623751.3436	63136.191	-6.020	-380079.8698
(41 B- 43)	66 36 47	13.496	44847.294	-21.049	-943990.6914	63148.578	14.645	924810.9248
TOTAL					-661.1022			661.1023
								330.551
(41 B- 55)	156 38 2	21.790	44821.271	5.237	234728.9962	63143.310	25.976	1640210.6205
(41 B- 24)	246 42 53	15.110	44815.298	22.514	1008971.6191	63129.431	-14.032	-885832.1757
(41 B- 45)	336 39 11	21.789	44835.303	-5.237	-234802.4818	63120.796	-25.976	-1639625.7968
(41 B- 54)	66 42 40	15.102	44841.274	-22.514	-1009556.4428	63134.668	14.032	885905.6613
TOTAL					-658.3093			658.3093
								329.154

計算者

点検者

座標に依る方向角・距離及び面積計算書

点名	方向角	距離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X座標	前点-後点		Y座標	前点-後点	
(41 B- 24)	156 39 11	21.789	44815.298	2.370	106212.2562	63129.431	24.762	1563210.9704
(41 B- 25)	246 37 24	11.989	44810.541	19.636	879899.7830	63118.426	-15.259	-963124.0623
(41 B- 47)	336 40 27	21.798	44830.557	1.595	71504.7384	63109.795	-23.045	-1454365.2257
(41 B- 46)	66 42 29	7.660	44833.586	-11.001	-493214.2795	63116.831	-4.746	-299552.4799
(41 B- 45)	66 35 8	4.321	44835.303	-12.600	-564924.8178	63120.796	18.288	1154353.1172
TOTAL					-522.3197			522.3197
								261.159
(41 B- 25)	156 40 27	21.798	44810.541	2.370	106200.9821	63118.426	24.761	1562875.3461
(41 B- 26)	246 40 6	11.981	44805.796	19.630	879537.7754	63107.425	-15.282	-964407.6688
(41 B- 49)	336 41 25	21.807	44825.823	8.063	361430.6108	63098.796	-20.258	-1278255.4093
(41 B- 48)	67 47 54	.611	44826.054	-10.999	-493041.7679	63099.362	-4.734	-298712.3797
(41 B- 47)	66 39 16	11.363	44830.557	-19.064	-854649.7386	63109.795	15.513	979022.2498
TOTAL					-522.1382			522.1381
								261.069

計算者

点検者

座標に依る方向角・距離及び面積計算書

点名	方向角	距離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X座標	前点-後点		Y座標	前点-後点	
(41 B- 26)	156 41 25	21.807	44805.796	4.434	198668.8994	63107.425	25.680	1620598.6740
(41 B- 27)	246 35 58	14.234	44800.143	21.656	970191.8968	63094.362	-14.372	-906792.1706
(41 B- 50)	336 46 31	21.791	44820.168	-4.434	-198732.6249	63085.769	-25.680	-1620042.5479
(41 B- 49)	66 32 4	14.201	44825.823	-21.656	-970748.0228	63098.796	14.372	906855.8961
TOTAL					-619.8515			619.8516
								309.925
(41 B- 27)	156 46 31	21.791	44800.143	2.364	105907.5380	63094.362	24.733	1560512.8553
(41 B- 28)	246 44 52	11.926	44795.435	19.638	879692.7525	63083.405	-15.305	-965491.5135
(41 B- 52)	336 33 1	21.815	44815.448	1.608	72063.2403	63074.724	-23.063	-1454692.3596
(41 B- 51)	66 40 24	7.703	44818.498	-11.045	-495020.3104	63081.797	-4.720	-297746.0818
(41 B- 50)	67 11 46	4.309	44820.168	-12.565	-563165.4109	63085.769	18.355	1157939.2899
TOTAL					-522.1905			522.1903
								261.095
(41 B- 28)	156 33 1	21.815	44795.435	2.799	125382.4225	63083.405	24.961	1574624.8722
(41 B- 29)	246 41 00	12.501	44790.487	14.304	640683.1260	63071.925	3.884	244971.3567
(41 B- 30)	290 38 42	3.018	44791.551	10.790	483300.8352	63069.101	-19.077	-1203169.2397
(41 B- 31)	336 8 36	19.696	44809.564	-5.623	-251964.1783	63061.135	-23.897	-1506971.9430
(41 B- 52)	66 35 15	14.808	44815.448	-22.270	-998040.0269	63074.724	14.129	891182.7753
TOTAL					-637.8215			637.8215
								318.910

計算者

点検者

座標に依る方向角・距離及び面積計算書

(1)

点名	方向角	距離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X 座標	前点-後点		Y 座標	前点-後点	
(49 B- 1)	66 49 11	2.447	44896.549	-5.051	-226772.4689	63011.502	.051	3213.5866
(49 B- 2)	109 53 40	2.980	44895.535	-8.300	-372632.9405	63014.304	13.429	846219.0884
(49 B- 3)	156 6 50	13.578	44883.120	10.594	475491.7732	63019.802	19.567	1233108.4657
(49 B- 30)	246 2 15	17.610	44875.968	23.160	1039327.4188	63003.710	-8.381	-528034.0935
(49 B- 26)	335 31 59	17.065	44891.501	5.672	254624.5936	62996.642	-15.871	-999819.7051
(49 B- 27)	76 23 22	1.436	44891.839	-7.087	-318148.4629	62998.038	-1.991	-125429.0936
(49 B- 28)	73 48 13	5.926	44893.492	-11.215	-503480.5127	63003.729	-3.747	-236074.9725
(49 B- 29)	69 14 23	5.908	44895.586	-7.773	-348973.3899	63009.253	-3.057	-192619.2864
TOTAL					-563.9893			563.9896
								281.994
(49 B- 3)	66 2 15	17.610	44883.120	-22.349	-1003092.8488	63019.802	7.007	441579.7526
(49 B- 4)	156 9 32	15.480	44868.961	9.811	440209.3763	63026.059	21.299	1342392.0306
(49 B- 31)	246 2 29	17.583	44861.821	22.349	1002616.8375	63009.991	-7.007	-441511.0069
(49 B- 30)	336 3 35	15.479	44875.968	-9.811	-440278.1220	63003.710	-21.299	-1341916.0192
TOTAL					-544.7570			544.7571
								272.378
(49 B- 4)	66 2 29	17.583	44868.961	-28.286	-1269163.4308	63026.059	20.473	1290332.5059
(49 B- 5)	156 7 55	30.195	44841.348	-11.203	-502357.6216	63038.277	30.388	1915607.1614
(49 B- 6)	200 5 27	2.955	44838.573	17.602	789248.5619	63037.262	10.105	636991.5325
(49 B- 7)	246 9 32	18.134	44831.243	29.794	1335702.0539	63020.675	-22.120	-1394017.3310
(49 B- 32)	335 50 45	32.276	44860.693	10.684	479291.6440	63007.468	-30.578	-1926642.3565
(49 B- 31)	65 54 40	2.764	44861.821	-18.591	-834026.1142	63009.991	-8.268	-520966.6055
TOTAL					-1304.9068			1304.9068
								652.453

計算者

点検者

座標に依る方向角・距離及び面積計算書

点名	方向角	距離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X座標	前点-後点		Y座標	前点-後点	
(49 B- 7)	155 50 45	32.276	44831.243	12.401	555952.2444	63020.675	40.907	2577986.7522
(49 B- 8)	245 53 47	28.054	44819.786	38.204	1712295.1043	62995.067	-18.356	-1156337.4498
(49 B- 34)	337 5 45	32.365	44849.599	1.264	56689.8931	62982.471	-34.827	-2193490.5175
(49 B- 33)	66 7 56	12.392	44854.613	-24.997	-1121230.7611	62993.803	-11.094	-698853.2504
(49 B- 32)	66 00 51	14.957	44860.693	-26.872	-1205496.5422	63007.468	23.370	1472484.5271
TOTAL					-1790.0615			1790.0616
								895.030
(49 B- 8)	157 5 45	32.365	44819.786	6.094	273131.7758	62995.067	38.145	2402946.8307
(49 B- 9)	245 58 22	20.463	44811.454	31.273	1401388.6009	62976.377	-21.486	-1353110.4362
(49 B- 35)	337 7 14	32.364	44841.272	-6.094	-273262.7115	62963.794	-38.145	-2401753.9221
(49 B- 34)	65 58 14	20.449	44849.599	-31.273	-1402581.5095	62982.471	21.486	1353241.3719
TOTAL					-1323.8443			1323.8443
								661.922
(49 B- 9)	157 7 14	32.364	44811.454	5.482	245656.3908	62976.377	37.866	2384663.4914
(49 B- 10)	245 59 13	19.777	44803.406	43.142	1932908.5416	62958.312	-1.723	-108477.1715
(49 B- 11)	291 17 16	26.913	44813.177	11.682	523507.5337	62933.235	-44.616	-2807829.2127
(49 B- 36)	21 1 39	37.331	44848.022	-30.559	-1370510.7042	62946.630	-28.095	-1768485.5698
(49 B- 35)	111 28 5	18.444	44841.272	-29.747	-1333893.3181	62963.794	36.568	2302460.0189
TOTAL					-2331.5562			2331.5563
								1165.778

計算者

点検者

座標に依る方向角・距離及び面積計算書

点名	方向角	距離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X座標	前点-後点		Y座標	前点-後点	
(49 B- 11)	201 1 39	37.331	44813.177	28.679	1285197.1031	62933.235	28.852	1815749.6962
(49 B- 12)	291 24 38	16.417	44819.170	16.429	736334.1439	62917.951	-8.768	-551664.5943
(49 B- 13)	337 34 42	3.002	44821.945	-11.986	-537235.8327	62916.806	-35.384	-2226248.2635
(49 B- 14)	21 56 1	35.154	44854.554	-29.824	-1337742.2184	62929.937	-26.077	-1641023.9671
(49 B- 36)	111 22 14	17.925	44848.022	-3.298	-147908.7765	62946.630	41.377	2604542.7095
TOTAL					-1355.5806			1355.5808
								677.790
(49 B- 14)	291 22 14	17.925	44854.554	-0.079	-3543.5097	62929.937	-47.957	-3017930.9887
(49 B- 15)	22 2 31	44.692	44895.979	-19.543	-877402.1175	62946.709	-42.564	-2679263.7218
(49 B- 16)	67 39 19	2.996	44897.118	-5.152	-231309.9519	62949.480	-0.113	-7113.2912
(49 B- 17)	113 18 42	2.593	44896.092	-7.840	-351985.3612	62951.861	3.271	205915.5373
(49 B- 18)	112 21 17	5.903	44893.847	-11.088	-497782.9755	62957.320	4.025	253403.2130
(49 B- 19)	107 32 53	5.904	44892.067	-11.389	-511275.7510	62962.949	3.074	193548.1052
(49 B- 20)	102 39 41	5.904	44890.773	-11.632	-522169.4715	62968.709	1.945	122474.1390
(49 B- 21)	96 19 35	5.908	44890.122	-9.301	-417523.0247	62974.581	0.823	51828.0801
(49 B- 22)	92 52 18	3.433	44889.950	-19.222	-862874.6189	62978.010	35.509	2236286.1570
(49 B- 33)	155 55 8	38.706	44854.613	-4.461	-200096.4285	62993.803	40.351	2541862.9448
(49 B- 34)	246 7 56	12.392	44849.599	30.009	1345891.6163	62982.471	13.341	840249.1456
(49 B- 35)	245 58 14	20.449	44841.272	35.841	1607156.0297	62963.794	1.577	99293.9031
(49 B- 36)	291 28 5	18.444	44848.022	33.857	1518419.4808	62946.630	-13.282	-836057.1396
TOTAL					-4496.0836			4496.0838
								2248.941

計算者

点検者

画地測量設計株式会社

座標に依る方向角・距離及び面積計算書

()

点名	方向角	距離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X 座標	前点-後点		Y 座標	前点-後点	
49 B- 38	22 2 31	12.993	44866.597	-21.490	-964183.1695	62934.813	-5.317	-334624.4007
49 B- 37	112 2 31	17.924	44859.871	-11.817	-530109.0956	62951.427	18.575	1169322.7565
49 B- 36	202 2 31	12.783	44848.022	21.490	963783.9927	62946.630	5.317	334687.2317
49 B- 14	291 22 14	17.925	44854.554	11.817	530046.2646	62929.937	-18.575	-1168923.5797
TOTAL					-462.0078			462.0078
								231.003

計算者

点検者

画地測量設計株式会社

座標に依る方向角・距離及び面積計算書

()

点 名	方 向 角	距 離	1	2 (ΔY)	1 × 2	3	4 (ΔX)	3 × 4
			X 座 標	前点-後点		Y 座 標	前点-後点	
49 B- 15	22 2 31	31.699	44895.979	-14.667	-658489.3239	62946.709	-30.521	-1921196.5053
49 B- 16	67 39 19	2.996	44897.118	-5.152	-231309.9519	62949.480	-.113	-7113.2912
49 B- 17	113 18 42	2.593	44896.092	-7.840	-351985.3612	62951.861	3.271	205915.5373
49 B- 18	112 21 17	5.903	44893.847	-11.088	-497782.9755	62957.320	4.025	253403.2130
49 B- 19	107 32 53	5.904	44892.067	-11.389	-511275.7510	62962.949	3.074	193548.1052
49 B- 20	102 39 41	5.904	44890.773	-11.632	-522169.4715	62968.709	1.945	122474.1390
49 B- 21	96 19 35	5.908	44890.122	-9.301	-417523.0247	62974.581	.823	51828.0801
49 B- 22	92 52 18	3.433	44889.950	-19.222	-862874.6189	62978.010	35.509	2236286.1570
49 B- 33	155 55 8	38.706	44854.613	-4.461	-200096.4285	62993.803	40.351	2541862.9448
49 B- 34	246 7 56	12.392	44849.599	30.009	1345891.6163	62982.471	13.341	840249.1456
49 B- 35	245 58 14	20.449	44841.272	35.841	1607156.0297	62963.794	1.577	99293.9031
49 B- 36	291 28 5	18.444	44848.022	12.367	554635.4880	62946.630	-18.599	-1170744.3713
49 B- 37	22 2 31	12.783	44859.871	11.817	530109.0956	62951.427	-18.575	-1169322.7565
49 B- 38	292 2 31	17.924	44866.597	4.718	211680.6046	62934.813	-36.108	-2272450.2278
TOTAL					-4034.0729			4034.0730
								2017.036

計算者

点検者

座標に依る方向角・距離及び面積計算書

()

点	名	方 向 角	距 離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
				X 座 標	前点-後点		Y 座 標	前点-後点	
49	B- 22	335 55 8	38.706	44889.950	13.327	598248.3636	62978.010	-35.253	-2220163.7865
49	B- 23	91 57 3	2.467	44889.866	-5.103	-229072.9861	62980.476	-.003	-188.9414
49	B- 55	88 7 40	2.638	44889.953	-1.576	-70746.5659	62983.113	1.609	101339.8288
49	B- 54	212 1 24	2.000	44888.257	-4.846	-217528.4934	62982.052	14.912	939188.3594
49	B- 57	155 55 8	14.476	44875.041	-19.347	-868197.4182	62987.959	7.209	454080.1964
49	B- 58	65 55 8	14.721	44881.048	-15.751	-706921.3870	63001.399	-.927	-58402.2968
49	B- 30	155 31 59	5.581	44875.968	-8.592	-385574.3170	63003.710	19.227	1211372.3321
49	B- 31	156 3 35	15.479	44861.821	-3.758	-168590.7233	63009.991	15.275	962477.6125
49	B- 32	245 54 40	2.764	44860.693	16.188	726204.8982	63007.468	7.208	454157.8293
49	B- 33	246 00 51	14.957	44854.613	29.458	1321327.1897	62993.803	-29.257	-1843009.6943
	TOTAL					-851.4394			851.4395
									425.719

計算者

点検者

座標に依る方向角・距離及び面積計算書

()

点 名	方 向 角	距 離	1	2 (ΔY)	1 \times 2	3	4 (ΔX)	3 \times 4
			X 座 標	前点-後点		Y 座 標	前点-後点	
49 B- 55	32 1 24	2.000	44889.953	-4.328	-194283.7165	62983.113	-1.802	-113495.5696
49 B- 24	88 7 40	3.269	44890.059	-9.135	-410070.6889	62986.380	-.734	-46232.0029
49 B- 25	83 53 29	5.902	44890.687	-10.262	-460668.2299	62992.248	-1.442	-90834.8216
49 B- 26	79 30 17	4.469	44891.501	-9.151	-410802.1256	62996.642	9.639	607224.6322
49 B- 58	155 31 59	11.484	44881.048	8.683	389702.1397	63001.399	16.460	1037003.0275
49 B- 57	245 55 8	14.721	44875.041	19.347	868197.4182	62987.959	-7.209	-454080.1964
49 B- 54	335 55 8	14.476	44888.257	4.846	217528.4934	62982.052	-14.912	-939188.3594
TOTAL					-396.7096			396.7098
								198.354

計算者

点検者

座標に依る方向角・距離及び面積計算書

点名	方向角	距離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X座標	前点-後点		Y座標	前点-後点	
(50 B- 1)	65 59 27	65.808	44833.059	-62.905	-2820223.5763	63039.671	-25.631	-1615769.8074
(50 B- 2)	112 18 21	3.017	44831.914	-12.362	-554212.1208	63042.462	22.697	1430874.7600
(50 B- 3)	156 3 16	23.582	44810.362	39.800	1783452.4076	63052.033	42.901	2704995.2677
(50 B- 17)	246 36 55	53.789	44789.013	62.563	2802135.0203	63002.662	27.052	1704348.0124
(50 B- 16)	246 37 15	14.372	44783.310	15.864	710442.4298	62989.470	-.455	-28660.2088
(50 B- 15)	336 32 37	6.713	44789.468	9.913	443997.9962	62986.798	-22.973	-1446995.7104
(50 B- 14)	336 42 7	18.308	44806.283	-52.873	-2369042.6010	62979.557	-43.591	-2745341.8691
TOTAL					-3450.4442			3450.4444
								1725.222
(50 B- 3)	66 36 55	53.789	44810.362	-59.122	-2649278.2221	63052.033	.691	43568.9548
(50 B- 4)	156 8 4	24.101	44788.322	-8.670	-388314.7517	63061.784	24.762	1561535.8954
(50 B- 5)	201 39 35	2.929	44785.600	48.743	2182984.5008	63060.703	23.358	1472971.9006
(50 B- 6)	246 35 21	51.938	44764.964	58.041	2598203.2755	63013.041	-3.413	-215063.5089
(50 B- 17)	336 39 22	26.193	44789.013	-38.992	-1746413.1948	63002.662	-45.398	-2860194.8494
TOTAL					-2818.3923			2818.3925
								1409.196
(50 B- 6)	156 39 22	26.193	44764.964	2.817	126102.9035	63013.041	29.762	1875394.1262
(50 B- 7)	246 35 26	14.380	44759.251	20.308	908970.8693	62999.845	-10.779	-679075.3292
(50 B- 18)	336 40 22	17.960	44775.743	10.375	464548.3336	62992.733	-24.059	-1515542.1632
(50 B- 16)	336 40 22	8.241	44783.310	-9.929	-444653.4849	62989.470	-13.270	-835870.2669
(50 B- 17)	66 37 15	14.372	44789.013	-23.571	-1055721.8254	63002.662	18.346	1155846.8370
TOTAL					-753.2039			753.2039
								376.601

計算者

点検者

座標に依る方向角・距離及び面積計算書

点名	方向角	距離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X 座標	前点-後点		Y 座標	前点-後点	
(50 B- 7)	156 40 22	17.960	44759.251	5.933	265556.6361	62999.845	22.186	1397714.5611
(50 B- 8)	246 25 9	14.234	44753.557	15.934	713103.1772	62986.800	4.691	295471.0788
(50 B- 9)	289 8 45	3.058	44754.560	9.971	446247.7177	62983.911	-15.328	-965417.3878
(50 B- 10)	333 41 35	15.980	44768.885	-8.822	-394951.1034	62976.829	-21.183	-1334038.1687
(50 B- 18)	66 40 22	17.320	44775.743	-23.016	-1030558.5008	62992.733	9.634	606871.9897
TOTAL					-602.0732			602.0731
								301.036
(50 B- 10)	246 40 22	17.320	44768.885	22.593	1011463.4188	62976.829	-6.617	-416717.6774
(50 B- 11)	333 36 1	15.044	44782.360	-9.969	-446435.3468	62970.140	-20.583	-1296114.3916
(50 B- 15)	66 53 31	18.111	44739.468	-19.330	-865780.4164	62986.798	-.950	-59837.4581
(50 B- 16)	156 32 37	6.713	44733.310	-5.935	-265788.9448	62989.470	13.725	864530.4757
(50 B- 18)	156 40 22	8.241	44775.743	12.641	566010.1672	62992.733	14.425	908670.1735
TOTAL					-531.1220			531.1221
								265.561
(50 B- 11)	246 53 31	18.111	44782.360	23.766	1064297.5677	62970.140	-7.178	-451999.6649
(50 B- 12)	333 32 50	15.957	44796.646	6.127	274469.0500	62963.032	-17.023	-1071819.6937
(50 B- 13)	19 43 8	2.907	44799.383	-16.525	-740309.8040	62964.013	-9.637	-606784.1932
(50 B- 14)	66 3 49	17.007	44806.283	-22.785	-1020911.1581	62979.557	9.915	624442.3076
(50 B- 15)	156 42 7	18.308	44739.468	9.417	421782.4201	62986.798	23.923	1506833.1685
TOTAL					-671.9243			671.9243
								335.962

計算者

点検者

画地測量設計株式会社

座標に依る方向角・距離及び面積計算書

55-1BL
1

点名	方向角	距離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X座標	前点-後点		Y座標	前点-後点	
(55 B- 1)	22 16 14	13.180	44810.535	-7.808	-349880.6572	62912.055	-13.426	-844657.2504
(55 B- 2)	66 23 58	3.070	44811.764	-14.753	-661107.9542	62914.868	3.438	216301.3161
(55 B- 3)	111 20 57	12.820	44807.097	-5.167	-231518.2701	62926.808	21.268	1338327.3525
(55 B- 26)	202 11 41	17.929	44790.496	18.655	835566.7028	62920.035	11.498	723454.5624
(55 B- 27)	293 14 32	12.931	44795.599	12.975	581222.8970	62908.153	-7.842	-493325.7358
(55 B- 28)	338 14 44	2.949	44798.338	-3.902	-174803.1148	62907.060	-14.936	-939579.8481
TOTAL					-520.3965			520.3967
								260.198
(55 B- 3)	22 11 41	17.929	44807.097	-22.018	-986562.6617	62926.808	-10.665	-671114.4073
(55 B- 4)	111 16 29	16.360	44801.161	-8.290	-371401.6246	62942.053	22.989	1446974.8564
(55 B- 25)	202 11 16	18.417	44784.108	22.018	986056.4899	62935.098	10.665	671202.8201
(55 B- 26)	292 58 52	16.362	44790.496	8.290	371313.2118	62920.035	-22.989	-1446468.6846
TOTAL					-594.5846			594.5846
								297.292
(55 B- 4)	22 11 16	18.417	44801.161	-17.578	-787514.8080	62942.053	-12.963	-815917.8330
(55 B- 5)	111 3 27	11.383	44797.071	-12.867	-576403.9125	62952.676	6.123	385459.2351
(55 B- 6)	132 10 32	3.028	44795.038	-2.922	-130891.1010	62954.920	3.434	216187.1952
(55 B- 7)	154 10 33	1.556	44793.637	14.696	658287.2893	62955.598	13.097	824529.4670
(55 B- 24)	232 44 15	19.317	44781.941	20.500	918029.7905	62940.224	9.529	599757.3944
(55 B- 25)	292 54 58	5.565	44784.108	-1.829	-81910.1335	62935.098	-19.220	-1209612.5835
TOTAL					-402.8752			402.8752
								201.437

計算者

占検者

座標に依る方向角・距離及び面積計算書

()

点名	方向角	距離	1		1×2	3		4 (ΔX)	
			X座標	前点-後点		Y座標	前点-後点	3×4	
55 B-7	52 44 15	19.317	44793.637	-24.322	-1089470.8391	62955.598	6.295	396305.4894	
55 B-8-1	153 33 20	20.094	44775.646	8.756	392055.5563	62964.546	26.345	1658800.9643	
55 B-23	244 44 19	19.576	44767.292	24.322	1088830.0760	62946.842	-6.295	-396250.3703	
55 B-24	335 41 17	16.075	44781.941	-8.756	-392110.6753	62940.224	-26.345	-1658160.2012	
TOTAL					-695.8821			695.8822	
								347.941	

計算者

点検者

座標に依る方向角・距離及び面積計算書

()

点 名	方 向 角	距 離	1		1 × 2	3		4 (△X)	
			X 座 標	2 (△Y) 前点-後点		Y 座 標	前点-後点	3 × 4	
55 B- 9	153 33 20	29.162	44749.535	5.996	268318.2118	62977.533	34.269	2158177.0783	
55 B-22	246 44 39	20.662	44741.377	30.691	1373157.6015	62958.550	-17.757	-1117954.9723	
55 B-23	335 41 17	28.437	44767.292	-5.996	-268424.6828	62946.842	-34.269	-2157125.3284	
55 B- 8-1	64 44 19	19.576	44775.646	-30.691	-1374209.3513	62964.546	17.757	1118061.4433	
TOTAL					-1158.2208			1158.2209	
								579.110	

計算者

点検者

座標に依る方向角・距離及び面積計算書

55-1BL
(2)

点名	方向角	距離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X 座標	前点-後点		Y 座標	前点-後点	
(55 B- 7)	52 44 15	19.317	44793.637	-37.398	-1675192.4365	62955.598	32.585	2051408.1608
(55 B- 10)	153 33 20	49.456	44749.356	-3.172	-141944.9572	62977.622	52.748	3321943.6052
(55 B- 21)	245 48 49	20.666	44740.889	37.398	1673219.7668	62958.770	-32.585	-2051511.5204
(55 B- 24)	335 41 17	45.047	44781.941	3.172	142048.3168	62940.224	-52.748	-3319970.9355
TOTAL					-1869.3101			1869.3101
								934.655
(55 B- 10)	65 48 49	20.666	44749.356	-19.898	-890422.6856	62977.622	-6.396	-402804.8703
(55 B- 11)	153 12 11	2.320	44747.285	17.888	800439.4340	62978.668	10.565	665369.6274
(55 B- 20)	245 50 19	20.752	44738.791	19.898	890212.4633	62959.734	6.396	402690.4586
(55 B- 21)	335 19 19	2.309	44740.889	-17.888	-800325.0224	62958.770	-10.565	-665159.4050
TOTAL					-95.8107			95.8107
								47.905
(55 B- 11)	65 50 19	20.752	44747.285	-27.015	-1208847.9042	62978.668	7.690	484305.9569
(55 B- 12)	153 27 58	18.089	44731.101	11.624	519954.3180	62986.749	24.731	1557725.2895
(55 B- 19)	246 33 5	21.479	44722.554	27.015	1208179.7963	62967.044	-7.690	-484216.5683
(55 B- 20)	335 45 45	17.807	44738.791	-11.624	-520043.7065	62959.734	-24.731	-1557057.1815
TOTAL					-757.4964			757.4966
								378.748

計算者

占検者

座標に依る方向角・距離及び面積計算書

点名	方向角	距離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X座標	前点-後点		Y座標	前点-後点	
(55 B- 12)	66 33 5	21.479	44731.101	-27.133	-1213688.9634	62986.749	6.481	408217.1202
(55 B- 13)	153 41 52	16.764	44716.073	-7.096	-317305.2540	62994.177	15.972	1006142.9950
(55 B- 14)	199 22 35	1.001	44715.129	19.070	852717.5100	62993.845	9.619	605937.7950
(55 B- 17)	245 9 27	20.649	44706.454	19.658	878839.4727	62975.107	8.314	523575.0395
(55 B- 18)	291 25 29	.988	44706.815	8.063	360471.0493	62974.187	-16.100	-1013884.4107
(55 B- 19)	335 35 22	17.284	44722.554	-12.562	-561804.7233	62967.044	-24.286	-1529217.6305
TOTAL					-770.9087			770.9085
								385.454
(55 B- 14)	65 9 27	20.649	44715.129	-18.063	-807689.3751	62993.845	-6.826	-429995.9859
(55 B- 15)	200 3 19	1.968	44713.280	16.881	754804.8796	62993.170	9.408	592639.7433
(55 B- 16)	244 59 39	17.882	44705.721	18.063	807519.4384	62976.964	6.826	429880.7562
(55 B- 17)	291 32 25	1.996	44706.454	-16.881	-754689.6499	62975.107	-9.408	-592469.8066
TOTAL					-54.7070			54.7070
								27.353

計算者

占検者

座標に依る方向角・距離及び面積計算書

55-1BL
(4)

点 名	方 向 角	距 離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X 座 標	前点-後点		Y 座 標	前点-後点	
(55 B- 10)	65 48 49	20.666	44749.356	-18.763	-839632.1666	62977.622	-8.646	-544504.5198
(55 B- 9)	333 33 20	.200	44749.535	19.072	853463.1315	62977.533	7.979	502497.7358
(55 B- 22)	246 44 39	20.662	44741.377	18.763	839482.4566	62958.550	8.646	544339.6233
(55 B- 21)	155 41 17	.535	44740.889	-19.072	-853298.2350	62958.770	-7.979	-502348.0258
TOTAL					15.1865			-15.1865
								7.593
(55 B- 9)	66 44 39	20.662	44749.535	-5.817	-260308.0450	62977.533	-34.630	-2180911.9677
(55 B- 8)	333 33 20	29.566	44776.007	30.691	1374220.4308	62964.367	-17.757	-1118058.2648
(55 B- 23)	243 33 34	19.572	44767.292	5.817	260411.3375	62946.842	34.630	2179849.1384
(55 B- 22)	155 41 17	28.437	44741.377	-30.691	-1373157.6015	62958.550	17.757	1117954.9723
TOTAL					1166.1218			-1166.1218
								-583.060
(55 B- 8)	63 33 34	19.572	44776.007	-8.756	-392058.7172	62964.367	-26.345	-1658796.2486
(55 B- 7)	333 33 20	19.690	44793.637	24.143	1081452.7780	62955.598	-5.934	-373578.5185
(55 B- 24)	232 44 15	19.317	44781.941	8.756	392110.6753	62940.224	26.345	1658160.2012
(55 B- 23)	155 41 17	16.075	44767.292	-24.143	-1080816.7307	62946.842	5.934	373526.5604
TOTAL					688.0054			-688.0055
								-344.002

計算者

占検者

座標に依る方向角・距離及び面積計算書

55-2BL
(1)

点 名	方 向 角	距 離	1	2 (ΔY)	1 × 2	3	4 (ΔX)	3 × 4
			X 座 標	前点-後点		Y 座 標	前点-後点	
(55 B- 29)	22 28 17	13.199	44790.728	-7.797	-349233.3062	62903.900	-13.339	-839075.1221
(55 B- 30)	67 27 47	2.980	44791.870	-17.484	-783141.0550	62906.652	5.169	325164.4841
(55 B- 31)	113 11 23	16.027	44785.559	-9.051	-405354.0945	62921.384	20.245	1273843.4190
(55 B- 54)	202 10 52	15.048	44771.625	22.529	1008659.9396	62915.703	7.028	442171.5606
(55 B- 53)	292 17 19	18.208	44778.531	11.803	528521.0013	62898.855	-19.103	-1201556.8270
TOTAL					-547.5148			547.5146
								273.757
(55 B- 31)	22 10 52	15.048	44785.559	-19.906	-891501.3374	62921.384	-7.838	-493177.8077
(55 B- 32)	113 11 50	15.476	44779.463	-16.383	-733621.9423	62935.609	8.179	514750.3460
(55 B- 33)	133 59 13	2.999	44777.380	-2.875	-128734.9675	62937.767	3.656	230100.4761
(55 B- 34)	155 29 45	1.729	44775.807	10.051	450041.6361	62938.484	12.564	790759.1129
(55 B- 57)	224 24 46	15.387	44764.816	23.434	1049018.6981	62927.716	5.800	364980.7528
(55 B- 55)	292 17 8	13.688	44770.007	12.013	537822.0940	62915.050	-6.809	-428388.5754
(55 B- 54)	21 58 42	1.745	44771.625	-6.334	-283583.4727	62915.703	-15.552	-978465.0130
TOTAL					-559.2917			559.2917
								279.645
(55 B- 34)	44 24 46	15.387	44775.807	-15.269	-683681.7970	62938.484	-1.096	-68980.5784
(55 B- 35)	155 32 25	10.871	44765.912	8.512	381047.4429	62942.985	15.806	994876.8209
(55 B- 58)	245 34 14	14.293	44760.001	15.269	683440.4552	62929.972	1.096	68971.2493
(55 B- 57)	334 53 43	5.317	44764.816	-8.512	-381038.1137	62927.716	-15.806	-994635.4790
TOTAL					-232.0126			232.0128
								116.006

計算者

点検者