

座標に依る方向角・距離及び面積計算書

55-2BL
(2)

点 名	方 向 角	距 離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X 座 標	前点-後点		Y 座 標	前点-後点	
(55 B- 35)	65 34 14	14.293	44765.912	-17.493	-783090.0986	62942.985	3.922	246862.3871
(55 B- 36)	155 30 20	10.805	44756.079	8.530	381769.3538	62947.465	15.737	990604.2567
(55 B- 59)	245 35 28	14.287	44750.175	17.493	782814.8112	62934.455	-3.922	-246828.9325
(55 B- 58)	335 28 33	10.800	44760.001	-8.530	-381802.8085	62929.972	-15.737	-990328.9693
TOTAL					-308.7421			308.7420
								154.371
(55 B- 36)	65 35 28	14.287	44756.079	-19.213	-859898.5458	62947.465	7.779	489668.3302
(55 B- 37)	155 36 49	15.023	44742.396	6.819	305098.3983	62953.668	19.594	1233514.1707
(55 B- 61)	245 35 8	14.301	44736.485	16.651	744907.2117	62940.646	-2.167	-136392.3798
(55 B- 60)	335 48 30	8.856	44744.563	6.191	277013.5895	62937.017	-13.690	-861607.7627
(55 B- 59)	335 27 44	6.169	44750.175	-10.448	-467549.8284	62934.455	-11.516	-724753.1837
TOTAL					-429.1747			429.1747
								214.587
(55 B- 37)	65 35 8	14.301	44742.396	-21.008	-939948.2551	62953.668	11.739	739013.1086
(55 B- 38)	155 39 18	19.373	44724.746	5.051	225904.6920	62961.654	23.533	1481676.6035
(55 B- 63)	245 42 45	14.303	44718.863	17.199	769119.7247	62948.617	-3.323	-209178.2542
(55 B- 62)	335 40 21	10.103	44728.069	7.971	356527.4379	62944.455	-17.622	-1109207.1860
(55 B- 61)	335 38 56	9.238	44736.485	-9.213	-412157.2363	62940.646	-14.327	-901750.6352
TOTAL					-553.6368			553.6367
								276.818

計算者

点検者

画地測量設計株式会社

座標に依る方向角・距離及び面積計算書

点 名	方 向 角	距 離	1	2 (ΔY)	1 × 2	3	4 (ΔX)	3 × 4
			X 座 標	前点-後点		Y 座 標	前点-後点	
(55 B- 38)	65 42 45	14.303	44724.746	-13.663	-611074.2045	62961.654	-4.519	-284523.7144
(55 B- 39)	155 20 51	1.501	44723.382	12.411	555061.8940	62962.280	7.242	455972.8317
(55 B- 64)	245 43 51	14.301	44717.504	13.663	610975.2571	62949.243	4.519	284467.6291
(55 B- 63)	335 16 4	1.496	44718.863	-12.411	-555005.8086	62948.617	-7.242	-455873.8843
TOTAL					-42.8620			42.8621
								21.431
(55 B- 39)	65 43 51	14.301	44723.382	-13.642	-610116.3772	62962.280	-4.506	-283708.0336
(55 B- 40)	156 12 16	1.499	44722.010	12.420	555447.3642	62962.885	7.248	456354.9904
(55 B- 66)	245 43 6	14.289	44716.134	13.327	595931.9178	62949.860	5.176	325828.4753
(55 B- 65)	336 39 48	.762	44716.834	.617	27590.2865	62949.558	-1.370	-86240.8944
(55 B- 64)	334 49 10	.740	44717.504	-12.722	-568896.0858	62949.243	-6.548	-412191.6431
TOTAL					-42.8945			42.8946
								21.447
(55 B- 40)	65 43 6	14.289	44722.010	-20.435	-913894.2743	62962.885	10.498	660984.3667
(55 B- 41)	155 39 4	17.973	44705.636	-6.115	-273374.9641	62970.295	19.060	1200213.8227
(55 B- 42)	205 44 24	2.982	44702.950	13.190	589631.9105	62969.000	5.526	347966.6940
(55 B- 43)	256 34 18	12.229	44700.110	19.140	855560.1054	62957.105	-13.184	-830026.4723
(55 B- 66)	335 40 14	17.586	44716.134	-5.780	-258459.2545	62949.860	-21.900	-1378601.9340
TOTAL					-536.4770			536.4771
								268.238

計算者

点検者

座標に依る方向角・距離及び面積計算書

点名	方向角	距離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X 座標	前点-後点		Y 座標	前点-後点	
(55 B- 1)	21 58 46	14.409	44746.321	-8.234	-368441.2071	62885.733	-14.394	-905177.2408
(55 B- 2)	70 2 11	3.023	44747.353	-12.931	-578628.0216	62888.574	3.089	194262.8050
(55 B- 3)	112 12 59	10.899	44743.232	-3.868	-173066.8213	62898.664	19.313	1214761.8978
(55 B- 21)	202 16 19	16.417	44728.040	18.324	819596.6049	62892.442	10.273	646094.0566
(55 B- 20)	292 7 11	13.063	44732.959	6.709	300113.4219	62880.340	-18.281	-1149515.4955
TOTAL					-426.0232			426.0231
								213.011
(55 B- 3)	22 16 19	16.417	44743.232	-20.958	-937728.6562	62898.664	-9.188	-577912.9248
(55 B- 4)	112 10 4	15.912	44737.228	-8.553	-382637.5110	62913.400	21.202	1333889.9068
(55 B- 23)	202 8 17	16.408	44722.030	16.775	750212.0532	62907.217	10.897	685499.9436
(55 B- 22)	292 6 1	11.432	44726.331	14.775	660831.5405	62896.625	-6.010	-378008.7162
(55 B- 21)	292 13 22	4.519	44728.040	-2.039	-91200.4735	62892.442	-16.901	-1062945.1622
TOTAL					-523.0470			523.0472
								261.523
(55 B- 4)	22 8 17	16.408	44737.228	-14.231	-636655.4916	62913.400	-11.938	-751060.1692
(55 B- 5)	112 3 5	8.683	44733.968	-10.207	-456599.6113	62921.448	5.345	336315.1395
(55 B- 6)	134 00 4	3.001	44731.883	-5.735	-256537.3490	62923.607	10.110	636157.6667
(55 B- 7)	155 58 55	8.786	44723.858	12.659	566159.3184	62927.183	15.423	970525.9434
(55 B- 25)	245 30 8	17.841	44716.460	17.844	797920.5122	62910.948	2.703	170048.2924
(55 B- 24)	341 4 59	4.963	44721.155	3.731	166854.6293	62909.339	-5.570	-350405.0182
(55 B- 23)	292 24 31	2.295	44722.030	-4.061	-181616.1638	62907.217	-16.073	-1011107.6988
TOTAL					-474.1558			474.1558
								237.077

計算者

点検者

座標に依る方向角・距離及び面積計算書

点 名	方 向 角	距 離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X 座 標	前点-後点		Y 座 標	前点-後点	
(55 B- 7)	65 30 8	17.841	44723.858	-17.190	-768803.1190	62927.183	-5.234	-329360.8758
(55 B- 8)	156 11 15	2.365	44721.694	15.542	695064.5681	62928.138	9.580	602851.5620
(55 B- 26)	245 47 40	18.087	44714.278	17.190	768638.4388	62911.641	5.234	329279.5289
(55 B- 25)	342 22 49	2.289	44716.460	-15.542	-694983.2213	62910.948	-9.580	-602686.8818
TOTAL					-83.3334			83.3333
								41.666
(55 B- 8)	65 47 40	18.087	44721.694	-21.606	-966256.9205	62928.138	3.809	239693.2776
(55 B- 9)	155 31 39	12.333	44710.469	12.638	565050.9072	62933.247	19.243	1211024.4720
(55 B- 27)	245 41 12	19.474	44702.451	21.606	965841.1563	62915.500	-3.809	-239645.1395
(55 B- 26)	341 55 45	12.441	44714.278	-12.638	-565099.0453	62911.641	-19.243	-1210608.7077
TOTAL					-463.9023			463.9024
								231.951
(55 B- 9)	65 41 12	19.474	44710.469	-23.309	-1042156.3219	62933.247	4.296	270361.2291
(55 B- 10)	155 41 32	13.512	44698.155	-4.261	-190458.8384	62938.809	15.047	947040.2590
(55 B- 11)	205 27 22	3.027	44695.422	19.860	887651.0809	62937.508	7.171	451324.8698
(55 B- 12)	256 33 5	19.082	44690.984	22.008	983559.1758	62918.949	-7.029	-442257.2925
(55 B- 27)	343 15 36	11.974	44702.451	-14.298	-639155.6443	62915.500	-19.485	-1225908.5175
TOTAL					-560.5479			560.5479
								280.273

計算者

点検者

座標に依る方向角・距離及び面積計算書

点 名	方 向 角	距 離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X 座 標	前点-後点		Y 座 標	前点-後点	
(55 B- 12)	163 15 36	11.974	44690.984	-.439	-19619.3419	62918.949	11.448	720296.1281
(55 B- 13)	270 21 42	3.010	44691.003	8.531	381258.9465	62915.939	-1.855	-116709.0668
(55 B- 14)	288 23 40	5.818	44692.839	5.971	266860.9416	62910.418	-3.003	-188919.9852
(55 B- 15)	338 54 47	1.251	44694.006	23.831	1065102.8569	62909.968	-8.691	-546750.5318
(55 B- 16)	287 50 17	24.562	44701.530	13.343	596452.5147	62886.587	-32.325	-2032808.9247
(55 B- 22)	22 2 7	26.755	44726.331	-20.630	-922704.2085	62896.625	-20.500	-1289380.8125
(55 B- 23)	112 6 1	11.432	44722.030	-12.714	-568595.8894	62907.217	5.176	325607.7551
(55 B- 24)	112 24 31	2.295	44721.155	-3.731	-166854.6293	62909.339	5.570	350405.0182
(55 B- 25)	161 4 59	4.963	44716.460	-2.302	-102937.2909	62910.948	6.877	432638.5893
(55 B- 26)	162 22 49	2.289	44714.278	-4.552	-203539.3934	62911.641	14.009	881329.1787
(55 B- 27)	161 55 45	12.441	44702.451	-7.308	-326685.5119	62915.500	23.294	1465553.6570
TOTAL					-1261.0056			1261.0054
								630.502
(55 B- 16)	202 2 7	26.755	44701.530	25.564	1142749.9129	62886.587	19.774	1243519.3713
(55 B- 18)	287 56 27	16.320	44706.557	16.317	729476.8905	62871.061	-6.474	-407027.2489
(55 B- 19)	331 20 13	1.649	44708.004	-9.279	-414845.5691	62870.270	-26.402	-1659900.8685
(55 B- 20)	21 58 31	26.910	44732.959	-22.172	-991819.1669	62880.340	-20.036	-1259870.4922
(55 B- 21)	112 7 11	13.063	44728.040	-16.285	-728396.1314	62892.442	6.628	416851.1055
(55 B- 22)	112 13 22	4.519	44726.331	5.855	261872.6680	62896.625	26.510	1667389.5287
TOTAL					-961.3960			961.3959
								480.697

計算者

点検者

座標に依る方向角・距離及び面積計算書

点名	方向角	距離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X座標	前点-後点		Y座標	前点-後点	
(62 B- 2)	159 1 27	28.555	44659.018	-8.850	-395232.3093	62922.205	28.016	1762828.4952
(62 B- 3)	225 23 58	1.927	44657.665	31.597	1411048.2410	62920.833	-11.140	-700938.0796
(62 B- 4)	292 27 25	32.705	44670.158	22.029	984038.9105	62890.608	-32.576	-2048724.4462
(62 B- 13)	22 12 2	21.691	44690.241	-20.915	-934696.3905	62898.804	-16.079	-1011349.8695
(62 B- 14)	107 28 27	13.334	44686.237	-13.179	-588919.9174	62911.523	4.560	286876.5448
(62 B- 15)	140 23 52	.722	44685.681	-10.682	-477332.4444	62911.983	27.219	1712401.2652
TOTAL					-1093.9101			1093.9099
								546.955
(62 B- 4)	202 12 2	21.691	44670.158	15.318	684257.4802	62890.608	17.154	1078825.4896
(62 B- 5)	292 21 20	7.701	44673.087	-.839	-37480.7199	62883.486	-22.460	-1412363.0955
(62 B- 12)	22 10 34	21.091	44692.618	-15.318	-684601.5225	62891.447	-17.154	-1078839.8818
(62 B- 13)	107 54 19	7.731	44690.241	.839	37495.1121	62898.804	22.460	1412707.1378
TOTAL					-329.6501			329.6501
								164.825
(62 B- 5)	202 10 34	21.091	44673.087	20.811	929691.6135	62883.486	14.222	894328.9378
(62 B- 6)	292 26 53	13.904	44678.396	5.292	236438.0716	62870.636	-23.824	-1497830.0320
(62 B- 11)	22 12 21	19.998	44696.911	-20.811	-930187.4148	62878.194	-14.222	-894253.6750
(62 B- 12)	107 56 55	13.931	44692.618	-5.292	-236513.3344	62891.447	23.824	1498325.8333
TOTAL					-571.0641			571.0641
								285.532

計算者

点検者

座標に依る方向角・距離及び面積計算書

点名	方向角	距離	1		1×2	3		4 (ΔX)	
			X座標	前点-後点		Y座標	前点-後点	3×4	
(62 B- 1)	22 7 43	13.297	44677.098	-7.790	-348034.5934	62857.629	-13.489	-847886.5575	
(62 B- 2)	67 9 56	3.017	44678.269	-19.810	-885076.5088	62860.410	5.847	367544.8172	
(62 B- 3)	112 23 51	18.418	44671.251	-11.151	-498129.1199	62877.439	21.297	1339100.8183	
(62 B- 29)	202 22 29	15.442	44656.972	8.538	381281.2269	62871.561	13.175	828332.8161	
(62 B- 28)	292 32 25	2.880	44658.076	18.941	845868.6175	62868.901	-7.808	-490880.3790	
(62 B- 27)	292 22 49	17.607	44664.780	11.272	503461.4001	62852.620	-19.022	-1195582.5376	
TOTAL					-628.9776			628.9775	
								314.488	
(62 B- 3)	22 22 29	15.442	44671.251	-13.946	-622985.2664	62877.439	-10.935	-687564.7954	
(62 B- 4)	112 30 46	8.734	44667.907	-2.158	-96393.3433	62885.507	17.646	1109677.6565	
(62 B- 31)	202 27 7	15.475	44653.605	8.742	390361.8149	62879.597	13.167	827935.6536	
(62 B- 30)	291 50 23	3.051	44654.740	8.036	358845.4906	62876.765	-3.367	-211706.0677	
(62 B- 29)	293 12 52	5.662	44656.972	-0.674	-30098.7991	62871.561	-16.511	-1038072.3436	
TOTAL					-270.1033			270.1034	
								135.051	
(62 B- 4)	22 27 7	15.475	44667.907	-10.567	-472005.7732	62885.507	-12.384	-778774.1186	
(62 B- 5)	112 23 4	5.037	44665.989	1.228	54849.8344	62890.164	16.196	1018569.0961	
(62 B- 32)	202 24 00	15.443	44651.711	10.567	471834.6301	62884.279	12.384	778758.9111	
(62 B- 31)	292 1 29	5.051	44653.605	-1.228	-54834.6269	62879.597	-16.196	-1018397.9530	
TOTAL					-155.9356			155.9356	
								77.967	

計算者

点検者

座標に依る方向角・距離及び面積計算書

点 名	方 向 角	距 離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X 座 標	前点-後点		Y 座 標	前点-後点	
(62 B- 5)	22 24 00	15.443	44665.989	-6.813	-304309.3830	62890.164	-13.892	-873670.1582
(62 B- 6)	112 35 5	1.005	44665.603	9.402	419945.9994	62891.092	25.389	1596741.9347
(62 B- 45)	202 26 53	27.053	44640.600	13.748	613718.9688	62880.762	23.597	1483797.3409
(62 B- 47)	292 21 36	3.696	44642.006	8.383	374233.9362	62877.344	-3.551	-223277.4485
(62 B- 48)	293 21 56	5.409	44644.151	.579	25848.9634	62872.379	-12.734	-800616.8741
(62 B- 30)	22 29 58	11.461	44654.740	-7.218	-322317.9133	62876.765	-9.454	-594436.9363
(62 B- 31)	111 50 23	3.051	44653.605	-7.514	-335527.1879	62879.597	3.029	190462.2993
(62 B- 32)	112 1 29	5.051	44651.711	-10.567	-471834.6301	62884.279	-12.384	-778758.9111
TOTAL					-241.2465			241.2467
								120.623
(62 B- 6)	22 26 53	27.053	44665.603	-11.252	-502577.3649	62891.092	-24.623	-1548567.3583
(62 B- 7)	112 23 56	.997	44665.223	4.979	222388.1453	62892.014	14.668	922500.0613
(62 B- 33)	202 26 27	15.459	44650.935	5.529	246875.0196	62886.113	14.436	907823.9272
(62 B- 46)	111 41 42	.400	44650.787	4.027	179808.7192	62886.485	10.832	681186.4055
(62 B- 44)	202 22 44	11.554	44640.103	5.723	255475.3094	62882.086	10.187	640579.8100
(62 B- 45)	290 34 30	1.414	44640.600	-9.006	-402033.2436	62880.762	-25.500	-1603459.4310
TOTAL					-63.4150			63.4147
								31.707

計算者

点検者

座標に依る方向角・距離及び面積計算書

点 名	方 向 角	距 離	1	2 (ΔY)	1 × 2	3	4 (ΔX)	3 × 4
			X 座 標	前点-後点		Y 座 標	前点-後点	
(62 B- 7)	22 26 27	15.459	44665.223	-21.128	-943686.8315	62892.014	-8.004	-503387.6800
(62 B- 8)	112 25 31	16.473	44658.939	-9.325	-416444.6061	62907.241	20.561	1293435.7822
(62 B- 34)	202 27 35	15.449	44644.662	20.756	926644.6044	62901.339	8.152	512771.7155
(62 B- 46)	292 24 31	16.067	44650.787	15.226	679852.8328	62886.485	-6.273	-394486.9204
(62 B- 33)	291 41 42	.400	44650.935	-5.529	-246875.0196	62886.113	-14.436	-907823.9272
TOTAL					-508.9700			508.9701
								254.485
(62 B- 8)	22 27 35	15.449	44658.939	-20.406	-911310.3092	62907.241	-8.313	-522947.8944
(62 B- 9)	112 21 8	15.682	44652.975	-8.552	-381872.2422	62921.745	20.269	1275360.8494
(62 B- 35)	202 35 28	15.494	44638.670	20.406	910896.7000	62915.793	8.313	523018.9872
(62 B- 34)	292 31 00	15.647	44644.662	8.552	381801.1494	62901.339	-20.269	-1274947.2401
TOTAL					-484.7020			484.7021
								242.351
(62 B- 9)	22 35 28	15.494	44652.975	-8.994	-401608.8571	62921.745	-13.035	-820184.9460
(62 B- 10)	112 39 36	3.296	44651.705	-3.359	-149985.0770	62924.787	1.591	100113.3361
(62 B- 11)	135 21 33	.451	44651.384	-6.715	-299834.0435	62925.104	17.052	1072998.8734
(62 B- 37)	159 4 23	17.913	44634.653	-4.621	-206256.7315	62931.502	18.500	1164232.7870
(62 B- 36)	225 7 45	2.507	44632.884	15.709	701137.9747	62929.725	-4.017	-252788.7053
(62 B- 35)	292 33 12	15.086	44638.670	7.980	356216.5866	62915.793	-20.091	-1264041.1971
TOTAL					-330.1478			330.1481
								165.073

計算者

点検者

座標に依る方向角・距離及び面積計算書

点 名	方 向 角	距 離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X 座 標	前点-後点		Y 座 標	前点-後点	
(62 B- 46)	22 22 44	11.554	44650.787	-19.253	-859661.6021	62886.485	-4.559	-286099.4851
(62 B- 34)	112 24 31	16.067	44644.662	-10.449	-466492.0732	62901.339	16.813	1057560.2126
(62 B- 43)	202 23 55	11.560	44633.974	19.253	859337.9014	62896.934	4.559	286747.1221
(62 B- 44)	292 25 48	16.063	44640.103	10.449	466444.4362	62882.086	-16.813	-1057236.5119
TOTAL					-371.3377			371.3377
								185.668
(62 B- 34)	22 23 55	11.560	44644.662	-18.859	-841953.6806	62901.339	-4.696	-295384.6879
(62 B- 35)	112 31 00	15.647	44638.670	-28.386	-1267113.2866	62915.793	11.778	741022.2099
(62 B- 36)	112 33 12	15.086	44632.884	-15.709	-701137.9747	62929.725	4.017	252788.7053
(62 B- 37)	45 7 45	2.507	44634.653	-4.145	-185010.6366	62931.502	4.416	277905.5128
(62 B- 38)	159 3 00	6.623	44628.468	12.948	577849.4036	62933.870	-1.159	-10006.4853
(62 B- 40)	292 29 59	16.578	44634.812	18.789	838643.4826	62918.554	2.026	127472.9904
(62 B- 41)	202 32 7	9.062	44626.442	6.813	304039.9493	62915.081	6.993	439965.1614
(62 B- 42)	292 24 19	3.613	44627.319	18.147	809861.0313	62911.741	-7.532	-473851.2332
(62 B- 43)	292 34 18	16.035	44633.974	10.402	464282.5975	62896.934	-16.843	-1059373.0593
TOTAL					-539.1142			539.1141
								269.557
(62 B- 38)	112 29 59	16.578	44628.468	-19.745	-881189.1006	62933.870	17.977	1131362.1809
(62 B- 39)	159 9 25	12.448	44616.835	18.789	838305.7128	62938.299	2.026	127512.9937
(62 B- 41)	292 28 43	25.127	44626.442	19.745	881149.0972	62915.081	-17.977	-1131024.4111
(62 B- 40)	22 32 7	9.062	44634.812	-18.789	-838643.4826	62918.554	-2.026	-127472.9904
TOTAL					-377.7732			377.7731
								188.886

計算者

点検者

座標に依る方向角・距離及び面積計算書

点 名	方 向 角	距 離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X 座 標	前点-後点		Y 座 標	前点-後点	
(62 B- 39)	112 28 43	25.127	44616.835	-25.809	-1151515.8945	62938.299	16.380	1030929.3376
(62 B- 14)	159 3 57	7.252	44610.062	4.601	205250.8952	62940.890	24.141	1519456.0254
(62 B- 15)	202 29 39	18.798	44592.694	10.003	446060.7180	62933.698	18.771	1181328.4451
(62 B- 16)	243 28 33	3.142	44591.291	31.473	1403421.7016	62930.887	-9.006	-566755.5683
(62 B- 17)	289 57 33	30.494	44601.700	19.146	853944.1482	62902.225	-36.528	-2297692.4748
(62 B- 42)	20 1 6	27.798	44627.819	-12.856	-573735.2410	62911.741	-24.742	-1556562.2958
(62 B- 41)	112 24 19	3.613	44626.442	-26.558	-1185189.0466	62915.081	10.984	691059.2497
TOTAL					-1762.7191			1762.7189
								881.359
(62 B- 17)	200 1 6	27.798	44601.700	45.607	2034149.7319	62902.225	13.004	817980.5339
(62 B- 18)	289 58 14	38.400	44614.815	24.881	1110061.2120	62866.134	-40.306	-2533882.3970
(62 B- 47)	22 24 17	29.411	44642.006	-14.628	-653023.2637	62877.344	-25.785	-1621292.3150
(62 B- 45)	112 21 36	3.696	44640.600	-4.742	-211685.7252	62880.762	1.903	119662.0900
(62 B- 44)	110 34 30	1.414	44640.103	-16.172	-721919.7457	62882.086	6.626	416656.7018
(62 B- 43)	112 25 48	16.063	44633.974	-29.655	-1323620.4989	62896.934	12.284	772625.9372
(62 B- 42)	112 34 18	16.035	44627.819	-5.291	-236125.7903	62911.741	32.274	2030413.5290
TOTAL					-2164.0799			2164.6799
								1082.039

計算者

点検者

画地測量設計株式会社

座標に依る方向角・距離及び面積計算書

点 名	方 向 角	距 離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X 座 標	前点-後点		Y 座 標	前点-後点	
(62 B- 18)	202 24 17	29.411	44614.815	13.095	584231.0024	62866.134	26.506	1666329.7478
(62 B- 19)	289 58 15	2.006	44615.500	-4.924	-219686.7220	62864.249	-17.119	-1076173.0786
(62 B- 55)	22 30 19	17.789	44631.934	4.276	190846.1497	62871.058	-21.045	-1323121.4156
(62 B- 54)	292 35 9	12.006	44636.545	7.001	312500.4515	62859.973	-14.471	-909646.6692
(62 B- 50)	22 29 57	10.672	44646.405	-4.453	-198810.4414	62864.057	-10.795	-678617.4953
(62 B- 49)	21 32 12	1.005	44647.340	-8.322	-371555.1634	62864.426	2.254	141696.4162
(62 B- 48)	111 50 59	8.569	44644.151	-12.918	-576713.1426	62872.379	5.334	335361.2695
(62 B- 47)	113 21 56	5.409	44642.006	6.245	278789.3274	62877.344	29.336	1844569.7635
TOTAL					-398.5384			398.5383
								199.269
(62 B- 19)	202 30 19	17.789	44615.500	18.097	807406.7035	62864.249	12.315	774173.2264
(62 B- 20)	290 2 49	12.016	44619.619	4.276	190793.4908	62852.961	-21.045	-1322740.5642
(62 B- 54)	22 30 11	18.321	44636.545	-18.097	-807787.5548	62859.973	-12.315	-774120.5674
(62 B- 55)	112 35 9	12.006	44631.934	-4.276	-190846.1497	62871.058	21.045	1323121.4156
TOTAL					-433.5102			433.5104
								216.755
(62 B- 20)	202 30 11	18.321	44619.619	8.348	372484.5794	62852.961	16.440	1033302.6788
(62 B- 21)	289 59 24	1.422	44620.105	-5.689	-253843.7773	62851.625	-17.479	-1098583.5533
(62 B- 53)	22 27 38	18.388	44637.098	-8.348	-372630.4941	62858.650	-16.440	-1033396.2060
(62 B- 54)	112 41 4	1.434	44636.545	5.689	253937.3045	62859.973	17.479	1098729.4680
TOTAL					-52.3875			52.3875
								26.193

計算者

点検者

座標に依る方向角・距離及び面積計算書

点 名	方 向 角	距 離	1	2 (ΔY)	1 × 2	3	4 (ΔX)	3 × 4
			X 座 標	前点-後点		Y 座 標	前点-後点	
(62 B- 21)	202 27 38	18.388	44620.105	20.041	894231.5243	62851.625	12.248	769806.7030
(62 B- 22)	290 1 46	13.854	44624.850	14.193	633360.4960	62838.609	-7.499	-471226.7288
(62 B- 23)	336 51 33	2.995	44627.604	-5.219	-232911.4652	62837.432	-18.373	-1154512.1381
(62 B- 24)	22 16 9	16.878	44643.223	-18.876	-842685.4773	62843.828	-10.459	-657283.5970
(62 B- 52)	112 27 48	13.505	44638.063	-14.822	-661625.3697	62856.308	6.125	384994.8865
(62 B- 53)	112 23 37	2.533	44637.098	4.683	209035.5299	62858.650	17.958	1128815.6367
TOTAL					-594.7620			594.7623
								297.381
(62 B- 24)	292 27 48	13.505	44643.223	8.455	377458.4504	62843.828	-15.029	-944479.8910
(62 B- 25)	22 11 16	10.658	44653.092	-16.563	-739589.1627	62847.853	-4.698	-295259.2133
(62 B- 51)	112 24 45	13.562	44647.921	-8.455	-377498.1720	62860.391	15.029	944728.8163
(62 B- 52)	202 29 54	10.670	44638.063	16.563	739340.2374	62856.308	4.698	295298.9349
TOTAL					-288.6469			288.6469
								144.323
(62 B- 50)	22 29 57	10.672	44646.405	-4.418	-18662.1972	62864.057	-11.376	-715141.5124
(62 B- 51)	292 28 00	3.967	44647.921	7.749	345976.7398	62860.391	8.342	524381.3817
(62 B- 52)	202 29 54	10.670	44638.063	1.741	77714.8676	62856.308	10.823	680293.8214
(62 B- 53)	112 23 37	2.533	44637.098	-3.665	-163594.9641	62858.650	1.518	95419.4307
(62 B- 54)	112 41 4	1.434	44636.545	-5.407	-241349.7988	62859.973	-9.307	-585037.7687
TOTAL					84.6473			-84.6473
								42.323

計算者

点検者

座標に依る方向角・距離及び面積計算書

点 名	方 向 角	距 離	1	2 (ΔY)	1 × 2	3	4 (ΔX)	3 × 4
			X 座 標	前点-後点		Y 座 標	前点-後点	
(62 B- 25)	292 24 45	13.562	44653.092	8.524	380622.9562	62847.853	-15.006	-943094.8821
(62 B- 26)	22 12 7	10.623	44662.927	-16.587	-740823.9701	62851.867	-4.655	-292575.4408
(62 B- 56)	112 23 29	13.598	44657.747	-8.524	-380662.6354	62864.440	15.006	943343.7866
(62 B- 51)	202 23 42	10.628	44647.921	16.587	740575.0656	62860.391	4.655	292615.1201
TOTAL					-288.5837			288.5838
								144.291
(62 B- 26)	292 23 29	13.598	44662.927	11.820	527915.7971	62851.867	-7.033	-442037.1806
(62 B- 27)	22 6 55	2.000	44664.780	-17.034	-760819.8625	62852.620	4.851	304898.0596
(62 B- 28)	112 22 49	17.607	44658.076	-11.806	-527233.2452	62868.901	17.440	1096433.6334
(62 B- 49)	202 37 39	11.631	44647.340	4.844	216271.7149	62864.426	11.671	733690.7158
(62 B- 50)	201 32 12	1.005	44646.405	4.035	180148.2441	62864.057	- .581	-36524.0171
(62 B- 51)	292 28 00	3.967	44647.921	- .383	-17100.1537	62860.391	-11.342	-712962.5547
(62 B- 56)	22 23 42	10.628	44657.747	8.524	380662.6354	62864.440	-15.006	-943343.7866
TOTAL					-154.8699			154.8698
								77.434
(62 B- 28)	22 37 39	11.631	44658.076	-7.135	-318635.3722	62868.901	-9.632	-605553.2544
(62 B- 29)	112 32 25	2.880	44656.972	-7.864	-351182.4278	62871.561	3.336	209739.5274
(62 B- 30)	113 12 52	5.662	44654.740	- .818	-36527.5773	62876.765	12.821	806143.0040
(62 B- 48)	202 29 58	11.461	44644.151	12.339	550864.1791	62872.379	7.400	465255.6046
(62 B- 49)	291 50 59	8.569	44647.340	3.478	155283.4485	62864.426	-13.925	-875387.1320
TOTAL					-197.7497			197.7496
								98.874

計算者

点検者

座標に依る方向角・距離及び面積計算書

()

点名	方向角	距離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X座標	前点-後点		Y座標	前点-後点	
(63 B- 1)	76 33 19	50.867	44697.354	-52.121	-2329670.7878	62971.419	-10.490	-660570.1853
(63 B- 2)	116 47 23	2.966	44696.017	-14.240	-636471.2820	62974.067	26.949	1697088.1315
(63 B- 3)	155 38 55	23.113	44670.405	40.849	1824741.3738	62985.659	46.286	2915354.2124
(63 B- 8)	248 29 2	56.369	44649.731	65.090	2906250.9907	62933.218	-12.496	-786413.4921
(63 B- 9)	339 7 34	35.500	44682.901	11.272	503665.6600	62920.569	-35.796	-2252304.6879
(63 B- 10)	27 40 16	2.965	44685.527	-50.850	-2272259.0479	62921.946	-14.453	-909410.8855
TOTAL					-3743.0932			3743.0931
								1871.546
(63 B- 3)	68 29 2	56.369	44670.405	-63.411	-2832595.0514	62985.659	3.431	216103.7960
(63 B- 4)	155 31 48	26.484	44646.300	-9.971	-445168.2573	62996.629	26.978	1699523.0571
(63 B- 5)	199 10 25	3.042	44643.427	48.171	2150518.5220	62995.630	29.942	1886215.1534
(63 B- 6)	240 9 4	54.387	44616.358	50.093	2234967.2212	62948.458	25.956	1633890.1758
(63 B- 7)	290 51 31	3.126	44617.471	15.240	679970.2580	62945.537	-33.373	-2100681.4063
(63 B- 8)	339 5 59	34.532	44649.731	-40.122	-1791436.5071	62933.218	-52.934	-3331306.9616
TOTAL					-3743.8146			3743.8144
								1871.907

計算者

点検者

画地測量設計株式会社

座標に依る方向角・距離及び面積計算書

63-2BL
1

点名	方向角	距離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X座標	前点-後点		Y座標	前点-後点	
(63 B- 11)	64 55 27	4.337	44707.910	-6.784	-303298.4614	62995.881	-.864	-54428.4411
(63 B- 12)	108 49 52	3.018	44706.936	-7.187	-321308.7490	62998.737	9.629	606614.8385
(63 B- 13)	153 24 59	9.678	44698.281	2.044	91363.2863	63003.068	11.526	726173.3617
(63 B- 27)	245 45 20	6.992	44695.410	11.115	496789.4821	62996.693	-7.791	-490807.2351
(63 B- 26)	336 1 54	11.668	44706.072	.812	36301.3304	62991.953	-12.500	-787399.4125
TOTAL					-153.1116			153.1115
								76.555
(63 B- 13)	65 45 20	6.992	44698.281	-12.135	-542413.6399	63003.068	8.675	546551.6149
(63 B- 14)	153 29 12	12.903	44686.735	2.722	121637.2926	63008.828	15.403	970524.9776
(63 B- 29)	245 32 51	9.318	44682.878	13.813	617204.5938	63000.346	-7.903	-497891.7344
(63 B- 28)	335 36 52	12.912	44694.638	3.653	163269.5126	62995.015	-12.532	-789453.5279
(63 B- 27)	65 17 39	1.847	44695.410	-8.053	-359932.1367	62996.693	-3.643	-229496.9525
TOTAL					-234.3776			234.3777
								117.188
(63 B- 14)	65 32 51	9.318	44686.735	-14.298	-638930.9370	63008.828	7.722	486554.1698
(63 B- 15)	153 19 49	12.958	44675.156	3.168	141530.8942	63014.644	15.625	984603.8125
(63 B- 30)	245 45 19	9.853	44671.110	14.298	638707.5307	63005.660	-7.722	-486529.7065
(63 B- 29)	335 41 52	12.912	44682.878	-3.168	-141555.3575	63000.346	-15.625	-984380.4062
TOTAL					-247.8696			247.8696
								123.934

計算者

点検者

座標に依る方向角・距離及び面積計算書

63-2BL
(2)

点 名	方 向 角	距 離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X 座 標	前点-後点		Y 座 標	前点-後点	
(63 B- 15)	65 45 19	9.853	44675.156	-16.144	-721235.7184	63014.644	10.296	648798.7746
(63 B- 16)	153 28 12	16.030	44660.814	-6.278	-280380.5902	63021.804	17.213	1084794.3122
(63 B- 17)	197 4 39	3.003	44657.943	12.313	549873.2521	63020.922	9.426	594035.2107
(63 B- 18)	240 10 6	13.177	44651.388	19.496	870523.4604	63009.491	-11.245	-708541.7262
(63 B- 31)	335 37 31	19.542	44669.188	3.831	171127.6592	63001.426	-19.722	-1242514.1235
(63 B- 30)	65 35 5	4.650	44671.110	-13.218	-590462.7319	63005.660	-5.968	-376017.7788
TOTAL					-554.6688			554.6690
								-277.334
(63 B- 18)	155 37 31	19.542	44651.388	-1.441	-64342.6501	63009.491	21.593	1360563.9391
(63 B- 19)	240 12 14	7.633	44647.595	9.480	423259.2006	63002.867	2.863	180377.2082
(63 B- 20)	288 2 13	3.004	44648.525	10.391	463942.8232	63000.011	-17.562	-1106406.1931
(63 B- 21)	335 37 39	18.259	44665.157	-1.415	-63201.1971	62992.476	-20.663	-1301613.5315
(63 B- 31)	65 45 19	9.816	44669.188	-17.015	-760046.2338	63001.426	13.769	867466.6345
TOTAL					-388.0572			388.0572
								-194.028
(63 B- 21)	245 45 19	9.816	44665.157	14.290	638265.0935	62992.476	-7.756	-488569.6438
(63 B- 22)	335 37 39	12.940	44676.944	-7.870	-351607.5492	62987.136	-17.721	-1116195.0370
(63 B- 29)	65 48 36	14.482	44682.878	-18.524	-827705.6320	63000.346	5.834	367544.0185
(63 B- 30)	155 41 52	12.912	44671.110	-1.080	-48244.7988	63005.660	13.690	862547.4854
(63 B- 31)	245 35 5	4.650	44669.188	13.184	588918.5745	63001.426	5.953	375047.4889
TOTAL					-374.3120			374.3120
								187.156

計算者

点検者

