

座標に依る方向角・距離及び面積計算書

()

点名	方向角	距離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X座標	前点-後点		Y座標	前点-後点	
63 B- 15	65 45 19	7.067	44675.156	-13.604	-607760.8222	63014.644	11.440	720887.5273
63 B- 16	153 28 12	16.030	44660.814	-6.278	-280380.5902	63021.804	17.213	1084794.3122
63 B- 17	197 4 39	3.003	44657.943	12.313	549873.2521	63020.922	9.426	594035.2107
63 B- 18	240 10 6	13.177	44651.388	11.683	521662.1660	63009.491	6.699	422100.5802
63 B- 35	240 12 14	.290	44651.244	8.051	359487.1654	63009.239	-16.937	-1067187.4809
63 B- 34	335 27 33	18.777	44668.325	.710	31714.5107	63001.440	-20.281	-1277732.2046
63 B- 33	65 42 24	7.778	44671.525	-6.760	-301979.5090	63008.529	-3.929	-247560.5104
63 B- 32	335 45 19	.800	44672.254	-6.115	-273170.8332	63008.200	-3.631	-228782.7742
TOTAL					-554.6604			554.6603
								277.330
63 B- 19	240 12 14	7.343	44647.595	9.228	412008.0066	63002.867	2.719	171304.7953
63 B- 20	288 2 13	3.004	44648.525	10.391	463942.8232	63000.011	-17.562	-1106406.1931
63 B- 21	335 37 39	18.259	44665.157	-1.415	-63201.1971	62992.476	-20.663	-1301613.5315
63 B- 31	65 45 19	9.816	44669.188	-13.184	-588918.5745	63001.426	-5.953	-375047.4889
63 B- 30	65 35 5	4.650	44671.110	-6.774	-302602.0991	63005.660	-3.066	-193175.3535
63 B- 32	65 45 19	2.786	44672.254	-2.869	-128164.6967	63008.200	-.415	-26148.4030
63 B- 33	155 45 19	.800	44671.525	6.760	301979.5090	63008.529	3.929	247560.5104
63 B- 34	245 42 24	7.778	44668.325	-.710	-31714.5107	63001.440	20.281	1277732.2046
63 B- 35	155 27 33	18.777	44651.244	-1.427	-63717.3251	63009.239	20.730	1306181.5244
TOTAL					-388.0644			388.0647
								-194.032

計算者

点検者

画地測量設計株式会社

座標に依る方向角・距離及び面積計算書

()

点名	方向角	距離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X座標	前点-後点		Y座標	前点-後点	
(64 B- 1)	66 36 33	200.446	44827.883	-186.370	-8354572.5547	63173.621	-77.810	-4915539.4500
(64 B- 2)	126 23 48	2.978	44826.116	.619	27747.3658	63176.018	13.466	850728.2583
(64 B- 3)	194 27 22	12.082	44814.417	-3.402	-152458.6466	63173.002	43.958	2776958.8219
(64 B- 4)	168 44 52	32.891	44782.158	-5.667	-253780.4893	63179.420	39.497	2495397.5517
(64 B- 5)	185 55 25	7.277	44774.920	7.911	354214.3921	63178.669	22.312	1409642.4627
(64 B- 6)	205 24 26	16.688	44759.846	5.920	264978.2883	63171.509	27.687	1749029.5696
(64 B- 7)	174 23 7	12.674	44747.233	-13.555	-606548.7433	63172.749	33.838	2137639.4806
(64 B- 8)	149 52 38	24.539	44726.008	-27.861	-1246111.3088	63185.064	38.270	2418092.3992
(64 B- 9)	137 38 00	23.070	44708.963	-29.007	-1296872.8897	63200.610	30.503	1927808.2068
(64 B- 10)	134 59 37	19.035	44695.505	-18.883	-843985.2209	63214.071	31.903	2016718.5071
(64 B- 11)	163 37 9	19.225	44677.060	-5.810	-259573.7186	63219.493	44.900	2838555.2357
(64 B- 12)	179 9 35	26.458	44650.605	-2.232	-99660.1503	63219.881	29.585	1870360.1793
(64 B- 13)	149 29 46	3.633	44647.475	-1.352	-60363.3862	63221.725	6.113	386474.4049
(64 B- 14)	189 21 57	3.023	44644.492	67.934	3032878.9195	63221.233	39.719	2511084.1535
(64 B- 15)	241 25 22	76.798	44607.756	99.674	4446233.4715	63153.791	54.321	3430577.0809
(64 B- 16)	241 23 3	36.717	44590.171	38.736	1727244.8638	63121.559	21.137	1334200.3925
(64 B- 17)	241 21 36	7.411	44586.619	26.298	1172538.9064	63115.055	14.331	904501.8532
(64 B- 18)	241 25 45	22.539	44575.840	35.364	1576380.0057	63095.261	19.295	1217423.0609
(64 B- 19)	241 19 25	17.747	44567.324	18.401	820083.3289	63079.691	7.606	479784.1297
(64 B- 20)	287 49 10	2.974	44568.234	91.303	4069213.4689	63076.860	-178.405	-11253227.2083
(64 B- 21)	333 30 22	198.322	44745.729	87.212	3902364.5175	62988.388	-180.072	-11342445.0039
(64 B- 22)	26 3 21	2.869	44748.306	-185.233	-8288862.9652	62989.648	-82.154	-5174851.5417
TOTAL					-68912.5452			68912.5446
								34456.272

計算者

点検者

座標に依る方向角・距離及び面積計算書

点 名	方 向 角	距 離	1	2 (ΔY)	1 × 2	3	4 (ΔX)	3 × 4
			X 座 標	前点-後点		Y 座 標	前点-後点	
(65 B- 1)	109 56 52	18.279	44585.791	-18.358	-818505.9511	62928.473	8.998	566230.4000
(65 B- 2)	156 56 12	3.002	44583.029	3.213	143245.2721	62929.649	13.388	842502.1408
(65 B- 3)	202 26 34	11.497	44572.403	23.006	1025432.7034	62925.260	3.736	235088.7713
(65 B- 19)	290 18 33	19.851	44579.293	13.969	622728.1439	62906.643	-19.624	-1234479.9622
(65 B- 18)	20 3 9	13.556	44592.027	-21.830	-973443.9494	62911.291	-6.498	-408797.5689
TOTAL					-543.7811			543.7810
								271.890
(65 B- 3)	110 18 33	19.851	44572.403	-12.550	-559383.6576	62925.260	21.479	1351571.6595
(65 B- 4)	202 34 50	15.800	44557.814	24.084	1073130.3923	62919.193	7.931	499012.1196
(65 B- 20)	290 16 53	19.208	44564.472	12.550	559284.1236	62901.176	-21.479	-1351054.3593
(65 B- 19)	20 14 51	15.797	44579.293	-24.084	-1073647.6926	62906.643	-7.931	-498912.5856
TOTAL					-616.8343			616.8342
								308.417
(65 B- 4)	110 16 53	19.208	44557.814	-10.305	-459168.2732	62919.193	25.123	1580718.8857
(65 B- 6)	202 40 5	20.011	44539.349	24.871	1107738.1489	62911.481	12.019	756133.0901
(65 B- 23)	290 35 22	18.330	44545.795	16.868	751398.4700	62894.322	-7.246	-455732.2572
(65 B- 22)	19 59 20	.851	44546.595	-5.634	-250975.5162	62894.613	-15.361	-966124.1502
(65 B- 21)	20 9 00	15.510	44561.156	-6.563	-292454.8668	62899.956	-17.877	-1124462.5134
(65 B- 20)	20 11 57	3.533	44564.472	-19.237	-857286.7478	62901.176	3.342	210215.7301
TOTAL					-748.7851			748.7851
								374.392

計算者

点検者

座標に依る方向角・距離及び面積計算書

点名	方向角	距離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X座標	前点-後点		Y座標	前点-後点	
(65 B- 6)	110 35 22	18.330	44539.349	-10.642	-473987.7520	62911.481	22.143	1393048.9237
(65 B- 7)	202 32 49	16.996	44523.652	23.012	1024578.2798	62904.964	9.635	606089.3281
(65 B- 8)	290 10 43	17.574	44529.714	10.642	473885.2163	62888.469	-22.143	-1392539.3690
(65 B- 23)	20 00 00	17.113	44545.795	-23.012	-1025087.8345	62894.322	-9.635	-605986.7924
TOTAL					-612.0904			612.0904
								306.045
(65 B- 8)	200 00 00	17.113	44529.714	17.226	767068.8533	62888.469	11.901	748435.6695
(65 B- 9)	290 10 49	12.117	44533.894	5.170	230240.2319	62877.096	-21.043	-1323122.7311
(65 B- 24)	20 11 45	17.968	44550.757	-17.517	-780395.6103	62883.299	-12.701	-798680.7805
(65 B- 22)	110 11 48	12.055	44546.595	-11.023	-491037.1166	62894.613	4.962	312083.0697
(65 B- 23)	199 59 20	.851	44545.795	6.144	273689.3644	62894.322	16.881	1061719.0496
TOTAL					-434.2773			434.2772
								217.138
(65 B- 9)	200 11 45	17.968	44533.894	32.971	1468327.0190	62877.096	7.051	443346.4038
(65 B- 10)	290 7 51	28.510	44543.706	15.274	680360.5654	62850.328	-41.260	-2593204.5332
(65 B- 25)	20 4 37	33.483	44575.154	-49.628	-2212175.7427	62861.822	-17.450	-1096938.7939
(65 B- 21)	110 9 25	40.622	44561.156	-32.791	-1461204.8663	62899.956	28.559	1796359.8434
(65 B- 22)	200 9 00	15.510	44546.595	16.657	742012.6329	62894.613	10.399	654041.0805
(65 B- 24)	290 11 48	12.055	44550.757	17.517	780395.6103	62883.299	12.701	798680.7805
TOTAL					-2284.7814			2284.7811
								1142.390

計算者

点検者

座標に依る方向角・距離及び面積計算書

点名	方向角	距離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X 座標	前点-後点		Y 座標	前点-後点	
(65 B- 10)	200 4 37	33.483	44543.706	26.057	1160675.3472	62850.328	26.100	1640393.5608
(65 B- 11)	290 9 53	15.514	44549.054	8.761	390294.2620	62835.765	-21.275	-1336830.9003
(65 B- 27)	20 00 58	16.951	44564.981	20.033	892770.2643	62841.567	-25.400	-1596175.8018
(65 B- 13)	290 8 12	27.517	44574.454	19.588	873124.4049	62815.732	-24.790	-1557201.9962
(65 B- 14)	22 11 17	16.542	44589.771	-18.054	-805023.7256	62821.979	-10.974	-689408.3975
(65 B- 26)	110 11 43	12.580	44585.428	-39.843	-1776417.2078	62833.786	14.617	918441.4499
(65 B- 25)	110 7 33	29.859	44575.154	-16.542	-737362.1974	62861.822	41.722	2622720.9374
TOTAL					-1938.8524			1938.8523
								969.426
(65 B- 11)	200 00 58	16.951	44549.054	32.229	1435771.4613	62835.765	6.216	390587.1152
(65 B- 12)	290 10 36	28.155	44558.765	20.033	892645.7392	62809.338	-25.400	-1595357.1852
(65 B- 13)	22 10 23	16.942	44574.454	-32.229	-1436590.0779	62815.732	-6.216	-390462.5901
(65 B- 27)	110 8 12	27.517	44564.981	-20.033	-892770.2643	62841.567	25.400	1596175.8018
TOTAL					-943.1417			943.1417
								471.570
(65 B- 14)	290 11 43	12.580	44589.771	.228	10166.4677	62821.979	-32.653	-2051326.0802
(65 B- 15)	22 14 42	30.536	44618.081	-14.311	-638529.3571	62833.558	-29.538	-1855977.6362
(65 B- 16)	65 47 48	2.995	44619.309	-11.487	-512542.0024	62836.290	1.970	123787.4913
(65 B- 17)	110 3 58	9.321	44616.111	2.504	111718.7419	62845.045	33.881	2129252.9696
(65 B- 26)	200 9 1	32.684	44585.428	23.066	1028407.4822	62833.786	26.340	1655041.9232
TOTAL					-778.6677			778.6677
								389.333

計算者

点検者

座標に依る方向角・距離及び面積計算書

点名	方向角	距離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X座標	前点-後点		Y座標	前点-後点	
(66 B- 1)	289 57 46	15.372	44587.136	15.040	670590.5254	62942.352	-6.660	-419196.0643
(66 B- 2)	337 15 13	1.531	44588.548	-3.811	-169926.9564	62941.760	-11.983	-754231.1100
(66 B- 4)	22 36 45	11.451	44599.119	-3.888	-173401.3746	62946.163	-11.906	-749437.0166
(66 B- 6)	338 54 18	1.431	44600.454	-1.677	-74794.9613	62945.648	-6.524	-410657.4075
(66 B- 7)	22 54 3	5.633	44605.643	-4.159	-185514.8692	62947.840	-7.482	-470975.7388
(66 B- 8)	40 37 26	3.021	44607.936	-44.556	-1987551.1964	62949.807	-26.721	-1682081.7928
(66 B- 9)	60 9 45	49.097	44632.364	-60.834	-2715165.2315	62992.396	12.083	761137.1208
(66 B- 39)	153 26 53	40.816	44595.853	-26.048	-1161632.7789	63010.641	52.080	3281594.1832
(66 B- 23)	153 22 50	17.415	44580.284	-3.841	-171232.8708	63018.444	16.701	1052471.0332
(66 B- 24)	254 3 17	4.121	44579.152	9.154	408077.5574	63014.482	2.333	147012.7865
(66 B- 25)	256 58 32	5.329	44577.951	10.442	465482.9643	63009.290	2.105	132634.5554
(66 B- 26)	260 13 48	5.327	44577.047	10.541	469886.6524	63004.040	1.580	99546.3832
(66 B- 27)	262 43 9	5.334	44576.371	10.615	473178.1781	62998.749	.969	61045.7877
(66 B- 28)	266 51 00	5.332	44576.078	10.657	475047.2632	62993.425	.340	21417.7645
(66 B- 29)	269 29 42	5.333	44576.031	10.657	475046.7623	62988.092	-.205	-12912.5588
(66 B- 30)	272 42 36	5.330	44576.283	10.628	473756.7357	62982.768	-.796	-50134.2833
(66 B- 31)	275 51 22	5.332	44576.827	10.566	470998.7540	62977.464	-1.381	-86971.8777
(66 B- 32)	279 2 17	5.328	44577.664	10.473	466861.8750	62972.202	-1.955	-123110.6549
(66 B- 33)	282 6 32	5.330	44578.782	10.344	461122.9210	62966.991	-2.519	-158613.8503
(66 B- 34)	285 15 59	5.321	44580.183	10.191	454316.6449	62961.858	-3.106	-195559.5309
(66 B- 35)	288 37 42	5.338	44581.888	19.506	869614.3073	62956.800	-6.953	-437738.6304
TOTAL					-5239.0981			5239.0982
								2619.549

計算者

点検者

座標に依る方向角・距離及び面積計算書

点名	方向角	距離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X座標	前点-後点		Y座標	前点-後点	
(66 B- 9)	333 26 53	40.816	44632.364	2.562	114348.1165	62992.396	-45.512	-2866909.9267
(66 B- 10)	60 8 49	18.082	44641.365	-24.881	-1110721.8025	63008.079	9.408	592780.0072
(66 B- 36)	153 27 4	20.579	44622.956	-16.275	-726238.6089	63017.277	32.585	2053417.9710
(66 B- 37)	153 28 14	15.844	44608.780	-9.562	-426549.1543	63024.354	19.036	1199731.6027
(66 B- 38)	152 55 7	5.458	44603.920	13.713	611653.5549	63026.839	12.927	814747.9477
(66 B- 39)	243 31 32	18.096	44595.853	34.443	1536014.9648	63010.641	-28.444	-1792274.6726
TOTAL					-1492.9295			1492.9293
								746.464
(66 B- 10)	333 27 4	20.579	44641.365	-7.036	-314096.6441	63008.079	-27.744	-1748096.1437
(66 B- 11)	60 6 00	18.727	44650.700	-19.130	-854167.8910	63024.313	-8.606	-542387.2376
(66 B- 12)	104 7 46	2.986	44649.971	-11.692	-522047.4609	63027.209	18.366	1157557.7204
(66 B- 13)	153 29 36	19.709	44632.334	9.932	443288.3412	63036.005	27.015	1702917.6750
(66 B- 36)	243 24 2	20.945	44622.956	27.926	1246140.6692	63017.277	-9.031	-569109.0285
TOTAL					-882.9856			882.9856
								441.492
(66 B- 13)	63 24 2	20.945	44632.334	-25.873	-1154772.3775	63036.005	4.993	314738.7729
(66 B- 14)	153 33 51	16.049	44617.963	11.651	519843.8869	63043.150	23.554	1484918.3551
(66 B- 37)	243 57 42	20.919	44608.780	25.873	1154162.9649	63024.354	-4.993	-314680.5995
(66 B- 36)	333 28 14	15.844	44622.956	-11.651	-519902.0603	63017.277	-23.554	-1484308.9424
TOTAL					-667.5860			667.5861
								333.793

計算者

点検者

座標に依る方向角・距離及び面積計算書

点名	方向角	距離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X 座標	前点-後点		Y 座標	前点-後点	
(66 B- 14)	63 57 42	20.919	44617.963	-28.013	-1249882.9975	63043.150	9.432	594622.9908
(66 B- 15)	153 39 30	20.772	44599.348	-8.407	-374946.7186	63052.367	21.372	1347555.1875
(66 B- 16)	196 22 22	2.874	44596.591	13.333	594606.3478	63051.557	10.054	633920.3540
(66 B- 17)	239 46 16	14.494	44589.294	16.353	729168.7247	63039.034	9.420	593827.7002
(66 B- 18)	241 00 00	4.379	44587.171	12.195	543740.5503	63035.204	-14.626	-921952.8937
(66 B- 38)	333 27 39	18.722	44603.920	10.850	483952.5320	63026.839	-21.609	-1361946.9639
(66 B- 37)	332 55 7	5.458	44608.780	-16.311	-727613.8105	63024.354	-14.043	-885051.0032
TOTAL					-975.3718			975.3717
								487.685
(66 B- 18)	153 27 39	18.722	44587.171	-7.523	-335429.2874	63035.204	17.193	1083764.2623
(66 B- 19)	242 11 48	.952	44586.727	5.657	252227.1146	63034.362	2.728	171957.7395
(66 B- 20)	244 37 21	5.329	44584.443	9.737	434118.7214	63029.547	4.333	273107.0271
(66 B- 21)	247 23 54	5.331	44582.394	9.949	443550.2379	63024.625	3.798	239367.5257
(66 B- 22)	250 48 58	5.323	44580.645	6.181	275552.9667	63019.598	2.110	132971.3517
(66 B- 23)	252 37 44	1.209	44580.284	8.957	399305.6037	63018.444	-15.208	-958384.4963
(66 B- 39)	333 22 50	17.415	44595.853	-8.395	-374382.1859	63010.641	-23.636	-1489319.5106
(66 B- 38)	63 31 32	18.096	44603.920	-24.563	-1095606.0869	63026.839	8.682	547199.0161
TOTAL					-662.9159			662.9155
								331.457

計算者

点検者

座標に依る方向角・距離及び面積計算書

(4)

点名	方向角	距離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X 座標	前点-後点		Y 座標	前点-後点	
(66 B- 2)	202 36 45	11.451	44588.548	4.953	220847.0782	62941.760	9.267	583281.2899
(66 B- 3)	337 7 52	1.415	44589.852	-3.349	-149331.4143	62941.210	-10.631	-669128.0035
(66 B- 5)	22 41 12	10.109	44599.179	-4.438	-197931.1564	62945.109	-10.602	-667344.0456
(66 B- 6)	22 54 58	1.384	44600.454	-1.054	-47008.8785	62945.648	.060	3776.7388
(66 B- 4)	158 54 18	1.431	44599.119	3.888	173401.3746	62946.163	11.906	749437.0166
TOTAL					-22.9964			22.9962
								11.498

計算者

点検者

座標に依る方向角・距離及び面積計算書

点 名	方 向 角	距 離	1	2 (ΔY)	1 × 2	3	4 (ΔX)	3 × 4
			X 座 標	前点-後点		Y 座 標	前点-後点	
(67 B- 2)	22 34 31	17.200	44580.964	-7.991	-356246.4833	62938.592	-16.518	-1039619.6626
(67 B- 3)	65 22 56	1.527	44581.600	-16.173	-721018.2168	62939.980	4.741	298398.4451
(67 B- 4)	109 59 7	15.732	44576.223	-20.150	-898210.8934	62954.765	7.179	451952.2579
(67 B- 5)	108 33 58	5.660	44574.421	-10.823	-482428.9584	62960.130	3.287	206949.9473
(67 B- 6)	105 13 14	5.656	44572.936	-10.984	-489589.1290	62965.588	2.667	167929.2231
(67 B- 7)	102 4 25	5.651	44571.754	-11.118	-495548.7609	62971.114	2.069	130287.2348
(67 B- 8)	99 00 47	5.662	44570.867	-7.112	-316988.0061	62976.706	1.074	67636.9822
(67 B- 9)	97 00 49	1.531	44570.680	.410	18273.9788	62978.226	22.041	1388103.0792
(67 B- 44)	185 2 49	21.939	44548.826	46.237	2059804.0677	62976.296	5.598	352541.3050
(67 B- 43)	290 8 52	47.195	44565.082	37.704	1680281.8517	62931.989	-32.138	-2022508.2624
TOTAL					-1670.5497			1670.5496
								835.274
(67 B- 9)	5 2 49	21.939	44570.680	-6.034	-268939.4831	62978.226	-21.457	-1351323.7952
(67 B- 10)	95 31 31	4.123	44570.283	-9.754	-434738.5403	62982.330	.655	41253.4261
(67 B- 11)	92 36 52	5.656	44570.025	-11.308	-503997.8427	62987.980	.208	13101.4998
(67 B- 12)	89 29 37	5.658	44570.075	-11.306	-503909.2679	62993.638	-.357	-22488.7287
(67 B- 13)	86 53 19	5.656	44570.382	-11.258	-501773.3605	62999.286	-1.017	-64070.2738
(67 B- 14)	82 47 13	5.655	44571.092	-7.438	-331519.7822	63004.896	-.994	-62626.8666
(67 B- 15)	81 10 9	1.850	44571.376	-5.932	-264397.4024	63006.724	15.559	980321.6187
(67 B- 46)	165 28 38	16.366	44555.533	19.826	883357.9972	63010.828	20.499	1291658.9631
(67 B- 45)	258 59 23	24.379	44550.877	34.532	1538430.8845	62986.898	6.707	422453.1248
(67 B- 44)	259 3 4	10.799	44548.826	8.672	386327.4190	62976.296	-19.803	-1247119.5896
TOTAL					-1159.3784			1159.3786
								579.689

計算者

点検者

座標に依る方向角・距離及び面積計算書

点 名	方 向 角	距 離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X 座 標	前点-後点		Y 座 標	前点-後点	
(67 B- 15)	345 28 38	16.366	44571.376	.353	15733.6957	63006.724	-16.518	-1040745.0670
(67 B- 16)	79 47 55	3.811	44572.051	-9.265	-412960.0525	63010.475	-1.948	-122744.4053
(67 B- 17)	77 00 00	5.659	44573.324	-6.917	-308313.6821	63015.989	-1.657	-104417.4937
(67 B- 18)	74 41 35	1.455	44573.708	-5.584	-248899.5854	63017.392	15.702	989499.0891
(67 B- 47)	165 25 49	16.620	44557.622	6.564	292476.2308	63021.573	18.175	1145417.0892
(67 B- 46)	258 59 53	10.946	44555.533	14.849	661605.1095	63010.828	-13.754	-866650.9283
TOTAL					-358.2840			358.2840
								179.142
(67 B- 18)	345 25 49	16.620	44573.708	.162	7220.9406	63017.392	-17.304	-1090452.9511
(67 B- 19)	73 8 24	4.200	44574.926	-9.361	-417265.8822	63021.411	-3.064	-193097.6033
(67 B- 20)	70 56 12	5.652	44576.772	-10.573	-471310.2103	63026.753	-3.996	-251854.9049
(67 B- 21)	67 39 24	5.656	44578.922	-10.328	-460411.1064	63031.984	-4.594	-289568.9344
(67 B- 22)	64 22 57	5.653	44581.366	-5.633	-251126.8346	63037.081	-2.722	-171586.9344
(67 B- 23)	62 35 10	.604	44581.644	-5.285	-235613.9885	63037.617	9.209	580513.4149
(67 B- 48)	153 24 30	10.609	44572.157	-7.562	-337054.6512	63042.366	15.192	957739.6242
(67 B- 49)	153 45 11	6.361	44566.452	20.793	926670.2364	63045.179	14.535	916361.6767
(67 B- 47)	249 29 29	25.203	44557.622	27.787	1238122.6425	63021.573	-7.256	-457284.5336
TOTAL					-768.8537			768.8541
								384.426

計算者

点検者

座標に依る方向角・距離及び面積計算書

点 名	方 向 角	距 離	1	2 (ΔY)	1 × 2	3	4 (ΔX)	3 × 4
			X 座 標	前点-後点		Y 座 標	前点-後点	
(67 B- 23)	333 24 30	10.609	44581.644	.311	13864.8912	63037.617	-11.933	-752227.8836
(67 B- 24)	61 8 19	5.067	44584.090	-16.488	-735102.4759	63042.055	-9.509	-599466.9009
(67 B- 25)	59 37 25	13.967	44591.153	-14.905	-664631.1354	63054.105	-6.150	-387782.7457
(67 B- 26)	107 44 1	2.997	44590.240	-7.192	-320693.0060	63056.960	9.596	605094.5881
(67 B- 27)	153 27 31	9.706	44581.557	14.594	650623.2428	63061.297	18.083	1140337.4336
(67 B- 48)	243 35 38	21.136	44572.157	23.680	1055468.6777	63042.366	-.087	-5484.6858
TOTAL					-469.8056			469.8057
								234.902
(67 B- 27)	63 35 38	21.136	44581.557	-24.509	-1092649.3805	63061.297	1.770	111618.4956
(67 B- 28)	153 27 49	12.485	44570.387	13.363	595594.0814	63066.875	20.589	1298483.8893
(67 B- 50)	243 33 35	21.154	44560.968	21.696	966794.7617	63047.934	3.935	248093.6202
(67 B- 49)	333 19 35	6.137	44566.452	5.568	248146.0047	63045.179	-11.189	-705412.5078
(67 B- 48)	333 45 11	6.361	44572.157	-16.118	-718414.0265	63042.366	-15.105	-952254.9384
TOTAL					-528.5592			528.5589
								264.279
(67 B- 28)	63 33 35	21.154	44570.387	-22.420	-999268.0765	63066.875	-2.440	-153883.1750
(67 B- 29)	153 30 14	7.798	44563.408	15.451	688549.2170	63070.354	16.376	1032840.1171
(67 B- 51)	243 35 59	21.134	44554.011	22.420	998900.9266	63051.424	2.440	153845.4745
(67 B- 50)	333 21 33	7.783	44560.968	-15.451	-688511.5165	63047.934	-16.376	-1032472.9671
TOTAL					-329.4494			329.4495
								164.724

計算者

点検者

座標に依る方向角・距離及び面積計算書

()

点名	方向角	距離	1		1×2	3		4 (ΔX)	
			X座標	前点-後点		Y座標	前点-後点	3×4	
67 B- 32	61 6 52	15.222	44523.517	.860	38290.2246	63066.657	-35.745	-2254317.6544	
67 B- 52	333 26 52	31.740	44551.909	15.233	678659.2297	63052.469	-30.494	-1922721.9896	
67 B- 51	333 33 57	2.347	44554.011	4.535	202052.4398	63051.424	-9.059	-571182.8500	
67 B- 50	333 21 33	7.783	44560.968	6.245	278283.2451	63047.934	-12.441	-784379.3468	
67 B- 49	333 19 35	6.137	44566.452	17.061	760348.2375	63045.179	-.133	-8385.0088	
67 B- 58	249 29 29	15.274	44561.101	-8.150	-363172.9731	63030.873	50.288	3169696.5414	
67 B- 57	153 26 52	50.236	44516.164	-35.784	-1592966.4125	63053.329	37.584	2369796.3171	
TOTAL					1493.9911			-1493.9911	
								746.995	

計算者

点検者

画地測量設計株式会社

座標に依る方向角・距離及び面積計算書

点 名	方 向 角	距 離	1	2 (ΔY)	1 × 2	3	4 (ΔX)	3 × 4
			X 座 標	前点-後点		Y 座 標	前点-後点	
(67 B- 29)	63 35 59	21.134	44563.408	-19.932	-888237.8482	63070.354	-7.379	-465396.1421
(67 B- 30)	153 35 39	2.253	44561.390	17.885	796980.4601	63071.356	11.499	725257.5226
(67 B- 52)	243 20 38	21.133	44551.909	19.932	888008.6501	63052.469	7.379	465264.1687
(67 B- 51)	333 33 57	2.347	44554.011	-17.885	-796848.4867	63051.424	-11.499	-725028.3245
TOTAL					-97.2247			97.2247
								48.612
(67 B- 30)	63 20 38	21.133	44561.390	-32.715	-1457825.8738	63071.356	18.180	1146637.2520
(67 B- 31)	153 26 21	30.925	44533.729	4.699	209263.9925	63085.184	37.873	2389225.1736
(67 B- 32)	241 8 12	21.155	44523.517	32.715	1456586.8586	63066.657	-18.180	-1146551.8242
(67 B- 52)	333 26 52	31.740	44551.909	-4.699	-209349.4203	63052.469	-37.873	-2387986.1584
TOTAL					-1324.4430			1324.4430
								662.221
(67 B- 32)	153 26 52	31.740	44523.517	40.954	1823416.1152	63066.657	58.814	3709202.3647
(67 B- 33)	241 6 52	62.977	44493.095	71.084	3162747.1649	63011.515	1.556	98045.9173
(67 B- 53)	331 5 21	32.976	44521.961	24.617	1095997.1139	62995.573	-57.782	-3640010.1990
(67 B- 45)	343 18 1	30.189	44550.877	-15.255	-679623.6286	62986.898	-33.572	-2114596.1396
(67 B- 46)	78 59 23	24.379	44555.533	-34.675	-1544963.1067	63010.828	-6.745	-425008.0348
(67 B- 47)	78 59 53	10.946	44557.622	-34.351	-1530598.8733	63021.573	-10.919	-688132.5555
(67 B- 49)	69 29 29	25.203	44566.452	-26.361	-1174816.2411	63045.179	-3.346	-210949.1689
(67 B- 50)	153 19 35	6.137	44560.968	-6.245	-278283.2451	63047.934	12.441	784379.3468
(67 B- 51)	153 21 33	7.783	44554.011	-4.535	-202052.4398	63051.424	9.059	571182.8500
(67 B- 52)	153 33 57	2.347	44551.909	-15.233	-678659.2297	63052.469	30.494	1922721.9896
TOTAL					-6836.3703			6836.3706

計算者

点検者

3418.185

座標に依る方向角・距離及び面積計算書

()

点名	方向角	距離	1		1×2	3		4 (ΔX)	
			X座標	2 (ΔY) 前点-後点		Y座標	前点-後点	3×4	
67 B- 56	258 59 53	4.032	44556.853	-19.699	-877725.4472	63017.615	48.110	3031777.4576	
67 B- 55	153 26 52	52.923	44509.512	-35.714	-1589612.7115	63041.272	40.689	2565086.3164	
67 B- 57	61 6 52	13.770	44516.164	10.399	462923.5894	63053.329	-51.589	-3252858.1897	
67 B- 58	333 26 52	50.236	44561.101	31.756	1415082.3233	63030.873	-41.458	-2613133.9328	
67 B- 47	249 29 29	9.929	44557.622	13.258	590744.9524	63021.573	4.248	267715.6421	
TOTAL					1412.7064			-1412.7064	
								706.353	

計算者

点検者

画地測量設計株式会社

座標に依る方向角・距離及び面積計算書

()

点名	方向角	距離	1		1×2	3		4 (ΔX)	
			X座標	前点-後点		Y座標	前点-後点	3×4	
67 B- 33	151 5 21	32.976	44493.095	-45.699	-2033289.9484	63011.515	12.449	784430.3502	
67 B- 55	61 6 52	33.985	44509.512	-6.100	-271508.0232	63041.272	-63.758	-4019385.4201	
67 B- 56	333 26 52	52.923	44556.853	30.444	1356488.8327	63017.615	-46.021	-2900133.6599	
67 B- 46	258 59 53	6.914	44555.533	30.717	1368612.3071	63010.828	5.976	376552.7081	
67 B- 45	258 59 23	24.379	44550.877	15.255	679623.6286	62986.898	33.572	2114596.1396	
67 B- 53	163 18 1	30.189	44521.961	-24.617	-1095997.1139	62995.573	57.782	3640010.1990	
TOTAL					3929.6829			-3929.6831	
								1964.841	

計算者

点検者

座標に依る方向角・距離及び面積計算書

点名	方向角	距離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X座標	前点-後点		Y座標	前点-後点	
(67 B- 33)	151 5 21	32.976	44493.095	-11.567	-514651.6298	63011.515	31.286	1971378.2582
(67 B- 34)	241 3 4	5.000	44490.675	14.335	637773.8261	63007.140	3.172	199858.6480
(67 B- 35)	265 40 56	9.988	44489.923	47.497	2113137.8727	62997.180	-12.986	-818081.3794
(67 B- 36)	290 6 7	39.972	44503.661	25.916	1153356.8784	62959.643	-45.186	-2844894.4285
(67 B- 54)	20 16 51	33.526	44535.109	-16.653	-741643.1701	62971.264	-45.165	-2844097.1385
(67 B- 44)	20 8 43	14.611	44548.826	-15.634	-696476.3456	62976.296	-15.768	-993010.2353
(67 B- 45)	79 3 4	10.799	44550.877	-19.277	-858807.2559	62986.898	26.865	1692143.0147
(67 B- 53)	163 18 1	30.189	44521.961	-24.617	-1095997.1139	62995.573	57.782	3640010.1990
TOTAL					-3306.9381			3306.9382
								1653.469
(67 B- 36)	200 16 51	33.526	44503.661	27.079	1205114.6362	62959.643	25.759	1621777.4440
(67 B- 37)	290 12 18	16.472	44509.350	15.513	690473.5465	62944.185	-6.758	-425376.8022
(67 B- 39)	357 3 17	1.070	44510.419	30.380	1352226.5292	62944.130	-12.205	-768233.1066
(67 B- 41)	290 9 52	32.305	44521.555	17.786	791860.3772	62913.805	-41.190	-2591419.6279
(67 B- 42)	22 38 48	32.565	44551.609	-57.459	-2559890.9015	62926.344	-13.554	-852903.6665
(67 B- 54)	110 10 9	47.855	44535.109	-33.299	-1482974.5945	62971.264	47.948	3019346.1662
TOTAL					-3190.4069			3190.4070
								1595.203

計算者

点検者

座標に依る方向角・距離及び面積計算書

点 名	方 向 角	距 離	1	2 (ΔY)	1 × 2	3	4 (ΔX)	3 × 4
			X 座 標	前点-後点		Y 座 標	前点-後点	
(67 B- 42)	290 10 9	47.855	44551.609	39.275	1749764.4434	62926.344	-29.973	-1886091.3087
(67 B- 43)	22 43 59	14.608	44565.082	-49.952	-2226114.9760	62931.989	2.783	175139.7253
(67 B- 44)	110 8 52	47.195	44548.826	-39.275	-1749655.1411	62976.296	29.973	1887588.5200
(67 B- 54)	200 8 43	14.611	44535.109	49.952	2224617.7647	62971.264	-2.783	-175249.0277
TOTAL					-1387.9090			1387.9089
								693.954
(67 B- 1)	22 39 4	64.320	44580.327	-26.130	-1164883.9445	62937.233	-59.996	-3775982.2310
(67 B- 2)	64 53 10	1.501	44580.964	5.244	233782.5752	62938.592	15.245	959498.8350
(67 B- 43)	202 34 31	17.200	44565.082	12.248	545833.1243	62931.989	29.355	1847368.5370
(67 B- 42)	202 43 59	14.608	44551.609	18.184	810126.4580	62926.344	43.527	2738994.9752
(67 B- 41)	202 38 48	32.565	44521.555	-17.786	-791860.3772	62913.805	41.190	2591419.6279
(67 B- 39)	110 9 52	32.305	44510.419	-30.380	-1352226.5292	62944.130	12.205	768233.1066
(67 B- 37)	177 3 17	1.070	44509.350	.962	42817.9947	62944.185	.702	44186.8178
(67 B- 38)	289 50 34	1.081	44509.717	31.723	1411981.7523	62943.168	-11.618	-731273.7258
(67 B- 40)	290 7 24	32.702	44520.968	5.935	264231.9450	62912.462	-70.610	-4442248.9418
TOTAL					-197.0014			197.0009
								98.500

計算者

点検者

画地測量設計株式会社

座標に依る方向角・距離及び面積計算書

点 名	方 向 角	距 離	1	2 (ΔY)	1 × 2	3	4 (ΔX)	3 × 4
			X 座 標	前点-後点		Y 座 標	前点-後点	
68 B - 1)	241 9 36	12.967	44537.634	17.797	792636.2722	63092.225	-6.479	-408774.5257
(68 B- 2)	333 10 48	14.269	44550.368	-4.478	-199496.5479	63085.787	-18.752	-1182934.6778
(68 B- 21)	61 7 55	12.465	44556.386	-17.797	-792970.0016	63096.703	6.479	408803.5387
(68 B- 20)	151 9 44	14.266	44543.889	4.478	199467.5349	63103.584	18.752	1183318.4071
TOTAL					-362.7424			362.7423
								181.371
(68 B- 2)	241 7 55	12.465	44550.368	16.228	722963.3719	63085.787	-4.554	-287292.6739
(68 B- 3)	333 19 20	11.832	44560.940	4.319	192458.6998	63080.475	-13.379	-843953.6750
(68 B- 4)	19 28 54	2.977	44563.747	-9.628	-429059.7561	63081.468	-7.509	-473678.7432
(68 B- 5)	61 25 50	9.832	44568.449	-15.235	-679000.3205	63090.103	7.361	464406.2481
(68 B- 21)	151 18 57	13.750	44556.386	4.316	192305.3619	63096.703	18.081	1140851.4869
TOTAL					-332.6430			332.6429
								166.321
(68 B- 5)	331 18 57	13.750	44568.449	4.128	183978.5574	63090.103	-13.396	-845155.0197
(68 B- 6)	61 39 53	2.809	44569.782	-9.090	-405139.3183	63092.575	10.698	674964.3673
(68 B- 22)	151 11 9	13.731	44557.751	-4.128	-183934.3961	63099.193	13.396	845276.7894
(68 B- 21)	241 16 8	2.840	44556.386	9.090	405017.5487	63096.703	-10.698	-675008.5286
TOTAL					-77.6083			77.6084
								38.804

計算者

点検者

座標に依る方向角・距離及び面積計算書

点 名	方 向 角	距 離	1	2 (ΔY)	1 × 2	3	4 (ΔX)	3 × 4
			X 座 標	前点-後点		Y 座 標	前点-後点	
(68 B- 6)	331 11 9	13.731	44569.782	-27.168	-1210871.8373	63092.575	-30.444	-1920790.3533
(68 B- 7)	61 24 36	38.478	44588.195	-39.775	-1773495.4561	63126.361	-7.553	-476793.4046
(68 B- 23)	151 7 28	12.402	44577.335	-13.400	-597336.2890	63132.350	24.347	1537083.3254
(68 B- 19)	151 12 42	15.389	44563.848	28.766	1281923.6515	63139.761	33.446	2111772.4464
(68 B- 20)	241 6 51	41.318	44543.889	43.053	1917970.7725	63103.584	7.462	470878.9438
(68 B- 21)	331 9 44	14.266	44556.386	4.301	195647.0909	63096.703	-13.862	-874646.4969
(68 B- 22)	61 16 8	2.340	44557.751	4.128	183934.3061	63099.193	-13.396	-845276.7894
TOTAL					-2227.6714			2227.6714
								1113.835
(68 B- 7)	331 7 28	12.402	44588.195	-46.799	-2086682.9378	63126.361	-39.652	-2503086.4663
(68 B- 8)	61 23 27	60.129	44616.987	-65.995	-2944498.0570	63179.149	-4.689	-296247.0296
(68 B- 17)	151 16 48	27.484	44592.884	16.812	749695.5658	63192.356	40.652	2568895.6561
(68 B- 18)	241 7 58	34.278	44576.335	37.454	1669562.0510	63162.337	3.098	195676.9200
(68 B- 24)	331 4 7	15.369	44589.786	29.987	1337113.9127	63154.902	-1.000	-63154.9020
(68 B- 23)	241 5 49	25.761	44577.335	28.541	1272281.7132	63132.350	1.591	100443.5688
TOTAL					-2527.7471			2527.7470
								1263.873
(68 B- 23)	331 12 42	15.389	44577.335	-15.141	-674945.4292	63132.350	-25.938	-1637526.8943
(68 B- 24)	61 5 49	25.761	44589.786	-29.987	-1337113.9127	63154.902	1.000	63154.9020
(68 B- 18)	151 4 7	15.369	44576.335	15.141	674930.2882	63162.337	25.938	1638304.6971
(68 B- 19)	241 3 9	25.799	44563.848	29.987	1336336.1099	63139.761	-1.000	-63139.7610
TOTAL					-792.9438			792.9438
								396.471

計算者

点検者

座標に依る方向角・距離及び面積計算書

点 名	方 向 角	距 離	1	2 (ΔY)	1 × 2	3	4 (ΔX)	3 × 4
			X 座 標	前点-後点		Y 座 標	前点-後点	
(68 B- 8)	331 16 48	27.484	44616.987	-5.170	-230669.8227	63179.149	-34.151	-2157631.1174
(68 B- 9)	61 19 53	20.945	44627.035	-25.086	-1119513.8000	63197.526	1.931	122034.4227
(68 B- 25)	150 44 54	13.730	44615.056	-11.467	-511600.8471	63204.235	9.324	589316.2871
(68 B- 26)	60 50 17	5.449	44617.711	-11.375	-507526.4626	63208.993	9.347	590814.4575
(68 B- 16)	151 7 51	13.705	44605.709	16.637	742105.1806	63215.610	24.827	1569453.9494
(68 B- 17)	241 7 21	26.556	44592.884	36.461	1625901.1435	63192.356	-11.278	-712683.3909
TOTAL					-1304.6083			1304.6084
								652.304
(68 B- 9)	330 44 54	13.730	44627.035	-6.477	-289049.3056	63197.526	-19.185	-1212444.5363
(68 B- 10)	61 20 38	15.027	44634.241	-26.456	-1180843.4793	63210.712	16.700	1055618.8904
(68 B- 15)	150 57 57	27.342	44610.335	-4.893	-218501.4208	63223.982	28.532	1803906.6544
(68 B- 16)	241 4 37	9.565	44605.709	14.939	668594.9722	63215.610	-7.376	-466278.3393
(68 B- 26)	331 7 51	13.705	44617.711	11.375	507526.4626	63208.993	-9.347	-590814.4575
(68 B- 25)	240 50 17	5.449	44615.056	11.467	511600.8471	63204.235	-9.324	-589316.2871
TOTAL					-671.9243			671.9246
								335.962

計算者

点検者

座標に依る方向角・距離及び面積計算書

(4)

点名	方向角	距離	1	2 (ΔY)	1×2	3	4 (ΔX)	3×4
			X座標	前点-後点		Y座標	前点-後点	
(68 B- 10)	330 57 57	27.342	44634.241	.801	35752.0270	63210.712	-30.690	-1939936.7512
(68 B- 11)	61 27 3	14.195	44641.025	-15.449	-689659.1952	63223.181	-5.950	-376177.9269
(68 B- 12)	105 38 6	3.095	44640.191	-7.005	-312704.5379	63226.161	7.597	480329.1451
(68 B- 13)	149 14 28	7.870	44633.428	-13.720	-612370.6321	63230.186	21.084	1333145.2416
(68 B- 14)	145 54 10	17.294	44619.107	6.204	276816.9398	63239.881	23.093	1460398.5719
(68 B- 15)	241 6 47	18.158	44610.335	29.169	1301238.8616	63223.982	-15.134	-956831.7435
TOTAL					-926.5368			926.5370
								463.268

計算者

点検者