

# 基準点成果表

世界測地系（測地成果2011）

作業名	出来形確認測量業務委託		座標系	9	精度区分	回数
測点	X	Y	H	辺長	方向角	
	m	m	m	S	T	
				m	°	
A-2	48487.640	62881.179	31.495	45.898	110-15-38	
T.22	48471.747	62924.235	31.438	47.110	121-39-13	
T.23	48447.025	62964.335	31.470	46.325	121-05-14	
-4	48423.107	63004.005	31.567			
-4	48423.107	63004.005	31.567	47.642	118-36-47	
T.24	48400.293	63045.826	31.540			
A-26	48405.632	63264.257	31.714	90.637	291-07-24	
T.27	48438.294	63179.714	31.450			
A-26	48405.632	63264.257	31.714	32.938	116-43-15	
T.29	48390.823	63293.676	32.065	64.843	50-00-40	
T.30	48432.491	63343.354	32.159	61.114	119-22-31	
T.31	48402.515	63396.608	31.263			
-5	48316.846	63451.980	30.680	58.832	319-28-46	
T.32	48361.567	63413.757	31.108	44.397	337-16-32	
T.31	48402.515	63396.608	31.263			
A-2	48487.640	62881.179	31.495	62.254	199-53-33	
T.75	48429.104	62859.998	31.251			
A-3	48326.680	62825.346	30.814	41.554	10-55-12	
T.74	48367.479	62833.217	30.970	67.196	23-29-19	
T.75	48429.104	62859.998	31.251			
A-3	48326.680	62825.346	30.814	45.433	214-56-41	
T.73	48289.440	62799.324	30.479	46.611	203-26-08	
T.72	48246.676	62780.786	30.322	53.613	194-26-24	
A-4	48194.760	62767.418	29.776			
-4	48423.107	63004.005	31.567	63.534	203-56-22	
T.98	48365.041	62978.226	31.353			
A-17	48312.926	62948.138	30.977	60.181	29-59-58	
T.98	48365.041	62978.226	31.353			

「この測量成果は、国土地理院長の承認を得て同院所管の測量成果を使用して得たものである（承認番号）平23関公第476号」

# 基準点成果表

世界測地系（測地成果2011）

作業名	出来形確認測量業務委託		座標系	9	精度区分	次数
測点	X	Y	H	辺長	方向角	
	m	m	m	S	T	
				m	°	
A-17	48312.926	62948.138	30.977	63.442	116-00-40	
T.109	48285.105	63005.151	31.123	66.852	106-56-00	
T.110	48265.635	63069.101	31.259	69.241	112-51-03	
T.111	48238.748	63132.905	31.491			
A-16	48204.411	63197.073	31.286	72.781	298-09-05	
T.111	48238.748	63132.905	31.491			
A-26	48405.632	63264.257	31.714	81.103	197-28-05	
T.89	48328.273	63239.913	31.602			
A-16	48204.411	63197.073	31.286	60.627	19-49-24	
T.102	48261.443	63217.632	31.574	70.450	18-26-18	
T.89	48328.273	63239.913	31.602			
-5	48316.846	63451.980	30.680	51.482	200-33-24	
T.93	48268.645	63433.904	31.736			
A-15	48123.911	63378.786	31.944	63.935	28-01-48	
T.105	48180.344	63408.830	32.153			
A-16	48204.411	63197.073	31.286	59.191	107-06-42	
T.71	48186.996	63253.641	31.511			
A-15	48123.911	63378.786	31.944	42.881	302-56-23	
T.113	48147.227	63342.800	31.781			
A-17	48312.926	62948.138	30.977	52.308	195-51-23	
T.114	48262.610	62933.846	30.642			
A-25	48146.700	62876.111	30.025	64.952	29-36-05	
T.124	48203.172	62908.194	30.301			
A-4	48194.760	62767.418	29.776	69.106	114-30-00	
T.132	48166.103	62830.299	30.104	49.755	112-57-17	
A-25	48146.700	62876.111	30.025			
A-16	48204.411	63197.073	31.286	48.895	211-42-49	

「この測量成果は、国土地理院長の承認を得て同院所管の測量成果を使用して得たものである  
（承認番号）平23関公第476号」

# 基準点成果表

世界測地系（測地成果2011）

作業名	出来形確認測量業務委託		座標系	9	精度区分	回数
測 点	X	Y	H	辺 長	方 向 角	
	m	m	m	m	T	°
T.118	48162.819	63171.371	31.201	70.998	201-04-27	
T.119	48096.573	63145.843	31.217	52.069	181-54-05	
-6	48044.535	63144.116	30.859			
A-25	48146.700	62876.111	30.025	34.339	115-34-22	
T.133	48131.878	62907.084	30.289	84.487	114-02-45	
T.134	48097.454	62984.235	30.582	40.279	114-02-15	
T.135	48081.048	63021.019	30.719	62.471	113-30-36	
T.136	48056.130	63078.301	30.826			
-6	48044.535	63144.116	30.859	66.832	279-59-28	
T.136	48056.130	63078.301	30.826			
-6	48044.535	63144.116	30.859	50.657	110-27-28	
T.140	48026.830	63191.576	31.118			
A-14	47976.806	63336.926	31.679	51.435	271-25-15	
T.142	47978.081	63285.509	31.547			
A-15	48123.911	63378.786	31.944	45.786	198-03-14	
T.123	48080.382	63364.597	32.010	58.142	199-58-16	
T.131	48025.739	63344.740	31.902			
A-14	47976.806	63336.926	31.679	49.556	9-04-22	
T.131	48025.739	63344.740	31.902			
A-1	48157.189	62512.952	29.473	47.246	59-34-34	
T.18	48181.112	62553.690	29.434	58.620	65-45-40	
T.82	48205.177	62607.139	29.601			
A-4	48194.760	62767.418	29.776	59.513	293-25-50	
T.21	48218.423	62712.815	30.236	51.124	293-14-18	
T.20	48238.594	62665.840	30.496	67.550	240-20-55	
T.82	48205.177	62607.139	29.601			
A-1	48157.189	62512.952	29.473	74.508	188-53-57	
T.17	48083.582	62501.426	29.510			

「この測量成果は、国土地理院長の承認を得て同院所管の測量成果を使用して得たものである（承認番号）平23関公第476号」

# 基準点成果表

世界測地系（測地成果2011）

作業名	出来形確認測量業務委託		座標系	9	精度区分	回数
測点	X	Y	H	辺長 S	方向角 T	
	m	m	m	m	°	
A-5	47963.504	62679.184	30.123	45.060	289-09-21	
T.80	47978.290	62636.621	30.206			
A-4	48194.760	62767.418	29.776	52.496	197-31-59	
T.145	48144.706	62751.604	30.200			
A-5	47963.504	62679.184	30.123	81.535	18-30-46	
T.160	48040.816	62705.071	30.509			
A-5	47963.504	62679.184	30.123	79.746	113-31-20	
T.185	47931.679	62752.299	30.284			
A-24	47902.037	62858.501	30.577	61.863	283-04-29	
T.186	47916.031	62798.244	30.394			
A-25	48146.700	62876.111	30.025	51.890	190-39-48	
T.147	48095.708	62866.510	30.492			
A-24	47902.037	62858.501	30.577	53.041	18-52-14	
T.176	47952.224	62875.655	30.676			
A-24	47902.037	62858.501	30.577	52.380	198-50-16	
T.196	47852.465	62841.589	30.593			
A-18	47833.935	63071.218	30.601	72.409	285-09-13	
T.188	47852.862	63001.331	30.708			
-6	48044.535	63144.116	30.859	56.179	211-34-22	
T.137	47996.674	63114.703	31.015			
T.138	47923.739	63089.826	30.894	77.065	198-50-02	
T.139	47867.697	63070.740	30.812	59.206	198-48-23	
A-18	47833.935	63071.218	30.601	33.767	179-11-24	
A-18	47833.935	63071.218	30.601	58.856	109-32-48	
T.189	47814.244	63126.679	30.753			
A-13	47766.130	63247.906	31.114	59.282	289-17-23	
T.190	47785.713	63191.955	30.885			71.243

「この測量成果は、国土地理院長の承認を得て同院所管の測量成果を使用して得たものである  
（承認番号）平23関公第476号」

# 基準点成果表

世界測地系（測地成果2011）

作業名	出来形確認測量業務委託		座標系	9	精度区分	回数
測点	X	Y	H	辺長	方向角	
	m	m	m	m	°	
T.189	47814.244	63126.679	30.753			
A-14	47976.806	63336.926	31.679	68.900	200-43-03	
T.155	47912.364	63312.553	31.497	59.268	209-23-28	
T.173	47860.727	63283.468	31.388			
A-13	47766.130	63247.906	31.114	55.659	28-29-35	
T.182	47815.045	63274.457	31.269			
A-5	47963.504	62679.184	30.123	56.754	185-32-16	
T.193	47907.018	62673.707	30.359			
-2	47809.540	62635.174	30.486	45.028	15-24-32	
T.207	47852.947	62647.137	30.610			
-2	47809.540	62635.174	30.486	67.173	110-08-42	
T.217	47786.407	62698.234	30.867	59.652	107-43-33	
T.218	47768.246	62755.051	30.874			
A-23	47742.605	62799.221	31.024	51.076	300-08-08	
T.218	47768.246	62755.051	30.874			
A-23	47742.605	62799.221	31.024	60.372	18-35-28	
T.210	47799.824	62818.467	30.812			
A-23	47742.605	62799.221	31.024	41.300	96-22-40	
T.219	47738.018	62840.264	30.989			
-1	47679.194	63017.760	30.353	65.191	279-49-48	
T.221	47690.323	62953.530	30.551			
A-18	47833.935	63071.218	30.601	65.958	208-42-56	
T.200	47776.092	63039.529	30.643	53.576	198-47-22	
T.201	47725.373	63022.274	30.586	46.402	185-34-57	
-1	47679.194	63017.760	30.353			
-1	47679.194	63017.760	30.353	59.824	109-54-11	
T.222	47658.829	63074.008	30.618			

「この測量成果は、国土地理院長の承認を得て同院所管の測量成果を使用して得たものである（承認番号）平23関公第476号」

# 基準点成果表

世界測地系（測地成果2011）

作業名	出来形確認測量業務委託		座標系	9	精度区分	回数
測点	X	Y	H	辺長	方向角	
	m	m	m	S	T	
				m	°	
A-12	47597.227	63187.544	31.023			
T.223	47632.906	63129.846	30.920	67.843	301-43-54	
T.222	47658.829	63074.008	30.618	61.565	294-54-12	
A-13	47766.130	63247.906	31.114			
T.204	47714.583	63238.553	31.316	52.392	190-17-01	
A-12	47597.227	63187.544	31.023			
T.216	47661.009	63219.510	31.212	71.347	26-37-08	
-3	47656.163	63364.619	31.421			
T.46	47702.944	63284.957	31.518	92.387	300-25-25	
A-13	47766.130	63247.906	31.114			
T.45	47748.312	63299.783	31.525	54.855	108-57-23	
A-12	47597.227	63187.544	31.023			
T.48	47584.480	63241.933	31.409	55.865	103-11-23	
-2	47809.540	62635.174	30.486			
T.224	47738.911	62614.622	31.237	73.563	196-13-28	
A-6	47613.541	62578.919	29.632			
T.225	47665.022	62593.519	30.586	53.515	15-50-02	
T.224	47738.911	62614.622	31.237	76.847	15-56-22	
A-6	47613.541	62578.919	29.632			
T.251	47590.036	62628.032	30.033	54.451	115-34-28	
A-22	47556.365	62750.316	30.817			
T.252	47570.363	62687.545	30.604	64.316	282-34-16	
A-22	47556.365	62750.316	30.817			
T.253	47524.378	62826.112	30.519	82.274	112-52-48	
A-19	47482.603	62951.786	30.153			
T.254	47512.006	62885.247	30.286	72.750	293-50-27	

「この測量成果は、国土地理院長の承認を得て同院所管の測量成果を使用して得たものである（承認番号）平23関公第476号」

# 基準点成果表

世界測地系（測地成果2011）

作業名	出来形確認測量業務委託		座標系	9	精度区分	回数
測 点	X	Y	H	辺 長	方 向 角	
	m	m	m	S	T	
				m	°	
-1	47679.194	63017.760	30.353			
T.236	47616.833	62985.264	30.413	70.323	207-31-25	
T.237	47546.972	62961.437	30.331	73.817	198-49-58	
A-19	47482.603	62951.786	30.153	65.092	188-31-38	
A-23	47742.605	62799.221	31.024			
T.228	47684.793	62779.013	31.192	61.245	199-16-01	
A-19	47482.603	62951.786	30.153			
T.255	47473.133	63003.051	30.478	52.135	100-27-57	
A-11	47432.187	63128.668	30.788			
T.256	47447.536	63059.076	30.613	71.269	282-26-16	
T.255	47473.133	63003.051	30.478	61.598	294-33-17	
A-12	47597.227	63187.544	31.023			
T.240	47546.960	63178.190	31.225	51.132	190-32-32	
A-11	47432.187	63128.668	30.788			
T.250	47486.230	63156.188	30.932	60.649	26-59-12	
A-6	47613.541	62578.919	29.632			
T.258	47552.267	62561.870	29.243	63.605	195-32-55	
A-7	47453.645	62544.102	28.928			
T.270	47501.205	62547.087	29.184	47.656	3-35-26	
A-7	47453.645	62544.102	28.928			
T.280	47437.454	62587.235	29.373	46.074	110-34-32	
T.281	47414.213	62627.352	29.618	46.365	120-05-06	
A-21	47391.338	62721.579	30.043			
T.283	47395.074	62687.180	29.898	34.603	276-11-58	
A-21	47391.338	62721.579	30.043			
T.284	47369.827	62785.985	30.140	67.907	108-28-08	
T.285	47346.407	62828.504	29.823	48.544	118-50-47	

「この測量成果は、国土地理院長の承認を得て同院所管の測量成果を使用して得たものである  
（承認番号）平23関公第476号」

# 基準点成果表

世界測地系（測地成果2011）

作業名	出来形確認測量業務委託		座標系	9	精度区分	回数
測点	X	Y	H	辺長	方向角	
	m	m	m	S	T	
				m	°	
A-20	47332.020	62900.351	29.832	73.277	281-19-24	
T.285	47346.407	62828.504	29.823			
A-19	47482.603	62951.786	30.153	51.042	201-31-33	
T.265	47435.123	62933.058	30.147			
T.266	47377.548	62903.640	30.041	64.658	207-03-55	
A-20	47332.020	62900.351	29.832	45.649	184-07-55	
A-20	47332.020	62900.351	29.832	51.878	109-12-44	
T.286	47314.950	62949.337	30.200			
A-10	47275.117	63066.304	30.705	54.328	279-33-23	
T.287	47284.136	63012.733	30.494			
T.286	47314.950	62949.337	30.200	70.492	295-55-21	
A-11	47432.187	63128.668	30.788	57.748	192-43-56	
T.269	47375.862	63115.941	30.992			
A-10	47275.117	63066.304	30.705	52.783	30-39-51	
T.279	47320.516	63093.222	31.164			
A-7	47453.645	62544.102	28.928	36.149	212-43-13	
T.5	47423.234	62524.564	29.067			
-3	47322.424	62496.392	29.510	57.061	15-50-52	
T.63	47377.313	62511.974	29.228			
T.5	47423.234	62524.564	29.067	47.618	15-19-54	
-3	47322.424	62496.392	29.510	151.053	122-53-18	
T.1	47240.406	62623.229	29.477			
A-8	47203.288	62680.010	29.434	67.840	303-10-23	
T.1	47240.406	62623.229	29.477			
A-8	47203.288	62680.010	29.434	73.368	35-00-36	
T.299	47263.377	62722.101	29.410			

「この測量成果は、国土地理院長の承認を得て同院所管の測量成果を使用して得たものである  
（承認番号）平23関公第476号」



# 基準点成果表

世界測地系（測地成果2011）

作業名	出来形確認測量業務委託			座標系	9	精度区分	回数
測 点	X	Y	H	辺 長		方 向 角	
	m	m	m	S		T	
				m		°	
A-20	47332.020	62900.351	29.832	64.392	209-08-20		
T.292	47275.781	62868.998	29.676	62.773	198-48-34		
T.293	47216.363	62848.760	29.468	50.847	205-17-53		
T.294	47170.395	62827.032	29.256	63.659	177-38-16		
-4	47106.793	62829.656	29.060				
A-8	47203.288	62680.010	29.434	73.363	123-01-46		
T.62	47163.302	62741.514	29.242	59.277	122-58-42		
T.61	47131.038	62791.238	29.063	45.431	122-15-17		
-4	47106.793	62829.656	29.060				
-4	47106.793	62829.656	29.060	64.936	118-17-52		
T.60	47076.011	62886.829	28.741	57.074	120-00-59		
T.59	47047.461	62936.246	28.708	45.463	125-51-19		
A-9	47020.833	62973.092	28.748				
A-10	47275.117	63066.304	30.705	81.276	201-30-36		
T.297	47199.505	63036.505	30.205				
A-9	47020.833	62973.092	28.748	33.391	2-59-22		
T.308	47054.177	62974.833	28.796	51.775	34-46-38		
T.306	47096.702	63004.363	29.516				
-2	47809.540	62635.174	30.486	59.695	288-56-43		
T.65	47828.920	62578.715	30.102				
A-6	47613.541	62578.919	29.632	44.620	279-13-42		
T.64	47620.696	62534.878	29.160				
-5	48316.846	63451.980	30.680	47.191	118-39-11		
T.84	48294.219	63493.390	31.309	45.760	197-57-06		
T.35	48250.688	63479.286	31.564	61.593	200-38-14		
T.36	48193.050	63457.579	32.340	40.677	212-50-05		
T.37	48158.874	63435.524	32.332	51.721	194-20-29		
T.38	48108.767	63422.714	32.487				
A-15	48123.911	63378.786	31.944	46.467	109-01-18		
T.38	48108.767	63422.714	32.487				

「この測量成果は、国土地理院長の承認を得て同院所管の測量成果を使用して得たものである  
（承認番号）平23関公第476号」

# 基準点成果表

世界測地系（測地成果2011）

作業名	出来形確認測量業務委託		座標系	9	精度区分	回数
測点	X	Y	H	辺長	方向角	
	m	m	m	S	T	
				m	°	
A-14	47976.806	63336.926	31.679	34.069	117-51-27	
T.41	47960.887	63367.045	32.370			
A-1	48157.189	62512.952	29.473	59.230	106-52-38	
T.156	48139.994	62569.627	29.934			
T.157	48114.051	62617.523	30.299	54.473	118-26-30	
T.158	48096.572	62672.073	30.668			
A-11	47432.187	63128.668	30.788	57.285	107-46-00	
T.51	47414.965	63180.179	31.068			
A-10	47275.117	63066.304	30.705	54.317	108-29-13	
T.54	47250.580	63113.968	30.823			
-4	47106.793	62829.656	29.060	53.611	117-14-20	
T.307	47109.943	62879.805	28.893			
T.304	47158.471	62902.942	29.176	50.250	86-24-22	
A-9	47020.833	62973.092	28.748			
T.58	46999.291	63010.394	28.766	53.765	25-29-28	
T.57	47027.347	63029.768	29.082			
T.56	47105.450	63057.784	29.847	43.078	120-00-25	
T.55	47182.650	63087.947	30.708			
T.24	48400.293	63045.826	31.540	34.097	34-37-40	
T.25	48431.930	63057.517	31.547			
T.83	48424.689	63126.304	31.310	82.980	19-43-58	
T.27	48438.294	63179.714	31.450			
T.93	48268.645	63433.904	31.736	82.887	21-20-28	
T.96	48216.983	63415.012	32.394			
T.96	48216.983	63415.012	32.394	33.729	20-16-52	
T.105	48180.344	63408.830	32.153			
T.71	48186.996	63253.641	31.511	69.171	96-00-33	
T.112	48157.778	63301.613	31.667			
				55.119	75-42-32	
				37.159	189-34-41	
				56.172	121-20-38	
				42.519	104-22-08	

「この測量成果は、国土地理院長の承認を得て同院所管の測量成果を使用して得たものである  
（承認番号）平23関公第476号」

# 基準点成果表

世界測地系（測地成果2011）

作業名	出来形確認測量業務委託		座標系	9	精度区分	回数
測点	X	Y	H	辺長	方向角	
	m	m	m	S	T	
				m	°	
T.113	48147.227	63342.800	31.781			
T.114	48262.610	62933.846	30.642	64.741	203-20-39	
T.124	48203.172	62908.194	30.301			
T.140	48026.830	63191.576	31.118	47.029	129-20-42	
T.141	47997.016	63227.944	31.398	60.603	108-12-26	
T.142	47978.081	63285.509	31.547			
T.17	48083.582	62501.426	29.510	67.589	188-06-07	
T.16	48016.671	62491.901	29.430			
T.16	48016.671	62491.901	29.430	40.616	103-52-53	
T.183	48006.927	62531.328	29.643	57.580	108-48-18	
T.184	47988.367	62585.832	29.974	51.782	101-13-23	
T.80	47978.290	62636.621	30.206			
T.145	48144.706	62751.604	30.200	71.515	198-47-58	
T.161	48077.009	62728.559	30.664			
T.161	48077.009	62728.559	30.664	43.148	212-58-56	
T.160	48040.816	62705.071	30.509			
T.185	47931.679	62752.299	30.284	48.539	108-48-30	
T.186	47916.031	62798.244	30.394			
T.147	48095.708	62866.510	30.492	52.897	113-10-41	
T.148	48074.889	62915.135	30.615			
T.148	48074.889	62915.135	30.615	65.777	201-11-55	
T.166	48013.567	62891.352	30.900			
T.166	48013.567	62891.352	30.900	63.322	194-21-12	
T.176	47952.224	62875.655	30.676			
T.196	47852.465	62841.589	30.593	38.741	116-42-45	
T.197	47835.052	62876.193	30.733			

「この測量成果は、国土地理院長の承認を得て同院所管の測量成果を使用して得たものである（承認番号）平23関公第476号」

# 基準点成果表

世界測地系（測地成果2011）

作業名	出来形確認測量業務委託		座標系	9	精度区分	回数
測点	X	Y	H	辺長	方向角	
	m	m	m	m	°	
T.197	47835.052	62876.193	30.733	52.736	108-48-15	
T.198	47818.054	62926.112	31.096	67.102	105-48-14	
T.199	47799.780	62990.674	30.860			
T.199	47799.780	62990.674	30.860	54.143	11-21-06	
T.188	47852.862	63001.331	30.708			
T.173	47860.727	63283.468	31.388	46.565	191-09-31	
T.182	47815.045	63274.457	31.269			
T.193	47907.018	62673.707	30.359	60.250	206-10-09	
T.207	47852.947	62647.137	30.610			
T.196	47852.465	62841.589	30.593	57.499	203-42-44	
T.210	47799.824	62818.467	30.812			
T.219	47738.018	62840.264	30.989	78.603	108-47-26	
T.220	47712.700	62914.673	30.809	44.842	119-56-14	
T.221	47690.323	62953.530	30.551			
T.204	47714.583	63238.553	31.316	56.861	199-34-05	
T.216	47661.009	63219.510	31.212			
T.46	47702.944	63284.957	31.518	47.731	18-05-53	
T.45	47748.312	63299.783	31.525			
T.46	47702.944	63284.957	31.518	66.226	199-36-23	
T.47	47640.561	63262.735	31.457	59.817	200-21-04	
T.48	47584.480	63241.933	31.409			
T.251	47590.036	62628.032	30.033	62.684	108-17-34	
T.252	47570.363	62687.545	30.604			
T.253	47524.378	62826.112	30.519	60.418	101-49-01	
T.254	47512.006	62885.247	30.286			
T.228	47684.793	62779.013	31.192	55.254	137-08-37	
T.232	47644.291	62816.593	31.058	47.719	147-15-55	

「この測量成果は、国土地理院長の承認を得て同院所管の測量成果を使用して得たものである  
（承認番号）平23関公第476号」

# 基準点成果表

世界測地系（測地成果2011）

作業名	出来形確認測量業務委託		座標系	9	精度区分	回数
測点	X	Y	H	辺長 S	方向角 T	
	m	m	m	m	°	
T.233	47604.153	62842.396	30.891			
T.233	47604.153	62842.396	30.891	31.763	200-12-07	
T.247	47574.346	62831.428	30.790			
T.247	47574.346	62831.428	30.790	50.252	186-04-21	
T.253	47524.378	62826.112	30.519			
T.240	47546.960	63178.190	31.225	64.596	199-54-53	
T.250	47486.230	63156.188	30.932			
T.258	47552.267	62561.870	29.243	53.162	196-08-48	
T.270	47501.205	62547.087	29.184			
T.281	47414.213	62627.352	29.618	62.818	107-44-20	
T.283	47395.074	62687.180	29.898			
T.252	47570.363	62687.545	30.604	51.726	206-52-29	
T.260	47524.226	62664.164	30.107			
T.260	47524.226	62664.164	30.107	58.064	113-15-01	
T.261	47501.306	62717.510	30.276			
T.261	47501.306	62717.510	30.276	50.761	198-32-50	
T.273	47453.184	62701.365	30.139			
T.273	47453.184	62701.365	30.139	59.819	193-43-04	
T.283	47395.074	62687.180	29.898			
T.269	47375.862	63115.941	30.992	59.831	202-19-04	
T.279	47320.516	63093.222	31.164			
T.283	47395.074	62687.180	29.898	45.428	205-31-25	
T.288	47354.082	62667.607	29.726			
T.288	47354.082	62667.607	29.726	56.088	198-12-40	
T.298	47300.806	62650.080	29.365			

「この測量成果は、国土地理院長の承認を得て同院所管の測量成果を使用して得たものである（承認番号）平23関公第476号」

# 基準点成果表

世界測地系（測地成果2011）

作業名	出来形確認測量業務委託		座標系	9	精度区分	回数
測点	X	Y	H	辺長	方向角	
	m	m	m	m	°	
T.298	47300.806	62650.080	29.365	81.171	117-27-40	
T.299	47263.377	62722.101	29.410			
T.297	47199.505	63036.505	30.205	58.675	194-06-05	
T.303	47142.601	63022.210	29.829			
T.303	47142.601	63022.210	29.829	49.249	201-14-51	
T.306	47096.702	63004.363	29.516			
T.16	48016.671	62491.901	29.430	48.793	191-26-15	
T.81	47968.849	62482.226	29.312			
T.81	47968.849	62482.226	29.312	71.063	167-11-05	
T.14	47899.560	62497.987	29.328			
T.14	47899.560	62497.987	29.328	64.010	168-25-46	
T.13	47836.854	62510.825	29.209			
T.13	47836.854	62510.825	29.209	68.355	96-39-56	
T.65	47828.920	62578.715	30.102			
T.13	47836.854	62510.825	29.209	43.769	188-04-04	
T.12	47793.520	62504.683	29.339	52.454	165-00-54	
T.11	47742.853	62518.245	29.108			
T.11	47742.853	62518.245	29.108	48.750	181-28-58	
T.10	47694.122	62516.984	29.064	59.955	206-52-48	
T.9	47640.647	62489.878	29.015			
T.9	47640.647	62489.878	29.015	49.227	113-54-38	
T.64	47620.696	62534.878	29.160			
T.161	48077.009	62728.559	30.664	34.945	103-36-44	
T.162	48068.785	62762.521	30.958			
T.162	48068.785	62762.521	30.958	39.744	121-21-21	
T.163	48048.105	62796.458	30.823			

「この測量成果は、国土地理院長の承認を得て同院所管の測量成果を使用して得たものである  
（承認番号）平23関公第476号」

# 基準点成果表

世界測地系（測地成果2011）

作業名	出来形確認測量業務委託			座標系	9	精度区分	回数
測点	X	Y	H	辺長		方向角	
	m	m	m	S		T	
				m		°	
T.163	48048.105	62796.458	30.823	72.193		200-30-53	
T.175	47980.494	62771.160	30.636				
T.175	47980.494	62771.160	30.636	52.335		201-07-31	
T.185	47931.679	62752.299	30.284				
T.93	48268.645	63433.904	31.736	50.836		306-42-57	
T.92	48299.035	63393.155	31.816				
T.92	48299.035	63393.155	31.816	54.917		294-15-28	
T.91	48321.597	63343.089	31.966	43.267		304-48-55	
T.68	48346.298	63307.569	32.099				
T.68	48346.298	63307.569	32.099	45.000		207-01-22	
T.69	48306.212	63287.125	31.883				
T.69	48306.212	63287.125	31.883	68.652		192-45-35	
T.70	48239.259	63271.963	31.656				
T.70	48239.259	63271.963	31.656	55.385		199-19-08	
T.71	48186.996	63253.641	31.511				
T.71	48186.996	63253.641	31.511	68.337		204-40-14	
T.120	48124.900	63225.119	31.430				
T.120	48124.900	63225.119	31.430	53.412		198-49-14	
T.128	48074.346	63207.889	31.358				
T.128	48074.346	63207.889	31.358	48.649		109-50-48	
T.129	48057.830	63253.646	31.506	51.692		108-43-27	
T.130	48041.237	63302.600	31.770				
T.130	48041.237	63302.600	31.770	44.902		110-11-30	
T.131	48025.739	63344.740	31.902				
T.142	47978.081	63285.509	31.547	59.121		205-48-07	
T.154	47924.857	63259.777	31.379				

「この測量成果は、国土地理院長の承認を得て同院所管の測量成果を使用して得たものである（承認番号）平23関公第476号」

# 基準点成果表

世界測地系（測地成果2011）

作業名	出来形確認測量業務委託		座標系	9	精度区分	回数
測点	X	Y	H	辺長 S	方向角 T	
	m	m	m	m	°	
T.154	47924.857	63259.777	31.379	46.787	200-42-11	
T.172	47881.093	63243.238	31.204			
T.172	47881.093	63243.238	31.204	44.455	281-45-15	
T.171	47890.149	63199.717	31.077	51.570	290-06-35	
T.170	47907.878	63151.294	30.960			
T.170	47907.878	63151.294	30.960	48.234	198-51-06	
T.180	47862.234	63135.709	30.914			
T.180	47862.234	63135.709	30.914	48.835	190-39-24	
T.189	47814.244	63126.679	30.753			
T.98	48365.041	62978.226	31.353	60.536	297-39-56	
T.97	48393.147	62924.613	31.242			
T.97	48393.147	62924.613	31.242	73.950	299-05-41	
T.75	48429.104	62859.998	31.251			
T.97	48393.147	62924.613	31.242	64.855	208-19-24	
T.106	48336.059	62893.844	30.923	65.298	199-05-33	
T.107	48274.357	62872.487	30.666	50.201	203-48-03	
T.108	48228.427	62852.229	30.454	61.403	114-17-19	
T.124	48203.172	62908.194	30.301			
T.27	48438.294	63179.714	31.450	86.264	212-55-08	
T.87	48365.884	63132.837	31.470			
T.87	48365.884	63132.837	31.470	54.152	288-17-54	
T.86	48382.885	63081.426	31.491	39.630	296-03-29	
T.24	48400.293	63045.826	31.540			
T.89	48328.273	63239.913	31.602	68.731	290-57-53	
T.88	48352.863	63175.735	31.533			
T.88	48352.863	63175.735	31.533	44.833	286-53-07	
T.87	48365.884	63132.837	31.470			

「この測量成果は、国土地理院長の承認を得て同院所管の測量成果を使用して得たものである（承認番号）平23関公第476号」



# 基準点成果表

世界測地系（測地成果2011）

作業名	出来形確認測量業務委託		座標系	9	精度区分	回数
測点	X	Y	H	辺長 S	方向角 T	
	m	m	m	m	°	
T.88	48352.863	63175.735	31.533	65.668	195-59-16	
T.101	48289.738	63157.649	31.514			
T.101	48289.738	63157.649	31.514	59.441	297-06-07	
T.100	48316.816	63104.737	31.614	64.579	292-53-20	
T.99	48341.933	63045.246	31.712	70.896	289-01-27	
T.98	48365.041	62978.226	31.353			
T.101	48289.738	63157.649	31.514	56.680	205-53-10	
T.111	48238.748	63132.905	31.491			
T.31	48402.515	63396.608	31.263	45.738	208-32-35	
T.66	48362.338	63374.754	31.532			
T.66	48362.338	63374.754	31.532	65.139	291-02-24	
T.67	48385.723	63313.962	32.167	39.942	189-12-34	
T.68	48346.298	63307.569	32.099			
T.92	48299.035	63393.155	31.816	44.355	26-42-51	
T.90	48338.654	63413.093	31.225	45.067	301-42-21	
T.66	48362.338	63374.754	31.532			
T.96	48216.983	63415.012	32.394	62.050	313-12-36	
T.95	48259.465	63369.789	32.462	57.585	290-57-14	
T.94	48280.058	63316.015	32.116	38.972	312-09-18	
T.69	48306.212	63287.125	31.883			
T.105	48180.344	63408.830	32.153	35.335	286-55-02	
T.104	48190.625	63375.026	32.085	56.411	297-39-28	
T.103	48216.810	63325.063	31.905	57.654	292-55-03	
T.70	48239.259	63271.963	31.656			
T.111	48238.748	63132.905	31.491	57.892	191-55-16	
T.117	48182.107	63120.947	31.242			
T.117	48182.107	63120.947	31.242	79.185	293-27-51	
T.116	48213.635	63048.313	30.986	62.814	292-53-54	
T.115	48238.075	62990.452	30.817	61.697	293-26-04	

「この測量成果は、国土地理院長の承認を得て同院所管の測量成果を使用して得たものである（承認番号）平23関公第476号」

# 基準点成果表

世界測地系（測地成果2011）

作業名	出来形確認測量業務委託		座標系	9	精度区分	回数
測点	X	Y	H	辺長 S	方向角 T	
	m	m	m	m	°	
T.114	48262.610	62933.846	30.642			
T.117	48182.107	63120.947	31.242	65.711	198-48-20	
T.127	48119.907	63099.765	30.962			
T.127	48119.907	63099.765	30.962	61.876	292-29-14	
T.126	48143.572	63042.597	30.733	67.751	294-00-59	
T.125	48171.145	62980.714	30.498	79.282	293-49-39	
T.124	48203.172	62908.194	30.301			
T.127	48119.907	63099.765	30.962	67.296	198-36-03	
T.136	48056.130	63078.301	30.826			
T.128	48074.346	63207.889	31.358	50.240	198-56-54	
T.140	48026.830	63191.576	31.118			
T.113	48147.227	63342.800	31.781	58.913	198-24-51	
T.122	48091.333	63324.192	31.686			
T.122	48091.333	63324.192	31.686	46.692	288-10-17	
T.121	48105.894	63279.831	31.598	57.922	289-09-22	
T.120	48124.900	63225.119	31.430			
T.122	48091.333	63324.192	31.686	54.554	203-18-59	
T.130	48041.237	63302.600	31.770			
T.38	48108.767	63422.714	32.487	49.434	208-22-14	
T.39	48065.273	63399.225	32.650	51.624	199-13-31	
T.40	48016.531	63382.228	32.607	57.681	195-15-42	
T.41	47960.887	63367.045	32.370			
T.145	48144.706	62751.604	30.200	66.688	286-42-07	
T.144	48163.870	62687.733	30.038			
T.144	48163.870	62687.733	30.038	44.496	303-02-34	
T.143	48188.131	62650.436	29.939	46.534	291-29-24	
T.82	48205.177	62607.139	29.601			

「この測量成果は、国土地理院長の承認を得て同院所管の測量成果を使用して得たものである  
（承認番号）平23関公第476号」

# 基準点成果表

世界測地系（測地成果2011）

作業名	出来形確認測量業務委託		座標系	9	精度区分	回数
測 点	X	Y	H	辺 長	方 向 角	
	m	m	m	m	°	
T.144	48163.870	62687.733	30.038	69.099	193-05-57	
T.158	48096.572	62672.073	30.668			
T.158	48096.572	62672.073	30.668	63.596	207-59-51	
T.309	48040.422	62642.221	30.325			
T.309	48040.422	62642.221	30.325	50.614	294-07-16	
T.78	48061.105	62596.029	30.047	60.603	284-22-29	
T.77	48076.149	62537.327	29.713	36.664	281-41-48	
T.17	48083.582	62501.426	29.510			
T.160	48040.816	62705.071	30.509	34.578	279-23-50	
T.159	48046.462	62670.959	30.305	29.368	258-07-51	
T.309	48040.422	62642.221	30.325			
T.309	48040.422	62642.221	30.325	62.387	185-09-00	
T.80	47978.290	62636.621	30.206			
T.147	48095.708	62866.510	30.492	66.338	293-11-23	
T.146	48121.829	62805.535	30.318	58.585	292-59-08	
T.145	48144.706	62751.604	30.200			
T.147	48095.708	62866.510	30.492	59.670	198-51-05	
T.164	48039.241	62847.231	30.663			
T.164	48039.241	62847.231	30.663	51.543	279-54-11	
T.163	48048.105	62796.458	30.823			
T.162	48068.785	62762.521	30.958	83.796	201-44-51	
T.174	47990.957	62731.475	30.821	41.043	104-46-13	
T.175	47980.494	62771.160	30.636			
T.164	48039.241	62847.231	30.663	65.637	198-48-43	
T.165	47977.114	62826.066	30.550	67.124	204-29-18	
T.186	47916.031	62798.244	30.394			
T.136	48056.130	63078.301	30.826	53.728	206-32-06	
T.151	48008.063	63054.299	31.023			

「この測量成果は、国土地理院長の承認を得て同院所管の測量成果を使用して得たものである  
（承認番号）平23関公第476号」

# 基準点成果表

世界測地系（測地成果2011）

作業名	出来形確認測量業務委託		座標系	9	精度区分	次数
測点	X	Y	H	辺長 S	方向角 T	
	m	m	m	m	°	
T.151	48008.063	63054.299	31.023			
T.150	48017.658	63031.036	30.908	25.165	292-24-43	
T.149	48048.122	62959.949	30.731	77.344	293-11-51	
T.148	48074.889	62915.135	30.615	52.202	300-51-00	
T.151	48008.063	63054.299	31.023	51.139	191-00-40	
T.169	47957.868	63044.532	30.903			
T.169	47957.868	63044.532	30.903	60.787	287-49-41	
T.168	47976.478	62986.667	31.021	37.527	291-10-50	
T.167	47990.036	62951.677	31.073	64.755	291-18-32	
T.166	48013.567	62891.352	30.900			
T.169	47957.868	63044.532	30.903	55.115	198-48-53	
T.179	47905.701	63026.759	30.799			
T.179	47905.701	63026.759	30.799	68.136	285-05-19	
T.178	47923.437	62960.974	30.794	54.563	294-03-28	
T.177	47945.679	62911.154	30.728			
T.177	47945.679	62911.154	30.728	36.099	280-26-49	
T.176	47952.224	62875.655	30.676			
T.177	47945.679	62911.154	30.728	40.981	188-30-51	
T.187	47905.151	62905.087	30.843	75.825	202-24-02	
T.197	47835.052	62876.193	30.733			
T.179	47905.701	63026.759	30.799	58.643	205-41-53	
T.188	47852.862	63001.331	30.708			
T.140	48026.830	63191.576	31.118	70.417	198-38-04	
T.152	47960.108	63169.077	31.019			
T.152	47960.108	63169.077	31.019	55.177	198-48-08	
T.170	47907.878	63151.294	30.960			
T.154	47924.857	63259.777	31.379	37.187	289-11-31	

「この測量成果は、国土地理院長の承認を得て同院所管の測量成果を使用して得たものである  
（承認番号）平23関公第476号」

# 基準点成果表

世界測地系（測地成果2011）

作業名	出来形確認測量業務委託		座標系	9	精度区分	回数
測点	X	Y	H	辺長 S	方向角 T	
	m	m	m	m	°	
T.153	47937.081	63224.659	31.214	60.166	292-30-15	
T.152	47960.108	63169.077	31.019			
T.173	47860.727	63283.468	31.388	45.093	296-51-01	
T.172	47881.093	63243.238	31.204			
T.182	47815.045	63274.457	31.269	77.758	287-24-17	
T.181	47838.303	63200.263	31.068	68.850	290-20-27	
T.180	47862.234	63135.709	30.914			
T.41	47960.887	63367.045	32.370	64.104	194-55-49	
T.85	47898.950	63350.530	32.163	54.135	193-31-02	
T.43	47846.317	63337.877	31.518			
T.43	47846.317	63337.877	31.518	56.288	284-50-02	
T.173	47860.727	63283.468	31.388			
T.43	47846.317	63337.877	31.518	47.945	205-28-51	
T.44	47803.038	63317.252	31.576	57.449	197-42-10	
T.45	47748.312	63299.783	31.525			
T.80	47978.290	62636.621	30.206	56.719	202-15-03	
T.192	47925.797	62615.145	30.095			
T.192	47925.797	62615.145	30.095	73.150	290-57-45	
T.191	47951.965	62546.840	29.649	66.787	284-38-39	
T.81	47968.849	62482.226	29.312			
T.192	47925.797	62615.145	30.095	54.199	197-47-07	
T.206	47874.190	62598.591	29.776			
T.206	47874.190	62598.591	29.776	56.976	285-43-47	
T.205	47889.636	62543.751	29.483	46.830	282-14-06	
T.14	47899.560	62497.987	29.328			
T.206	47874.190	62598.591	29.776	49.444	203-42-12	
T.65	47828.920	62578.715	30.102			

「この測量成果は、国土地理院長の承認を得て同院所管の測量成果を使用して得たものである（承認番号）平23関公第476号」

# 基準点成果表

世界測地系（測地成果2011）

作業名	出来形確認測量業務委託			座標系	9	精度区分	回数
測点	X	Y	H	辺長		方向角	
	m	m	m	S		T	
				m		°	
T.186	47916.031	62798.244	30.394	47.483		199-14-02	
T.195	47871.201	62782.603	30.583				
T.195	47871.201	62782.603	30.583	55.728		287-11-34	
T.194	47887.673	62729.368	30.434	58.929		289-09-55	
T.193	47907.018	62673.707	30.359				
T.195	47871.201	62782.603	30.583	57.665		198-49-04	
T.209	47816.621	62764.004	30.735				
T.209	47816.621	62764.004	30.735	55.315		288-05-50	
T.208	47833.802	62711.428	30.608	67.084		286-34-57	
T.207	47852.947	62647.137	30.610				
T.209	47816.621	62764.004	30.735	49.199		190-29-05	
T.218	47768.246	62755.051	30.874				
T.199	47799.780	62990.674	30.860	55.544		198-48-44	
T.213	47747.206	62972.764	31.116				
T.213	47747.206	62972.764	31.116	68.155		285-50-25	
T.212	47765.809	62907.200	31.053	51.835		294-20-06	
T.211	47787.168	62859.973	30.976	43.394		286-57-29	
T.210	47799.824	62818.467	30.812				
T.213	47747.206	62972.764	31.116	60.050		198-40-56	
T.221	47690.323	62953.530	30.551				
T.189	47814.244	63126.679	30.753	58.845		205-34-33	
T.202	47761.167	63101.277	30.999				
T.202	47761.167	63101.277	30.999	56.378		198-48-41	
T.214	47707.803	63083.098	30.925				
T.214	47707.803	63083.098	30.925	49.813		190-30-54	
T.222	47658.829	63074.008	30.618				
T.204	47714.583	63238.553	31.316	61.597		286-09-34	

「この測量成果は、国土地理院長の承認を得て同院所管の測量成果を使用して得たものである  
（承認番号）平23関公第476号」

# 基準点成果表

世界測地系（測地成果2011）

作業名	出来形確認測量業務委託		座標系	9	精度区分	回数
測点	X	Y	H	辺長	方向角	
	m	m	m	m	°	
T.203	47731.725	63179.393	31.171	83.485	290-39-06	
T.202	47761.167	63101.277	30.999			
T.216	47661.009	63219.510	31.212	70.838	291-37-03	
T.215	47687.104	63153.658	31.037	73.537	286-20-57	
T.214	47707.803	63083.098	30.925			
T.64	47620.696	62534.878	29.160	42.842	22-54-04	
T.243	47660.160	62551.549	29.779	59.946	13-41-23	
T.242	47718.400	62565.735	30.559	37.862	266-53-52	
T.241	47716.351	62527.931	29.315	28.218	339-55-27	
T.11	47742.853	62518.245	29.108			
T.218	47768.246	62755.051	30.874	76.786	204-10-30	
T.227	47698.198	62723.607	31.312			
T.227	47698.198	62723.607	31.312	52.862	288-29-50	
T.226	47714.968	62673.479	31.441			
T.226	47714.968	62673.479	31.441	63.544	292-08-11	
T.224	47738.911	62614.622	31.237			
T.228	47684.793	62779.013	31.192	57.007	283-36-00	
T.227	47698.198	62723.607	31.312			
T.226	47714.968	62673.479	31.441	70.961	203-04-19	
T.244	47649.686	62645.672	30.862	62.206	196-28-26	
T.251	47590.036	62628.032	30.033			
T.227	47698.198	62723.607	31.312	82.645	198-55-02	
T.245	47620.020	62696.815	30.787			
T.245	47620.020	62696.815	30.787	50.518	190-34-25	
T.252	47570.363	62687.545	30.604			
T.247	47574.346	62831.428	30.790	80.268	292-14-03	
T.246	47604.717	62757.132	31.020	62.231	284-14-10	
T.245	47620.020	62696.815	30.787			

「この測量成果は、国土地理院長の承認を得て同院所管の測量成果を使用して得たものである  
（承認番号）平23関公第476号」

# 基準点成果表

世界測地系（測地成果2011）

作業名	出来形確認測量業務委託		座標系	9	精度区分	回数
測 点	X	Y	H	辺 長	方 向 角	
	m	m	m	S	T	
				m	°	
T.219	47738.018	62840.264	30.989			
T.229	47705.248	62844.879	31.001	33.095	171-58-58	
T.230	47637.636	62888.748	30.837	80.601	147-01-24	
T.230	47637.636	62888.748	30.837			
T.233	47604.153	62842.396	30.891	57.184	234-09-25	
T.221	47690.323	62953.530	30.551			
T.231	47654.041	62934.230	30.817	41.098	208-00-34	
T.231	47654.041	62934.230	30.817			
T.230	47637.636	62888.748	30.837	48.353	250-09-59	
T.231	47654.041	62934.230	30.817			
T.234	47597.594	62921.728	30.556	57.818	192-29-18	
T.235	47552.953	62906.514	30.350	47.165	198-49-12	
T.254	47512.006	62885.247	30.286	46.142	207-26-49	
T.222	47658.829	63074.008	30.618			
T.238	47592.196	63043.690	30.927	73.210	204-27-56	
T.238	47592.196	63043.690	30.927			
T.248	47532.967	63023.503	31.008	62.578	198-49-13	
T.248	47532.967	63023.503	31.008			
T.255	47473.133	63003.051	30.478	63.237	198-52-18	
T.240	47546.960	63178.190	31.225			
T.239	47571.085	63112.333	31.074	70.141	290-07-08	
T.238	47592.196	63043.690	30.927	71.819	287-05-44	
T.250	47486.230	63156.188	30.932			
T.249	47504.466	63095.696	31.024	63.185	286-46-34	
T.248	47532.967	63023.503	31.008	77.619	291-32-38	
T.48	47584.480	63241.933	31.409			
T.49	47520.711	63218.828	31.320	67.830	199-54-59	
				58.025	199-29-47	

「この測量成果は、国土地理院長の承認を得て同院所管の測量成果を使用して得たものである  
 (承認番号) 平23関公第476号」



# 基準点成果表

世界測地系（測地成果2011）

作業名	出来形確認測量業務委託			座標系	9	精度区分	回数
測点	X	Y	H	辺長		方向角	
	m	m	m	S		T	
				m		°	
T.50	47466.016	63199.464	31.211	54.575		200-41-37	
T.51	47414.965	63180.179	31.068				
T.258	47552.267	62561.870	29.243	45.850		295-13-33	
T.257	47571.807	62520.395	29.062	50.826		281-09-45	
T.8	47581.646	62470.533	29.227				
T.8	47581.646	62470.533	29.227	62.095		18-09-11	
T.9	47640.647	62489.878	29.015				
T.5	47423.234	62524.564	29.067	50.051		336-57-04	
T.6	47469.287	62504.969	29.003	58.284		336-44-59	
T.7	47522.835	62481.963	29.221	59.914		349-00-07	
T.8	47581.646	62470.533	29.227				
T.260	47524.226	62664.164	30.107	50.788		288-31-21	
T.259	47540.359	62616.010	29.686	55.437		282-24-17	
T.258	47552.267	62561.870	29.243				
T.260	47524.226	62664.164	30.107	56.969		191-39-09	
T.272	47468.434	62652.659	29.890				
T.272	47468.434	62652.659	29.890	74.459		290-43-41	
T.271	47494.787	62583.022	29.381	36.507		280-07-38	
T.270	47501.205	62547.087	29.184				
T.272	47468.434	62652.659	29.890	59.840		205-01-12	
T.281	47414.213	62627.352	29.618				
T.254	47512.006	62885.247	30.286	62.143		192-34-58	
T.264	47451.359	62871.710	30.123				
T.264	47451.359	62871.710	30.123	53.657		292-50-50	
T.263	47472.191	62822.265	30.283	50.390		282-18-45	
T.262	47482.936	62773.036	30.404	58.488		288-18-23	
T.261	47501.306	62717.510	30.276				
T.264	47451.359	62871.710	30.123	52.555		198-30-43	

「この測量成果は、国土地理院長の承認を得て同院所管の測量成果を使用して得たものである  
（承認番号）平23関公第476号」

# 基準点成果表

世界測地系（測地成果2011）

作業名	出来形確認測量業務委託		座標系	9	精度区分	次数
測点	X	Y	H	辺長 S	方向角 T	
	m	m	m	m	°	
T.276	47401.526	62855.024	29.968			
T.276	47401.526	62855.024	29.968	47.031	289-43-44	
T.275	47417.401	62810.756	30.066	78.765	288-48-24	
T.274	47442.792	62736.201	30.232	36.355	286-36-42	
T.273	47453.184	62701.365	30.139			
T.276	47401.526	62855.024	29.968	61.170	205-41-42	
T.285	47346.407	62828.504	29.823			
T.255	47473.133	63003.051	30.478	57.256	198-54-07	
T.267	47418.967	62984.504	30.775			
T.267	47418.967	62984.504	30.775	55.309	198-49-08	
T.277	47366.618	62966.663	30.513			
T.277	47366.618	62966.663	30.513	54.498	198-32-18	
T.286	47314.950	62949.337	30.200			
T.269	47375.862	63115.941	30.992	60.501	282-47-41	
T.268	47389.260	63056.946	31.068	78.301	292-17-51	
T.267	47418.967	62984.504	30.775			
T.279	47320.516	63093.222	31.164	66.901	292-39-56	
T.278	47346.295	63031.491	30.823	67.942	287-24-19	
T.277	47366.618	62966.663	30.513			
T.51	47414.965	63180.179	31.068	51.311	200-45-27	
T.52	47366.987	63161.995	31.039	61.391	204-13-33	
T.53	47311.005	63136.805	30.887	64.600	200-42-15	
T.54	47250.580	63113.968	30.823			
T.281	47414.213	62627.352	29.618	45.505	199-27-50	
T.282	47371.310	62612.189	29.169	39.851	205-39-59	
T.3	47335.394	62594.930	28.875			
T.3	47335.394	62594.930	28.875	59.760	332-42-10	
T.4	47388.496	62567.525	28.986	55.252	308-57-33	

「この測量成果は、国土地理院長の承認を得て同院所管の測量成果を使用して得たものである  
（承認番号）平23関公第476号」

# 基準点成果表

世界測地系（測地成果2011）

作業名	出来形確認測量業務委託		座標系	9	精度区分	次数
測点	X	Y	H	辺長 S	方向角 T	
	m	m	m	m	°	
T.5	47423.234	62524.564	29.067			
T.298	47300.806	62650.080	29.365	65.102	302-05-38	
T.3	47335.394	62594.930	28.875			
T.3	47335.394	62594.930	28.875	57.569	167-50-50	
T.2	47279.118	62607.048	29.521	41.960	157-18-56	
T.1	47240.406	62623.229	29.477			
T.285	47346.407	62828.504	29.823	62.657	192-21-51	
T.291	47285.207	62815.088	29.683			
T.291	47285.207	62815.088	29.683	53.706	297-10-41	
T.290	47309.736	62767.314	29.801	45.772	289-19-19	
T.289	47324.880	62724.123	29.856	63.618	297-19-33	
T.288	47354.082	62667.607	29.726			
T.291	47285.207	62815.088	29.683	74.698	199-03-41	
T.300	47214.608	62790.694	29.528	84.167	305-24-44	
T.299	47263.377	62722.101	29.410			
T.286	47314.950	62949.337	30.200	64.061	198-58-52	
T.295	47254.375	62928.501	29.721			
T.295	47254.375	62928.501	29.721	48.589	198-49-02	
T.301	47208.385	62912.830	29.436			
T.301	47208.385	62912.830	29.436	50.886	191-12-18	
T.304	47158.471	62902.942	29.176			
T.297	47199.505	63036.505	30.205	59.047	299-55-03	
T.296	47228.953	62985.329	29.976	62.257	294-06-04	
T.295	47254.375	62928.501	29.721			
T.303	47142.601	63022.210	29.829	57.336	304-51-13	
T.302	47175.365	62975.162	29.656	70.542	297-54-43	
T.301	47208.385	62912.830	29.436			

「この測量成果は、国土地理院長の承認を得て同院所管の測量成果を使用して得たものである  
（承認番号）平23関公第476号」

